

Characteristics of Mason County Women Who Gave Birth

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Women Who Gave Birth	627	629	626	694	616	610	693	578	603	622
Race / Ethnicity										
White	428	430	429	473	434	414	490	409	411	429
Hispanic	119	115	127	141	117	123	125	107	124	134
African American	**	**	**	**	**	**	**	**	**	**
Native American	33	35	35	30	31	24	24	18	29	19
Asian	**	**	**	**	**	**	**	**	**	**
Hawaiian/Pacific Islander	**	**	**	**	**	**	**	**	**	**
More than 1 race	23	30	17	23	22	25	35	28	21	22
Other/Unknown	24	19	18	27	12	24	19	16	18	18
Average Age (Yrs.)	25.8	25.9	26.1	26.4	26.6	26.4	26.4	27.2	26.9	27.6
Age Less Than 18 Yrs. Old	27	30	25	28	16	24	30	10	9	17
Marital Status (Married)	327	328	316	381	320	314	340	277	290	309
High School Education	425	435	437	500	440	420	478	434	425	440
Smoking History (Yes)	133	138	119	138	120	121	126	112	107	95
Prenatal Care Began										
First Trimester	386	372	381	434	374	380	445	371	370	377
Second Trimester	165	180	179	198	161	145	167	134	155	159
Third Trimester	40	38	39	31	47	44	46	42	42	38
None	4	7	8	7	10	5	8	6	11	14
Unknown	32	32	19	24	24	36	27	25	25	34
Low Birthweight¹	27	24	36	28	39	31	29	32	22	29
Singleton Liveborn	616	624	614	674	604	598	686	567	590	609

**Race/ethnicity numbers and percents are not presented because of the small number of women. In these cases, the numbers are included in the other/unknown category.

¹ Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight.

The method used to calculate Trimester Prenatal Care Began has been revised from reports produced prior to 2013 to better align with NCHS recommendations.

As of 2014, records do not include out-of-state deliveries to Washington residents because birth certificates for states other than Washington were not available for record linkage

Characteristics of Mason County Women Who Gave Birth

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Women Who Gave Birth	627	629	626	694	616	610	693	578	603	622
Race / Ethnicity										
White	68.3%	68.4%	68.5%	68.2%	70.5%	67.9%	70.7%	70.8%	68.2%	69.0%
Hispanic	19.0%	18.3%	20.3%	20.3%	19.0%	20.2%	18.0%	18.5%	20.6%	21.5%
African American	**	**	**	**	**	**	**	**	**	**
Native American	5.3%	5.6%	5.6%	4.3%	5.0%	3.9%	3.5%	3.1%	4.8%	3.1%
Asian	**	**	**	**	**	**	**	**	**	**
Hawaiian/Pacific Islander	**	**	**	**	**	**	**	**	**	**
More than 1 race	3.7%	4.8%	2.7%	3.3%	3.6%	4.1%	5.1%	4.8%	3.5%	3.5%
Other/Unknown	3.8%	3.0%	2.9%	3.9%	1.9%	3.9%	2.7%	2.8%	3.0%	2.9%
Age Less Than 18 Yrs. Old	4.3%	4.8%	4.0%	4.0%	2.6%	3.9%	4.3%	1.7%	1.5%	2.7%
Marital Status (Married)	52.2%	52.1%	50.5%	54.9%	51.9%	51.5%	49.1%	47.9%	48.1%	49.7%
High School Education	67.8%	69.2%	69.8%	72.0%	71.4%	68.9%	69.0%	75.1%	70.5%	70.7%
Smoking History (Yes)	21.2%	21.9%	19.0%	19.9%	19.5%	19.8%	18.2%	19.4%	17.7%	15.3%
Prenatal Care Began										
First Trimester	61.6%	59.1%	60.9%	62.5%	60.7%	62.3%	64.2%	64.2%	61.4%	60.6%
Second Trimester	26.3%	28.6%	28.6%	28.5%	26.1%	23.8%	24.1%	23.2%	25.7%	25.6%
Third Trimester	6.4%	6.0%	6.2%	4.5%	7.6%	7.2%	6.6%	7.3%	7.0%	6.1%
None	0.6%	1.1%	1.3%	1.0%	1.6%	0.8%	1.2%	1.0%	1.8%	2.3%
Unknown	5.1%	5.1%	3.0%	3.5%	3.9%	5.9%	3.9%	4.3%	4.1%	5.5%
Low Birthweight¹										
Singleton Liveborn	4.4%	3.8%	5.9%	4.2%	6.5%	5.2%	4.2%	5.6%	3.7%	4.8%

**Race/ethnicity numbers and percents are not presented because of the small number of women. In these cases, the numbers are included in the other/unknown category.

¹ Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight.

The method used to calculate Trimester Prenatal Care Began has been revised from reports produced prior to 2013 to better align with NCHS recommendations.

As of 2014, records do not include out-of-state deliveries to Washington residents because birth certificates for states other than Washington were not available for record linkage.

Characteristics of Mason County Medicaid Women Who Gave Birth

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Women Who Gave Birth	393	386	383	417	402	423	482	383	417	418
All women	627	629	626	694	616	610	693	578	603	622
Race / Ethnicity										
White	239	238	226	252	246	249	311	246	252	246
Hispanic	100	97	112	115	110	114	117	95	114	127
African American	**	**	**	**	**	**	**	**	**	**
Native American	26	26	27	22	23	22	21	12	25	14
Asian	**	**	**	**	**	**	**	**	**	**
Hawaiian/Pacific Islander	**	**	**	**	**	**	**	**	**	**
More than 1 race	16	18	13	15	15	20	21	18	14	16
Other/Unknown	12	7	5	13	8	18	12	12	12	15
Average Age (Yrs.)	24.3	24.3	24.6	24.8	25.1	24.9	25.3	26.1	26.1	27.1
Age Less Than 18 Yrs. Old	27	29	24	25	15	24	29	9	9	15
Marital Status (Married)	131	128	118	148	132	150	162	114	138	142
High School Education	213	214	219	248	234	239	280	244	244	244
Smoking History (Yes)	112	114	95	118	99	97	114	104	93	81
Prenatal Care Began										
First Trimester	217	202	211	236	210	237	286	212	224	230
Second Trimester	121	134	126	140	130	125	130	114	127	125
Third Trimester	32	27	32	26	41	38	42	34	37	28
None	4	5	4	6	5	2	6	6	10	12
Unknown	19	18	10	9	16	21	18	17	19	23
Maternity Support Services¹	217	190	147	125	66	83	100	125	150	162
Average No. MSS Visits	6.7	5.6	5.7	5.2	4.6	3.1	2.5	2.8	3.0	2.7
Infant Case Management²	103	86	54	46	37	39	34	53	42	31
Average No. ICM Visits	3.0	4.4	3.3	2.2	2.4	2.2	2.7	1.8	1.9	2.2
Low Birthweight³	21	19	26	22	30	23	20	23	18	22
Singleton Liveborn	386	383	378	403	394	416	479	375	410	410

**Race/ethnicity numbers and percents are not presented because of the small number of women. In these cases, the numbers are included in the other/unknown category.

¹ MSS includes prenatal and postpartum visits through the 2nd postpartum month. A visit is one or more billed units of service on a single day, including multiple encounter types.

² Infant Case Management figures reflect visits from 60 to 365 days postpartum.

³ Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight.

The method used to calculate Trimester Prenatal Care Began has been revised from reports produced prior to 2013 to better align with NCHS recommendations.

As of 2014, records do not include out-of-state deliveries to Washington residents because birth certificates for states other than Washington were not available for record linkage.

Characteristics of Mason County Medicaid Women Who Gave Birth

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Women Who Gave Birth	393	386	383	417	402	423	482	383	417	418
% of All women	62.7%	61.4%	61.2%	60.1%	65.3%	69.3%	69.6%	66.3%	69.2%	67.2%
Race / Ethnicity										
White	60.8%	61.7%	59.0%	60.4%	61.2%	58.9%	64.5%	64.2%	60.4%	58.9%
Hispanic	25.4%	25.1%	29.2%	27.6%	27.4%	27.0%	24.3%	24.8%	27.3%	30.4%
African American	**	**	**	**	**	**	**	**	**	**
Native American	6.6%	6.7%	7.0%	5.3%	5.7%	5.2%	4.4%	3.1%	6.0%	3.3%
Asian	**	**	**	**	**	**	**	**	**	**
Hawaiian/Pacific Islander	**	**	**	**	**	**	**	**	**	**
More than 1 race	4.1%	4.7%	3.4%	3.6%	3.7%	4.7%	4.4%	4.7%	3.4%	3.8%
Other/Unknown	3.1%	1.8%	1.3%	3.1%	2.0%	4.3%	2.5%	3.1%	2.9%	3.6%
Age Less Than 18 Yrs. Old	6.9%	7.5%	6.3%	6.0%	3.7%	5.7%	6.0%	2.3%	2.2%	3.6%
Marital Status (Married)	33.3%	33.2%	30.8%	35.5%	32.8%	35.5%	33.6%	29.8%	33.1%	34.0%
High School Education	54.2%	55.4%	57.2%	59.5%	58.2%	56.5%	58.1%	63.7%	58.5%	58.4%
Smoking History (Yes)	28.5%	29.5%	24.8%	28.3%	24.6%	22.9%	23.7%	27.2%	22.3%	19.4%
Prenatal Care Began										
First Trimester	55.2%	52.3%	55.1%	56.6%	52.2%	56.0%	59.3%	55.4%	53.7%	55.0%
Second Trimester	30.8%	34.7%	32.9%	33.6%	32.3%	29.6%	27.0%	29.8%	30.5%	29.9%
Third Trimester	8.1%	7.0%	8.4%	6.2%	10.2%	9.0%	8.7%	8.9%	8.9%	6.7%
None	1.0%	1.3%	1.0%	1.4%	1.2%	0.5%	1.2%	1.6%	2.4%	2.9%
Unknown	4.8%	4.7%	2.6%	2.2%	4.0%	5.0%	3.7%	4.4%	4.6%	5.5%
Maternity Support Services¹	55.2%	49.2%	38.4%	30.0%	16.4%	19.6%	20.7%	32.6%	36.0%	38.8%
Infant Case Management²	26.2%	22.3%	14.1%	11.0%	9.2%	9.2%	7.1%	13.8%	10.1%	7.4%
Low Birthweight³										
Singleton Liveborn	5.4%	5.0%	6.9%	5.5%	7.6%	5.5%	4.2%	6.1%	4.4%	5.4%

**Race/ethnicity numbers and percents are not presented because of the small number of women. In these cases, the numbers are included in the other/unknown category.

¹ MSS includes prenatal and postpartum visits through the 2nd postpartum month. A visit is one or more billed units of service on a single day, including multiple encounter types.

² Infant Case Management figures reflect visits from 60 to 365 days postpartum.

³ Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight.

The method used to calculate Trimester Prenatal Care Began has been revised from reports produced prior to 2013 to better align with NCHS recommendations.

As of 2014, records do not include out-of-state deliveries to Washington residents because birth certificates for states other than Washington were not available for record linkage.

Characteristics of Mason County Medicaid Undocumented Women Who Gave Birth

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Women Who Gave Birth	87	71	89	90	84	84	81	62	78	81
All Medicaid women	393	386	383	417	402	423	482	383	417	418
Race / Ethnicity										
White	1	-	-	-	-	-	1	1	-	1
Hispanic	84	69	87	88	84	76	78	57	76	76
African American	**	**	**	**	**	**	**	**	**	**
Native American	**	**	**	**	**	**	**	**	**	**
Asian	**	**	**	**	**	**	**	**	**	**
Hawaiian/Pacific Islander	**	**	**	**	**	**	**	**	**	**
More than 1 race	**	**	**	**	**	**	**	**	**	**
Other/Unknown	2	2	2	2	-	8	2	4	2	4
Average Age (Yrs.)	24.7	25.4	26.3	26.1	26.7	26.5	26.6	27.8	27.6	29.7
Age Less Than 18 Yrs. Old	6	5	4	3	1	1	1	1	-	-
Marital Status (Married)	28	22	30	27	29	32	22	17	28	36
High School Education	5	5	6	12	11	12	8	10	9	10
Smoking History (Yes)	-	-	-	-	1	-	-	-	1	-
Prenatal Care Began										
First Trimester	44	36	36	35	24	40	42	31	22	30
Second Trimester	32	28	39	43	42	29	30	24	38	38
Third Trimester	9	6	12	10	16	12	6	4	12	7
None	-	-	2	2	-	1	-	-	2	3
Unknown	2	1	-	-	2	2	3	3	4	3
Maternity Support Services¹	72	56	51	61	40	33	40	36	45	41
Average No. MSS Visits	8.4	8.6	7.9	6.1	5.2	4.0	3.6	4.8	4.7	3.4
Infant Case Management²	51	41	32	31	31	30	28	29	28	15
Average No. ICM Visits	2.4	5.6	3.2	2.2	2.3	2.1	2.8	1.8	1.6	1.6
Low Birthweight³	4	3	7	4	3	6	3	2	4	3
Singleton Liveborn	85	71	87	86	84	84	81	60	77	80

**Race/ethnicity numbers and percents are not presented because of the small number of women. In these cases, the numbers are included in the other/unknown category.

¹ MSS includes prenatal and postpartum visits through the 2nd postpartum month. A visit is one or more billed units of service on a single day, including multiple encounter types.

² Infant Case Management figures reflect visits from 60 to 365 days postpartum.

³ Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight.

Undocumented status is determined from Medicaid eligibility records.

The method used to calculate Trimester Prenatal Care Began has been revised from reports produced prior to 2013 to better align with NCHS recommendations.

As of 2014, records do not include out-of-state deliveries to Washington residents because birth certificates for states other than Washington were not available for record linkage.

Characteristics of Mason County Medicaid Undocumented Women Who Gave Birth

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Women Who Gave Birth	87	71	89	90	84	84	81	62	78	81
% of All Medicaid women	22.1%	18.4%	23.2%	21.6%	20.9%	19.9%	16.8%	16.2%	18.7%	19.4%
Race / Ethnicity										
White	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	1.2%	1.6%	0.0%	1.2%
Hispanic	96.6%	97.2%	97.8%	97.8%	100.0%	90.5%	96.3%	91.9%	97.4%	93.8%
African American	**	**	**	**	**	**	**	**	**	**
Native American	**	**	**	**	**	**	**	**	**	**
Asian	**	**	**	**	**	**	**	**	**	**
Hawaiian/Pacific Islander	**	**	**	**	**	**	**	**	**	**
More than 1 race	**	**	**	**	**	**	**	**	**	**
Other/Unknown	2.3%	2.8%	2.2%	2.2%	0.0%	9.5%	2.5%	6.5%	2.6%	4.9%
Age Less Than 18 Yrs. Old	6.9%	7.0%	4.5%	3.3%	1.2%	1.2%	1.2%	1.6%	0.0%	0.0%
Marital Status (Married)	32.2%	31.0%	33.7%	30.0%	34.5%	38.1%	27.2%	27.4%	35.9%	44.4%
High School Education	5.7%	7.0%	6.7%	13.3%	13.1%	14.3%	9.9%	16.1%	11.5%	12.3%
Smoking History (Yes)	0.0%	0.0%	0.0%	0.0%	1.2%	0.0%	0.0%	0.0%	1.3%	0.0%
Prenatal Care Began										
First Trimester	50.6%	50.7%	40.4%	38.9%	28.6%	47.6%	51.9%	50.0%	28.2%	37.0%
Second Trimester	36.8%	39.4%	43.8%	47.8%	50.0%	34.5%	37.0%	38.7%	48.7%	46.9%
Third Trimester	10.3%	8.5%	13.5%	11.1%	19.0%	14.3%	7.4%	6.5%	15.4%	8.6%
None	0.0%	0.0%	2.2%	2.2%	0.0%	1.2%	0.0%	0.0%	2.6%	3.7%
Unknown	2.3%	1.4%	0.0%	0.0%	2.4%	2.4%	3.7%	4.8%	5.1%	3.7%
Maternity Support Services¹	82.8%	78.9%	57.3%	67.8%	47.6%	39.3%	49.4%	58.1%	57.7%	50.6%
Infant Case Management²	58.6%	57.7%	36.0%	34.4%	36.9%	35.7%	34.6%	46.8%	35.9%	18.5%
Low Birthweight³										
Singleton Liveborn	4.7%	4.2%	8.0%	4.7%	3.6%	7.1%	3.7%	3.3%	5.2%	3.8%

**Race/ethnicity numbers and percents are not presented because of the small number of women. In these cases, the numbers are included in the other/unknown category.

¹ MSS includes prenatal and postpartum visits through the 2nd postpartum month. A visit is one or more billed units of service on a single day, including multiple encounter types.

² Infant Case Management figures reflect visits from 60 to 365 days postpartum.

³ Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight.

Undocumented status is determined from Medicaid eligibility records.

The method used to calculate Trimester Prenatal Care Began has been revised from reports produced prior to 2013 to better align with NCHS recommendations.

As of 2014, records do not include out-of-state deliveries to Washington residents because birth certificates for states other than Washington were not available for record linkage.