Characteristics of Okanogan County Women Who Gave Birth

| | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
|------------------------------|------|------|------|------|------|------|------|------|------|------|
| Women Who Gave Birth | 594 | 537 | 573 | 584 | 564 | 572 | 535 | 502 | 493 | 489 |
| Race / Ethnicity | | | | | | | | | | |
| White | 296 | 277 | 279 | 310 | 280 | 286 | 265 | 266 | 264 | 240 |
| Hispanic | 188 | 162 | 179 | 180 | 177 | 186 | 155 | 149 | 143 | 161 |
| African American | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Native American | 88 | 74 | 94 | 66 | 78 | 69 | 81 | 62 | 50 | 63 |
| Asian | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Hawaiian/Pacific Islander | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| More than 1 race | 10 | 16 | 12 | 21 | 20 | 21 | 19 | 16 | 23 | 15 |
| Other/Unknown | 12 | 8 | 9 | 7 | 9 | 10 | 15 | 9 | 13 | 10 |
| Average Age (Yrs.) | 25.9 | 26.3 | 26.0 | 26.1 | 26.4 | 26.3 | 26.6 | 26.8 | 26.9 | 27.1 |
| Age Less Than 18 Yrs. Old | 30 | 22 | 19 | 24 | 24 | 27 | 13 | 14 | 17 | 15 |
| Marital Status (Married) | 305 | 279 | 287 | 278 | 276 | 263 | 265 | 238 | 237 | 237 |
| High School Education | 376 | 367 | 387 | 384 | 387 | 389 | 378 | 378 | 365 | 351 |
| Smoking History (Yes) | 111 | 86 | 85 | 92 | 86 | 62 | 70 | 66 | 61 | 58 |
| Prenatal Care Began | | | | | | | | | | |
| First Trimester | 386 | 358 | 373 | 386 | 396 | 372 | 345 | 325 | 316 | 296 |
| Second Trimester | 136 | 117 | 134 | 134 | 110 | 127 | 121 | 116 | 107 | 116 |
| Third Trimester | 33 | 31 | 39 | 34 | 27 | 27 | 31 | 33 | 39 | 48 |
| None | 6 | 8 | 6 | 7 | 7 | 10 | 12 | 7 | 10 | 5 |
| Unknown | 33 | 23 | 21 | 23 | 24 | 36 | 26 | 21 | 21 | 24 |
| Low Birthweight ¹ | 38 | 35 | 39 | 35 | 40 | 34 | 29 | 22 | 25 | 31 |
| Singleton Liveborn | 587 | 521 | 561 | 570 | 553 | 565 | 521 | 491 | 479 | 485 |

^{**}Race/ethnicity numbers and percents are not presented because of the small number of women. In these cases, the numbers are included in the other/unknown category.

¹ Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight.

The method used to calculate Trimester Prenatal Care Began has been revised from reports produced prior to 2013 to better align with NCHS recommendations.

As of 2014, records do not include out-of-state deliveries to Washington residents because birth certificates for states other than Washington were not available for record linkage

Characteristics of Okanogan County Women Who Gave Birth

| | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
|------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Women Who Gave Birth | 594 | 537 | 573 | 584 | 564 | 572 | 535 | 502 | 493 | 489 |
| Race / Ethnicity | | | | | | | | | | |
| White | 49.8% | 51.6% | 48.7% | 53.1% | 49.6% | 50.0% | 49.5% | 53.0% | 53.5% | 49.1% |
| Hispanic | 31.6% | 30.2% | 31.2% | 30.8% | 31.4% | 32.5% | 29.0% | 29.7% | 29.0% | 32.9% |
| African American | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Native American | 14.8% | 13.8% | 16.4% | 11.3% | 13.8% | 12.1% | 15.1% | 12.4% | 10.1% | 12.9% |
| Asian | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Hawaiian/Pacific Islander | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| More than 1 race | 1.7% | 3.0% | 2.1% | 3.6% | 3.5% | 3.7% | 3.6% | 3.2% | 4.7% | 3.1% |
| Other/Unknown | 2.0% | 1.5% | 1.6% | 1.2% | 1.6% | 1.7% | 2.8% | 1.8% | 2.6% | 2.0% |
| Age Less Than 18 Yrs. Old | 5.1% | 4.1% | 3.3% | 4.1% | 4.3% | 4.7% | 2.4% | 2.8% | 3.4% | 3.1% |
| Marital Status (Married) | 51.3% | 52.0% | 50.1% | 47.6% | 48.9% | 46.0% | 49.5% | 47.4% | 48.1% | 48.5% |
| High School Education | 63.3% | 68.3% | 67.5% | 65.8% | 68.6% | 68.0% | 70.7% | 75.3% | 74.0% | 71.8% |
| Smoking History (Yes) | 18.7% | 16.0% | 14.8% | 15.8% | 15.2% | 10.8% | 13.1% | 13.1% | 12.4% | 11.9% |
| Prenatal Care Began | | | | | | | | | | |
| First Trimester | 65.0% | 66.7% | 65.1% | 66.1% | 70.2% | 65.0% | 64.5% | 64.7% | 64.1% | 60.5% |
| Second Trimester | 22.9% | 21.8% | 23.4% | 22.9% | 19.5% | 22.2% | 22.6% | 23.1% | 21.7% | 23.7% |
| Third Trimester | 5.6% | 5.8% | 6.8% | 5.8% | 4.8% | 4.7% | 5.8% | 6.6% | 7.9% | 9.8% |
| None | 1.0% | 1.5% | 1.0% | 1.2% | 1.2% | 1.7% | 2.2% | 1.4% | 2.0% | 1.0% |
| Unknown | 5.6% | 4.3% | 3.7% | 3.9% | 4.3% | 6.3% | 4.9% | 4.2% | 4.3% | 4.9% |
| Low Birthweight ¹ | | | | | | | | | | |
| Singleton Liveborn | 6.5% | 6.7% | 7.0% | 6.1% | 7.2% | 6.0% | 5.6% | 4.5% | 5.2% | 6.4% |

^{**}Race/ethnicity numbers and percents are not presented because of the small number of women. In these cases, the numbers are included in the other/unknown category.

¹ Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight.

The method used to calculate Trimester Prenatal Care Began has been revised from reports produced prior to 2013 to better align with NCHS recommendations.

As of 2014, records do not include out-of-state deliveries to Washington residents because birth certificates for states other than Washington were not available for record linkage.

Characteristics of Okanogan County Medicaid Women Who Gave Birth

| | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Women Who Gave Birth | 460 | 392 | 443 | 453 | 447 | 461 | 417 | 382 | 380 | 391 |
| All women | 594 | 537 | 573 | 584 | 564 | 572 | 535 | 502 | 493 | 489 |
| Race / Ethnicity | | | | | | | | | | |
| White | 205 | 166 | 177 | 210 | 193 | 193 | 185 | 169 | 171 | 169 |
| Hispanic | 162 ** | 141 ** | 163 ** | 160 ** | 161 ** | 176 ** | 138 ** | 138 ** | 137 ** | 147 ** |
| African American | | | | | | | | | | |
| Native American | 79 ** | 66 ** | 88 ** | 58 ** | 74 ** | 64 ** | 72 ** | 54 ** | 41 ** | 53 ** |
| Asian Hawaiian/Pacific Islander | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| More than 1 race | 5 | 12 | 8 | 20 | 13 | 20 | 16 | 16 | 19 | 13 |
| Other/Unknown | 9 | 7 | 7 | 5 | 6 | 8 | 6 | 5 | 12 | 9 |
| Average Age (Yrs.) | 25.1 | 25.2 | 25.0 | 25.1 | 25.5 | 25.4 | 25.7 | 25.7 | 26.0 | 26.6 |
| Age Less Than 18 Yrs. Old | 27 | 22 | 18 | 22 | 22 | 27 | 13 | 12 | 16 | 15 |
| Marital Status (Married) | 194 | 153 | 182 | 171 | 169 | 164 | 161 | 135 | 143 | 155 |
| High School Education | 262 | 238 | 273 | 269 | 279 | 283 | 270 | 269 | 257 | 257 |
| Smoking History (Yes) | 101 | 75 | 82 | 87 | 79 | 59 | 63 | 62 | 56 | 55 |
| Prenatal Care Began | | | | | | | | | | |
| First Trimester | 292 | 253 | 279 | 289 | 297 | 293 | 255 | 239 | 234 | 232 |
| Second Trimester | 111 | 90 | 107 | 111 | 98 | 110 | 102 | 97 | 91 | 96 |
| Third Trimester | 28 | 28 | 37 | 31 | 23 | 25 | 30 | 25 | 29 | 40 |
| None | 3 | 5 | 4 | 3 | 7 | 8 | 8 | 4 | 7 | 3 |
| Unknown | 26 | 16 | 16 | 19 | 22 | 25 | 22 | 17 | 19 | 20 |
| Maternity Support Services ¹ | 304 | 260 | 236 | 225 | 85 | 21 | 9 | 5 | 4 | 3 |
| Average No. MSS Visits | 11.1 | 7.4 | 11.8 | 11.8 | 4.0 | 2.7 | 3.6 | 5.6 | 4.0 | 3.7 |
| Infant Case Management ² | 48 | 55 | 41 | 11 | 1 | 3 | 3 | - | 1 | - |
| Average No. ICM Visits | 6.8 | 7.2 | 7.6 | 3.6 | 1.0 | 4.7 | 2.7 | - | 2.0 | - |
| Low Birthweight ³ | 33 | 25 | 36 | 26 | 31 | 30 | 26 | 18 | 21 | 27 |
| Singleton Liveborn | 456 | 380 | 435 | 446 | 436 | 455 | 407 | 376 | 368 | 387 |

^{**}Race/ethnicity numbers and percents are not presented because of the small number of women. In these cases, the numbers are included in the other/unknown category.

¹ MSS includes prenatal and postpartum visits through the 2nd postpartum month. A visit is one or more billed units of service on a single day, including multiple encounter types.

² Infant Case Management figures reflect visits from 60 to 365 days postpartum.

³ Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight.

The method used to calculate Trimester Prenatal Care Began has been revised from reports produced prior to 2013 to better align with NCHS recommendations.

As of 2014, records do not include out-of-state deliveries to Washington residents because birth certificates for states other than Washington were not available for record linkage.

Characteristics of Okanogan County Medicaid Women Who Gave Birth

| | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Women Who Gave Birth | 460 | 392 | 443 | 453 | 447 | 461 | 417 | 382 | 380 | 391 |
| % of All women | 77.4% | 73.0% | 77.3% | 77.6% | 79.3% | 80.6% | 77.9% | 76.1% | 77.1% | 80.0% |
| Race / Ethnicity | | | | | | | | | | |
| White | 44.6% | 42.3% | 40.0% | 46.4% | 43.2% | 41.9% | 44.4% | 44.2% | 45.0% | 43.2% |
| Hispanic | 35.2% | 36.0% | 36.8% | 35.3% | 36.0% | 38.2% | 33.1% | 36.1% | 36.1% | 37.6% |
| African American | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Native American | 17.2% | 16.8% | 19.9% | 12.8% | 16.6% | 13.9% | 17.3% | 14.1% | 10.8% | 13.6% |
| Asian | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Hawaiian/Pacific Islander | | | | | | | | | | |
| More than 1 race | 1.1% | 3.1% | 1.8% | 4.4% | 2.9% | 4.3% | 3.8% | 4.2% | 5.0% | 3.3% |
| Other/Unknown | 2.0% | 1.8% | 1.6% | 1.1% | 1.3% | 1.7% | 1.4% | 1.3% | 3.2% | 2.3% |
| Age Less Than 18 Yrs. Old | 5.9% | 5.6% | 4.1% | 4.9% | 4.9% | 5.9% | 3.1% | 3.1% | 4.2% | 3.8% |
| Marital Status (Married) | 42.2% | 39.0% | 41.1% | 37.7% | 37.8% | 35.6% | 38.6% | 35.3% | 37.6% | 39.6% |
| High School Education | 57.0% | 60.7% | 61.6% | 59.4% | 62.4% | 61.4% | 64.7% | 70.4% | 67.6% | 65.7% |
| Smoking History (Yes) | 22.0% | 19.1% | 18.5% | 19.2% | 17.7% | 12.8% | 15.1% | 16.2% | 14.7% | 14.1% |
| Prenatal Care Began | | | | | | | | | | |
| First Trimester | 63.5% | 64.5% | 63.0% | 63.8% | 66.4% | 63.6% | 61.2% | 62.6% | 61.6% | 59.3% |
| Second Trimester | 24.1% | 23.0% | 24.2% | 24.5% | 21.9% | 23.9% | 24.5% | 25.4% | 23.9% | 24.6% |
| Third Trimester | 6.1% | 7.1% | 8.4% | 6.8% | 5.1% | 5.4% | 7.2% | 6.5% | 7.6% | 10.2% |
| None | 0.7% | 1.3% | 0.9% | 0.7% | 1.6% | 1.7% | 1.9% | 1.0% | 1.8% | 0.8% |
| Unknown | 5.7% | 4.1% | 3.6% | 4.2% | 4.9% | 5.4% | 5.3% | 4.5% | 5.0% | 5.1% |
| Maternity Support Services ¹ | 66.1% | 66.3% | 53.3% | 49.7% | 19.0% | 4.6% | 2.2% | 1.3% | 1.1% | 0.8% |
| Infant Case Management ² | 10.4% | 14.0% | 9.3% | 2.4% | 0.2% | 0.7% | 0.7% | 0.0% | 0.3% | 0.0% |
| Low Birthweight ³ | | | | | | | | | | |
| Singleton Liveborn | 7.2% | 6.6% | 8.3% | 5.8% | 7.1% | 6.6% | 6.4% | 4.8% | 5.7% | 7.0% |

^{**}Race/ethnicity numbers and percents are not presented because of the small number of women. In these cases, the numbers are included in the other/unknown category.

¹ MSS includes prenatal and postpartum visits through the 2nd postpartum month. A visit is one or more billed units of service on a single day, including multiple encounter types.

² Infant Case Management figures reflect visits from 60 to 365 days postpartum.

³ Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight.

The method used to calculate Trimester Prenatal Care Began has been revised from reports produced prior to 2013 to better align with NCHS recommendations.

As of 2014, records do not include out-of-state deliveries to Washington residents because birth certificates for states other than Washington were not available for record linkage.

Characteristics of Okanogan County Medicaid Undocumented Women Who Gave Birth

| | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
|---|------|------|------|------|------|------|------|------|------|------|
| Women Who Gave Birth | 108 | 84 | 88 | 98 | 85 | 84 | 67 | 60 | 59 | 59 |
| All Medicaid women | 460 | 392 | 443 | 453 | 447 | 461 | 417 | 382 | 380 | 391 |
| Race / Ethnicity | | | | | | | | | | |
| White | 1 | - | - | 1 | - | 1 | 1 | - | 1 | - |
| Hispanic | 104 | 83 | 87 | 96 | 85 | 82 | 65 | 59 | 55 | 59 |
| African American | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Native American | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Asian | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Hawaiian/Pacific Islander | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| More than 1 race Other/Unknown | | | | 1 | ** | 1 | 1 | 1 | | ** |
| Other/Unknown | 3 | 1 | 1 | I | - | I | I | I | 3 | - |
| Average Age (Yrs.) | 25.6 | 27.0 | 25.8 | 26.5 | 27.9 | 27.6 | 28.9 | 28.5 | 27.9 | 28.6 |
| Age Less Than 18 Yrs. Old | 7 | 2 | 5 | 2 | 1 | 3 | 1 | - | 1 | 1 |
| Marital Status (Married) | 45 | 34 | 39 | 37 | 36 | 36 | 27 | 23 | 22 | 23 |
| High School Education | 14 | 18 | 26 | 20 | 22 | 18 | 6 | 21 | 15 | 21 |
| Smoking History (Yes) | - | 1 | - | - | - | - | - | 1 | - | - |
| Prenatal Care Began | | | | | | | | | | |
| First Trimester | 75 | 60 | 55 | 70 | 63 | 55 | 39 | 33 | 37 | 36 |
| Second Trimester | 24 | 18 | 21 | 21 | 14 | 21 | 21 | 22 | 12 | 13 |
| Third Trimester | 3 | 5 | 9 | 4 | 5 | 4 | 3 | 3 | 8 | 8 |
| None | 1 | - | - | 1 | 1 | - | - | - | - | - |
| Unknown | 5 | 1 | 3 | 2 | 2 | 4 | 4 | 2 | 2 | 2 |
| Maternity Support Services ¹ | 95 | 71 | 77 | 83 | 26 | 2 | 1 | 1 | - | - |
| Average No. MSS Visits | 17.9 | 11.8 | 17.9 | 17.3 | 4.8 | 1.5 | 8.0 | 20.0 | - | - |
| Infant Case Management ² | 31 | 23 | 24 | 5 | _ | 1 | 1 | _ | _ | _ |
| Average No. ICM Visits | 8.4 | 7.4 | 8.8 | 4.0 | - | 1.0 | 1.0 | - | - | - |
| Low Birthweight ³ | 4 | 5 | 9 | 6 | 2 | 4 | 3 | 4 | 4 | 4 |
| Singleton Liveborn | 107 | 83 | 85 | 97 | 84 | 83 | 64 | 59 | 59 | 58 |

^{**}Race/ethnicity numbers and percents are not presented because of the small number of women. In these cases, the numbers are included in the other/unknown category.

¹ MSS includes prenatal and postpartum visits through the 2nd postpartum month. A visit is one or more billed units of service on a single day, including multiple encounter types.

² Infant Case Management figures reflect visits from 60 to 365 days postpartum.

³ Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight.

Undocumented status is determined from Medicaid eligibility records.

The method used to calculate Trimester Prenatal Care Began has been revised from reports produced prior to 2013 to better align with NCHS recommendations.

As of 2014, records do not include out-of-state deliveries to Washington residents because birth certificates for states other than Washington were not available for record linkage.

Characteristics of Okanogan County Medicaid Undocumented Women Who Gave Birth

| | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
|---|-------|-------|-------|-------|--------|-------|-------|-------|-------|--------|
| Women Who Gave Birth | 108 | 84 | 88 | 98 | 85 | 84 | 67 | 60 | 59 | 59 |
| % of All Medicaid women | 23.5% | 21.4% | 19.9% | 21.6% | 19.0% | 18.2% | 16.1% | 15.7% | 15.5% | 15.1% |
| Race / Ethnicity | | | | | | | | | | |
| White | 0.9% | 0.0% | 0.0% | 1.0% | 0.0% | 1.2% | 1.5% | 0.0% | 1.7% | 0.0% |
| Hispanic | 96.3% | 98.8% | 98.9% | 98.0% | 100.0% | 97.6% | 97.0% | 98.3% | 93.2% | 100.0% |
| African American | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Native American | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Asian | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Hawaiian/Pacific Islander | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| More than 1 race | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Other/Unknown | 2.8% | 1.2% | 1.1% | 1.0% | 0.0% | 1.2% | 1.5% | 1.7% | 5.1% | 0.0% |
| Age Less Than 18 Yrs. Old | 6.5% | 2.4% | 5.7% | 2.0% | 1.2% | 3.6% | 1.5% | 0.0% | 1.7% | 1.7% |
| Age Less Than To Trs. Old | | | | | | | | | | |
| Marital Status (Married) | 41.7% | 40.5% | 44.3% | 37.8% | 42.4% | 42.9% | 40.3% | 38.3% | 37.3% | 39.0% |
| High School Education | 13.0% | 21.4% | 29.5% | 20.4% | 25.9% | 21.4% | 9.0% | 35.0% | 25.4% | 35.6% |
| Smoking History (Yes) | 0.0% | 1.2% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 1.7% | 0.0% | 0.0% |
| Prenatal Care Began | | | | | | | | | | |
| First Trimester | 69.4% | 71.4% | 62.5% | 71.4% | 74.1% | 65.5% | 58.2% | 55.0% | 62.7% | 61.0% |
| Second Trimester | 22.2% | 21.4% | 23.9% | 21.4% | 16.5% | 25.0% | 31.3% | 36.7% | 20.3% | 22.0% |
| Third Trimester | 2.8% | 6.0% | 10.2% | 4.1% | 5.9% | 4.8% | 4.5% | 5.0% | 13.6% | 13.6% |
| None | 0.9% | 0.0% | 0.0% | 1.0% | 1.2% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Unknown | 4.6% | 1.2% | 3.4% | 2.0% | 2.4% | 4.8% | 6.0% | 3.3% | 3.4% | 3.4% |
| Maternity Support Services ¹ | 88.0% | 84.5% | 87.5% | 84.7% | 30.6% | 2.4% | 1.5% | 1.7% | 0.0% | 0.0% |
| Infant Case Management ² | 28.7% | 27.4% | 27.3% | 5.1% | 0.0% | 1.2% | 1.5% | 0.0% | 0.0% | 0.0% |
| Low Birthweight ³ | | | | | | | | | | |
| Singleton Liveborn | 3.7% | 6.0% | 10.6% | 6.2% | 2.4% | 4.8% | 4.7% | 6.8% | 6.8% | 6.9% |

^{**}Race/ethnicity numbers and percents are not presented because of the small number of women. In these cases, the numbers are included in the other/unknown category.

¹ MSS includes prenatal and postpartum visits through the 2nd postpartum month. A visit is one or more billed units of service on a single day, including multiple encounter types.

² Infant Case Management figures reflect visits from 60 to 365 days postpartum.

³ Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight.

Undocumented status is determined from Medicaid eligibility records.

The method used to calculate Trimester Prenatal Care Began has been revised from reports produced prior to 2013 to better align with NCHS recommendations.

As of 2014, records do not include out-of-state deliveries to Washington residents because birth certificates for states other than Washington were not available for record linkage.