

Characteristics of Pend Oreille County Women Who Gave Birth

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Women Who Gave Birth	139	132	130	146	119	99	119	112	111	125
Race / Ethnicity										
White	125	117	112	136	105	85	103	101	95	109
Hispanic	4	3	4	7	5	2	5	1	5	5
African American	**	**	**	**	**	**	**	**	**	**
Native American	**	**	**	**	**	**	**	**	**	**
Asian	**	**	**	**	**	**	**	**	**	**
Hawaiian/Pacific Islander	**	**	**	**	**	**	**	**	**	**
More than 1 race	**	**	**	**	**	**	**	**	**	**
Other/Unknown	10	12	14	3	9	12	11	10	11	11
Average Age (Yrs.)	25.0	25.7	25.4	25.5	26.3	25.5	26.3	27.1	26.3	27.4
Age Less Than 18 Yrs. Old	9	6	3	5	4	2	3	-	4	1
Marital Status (Married)	89	79	67	82	64	50	70	73	65	79
High School Education	109	118	109	118	107	82	104	97	89	107
Smoking History (Yes)	32	30	42	37	31	25	29	21	31	23
Prenatal Care Began										
First Trimester	88	91	95	104	87	63	84	81	75	76
Second Trimester	33	24	26	31	25	21	22	23	19	39
Third Trimester	9	4	6	6	4	6	3	4	4	7
None	4	5	1	1	1	1	-	1	1	-
Unknown	5	8	2	4	2	8	10	3	12	3
Low Birthweight¹	9	4	5	8	4	4	7	3	8	9
Singleton Liveborn	137	130	127	140	119	98	112	111	109	122

**Race/ethnicity numbers and percents are not presented because of the small number of women. In these cases, the numbers are included in the other/unknown category.

¹ Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight.

The method used to calculate Trimester Prenatal Care Began has been revised from reports produced prior to 2013 to better align with NCHS recommendations.

As of 2014, records do not include out-of-state deliveries to Washington residents because birth certificates for states other than Washington were not available for record linkage

Characteristics of Pend Oreille County Women Who Gave Birth

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Women Who Gave Birth	139	132	130	146	119	99	119	112	111	125
Race / Ethnicity										
White	89.9%	88.6%	86.2%	93.2%	88.2%	85.9%	86.6%	90.2%	85.6%	87.2%
Hispanic	2.9%	2.3%	3.1%	4.8%	4.2%	2.0%	4.2%	0.9%	4.5%	4.0%
African American	**	**	**	**	**	**	**	**	**	**
Native American	**	**	**	**	**	**	**	**	**	**
Asian	**	**	**	**	**	**	**	**	**	**
Hawaiian/Pacific Islander	**	**	**	**	**	**	**	**	**	**
More than 1 race	**	**	**	**	**	**	**	**	**	**
Other/Unknown	7.2%	9.1%	10.8%	2.1%	7.6%	12.1%	9.2%	8.9%	9.9%	8.8%
Age Less Than 18 Yrs. Old	6.5%	4.5%	2.3%	3.4%	3.4%	2.0%	2.5%	0.0%	3.6%	0.8%
Marital Status (Married)	64.0%	59.8%	51.5%	56.2%	53.8%	50.5%	58.8%	65.2%	58.6%	63.2%
High School Education	78.4%	89.4%	83.8%	80.8%	89.9%	82.8%	87.4%	86.6%	80.2%	85.6%
Smoking History (Yes)	23.0%	22.7%	32.3%	25.3%	26.1%	25.3%	24.4%	18.8%	27.9%	18.4%
Prenatal Care Began										
First Trimester	63.3%	68.9%	73.1%	71.2%	73.1%	63.6%	70.6%	72.3%	67.6%	60.8%
Second Trimester	23.7%	18.2%	20.0%	21.2%	21.0%	21.2%	18.5%	20.5%	17.1%	31.2%
Third Trimester	6.5%	3.0%	4.6%	4.1%	3.4%	6.1%	2.5%	3.6%	3.6%	5.6%
None	2.9%	3.8%	0.8%	0.7%	0.8%	1.0%	0.0%	0.9%	0.9%	0.0%
Unknown	3.6%	6.1%	1.5%	2.7%	1.7%	8.1%	8.4%	2.7%	10.8%	2.4%
Low Birthweight¹										
Singleton Liveborn	6.6%	3.1%	3.9%	5.7%	3.4%	4.1%	6.3%	2.7%	7.3%	7.4%

**Race/ethnicity numbers and percents are not presented because of the small number of women. In these cases, the numbers are included in the other/unknown category.

¹ Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight.

The method used to calculate Trimester Prenatal Care Began has been revised from reports produced prior to 2013 to better align with NCHS recommendations.

As of 2014, records do not include out-of-state deliveries to Washington residents because birth certificates for states other than Washington were not available for record linkage.

Characteristics of Pend Oreille County Medicaid Women Who Gave Birth

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Women Who Gave Birth	90	85	97	106	90	73	86	76	80	83
All women	139	132	130	146	119	99	119	112	111	125
Race / Ethnicity										
White	83	73	82	98	78	64	75	68	67	72
Hispanic	3	3	3	6	4	2	5	1	4	5
African American	**	**	**	**	**	**	**	**	**	**
Native American	**	**	**	**	**	**	**	**	**	**
Asian	**	**	**	**	**	**	**	**	**	**
Hawaiian/Pacific Islander	**	**	**	**	**	**	**	**	**	**
More than 1 race	**	**	**	**	**	**	**	**	**	**
Other/Unknown	4	9	12	2	8	7	6	7	9	6
Average Age (Yrs.)	23.8	24.1	24.1	24.5	25.3	24.6	25.4	26.1	25.5	26.4
Age Less Than 18 Yrs. Old	9	6	3	3	4	2	3	-	4	1
Marital Status (Married)	45	34	40	46	39	27	41	43	36	43
High School Education	63	72	76	82	80	58	72	63	58	66
Smoking History (Yes)	28	28	37	35	30	24	28	20	27	20
Prenatal Care Began										
First Trimester	48	57	70	76	64	46	62	57	52	48
Second Trimester	28	20	20	23	21	17	16	16	15	28
Third Trimester	8	4	5	5	3	5	2	1	4	5
None	3	4	1	-	1	1	-	-	1	-
Unknown	3	-	1	2	1	4	6	2	8	2
Maternity Support Services¹	48	43	56	53	25	28	32	4	2	2
Average No. MSS Visits	3.6	4.3	4.1	4.7	2.3	2.4	2.6	6.5	4.0	2.5
Infant Case Management²	-	3	1	2	3	-	-	-	-	-
Average No. ICM Visits	-	4.0	2.0	2.5	4.0	-	-	-	-	-
Low Birthweight³	6	4	5	6	3	4	7	3	7	6
Singleton Liveborn	89	83	95	103	90	72	81	76	80	81

**Race/ethnicity numbers and percents are not presented because of the small number of women. In these cases, the numbers are included in the other/unknown category.

¹ MSS includes prenatal and postpartum visits through the 2nd postpartum month. A visit is one or more billed units of service on a single day, including multiple encounter types.

² Infant Case Management figures reflect visits from 60 to 365 days postpartum.

³ Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight.

The method used to calculate Trimester Prenatal Care Began has been revised from reports produced prior to 2013 to better align with NCHS recommendations.

As of 2014, records do not include out-of-state deliveries to Washington residents because birth certificates for states other than Washington were not available for record linkage.

Characteristics of Pend Oreille County Medicaid Women Who Gave Birth

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Women Who Gave Birth	90	85	97	106	90	73	86	76	80	83
% of All women	64.7%	64.4%	74.6%	72.6%	75.6%	73.7%	72.3%	67.9%	72.1%	66.4%
Race / Ethnicity										
White	92.2%	85.9%	84.5%	92.5%	86.7%	87.7%	87.2%	89.5%	83.8%	86.7%
Hispanic	3.3%	3.5%	3.1%	5.7%	4.4%	2.7%	5.8%	1.3%	5.0%	6.0%
African American	**	**	**	**	**	**	**	**	**	**
Native American	**	**	**	**	**	**	**	**	**	**
Asian	**	**	**	**	**	**	**	**	**	**
Hawaiian/Pacific Islander	**	**	**	**	**	**	**	**	**	**
More than 1 race	**	**	**	**	**	**	**	**	**	**
Other/Unknown	4.4%	10.6%	12.4%	1.9%	8.9%	9.6%	7.0%	9.2%	11.3%	7.2%
Age Less Than 18 Yrs. Old	10.0%	7.1%	3.1%	2.8%	4.4%	2.7%	3.5%	0.0%	5.0%	1.2%
Marital Status (Married)	50.0%	40.0%	41.2%	43.4%	43.3%	37.0%	47.7%	56.6%	45.0%	51.8%
High School Education	70.0%	84.7%	78.4%	77.4%	88.9%	79.5%	83.7%	82.9%	72.5%	79.5%
Smoking History (Yes)	31.1%	32.9%	38.1%	33.0%	33.3%	32.9%	32.6%	26.3%	33.8%	24.1%
Prenatal Care Began										
First Trimester	53.3%	67.1%	72.2%	71.7%	71.1%	63.0%	72.1%	75.0%	65.0%	57.8%
Second Trimester	31.1%	23.5%	20.6%	21.7%	23.3%	23.3%	18.6%	21.1%	18.8%	33.7%
Third Trimester	8.9%	4.7%	5.2%	4.7%	3.3%	6.8%	2.3%	1.3%	5.0%	6.0%
None	3.3%	4.7%	1.0%	0.0%	1.1%	1.4%	0.0%	0.0%	1.3%	0.0%
Unknown	3.3%	0.0%	1.0%	1.9%	1.1%	5.5%	7.0%	2.6%	10.0%	2.4%
Maternity Support Services¹	53.3%	50.6%	57.7%	50.0%	27.8%	38.4%	37.2%	5.3%	2.5%	2.4%
Infant Case Management²	0.0%	3.5%	1.0%	1.9%	3.3%	0.0%	0.0%	0.0%	0.0%	0.0%
Low Birthweight³										
Singleton Liveborn	6.7%	4.8%	5.3%	5.8%	3.3%	5.6%	8.6%	3.9%	8.8%	7.4%

**Race/ethnicity numbers and percents are not presented because of the small number of women. In these cases, the numbers are included in the other/unknown category.

¹ MSS includes prenatal and postpartum visits through the 2nd postpartum month. A visit is one or more billed units of service on a single day, including multiple encounter types.

² Infant Case Management figures reflect visits from 60 to 365 days postpartum.

³ Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight.

The method used to calculate Trimester Prenatal Care Began has been revised from reports produced prior to 2013 to better align with NCHS recommendations.

As of 2014, records do not include out-of-state deliveries to Washington residents because birth certificates for states other than Washington were not available for record linkage.