# Appendix D: Regional Comparison Results

# Part I

Appendix D contains state maps comparing regional performance.

Comagine Health D-1

# D-1. Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), BMI Percentile, 3-11 Years

## Statewide Weighted Rate 73%

Better Than State Similar to State Worse Than State



Great Rivers		72.1% 61	
Greater Columbia		71.7% 237	
King	King County Total	64.1% 270	
	East King	69.2% 39	
	Seattle	61.0% 59	
	South King	64.0% 172	
North Central		76.3% 59	
North Sound		71.1% 211	
Pierce		71.0% 131	
Salish		47.6% 42	
Southwest		65.3% 49	
Spokane		81.2% 154	
Thurston - Mason		70.9% 55	

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate | National Average

D-2. Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), BMI Percentile, 12-17 Years

# Statewide Weighted Rate 64%





Great Rivers		81.0% 42
Greater Columbia		67.1% 152
King	King County Total	56.0% 150
	East King	
	Seattle	54.1% 37
	South King	59.6% 94
North Central		68.6% 35
North Sound		67.0% 115
Pierce		57.0% 93
Salish		53.1% 32
Southwest		
Spokane		76.5% 81
Thurston - Mason		58.1% 31

**Bar Chart Legend:** 

\_\_\_\_ Confidence Interval Statewide Weighted Rate National Average National 75th Percentile

# D-3. Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), BMI Percentile, Total

## **Statewide Weighted Rate 70%**

Better Than State Similar to State Worse Than State



Great Rivers		75.7% 103		
Greater Columbia		69.9% 389		
King	King County Total	61.2% 420		-
	East King	60.3% 58		_
	Seattle	58.3% 96		_
	South King	62.4% 266		-
North Central		73.4% 94		
North Sound		69.6% 326		
ierce		65.2% 224		
alish		50.0% 74	-	
outhwest		63.6% 77		-
Spokane		79.6% 235		
Thurston - Mason		66.3% 86		-

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate | National Average

D-4. Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), Nutrition Counseling, 3-11 Years

## **Statewide Weighted Rate 65%**

Better Than State Similar to State Worse Than State



Great Rivers		62.3% 61	
Greater Columbia		73.0% 237	
King	King County Total	62.6% 270	
	East King	56.4% 39	
	Seattle	64.4% 59	
	South King	63.4% 172	
North Central		81.4% 59	
North Sound		63.5% 211	
Pierce		61.1% 131	
Salish		42.9% 42	-
Southwest		63.3% 49	
Spokane		72.7% 154	
Thurston - Mason		54.5% 55	

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate | National Average

D-5. Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), Nutrition Counseling, 12-17 Years

# Statewide Weighted Rate 51%

<30 Patients Better Than State Similar to State



Great Rivers		42.9% 42	-
Greater Columbia		59.9% 152	
King	King County Total	58.0% 150	
	East King		
	Seattle	59.5% 37	
	South King	55.3% 94	
North Central		74.3% 35	
North Sound		52.2% 115	
Pierce		45.2% 93	
Salish		37.5% 32	_
Southwest			
Spokane		64.2% 81	
Thurston - Mason		45.2% 31	_

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate National Average

D-6. Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), Nutrition Counseling, Total

## Statewide Weighted Rate 60%

Better Than State Similar to State Worse Than State



Great Rivers		54.4% 103	_	H
Greater Columbia		67.9% 389		
King	King County Total	61.0% 420		-
	East King	60.3% 58	-	
	Seattle	62.5% 96		
	South King	60.5% 266		-
North Central		78.7% 94		
North Sound		59.5% 326		-
Pierce		54.5% 224	-	H
Salish		40.5% 74	_	-
Southwest		61.0% 77		
Spokane		69.8% 235		
Thurston - Mason		51.2% 86	_	

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate | National Average

# D-7. Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), Physical Activity Counseling, 3-11 Years

## Statewide Weighted Rate 59%

Better Than State Similar to State Worse Than State



Great Rivers		54.1% 61		
Greater Columbia		65.4% 237		
King	King County Total	56.7% 270		
	East King	53.8% 39	_	
	Seattle	61.0% 59		
	South King	55.8% 172		
North Central		79.7% 59		
North Sound		59.2% 211		+
Pierce		51.9% 131		
Salish		45.2% 42	_	
Southwest		59.2% 49		+
Spokane		64.3% 154		<u>:</u>
Thurston - Mason		45.5% 55	_	

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate | National Average

D-8. Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), Physical Activity Counseling, 12-17 Years

# Statewide Weighted Rate 52%

<30 Patients Better Than State Similar to State



Great Rivers		45.2% 42	_	_
Greater Columbia		60.5% 152		
King	King County Total	56.0% 150	_	H
	East King			
	Seattle	56.8% 37	_	H
	South King	52.1% 94	_	_
North Central		77.1% 35		+
North Sound		52.2% 115	-	_
Pierce		44.1% 93	_	
Salish		37.5% 32		<u>-</u>
Southwest				
Spokane		65.4% 81		
Thurston - Mason		51.6% 31		

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate National Average

D-9. Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), Physical Activity Counseling, Total

## **Statewide Weighted Rate 56%**

Better Than State Similar to State Worse Than State



Great Rivers		50.5% 103	-	
Greater Columbia		63.5% 389		_
King	King County Total	56.4% 420		
	East King	60.3% 58		
	Seattle	59.4% 96		
	South King	54.5% 266		÷
North Central		78.7% 94		
North Sound		56.7% 326		-
lierce		48.7% 224	-	_:
alish		41.9% 74		-
outhwest		59.7% 77		:
Spokane		64.7% 235		-
Γhurston - Mason		47.7% 86	_	

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate | National Average

#### D-10. Childhood Immunization Status (CIS), DTaP

# **Statewide Weighted Rate 73%**

Better Than State Similar to State Worse Than State



Great Rivers		75.9% 976	
Greater Columbia		76.1% 2,049	
King	King County Total	67.9% 3,411	
	East King	71.0% 442	
	Seattle	66.7% 691	_
	South King	67.6% 2,278	
North Central		76.7% 1,365	
North Sound		70.8% 2,304	
Pierce		69.1% 2,442	
Salish		69.7% 588	
Southwest		60.0% 2,002	-
Spokane		69.9% 2,039	
Thurston - Mason		71.9% 687	

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

#### D-11. Childhood Immunization Status (CIS), IPV

# **Statewide Weighted Rate 86%**

Better Than State Similar to State Worse Than State



Great Rivers		86.0% 976	
Greater Columbia		89.7% 2,049	
King	King County Total	83.7% 3,411	
	East King	84.2% 442	
	Seattle	84.2% 691	
	South King	83.4% 2,278	
North Central		89.7% 1,365	
North Sound		82.0% 2,304	
Pierce		83.5% 2,442	
Salish		82.7% 588	
Southwest		72.2% 2,002	-
Spokane		80.3% 2,039	
Thurston - Mason		87.8% 687	

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

#### D-12. Childhood Immunization Status (CIS), MMR

# **Statewide Weighted Rate 85%**

Better Than State Similar to State Worse Than State



Great Rivers		87.3% 976	
Greater Columbia		89.7% 2,049	
King	King County Total	80.8% 3,411	
	East King	83.0% 442	
	Seattle	76.6% 691	
	South King	81.7% 2,278	
North Central		88.1% 1,365	
North Sound		82.0% 2,304	
Pierce		83.3% 2,442	
Salish		85.9% 588	
Southwest		75.2% 2,002	
Spokane		81.6% 2,039	
Thurston - Mason		87.2% 687	

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate National Average

#### D-13. Childhood Immunization Status (CIS), HIB

# **Statewide Weighted Rate 85%**

Better Than State Similar to State Worse Than State



Great Rivers		84.9% 976	
Greater Columbia		89.3% 2,049	
King	King County Total	82.4% 3,411	
	East King	83.5% 442	
	Seattle	82.2% 691	
	South King	82.2% 2,278	
North Central		88.6% 1,365	
North Sound		83.2% 2,304	
Pierce		82.1% 2,442	
Salish		82.0% 588	
Southwest		69.5% 2,002	-
Spokane		80.4% 2,039	
Thurston - Mason		85.7% 687	

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

#### D-14. Childhood Immunization Status (CIS), Hepatitis B

# Statewide Weighted Rate 84%

Better Than State Similar to State Worse Than State



Great Rivers		84.2% 976	
Greater Columbia		84.2% 2,049	
King	King County Total	82.9% 3,411	
	East King	77.8% 442	-
	Seattle	81.5% 691	-
	South King	84.3% 2,278	
North Central		87.9% 1,365	
North Sound		78.5% 2,304	-
Pierce		83.3% 2,442	
Salish		82.0% 588	-
Southwest		70.7% 2,002	-
Spokane		71.9% 2,039	-
Thurston - Mason		85.7% 687	

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate National Average

#### D-15. Childhood Immunization Status (CIS), VZV

# Statewide Weighted Rate 84%

Better Than State Similar to State Worse Than State



Great Rivers		85.3% 976	
Greater Columbia		89.0% 2,049	
King	King County Total	81.3% 3,411	
	East King	82.6% 442	
	Seattle	79.7% 691	
	South King	81.5% 2,278	
North Central		87.1% 1,365	
North Sound		79.5% 2,304	
Pierce		81.9% 2,442	
Salish		84.4% 588	
Southwest		73.3% 2,002	-
Spokane		79.5% 2,039	
Thurston - Mason		85.4% 687	

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

#### D-16. Childhood Immunization Status (CIS), Pneumococcal

# **Statewide Weighted Rate 73%**

Better Than State Similar to State Worse Than State



Great Rivers		75.3% 976	
Greater Columbia		77.7% 2,049	
King	King County Total	68.9% 3,411	
	East King	70.8% 442	
	Seattle	67.0% 691	-
	South King	69.1% 2,278	
North Central		74.8% 1,365	
North Sound		69.7% 2,304	
Pierce		69.4% 2,442	
Salish		68.0% 588	-
Southwest		60.0% 2,002	F
Spokane		69.2% 2,039	
Thurston - Mason		74.4% 687	

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

#### D-17. Childhood Immunization Status (CIS), Hepatitis A

# Statewide Weighted Rate 81%

Better Than State Similar to State Worse Than State



Great Rivers		81.9% 976	
Greater Columbia		85.4% 2,049	
King	King County Total	77.9% 3,411	
	East King	79.9% 442	
	Seattle	79.9% 691	
	South King	76.9% 2,278	
North Central		83.6% 1,365	
North Sound		76.0% 2,304	
Pierce		78.2% 2,442	
Salish		79.9% 588	
Southwest		66.9% 2,002	
Spokane		75.7% 2,039	
Thurston - Mason		83.0% 687	

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

#### D-18. Childhood Immunization Status (CIS), Rotavirus

# **Statewide Weighted Rate 70%**

Better Than State Similar to State Worse Than State



Freat Rivers 976  Freater Columbia 75.2% 2,049  King County Total 68.8% 442  Seattle 64.0% 691  South 67.1% King 2,278	
County   County   County   Total   Seattle   County   Seattle   County   County   Total   County   C	
County Total 3,411  East King 68.8% 442  Seattle 64.0% 691  South 67.1% King 2,278	
East King 442  Seattle 64.0% 691  South 67.1% King 2,278	
Seattle 691  South 67.1%  King 2,278	
King <b>2,278</b>	
orth Central <b>76.5% 1,365</b>	
orth Sound <b>67.2% 2,304</b>	
67.6% ierce 2,442	
65.1% slish 588	
57.2% puthwest 2,002	
65.4% pokane 2,039	
<b>72.6%</b> hurston - Mason <b>687</b>	

**Bar Chart Legend:** 

\_\_ Confidence Interval

Statewide Weighted Rate National Average

#### D-19. Childhood Immunization Status (CIS), Influenza

# **Statewide Weighted Rate 55%**

Similar to State

Worse Than State



Great Rivers		50.7% 976		
Greater Columbia		50.6% 2,049		
King	King County Total	55.5% 3,411		
	East King	55.9% 442		
	Seattle	55.6% 691		
	South King	55.4% 2,278		
North Central		49.2% 1,365		
North Sound		53.5% 2,304		•
Pierce		55.8% 2,442		
Salish		51.5% 588		
Southwest		40.3% 2,002	-	_
Spokane		46.6% 2,039		
Thurston - Mason		54.0% 687		

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

#### D-20. Childhood Immunization Status (CIS), Combo 2

# Statewide Weighted Rate 68%

Better Than State Similar to State Worse Than State



Great Rivers		72.1% 976	
Greater Columbia		69.8% 2,049	
King	King County Total	62.2% 3,411	
	East King	64.3% 442	
	Seattle	57.5% 691	
	South King	63.3% 2,278	
North Central		73.2% 1,365	
North Sound		64.0% 2,304	
Pierce		65.5% 2,442	
Salish		67.0% 588	
Southwest		56.2% 2,002	
Spokane		59.0% 2,039	
Thurston - Mason		67.5% 687	

# **Bar Chart Legend:**

\_\_\_\_\_ Confidence Interval Statewide Weighted Rate National Average

National 75th Percentile

20

#### D-21. Childhood Immunization Status (CIS), Combo 3

# **Statewide Weighted Rate 65%**

Better Than State Similar to State Worse Than State



Great Rivers		69.5% 976	
Greater Columbia		66.8% 2,049	
King	King County Total	58.9% 3,411	
	East King	61.5% 442	-
	Seattle	54.7% 691	-
	South King	59.7% 2,278	
North Central		68.9% 1,365	
North Sound		60.8% 2,304	
Pierce		62.2% 2,442	
Salish		62.2% 588	
Southwest		52.6% 2,002	-
Spokane		56.4% 2,039	-
Thurston - Mason		64.3% 687	

# **Bar Chart Legend:**

Statewide Weighted Rate National Average \_ Confidence Interval

#### D-22. Childhood Immunization Status (CIS), Combo 4

# **Statewide Weighted Rate 64%**

Better Than State Similar to State Worse Than State



Great Rivers		68.3% 976	
Greater Columbia		65.4% 2,049	
King	King County Total	58.0% 3,411	
	East King	61.3% 442	
	Seattle	53.5% 691	
	South King	58.7% 2,278	
North Central		67.6% 1,365	
North Sound		59.8% 2,304	
Pierce		61.3% 2,442	
Salish		61.2% 588	
Southwest		51.5% 2,002	
Spokane		55.2% 2,039	
Thurston - Mason		63.6% 687	

**Bar Chart Legend:** 

\_\_ Confidence Interval

Statewide Weighted Rate National Average

#### D-23. Childhood Immunization Status (CIS), Combo 5

# Statewide Weighted Rate 58%

Better Than State Similar to State Worse Than State



King	King County Total	53.1% 3,411	-
	East King	56.6% 442	_
	Seattle	48.3% 691	
	South King	53.9% 2,278	_
North Central		63.4% 1,365	
North Sound		53.2% 2,304	-
Pierce		56.1% 2,442	_
Salish		54.6% 588	_
Southwest		46.7% 2,002	-
Spokane		50.5% 2,039	_
Thurston - Masc	on	58.2% 687	<u> </u>

687

63.8%

59.8%

2,049

976

**Great Rivers** 

**Greater Columbia** 

**Bar Chart Legend:** 

\_\_ Confidence Interval

Statewide Weighted Rate | National Average

#### D-24. Childhood Immunization Status (CIS), Combo 6

# **Statewide Weighted Rate 46%**

Similar to State

Worse Than State



Great Rivers		45.0% 976	
Greater Columbia		41.7% 2,049	
King	King County Total	45.1% 3,411	
	East King	45.2% 442	
	Seattle	44.7% 691	
	South King	45.1% 2,278	
North Central		42.5% 1,365	
North Sound		44.9% 2,304	
Pierce		46.4% 2,442	
Salish		42.0% 588	
Southwest		33.7% 2,002	-
Spokane		36.6% 2,039	-
Thurston - Mason		44.0% 687	

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate | National Average

#### D-25. Childhood Immunization Status (CIS), Combo 7

# **Statewide Weighted Rate** 57%

Better Than State Similar to State Worse Than State



Great Rivers		63.0% 976		
Greater Columbia		58.9% 2,049		
King	King County Total	52.4% 3,411		
	East King	56.3% 442		
	Seattle	47.6% 691	I	
	South King	53.2% 2,278		
North Central		62.1% 1,365		
North Sound		52.6% 2,304		
Pierce		55.5% 2,442		
Salish		53.7% 588		
Southwest		45.7% 2,002		
Spokane		49.7% 2,039		
Thurston - Mason		57.5% 687		

**Bar Chart Legend:** 

\_\_ Confidence Interval

Statewide Weighted Rate National Average

#### D-26. Childhood Immunization Status (CIS), Combo 8

# **Statewide Weighted Rate 46%**

Similar to State

Worse Than State



	44.8% 976		
l	41.3% 2,049		
King County Total	44.6% 3,411		
East King	45.2% 442		
Seattle	44.1% 691		
South King	44.7% 2,278		
	42.1% 1,365		
	44.7% 2,304		
	46.0% 2,442		
	41.3% 588		-
	33.5% 2,002		-
	36.3% 2,039		-
l	43.8% 687		
	County Total East King Seattle South	976  41.3% 2,049  King County Total  44.6% 3,411  East King 44.2  Seattle 44.1% 691  South King 2,278  42.1% 1,365  44.7% 2,304  46.0% 2,442  41.3% 588  33.5% 2,002  36.3% 2,003  43.8%	976  41.3% 2,049  King County 3,411  East King 44.6% 442  Seattle 44.1% 691  South 44.7% King 2,278  42.1% 1,365  44.7% 2,304  46.0% 2,442  41.3% 588  33.5% 2,002  36.3% 2,039  43.8%

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate | National Average

#### D-27. Childhood Immunization Status (CIS), Combo 9

# Statewide Weighted Rate 42%

Similar to State

Worse Than State



Great Rivers		42.0% 976	
Greater Columbia		38.6% 2,049	
King	King County Total	41.2% 3,411	
	East King	42.3% 442	
	Seattle	40.5% 691	
	South King	41.3% 2,278	
North Central		39.7% 1,365	
North Sound		39.7% 2,304	
Pierce		42.6% 2,442	
Salish		38.3% 588	
Southwest		30.5% 2,002	•
Spokane		32.9% 2,039	
Thurston - Mason		40.8% 687	

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

#### D-28. Childhood Immunization Status (CIS), Combo 10

# Statewide Weighted Rate 42%

Similar to State

Worse Than State



Great Rivers		41.8% 976	
Greater Columbia		38.3% 2,049	-
King	King County Total	40.8% 3,411	
	East King	42.3% 442	
	Seattle	39.9% 691	-
	South King	40.8% 2,278	
North Central		39.3% 1,365	
North Sound		39.6% 2,304	
Pierce		42.3% 2,442	
Salish		37.8% 588	-
Southwest		30.3% 2,002	-
Spokane		32.8% 2,039	_
Thurston - Mason		40.6% 687	-

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

#### D-29. Immunizations for Adolescents (IMA), Meningococcal

# **Statewide Weighted Rate 77%**

Better Than State Similar to State Worse Than State



Great Rivers         68.1% 72           Greater Columbia         80.5% 394           King         King County Total           East King 71.4% 49         ——           Seattle 79.1% 110         ——           South 83.0% King 289         85.8% 106           North Central 106         76.1% 343           Pierce 79.5% 229         229           Salish 46         ——           Southwest 91         ——           Spokane 74.7% 190         ——				
Greater Columbia       394         King       County         Total       71.4%         East King       79.1%         110       110         South       83.0%         King       289         North Central       85.8%         106       106         North Sound       76.1%         343       79.5%         229       229         Salish       67.4%         46       46         Southwest       64.8%         91       74.7%	Great Rivers			
County Total   Total	Greater Columbia			
Seattle 79.1% 110  South 83.0% King 289  North Central 106  North Sound 76.1% 343  Pierce 79.5% 229  Salish 67.4% 46  Southwest 91  Spokane 74.7%	King	County		
Seattle 110  South 83.0% King 289  North Central 106  North Sound 76.1% 343  Pierce 79.5% 229  Salish 67.4% 46  Southwest 91  Spokane 74.7%		East King	71.4% 49	
King       289         North Central       85.8%         106         North Sound       76.1%         343         Pierce       79.5%         229         Salish       67.4%         46       —         Southwest       91         Tankane       74.7%		Seattle		-
North Central  106  North Sound  76.1% 343  Pierce  79.5% 229  Salish  67.4% 46  Southwest  91  74.7%				
North Sound  343  Pierce  79.5% 229  Salish  67.4% 46  Southwest  91  74.7%	North Central			
Pierce 229  Salish 67.4% 46  Southwest 91  Spokane 74.7%	North Sound			_
Salish 46  Southwest 91  Spokane 74.7%	Pierce			_
Spokane 74.7%	Salish			
Snokane -	Southwest			
	Spokane			_
74.2% — 62 — —	Thurston - Mason			

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

#### D-30. Immunizations for Adolescents (IMA), Tdap

# **Statewide Weighted Rate 87%**

Better Than State Similar to State Worse Than State



Great Rivers		83.3% 72	-
Greater Columbia		92.4% 394	
King	King County Total	88.4% 448	
	East King	81.6% 49	_
	Seattle	87.3% 110	
	South King	90.0% 289	
North Central		91.5% 106	
North Sound		84.3% 343	-
Pierce		85.6% 229	
Salish		89.1% 46	-
Southwest		81.3% 91	_
Spokane		80.0% 190	
Thurston - Mason		87.1% 62	-

**Bar Chart Legend:** 

\_ Confidence Interval


Statewide Weighted Rate National Average

#### D-31. Immunizations for Adolescents (IMA), HPV

## Statewide Weighted Rate 43%

Better Than State Similar to State Worse Than State





**Bar Chart Legend:** 

\_\_ Confidence Interval

Statewide Weighted Rate National Average

#### D-32. Immunizations for Adolescents (IMA), Combo 1

# **Statewide Weighted Rate 75%**

Better Than State Similar to State Worse Than State



Great Rivers		65.3% 72	-
Greater Columbia		79.9% 394	
King	King County Total	78.1% 448	
	East King	67.3% 49	_
	Seattle	76.4% 110	-
	South King	80.6% 289	
North Central		84.9% 106	
North Sound		73.2% 343	_
Pierce		77.7% 229	-
Salish		65.2% 46	
Southwest		62.6% 91	-
Spokane		68.9% 190	-
Thurston - Mason		72.6% 62	-

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

#### D-33. Immunizations for Adolescents (IMA), Combo 2

# Statewide Weighted Rate 40%

Better Than State Similar to State Worse Than State



Great Rivers		36.1% 72		
Greater Columbia		45.7% 394		
King	King County Total	41.5% 448		
	East King	30.6% 49	-	
	Seattle	41.8% 110		-
	South King	43.3% 289		
North Central		42.5% 106		-
North Sound		35.9% 343		
rierce		39.3% 229		-
alish		30.4% 46	_	
Southwest		27.5% 91	-	
Spokane		34.7% 190		
Thurston - Mason		38.7% 62		

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

#### D-34. Lead Screening in Children (LSC)

# Statewide Weighted Rate 34%

Better Than State Similar to State Worse Than State



# **Bar Chart Legend:**

Statewide Weighted Rate National Average \_ Confidence Interval

#### D-35. Breast Cancer Screening (BCS)

# Statewide Weighted Rate 48%

Better Than State Similar to State Worse Than State



Great Rivers		45.5% 2,160		ŀ
Greater Columbia		52.4% 4,485		-
King	King County Total	47.7% 12,230		
	East King	51.5% 2,131		-
	Seattle	44.4% 4,445		-
	South King	48.8% 5,651		-
North Central		53.5% 2,065		
North Sound		46.7% 8,247		
Pierce		44.7% 6,097		ŀ
Salish		49.9% 1,613		-
Southwest		49.3% 3,360		-
Spokane		50.3% 4,271		-
Thurston - Mason		45.0% 1,998		-

#### **Bar Chart Legend:**

\_\_\_\_ Confidence Interval Statewide Weighted Rate National Average National 75th Percentile

### D-36. Cervical Cancer Screening (CCS)

## **Statewide Weighted Rate 59%**

Similar to State Worse Than State



Great Rivers		47.2% 108		
Greater Columbia		59.2% 294		
King	King County Total	54.6% 504	-	
	East King	47.5% 80		
	Seattle	54.4% 193		
	South King	57.1% 231		
North Central		55.1% 78		
North Sound		56.7% 328		
Pierce		51.1% 274		
Salish		53.4% 103		
Southwest		55.2% 87		
Spokane		54.3% 186		
Thurston - Mason		53.3% 90		

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate | National Average

### D-37. Chlamydia Screening (CHL), 16-20 Years

## **Statewide Weighted Rate 45%**

Better Than State Similar to State Worse Than State



Great Rivers		41.5% 1,791		-
Greater Columbia		47.3% 5,377		
King	King County Total	48.8% 5,067		
	East King	45.0% 767		
	Seattle	49.3% 1,265		
	South King	49.5% 3,035		
North Central		40.0% 1,955		-
North Sound		42.0% 4,450		ŀ
Pierce		51.0% 3,654		
Salish		45.0% 1,258		
Southwest		42.0% 2,218		H
Spokane		43.7% 3,647		ŀ
Thurston - Mason		47.0% 1,444		
				•

**Bar Chart Legend:** 

\_ Confidence Interval Statewide Weighted Rate National Average

### D-38. Chlamydia Screening (CHL), 21-24 Years

## **Statewide Weighted Rate 55%**

Better Than State Similar to State Worse Than State



Great Rivers		53.3% 1,234	-
Greater Columbia		54.9% 4,582	
King	King County Total	58.4% 4,838	
	East King	53.5% 619	
	Seattle	59.6% 1,541	
	South King	58.8% 2,677	
North Central		51.8% 1,410	-
North Sound		52.1% 3,643	
Pierce		58.6% 3,272	
Salish		54.3% 988	-
Southwest		56.4% 1,755	-
Spokane		52.9% 3,133	
Thurston - Mason		55.2% 1,202	-

## **Bar Chart Legend:**

\_\_\_\_ Confidence Interval Statewide Weighted Rate National Average National 75th Percentile

### D-39. Chlamydia Screening (CHL), Total

## **Statewide Weighted Rate 50%**

Better Than State Similar to State Worse Than State



Great Rivers		46.3% 3,025		H
Greater Columbia		50.8% 9,959		-
King	King County Total	53.5% 9,905		
	East King	48.8% 1,386		
	Seattle	55.0% 2,806		+
	South King	53.9% 5,712		-
North Central		45.0% 3,365		H
North Sound		46.5% 8,093		
Pierce		54.6% 6,926		+
Salish		49.1% 2,246		
Southwest		48.4% 3,973		
Spokane		48.0% 6,780		
Thurston - Mason		50.7% 2,646		i

**Bar Chart Legend:** 

\_\_ Confidence Interval

Statewide Weighted Rate National Average

### D-40. Appropriate Testing for Pharyngitis (CWP), 3-17 Years

# Statewide Weighted Rate 81%

Better Than State Similar to State Worse Than State



Great Rivers		77.4% 946	-
Greater Columbia		76.5% 4,321	-
King	King County Total	82.1% 2,344	
	East King	81.5% 335	
	Seattle	83.5% 405	
	South King	81.8% 1,602	
North Central		72.2% 1,119	-
North Sound		79.7% 2,389	
Pierce		87.9% 2,170	
Salish		82.3% 606	
Southwest		89.9% 1,291	
Spokane		80.9% 2,755	
Thurston - Mason		84.1% 722	

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

### D-41. Appropriate Testing for Pharyngitis (CWP), 18-64 Years

# Statewide Weighted Rate 76%

Better Than State Similar to State Worse Than State



Great Rivers		72.0% 831	
Greater Columbia		76.1% 2,038	
King	King County Total	72.7% 2,031	
	East King	67.0% 291	
	Seattle	72.6% 654	
	South King	74.2% 1,084	
North Central		69.4% 527	
North Sound		76.1% 1,584	
Pierce		81.5% 1,606	
Salish		76.0% 480	
Southwest		82.9% 694	
Spokane		74.4% 1,700	
Thurston - Mason		74.1% 580	

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

### D-42. Appropriate Testing for Pharyngitis (CWP), Total

## **Statewide Weighted Rate 79%**

Better Than State Similar to State Worse Than State



Great Rivers		74.8% 1,777	
Greater Columbia		76.4% 6,359	
King	King County Total	77.6% 4,385	
	East King	74.7% 628	
	Seattle	76.6% 1,063	
	South King	78.6% 2,690	
North Central		71.3% 1,647	
North Sound		78.3% 3,977	
Pierce		85.2% 3,777	
Salish		79.5% 1,087	
Southwest		87.5% 1,985	
Spokane		78.4% 4,455	
Thurston - Mason		79.6% 1,302	

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

### D-43. Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)

## Statewide Weighted Rate 22%

Better Than State Similar to State



Great Rivers		20.2% 168
Greater Columbia		24.2% 293
King	King County Total	20.7% 552
	East King	22.4% 67
	Seattle	18.8% 229
	South King	21.9% 256
North Central		24.8% 125
North Sound		22.9% 484
Pierce		18.8% 464
Salish		15.9% 88
Southwest		27.7% 191
Spokane		20.5% 336
Thurston - Mason		21.7% 143

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate National Average

## D-44. Pharmacotherapy Management of COPD Exacerbation (PCE), Systemic Corticosteroid

## **Statewide Weighted Rate 72%**

Better Than State Similar to State Worse Than State



Great Rivers       63.4% 355         Greater Columbia       70.3% 279         King County Total       75.8% 538         East King 32       78.1% 32         Seattle 252       South King 254         North Central       75.3% 93         North Sound       74.0% 335         Pierce       76.4% 526
King         King         75.8%           County         538           Total         78.1%           East King         32           Seattle         71.0%           252         South           South         80.3%           King         254           North Central         75.3%           93         74.0%           North Sound         76.4%
County 75.8% 538 78.1% 32 78.1% 32 71.0% 252 South 80.3% King 254 75.3% 93 74.0% 335 76.4%
Seattle 71.0% 252  South 80.3% King 254  North Central 75.3% 93  North Sound 74.0% 335  Pierce 76.4%
Seattle 252  South 80.3% King 254  North Central 93  North Sound 74.0% 335
North Central 75.3% 93  North Sound 74.0% 335  Pierce 76.4%
North Central 93  North Sound 74.0% 335  Pierce 76.4%
North Sound 335 Pierce 76.4%
Diarca
<b>78.1%</b> Salish <b>192</b>
Southwest <b>55.4</b> % <b>148</b>
<b>71.6%</b> Spokane <b>398</b>
Thurston - Mason 191

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate | National Average

### D-45. Pharmacotherapy Management of COPD Exacerbation (PCE), Bronchodilator

## **Statewide Weighted Rate 85%**

Better Than State Similar to State Worse Than State



Great Rivers		73.2% 355	-
Greater Columbia		79.6% 279	_
King	King County Total	91.3% 538	
	East King	93.8% 32	
	Seattle	90.5% 252	
	South King	91.7% 254	
North Central		90.3% 93	
North Sound		82.7% 335	-
Pierce		87.3% 526	
Salish		84.9% 192	
Southwest		83.8% 148	_
Spokane		90.7% 398	
Thurston - Mason		82.2% 191	-

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

### D-46. Asthma Medication Ratio (AMR), 5-11 Years

## **Statewide Weighted Rate 75%**

Better Than State Similar to State Worse Than State



Great Rivers		79.1% 115	
Greater Columbia		65.1% 410	
King	King County Total	67.8% 484	
	East King	66.3% 80	
	Seattle	67.3% 113	
	South King	68.4% 291	
North Central		80.0% 145	
Jorth Sound		78.0% 395	
erce		77.9% 393	
alish		81.7% 60	
outhwest		75.2% 161	
pokane		82.6% 333	
hurston - Mason		78.9% 90	

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

### D-47. Asthma Medication Ratio (AMR), 12-18 Years

## Statewide Weighted Rate 66%

Better Than State Similar to State Worse Than State



Great Rivers		62.8% 129	
Greater Columbia		60.3% 579	
King	King County Total	58.8% 493	
	East King	62.8% 78	
	Seattle	62.1% 116	
	South King	56.5% 299	
North Central		66.3% 184	
North Sound		68.7% 402	
Pierce		70.3% 364	
Salish		77.4% 53	
Southwest		75.2% 161	
Spokane		68.1% 423	
Thurston - Mason		73.8% 107	

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

### D-48. Asthma Medication Ratio (AMR), 19-50 Years

# Statewide Weighted Rate 57%

Better Than State Similar to State Worse Than State



Great Rivers		55.7% 370	
Greater Columbia		55.7% 951	
King	King County Total	60.6% 1,375	
	East King	67.1% 167	
	Seattle	60.8% 492	
	South King	58.9% 716	
North Central		47.0% 362	
North Sound		56.0% 1,154	
Pierce		55.5% 874	
Salish		61.7% 240	
Southwest		68.0% 493	
Spokane		54.7% 1,081	

**Bar Chart Legend:** 

\_ Confidence Interval

Statewide Weighted Rate National Average

### D-49. Asthma Medication Ratio (AMR), 51-64 Years

# Statewide Weighted Rate 60%

Better Than State Similar to State Worse Than State



			-	
Great Rivers		48.5% 130		
Greater Columbia		57.8% 329		
King	King County Total	63.8% 719		
	East King	65.8% 120		
	Seattle	68.0% 269		
	South King	59.7% 330		
North Central		49.6% 141		
North Sound		58.8% 480		
Pierce		56.7% 374		
Salish		67.7% 96		
Southwest		71.9% 210		
Spokane		57.7% 338		
Thurston - Mason		53.9% 115		

### **Bar Chart Legend:**

\_\_ Confidence Interval

Statewide Weighted Rate National Average

### D-50. Asthma Medication Ratio (AMR), Total

## Statewide Weighted Rate 62%

Better Than State Similar to State Worse Than State



Great Rivers		59.3% 744	
Greater Columbia		58.9% 2,269	
King	King County Total	62.2% 3,071	
	East King	65.8% 445	
	Seattle	63.6% 990	
	South King	60.3% 1,636	
North Central		57.5% 832	
North Sound		62.2% 2,431	
Pierce		62.8% 2,005	
Salish		67.5% 449	
Southwest		71.0% 1,025	
Spokane		62.0% 2,175	
Thurston - Mason		62.7% 617	

**Bar Chart Legend:** 

\_ Confidence Interval


Statewide Weighted Rate National Average

### D-51. Controlling High Blood Pressure (CBP)

### **Statewide Weighted Rate 59%**

Similar to State





**Bar Chart Legend:** 

\_\_ Confidence Interval

Statewide Weighted Rate | National Average

### D-52. Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)

## **Statewide Weighted Rate 83%**

<30 Patients Better Than State Similar to State



Great Rivers		85.0% 40		
Greater Columbia		79.4% 68	_	
King	King County Total	78.6% 117		
	East King			
	Seattle	75.0% 36		
	South King	77.8% 63		
North Central			-	
North Sound		81.1% 111		
Pierce		86.5% 89		
Salish		75.8% 33		
Southwest		95.2% 42		
Spokane		85.1% 74		
Thurston - Mason		80.0% 30		

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate National Average

D-53. Statin Therapy for Patients With Cardiovascular Disease (SPC), Received Statin Therapy, 21-75 years (Male)

### **Statewide Weighted Rate 84%**

Similar to State Worse Than State



Great Rivers		81.5%	
		146	+
Greater Columbia		86.0% 292	_
King	King County Total	85.3% 727	
ı	East King	82.4% 91	+
	Seattle	85.8% 302	-
	South King	85.6% 334	
North Central		86.2% 130	
North Sound		85.2% 486	-
Pierce		83.2% 487	-
Salish		86.4% 118	
Southwest		82.9% 222	+
Spokane		79.8% 376	
Thurston - Mason		83.5% 121	+

**Bar Chart Legend:** 

Confidence Interval


Statewide Weighted Rate | National Average

#### D-54. Statin Therapy for Patients With Cardiovascular Disease (SPC), Received Statin Therapy, 40-75 years (Female)

### Statewide Weighted Rate 81%

Similar to State





**Bar Chart Legend:** 

\_\_ Confidence Interval

Statewide Weighted Rate | National Average

D-55. Statin Therapy for Patients With Cardiovascular Disease (SPC), Received Statin **Therapy Total** 

## **Statewide Weighted Rate 83%**

Similar to State Worse Than State



Great Rivers		82.6% 235	
Greater Columbia		85.8% 458	
King	King County Total	83.4% 1,045	
	East King	81.8% 132	
	Seattle	84.2% 405	
	South King	83.3% 508	
orth Central		84.6% 188	
orth Sound		84.7% 730	
erce		81.6% 766	
lish		83.2% 167	
outhwest		82.3% 339	
ookane		79.4% 574	
		86.0%	

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate | National Average

#### D-56. Statin Therapy for Patients With Cardiovascular Disease (SPC), Statin Adherence 80%, 21-75 years (Male)

## Statewide Weighted Rate 74%

Similar to State Worse Than State



Great Rivers		67.2% 119	
Greater Columbia		77.7% 251	
King	King County Total	75.6% 620	
	East King	77.3% 75	
	Seattle	73.7% 259	
	South King	76.9% 286	
North Central		73.2% 112	
North Sound		75.4% 414	
Pierce		69.6% 405	
Salish		72.5% 102	
Southwest		79.9% 184	
Spokane		77.7% 300	
Thurston - Mason		64.4% 101	

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate | National Average

#### D-57. Statin Therapy for Patients With Cardiovascular Disease (SPC), Statin Adherence 80%, 40-75 years (Female)

## **Statewide Weighted Rate 76%**

Similar to State



Great Rivers		70.7% 75	
Greater Columbia	ı	71.8% 142	
King	King County Total	75.4% 252	
	East King	75.8% 33	
	Seattle	80.5% 82	
	South King	72.3% 137	
North Central		80.9% 47	
North Sound		81.4% 204	
Pierce		72.3% 220	
Salish		78.4% 37	
Southwest		80.0% 95	
Spokane		77.6% 156	
Thurston - Mason		<b>72.9%</b> 59	

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate | National Average

D-58. Statin Therapy for Patients With Cardiovascular Disease (SPC), Statin Adherence 80%, Total

## **Statewide Weighted Rate 75%**

Similar to State Worse Than State



Great Rivers		68.6% 194		
Greater Columbia		75.6% 393		
King	King County Total	75.6% 872	_	
	East King	76.9% 108		
	Seattle	75.4% 341		
	South King	75.4% 423		
North Central		75.5% 159		
North Sound		77.3% 618		
Pierce		70.6% 625		
Salish		74.1% 139		
Southwest		79.9% 279		
Spokane		77.6% 456		
Thurston - Mason		67.5% 160		

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate | National Average

### D-59. Comprehensive Diabetes Care (CDC), HbA1c Testing

## **Statewide Weighted Rate 85%**

Similar to State




	87.1% 116		4	_
	85.8% 331			-
King County Total	86.8% 501			-
East King	86.3% 73		-	_
Seattle	85.7% 161		-	_
South King	87.6% 267			
	91.4% 81			
	83.3% 294		_	
	83.8% 303		-	
	88.0% 75		-	
	79.8% 99		-	
	87.8% 181			
	78.9% 71		_	
	County Total East King Seattle South	85.8% 331  King County Total  East King 86.3% 73  Seattle 85.7% 161  South 87.6% King 267  91.4% 81  83.3% 294  83.8% 303  88.0% 75  79.8% 99  87.8% 181  78.9%	85.8% 331  King County Total  East King 86.3% 73  Seattle 85.7% 161  South 87.6% King 91.4% 81  83.3% 294  83.8% 303  88.0% 75  79.8% 99  87.8% 181  78.9%	85.8% 331  King 86.8% County 501  East King 86.3% 73  Seattle 85.7% 161  South 87.6% King 267  91.4% 81  83.3% 294  83.8% 303  88.0% 75  79.8% 99  87.8% 181  78.9%

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate National Average

D-60. Comprehensive Diabetes Care (CDC), Poor HbA1c Control (Note that a lower score is better for this measure)



28.4% **Great Rivers** 116 50.2% **Greater Columbia** 331 King 36.7% County King 501 Total East King **30.1% 73** 39.1% Seattle 161 South 37.1% King 267 29.6% North Central 81 38.8% North Sound 294 36.6% Pierce 303 36.0% Salish 75 45.5% Southwest 99 34.8% Spokane 181 36.6% Thurston - Mason 71

Bar Chart	Legend:
-----------	---------

Confidence Interval

Statewide Weighted Rate | National Average

Southwest

**Greater Columbia** 

### D-61. Comprehensive Diabetes Care (CDC), HbA1c Control < 8.0%

## Statewide Weighted Rate 52%

Similar to State Worse Than State



Great Rivers		60.3% 116		
Greater Columbia		40.2% 331		
King	King County Total	52.1% 501		
	East King	60.3% 73		
	Seattle	52.8% 161		
	South King	49.4% 267		
North Central		55.6% 81		
North Sound		49.0% 294		
Pierce		53.1% 303		
Salish		58.7% 75		
Southwest		44.4% 99		-
Spokane		51.9% 181		
Thurston - Mason		57.7% 71		

### **Bar Chart Legend:**

Confidence Interval

Statewide Weighted Rate | National Average

### D-62. Comprehensive Diabetes Care (CDC), Eye Exam

## **Statewide Weighted Rate 52%**

Similar to State



Great Rivers		56.0% 116		-
Greater Columbia		53.5% 331		-
King	King County Total	48.9% 501		-
	East King	47.9% 73	_	
	Seattle	47.2% 161	_	
	South King	50.2% 267		
North Central		55.6% 81		-
North Sound		48.0% 294		
Pierce		52.5% 303		-
Salish		49.3% 75	-	
Southwest		58.6% 99		Ì
Spokane		55.8% 181		-
Thurston - Mason		56.3% 71		+
				- 1

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate | National Average

### D-63. Comprehensive Diabetes Care (CDC), Blood Pressure Control < 140/90 mm Hg

## Statewide Weighted Rate 68%

Similar to State Worse Than State



Great Rivers		69.0% 116	
Greater Columbia		65.9% 331	
King	King County Total	64.9% 501	
	East King	65.8% 73	
	Seattle	58.4% 161	
	South King	68.5% 267	
North Central		72.8% 81	
North Sound		70.4% 294	
Pierce		69.0% 303	
Salish		74.7% 75	
Southwest		60.6% 99	
Spokane		68.5% 181	
Thurston - Mason		66.2% 71	

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate National Average

### D-64. Statin Therapy for Patients With Diabetes (SPD), Received Statin Therapy

## Statewide Weighted Rate 66%

Better Than State Similar to State Worse Than State



Great Rivers		64.2% 1,123	
Greater Columbia		64.7% 3,331	
King	King County Total	69.1% 6,197	
	East King	65.9% 703	
	Seattle	66.8% 2,187	
	South King	71.3% 3,305	
North Central		67.5% 1,182	
North Sound		67.3% 3,636	
Pierce		66.6% 3,604	
Salish		66.6% 718	
Southwest		62.2% 1,637	
Spokane		64.9% 2,505	
Thurston - Mason		64.0% 894	

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate | National Average

### D-65. Statin Therapy for Patients With Diabetes (SPD), Statin Adherence 80%

## **Statewide Weighted Rate 73%**

Better Than State Similar to State Worse Than State



Great Rivers		73.4% 721	
Greater Columbia	3	73.2% 2,155	
King	King County Total	73.3% 4,284	
	East King	78.0% 463	
	Seattle	73.9% 1,461	
	South King	72.1% 2,358	-
North Central		72.1% 798	-
North Sound		74.6% 2,446	
Pierce		69.0% 2,399	-
Salish		72.0% 478	i.
Southwest		77.2% 1,018	
Spokane		73.8% 1,626	-
Thurston - Masor	1	75.5% 572	

## **Bar Chart Legend:**

Confidence Interval

Statewide Weighted Rate | National Average

### D-66. Antidepressant Medication Management (AMM), Effective Acute Phase

## **Statewide Weighted Rate 58%**

Better Than State Similar to State Worse Than State



Great Rivers		58.2% 1,443	
Greater Columbia		59.5% 3,519	
King	King County Total	55.7% 5,351	
	East King	60.6% 781	
	Seattle	55.2% 2,126	
	South King	54.7% 2,442	
North Central		57.3% 1,295	
North Sound		58.8% 4,107	
Pierce		59.1% 3,311	
Salish		63.2% 1,064	
Southwest		63.7% 1,765	
Spokane		56.4% 3,248	
Thurston - Mason		62.6% 1,194	

## **Bar Chart Legend:**

Confidence Interval

Statewide Weighted Rate National Average

### D-67. Antidepressant Medication Management (AMM), Continuation Phase

## Statewide Weighted Rate 43%

Better Than State Similar to State Worse Than State



Great Rivers		41.4% 1,443
Greater Columbia		42.1% 3,519
King	King County Total	40.9% 5,351
	East King	45.6% 781
	Seattle	40.4% 2,126
	South King	39.8% 2,442
North Central		40.5% 1,295
North Sound		43.0% 4,107
Pierce		43.5% 3,311
Salish		47.1% 1,064
Southwest		49.3% 1,765
Spokane		42.3% 3,248
Thurston - Mason		47.3% 1,194

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate National Average

# D-68. Follow-Up Care for Children Prescribed ADHD Medication (ADD), Initiation

## **Statewide Weighted Rate 45%**

Similar to State



Great Rivers		47.2% 322		+
Greater Columbia		47.0% 808		<u>i</u>
King	King County Total	44.8% 721		÷
	East King	50.4% 131		
	Seattle	42.4% 151	-	H
	South King	44.0% 439		
North Central		46.0% 289		
North Sound		44.6% 816		
Pierce		43.4% 830		
Salish		46.4% 207		
Southwest		46.5% 391		-
Spokane		47.2% 755		-
Thurston - Mason		41.2% 226	-	

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate National Average

### D-69. Follow-Up Care for Children Prescribed ADHD Medication (ADD), Continuation

## Statewide Weighted Rate 52%

Better Than State Similar to State



Great Rivers		49.1% 106	
Greater Columbia		62.9% 221	
King	King County Total	47.3% 207	
	East King	52.8% 36	
	Seattle	40.0% 55	-
	South King	49.1% 116	
North Central		53.6% 84	
North Sound		52.5% 259	
Pierce		53.8% 249	
alish		51.2% 86	
Southwest		48.7% 152	
Spokane		51.2% 297	
Thurston - Mason		48.1% 81	

**Bar Chart Legend:** 

Confidence Interval

Statewide Weighted Rate | National Average

### D-70. Follow-Up after Hospitalization for Mental Illness (FUH), 30-Day Follow-Up, 6-17 Years

## **Statewide Weighted Rate 74%**

Better Than State Similar to State Worse Than State



Bar Chart Legend: Confidence Interval	: Statewide Weighted Rate	National Average	National 75th Percentile

Great Rivers		81.3% 96	
Greater Columbia		71.2% 139	
ing	King County Total	60.7% 285	
	East King	59.0% 61	-
	Seattle	67.0% 88	_
	South King	57.4% 136	
orth Central		86.4% 44	
orth Sound		76.8% 332	
erce		72.1% 172	
lish		83.7% 86	
outhwest		83.3% 102	
okane		80.4% 311	
nurston - Mason		73.8% 80	