### **HEALTH CARE AUTHORITY**



# Prosthetic and Orthotic Devices

**Billing Instructions** 

[Chapter 388-543 WAC]

#### **About This Publication**

This publication supersedes all previous Agency *Prosthetic & Orthotic Devices Billing Instructions* published by the Health Care Authority (the Agency). The following programs have individual billing instructions:

- Nondurable Medical Supplies and Equipment (MSE)
- Medical Nutrition
- Infusion Therapy
- Prosthetic/Orthotic Devices and Supplies

**Note:** The Agency now reissues the entire billing manual when making updates, rather than just a page or section. The effective date and revision history are now at the front of the manual. This makes it easier to find the effective date and version history of the manual.

#### **Effective Date**

The effective date of this publication is: 07/01/2011.

#### **Revision History**

This publication has been revised by:

| Effective<br>Date/<br>Reason for<br>Change           | Section/<br>Page No. | Subject         | Change  |
|--|----------------------|-----------------|---|
|  | C.5.C.7              | Procedure codes | Add Limits for orthotics for diabetic clients                 |
| July 1, 2011  Update Fee Schedule and Coverage Table | C.25                 | Procedure codes | Add limits for adults orthopedic footwear                     |
|  | C.26                 | Procedure codes | Add limits for codes L3310, L3320,<br>L3334                   |
|  | C.31 and C.32        | Procedure codes | Add "For fractures only" to Procedure<br>Code L4350 and L4360 |

### **How Can I Get Agency Provider Documents?**

To download and print Agency provider numbered memos and billing instructions, go to the Agency website at <a href="http://hrsa.dshs.wa.gov">http://hrsa.dshs.wa.gov</a> (click the *Billing Instructions and Numbered Memorandum* link).

## **Table of Contents**

| <b>Important</b>                        | Contacts  | iii |
|---|---|-----|
| Definitions                             | & Abbreviations   | 1   |
| Section A:                              | About the Program   |     |
| ~ · · · · · · · · · · · · · · · · · · · | What Is the Purpose of the Prosthetic and Orthotic Devices Program?   | A.1 |
| Section B:                              | Client Eligibility  |     |
|   | Who Is Eligible?  | B.1 |
|   | Third-Party Liability (TPL)   | B.1 |
|   | Are Clients Enrolled in Managed Care Eligible?                        |     |
|   | Are Clients Enrolled in Primary Care Case Management (PCCM) Eligible? | B.2 |
| Section C:                              | Coverage  |     |
|   | What Is Covered?  |     |
|   | What Are the General Conditions of Coverage?                          | C.1 |
|   | What If a Service Is Covered but Considered Experimental              |     |
|   | or Has Restrictions or Limitations?                                   | C.2 |
|   | How Can I Request That Equipment/Supplies Be Added to                 |     |
|   | the "Covered" List in These Billing Instructions?                     | C.3 |
|   | What Is Not Covered?  | C.3 |
|   | Coverage Table  | C.5 |
| Section D:                              | <b>Provider Requirements</b>  |     |
|   | What Is Required from the Agency's P&O Devices Providers?             | D.1 |
|   | Who Does the Agency Reimburse for Providing P&O Devices and           |     |
|   | Related Supplies and Services to the Agency Clients?                  | D.1 |
| Section E:                              | Authorization   |     |
|   | What Is Prior Authorization?  | E.1 |
|   | Is Prior Authorization Required?                                      |     |
|   | General Policies for Prior Authorization                              |     |
|   | What Is Expedited Prior Authorization?                                | E.4 |
|   | EPA Criteria Coding Table   | E.5 |

### **Table of Contents (Cont.)**

| Section F:        | Reimbursement  |     |  |  |  |  |  |
|-------------------|--|-----|--|--|--|--|--|
|                   | General Reimbursement for P&O Devices and Related Supplies       |     |  |  |  |  |  |
|                   | and Services   | F.1 |  |  |  |  |  |
|                   | Specific Reimbursement for P&O Devices                           |     |  |  |  |  |  |
|                   | Purchased P&O Devices and Related Supplies                       |     |  |  |  |  |  |
|                   | Fee Schedule   |     |  |  |  |  |  |
|                   |  |     |  |  |  |  |  |
| <b>Section G:</b> | Billing and Claim Forms  |     |  |  |  |  |  |
|                   | What Are the General Billing Requirements?                       | G.1 |  |  |  |  |  |
|                   | Completing the CMS-1500 Claim Form                               | G.1 |  |  |  |  |  |
|                   | How Do I Submit Professional Services on a CMS-1500 Claim Form   |     |  |  |  |  |  |
|                   | For Medicare Crossovers?   | G.2 |  |  |  |  |  |
|                   | What Does the Agency Require from the Provider-Generated EOMB to |     |  |  |  |  |  |
|                   | Process a Crossover Claim?                                       | G.3 |  |  |  |  |  |

## **Important Contacts**

**Note:** This section contains important contact information relevant to wheelchairs, durable medical equipment, and supplies. For more contact information, see the Agency *Resources Available* web page at: <a href="http://hrsa.dshs.wa.gov/Download/Resources\_Available.html">http://hrsa.dshs.wa.gov/Download/Resources\_Available.html</a>

| Topic   | Contact Information  |
|---|--|
| Becoming a provider or submitting a change of address or ownership                              |  |
| Finding out about payments, denials, claims processing, or Agency managed care                  |  |
| organizations Electronic or paper billing   | See the Agency <i>Resources Available</i> web page at: <a href="http://hrsa.dshs.wa.gov/Download/Resources_Available.html">http://hrsa.dshs.wa.gov/Download/Resources_Available.html</a> |
| Finding Agency documents (e.g., billing instructions, # memos, fee schedules)                   |  |
| Private insurance or third-party liability, other than Agency managed care                      |  |
| Requesting that equipment/supplies be added to the "covered" list in these billing instructions | 1-800-562-3022 (phone)<br>1-866-668-1214 (fax)   |
| Requesting prior authorization or a limitation extension  |  |
| Questions about the payment rate listed in the fee schedule                                     | DME - Program Manager<br>Professional Reimbursement<br>PO Box 45510<br>Olympia, WA 98504-5510  |
|   | 1-360-753-9152 (fax)   |

### **Definitions & Abbreviations**

This section defines terms and abbreviations, including acronyms, used in these billing instructions. Please refer to the Agency *Glossary* at:

<a href="http://hrsa.dshs.wa.gov/download/medical\_assistance\_glossary.htm">http://hrsa.dshs.wa.gov/download/medical\_assistance\_glossary.htm</a>
for a more complete list of definitions.

**Artificial limb** – See prosthetic device. [WAC 388-543-1000]

**By Report** (**BR**) – A method of reimbursement for covered items, procedures, and services for which the Agency has no set maximum allowable fees. [WAC 388-543-1000]

**Code of Federal Regulations (CFR) -** Rules adopted by the federal government.

**Date of Delivery** – The date the client actually took physical possession of an item or equipment. [WAC 388-543-1000]

**The Agency** - The state Health Care Authority.

#### **Expedited Prior Authorization (EPA) –**

The process for obtaining authorization for selected durable medical equipment, and related supplies, prosthetics, orthotics, medical supplies and related services, in which providers use a set of numeric codes to indicate to the Agency which acceptable indications/conditions/Agency-defined criteria are applicable to a particular request for DME authorization. [WAC 388-543-1000]

Health Care Financing Administration Common Procedure Coding System (HCPCS) – A coding system established by the Health Care Financing Administration to define services and procedures. [WAC 388-543-1000]

**Healthy Options** – The name of the Agency's managed care program.

**Limitation Extension (LE)** – A process for requesting and approving covered services and reimbursement that exceeds a coverage limitation (quantity, frequency, or duration) set in WAC, billing instructions, or numbered memoranda. Limitation extensions require prior authorization. [WAC 388-543-1000]

**Maximum Allowable** - The maximum dollar amount the Agency will reimburse a provider for a specific service, supply, or piece of equipment.

**Medical Identification card(s)** – See *Services Card*.

**Orthotic Device or Orthotic** – A corrective or supportive device that:

- Prevents or corrects physical deformity or malfunction; or
- Supports a weak or deformed portion of the body. [WAC 388-543-1000]

Plan of Care (POC) – (Also known as "plan of treatment" [POT]) A written plan of care that is established and periodically reviewed and signed by both a physician and a home health agency provider, that describes the home health care to be provided at the client's residence.
[WAC 388-551-2010]

**Prior Authorization (PA)** – A process by which clients or providers must request and receive Agency approval for certain medical equipment and related supplies, prosthetics, orthotics, medical supplies and related services, based on medical necessity, before the services are provided to clients, as a precondition for provider reimbursement. Expedited prior authorization and limitation extension are types of prior authorization. Also see WAC 388-501-0165. [WAC 388-543-1000]

**Prosthetic device or prosthetic** – A

replacement, corrective, or supportive device prescribed by a physician or other licensed practitioner of the healing arts, within the scope of his or her practice as defined by state law, to:

- Artificially replace a missing portion of the body;
- Prevent or correct physical deformity or malfunction; or
- Support a weak or deformed portion of the body. [WAC 388-543-1000]

**Resource Based Relative Value Scale** (**RBRVS**) – A scale that measures the relative value of a medical service or intervention, based on amount of physician resources involved. [WAC 388-543-1000]

**Revised Code Of Washington (RCW) -** Washington State laws.

Usual and Customary Charge – The amount the provider typically charges to 50% or more of his or her non-Medicaid clients, including clients with other third-party coverage. [WAC 388-543-1000]

### **About the Program**

# What Is the Purpose of the Prosthetic and Orthotic Devices Program? [Refer to WAC 388-543-1100]

The Health Care Authority (the Agency) Prosthetic and Orthotic Devices (P&O) program makes accessible to eligible Agency clients the purchase of medically necessary P&O and related supplies when they are not included in other reimbursement methodologies (e.g., inpatient hospital DRG, nursing facility daily rate, HMO, or managed health care programs). The federal government considers P&O and related supplies as optional services under the Medicaid program, except when:

- Prescribed as an integral part of an approved plan of treatment under the Home Health program; or
- Required under the Early and Periodic Screening, Diagnosis and Treatment (EPSDT) program.

The Agency may reduce or eliminate coverage for optional services, consistent with legislative appropriations.

### **Client Eligibility**

#### Who Is Eligible? [Refer to Chapter 388-529 WAC]

Please see the Agency *ProviderOne Billing and Resource Guide* at: <a href="http://hrsa.dshs.wa.gov/download/ProviderOne Billing and Resource Guide.html">http://hrsa.dshs.wa.gov/download/ProviderOne Billing and Resource Guide.html</a> for instructions on how to verify a client's eligibility.

**Note:** Refer to the *Scope of Coverage Chart* web page at:

http://hrsa.dshs.wa.gov/Download/ScopeofHealthcareSvcsTable.html for an up-to-date listing of Benefit Service Packages.

#### **Third-Party Liability (TPL)**

If the client has TPL coverage (excluding Medicare), prior authorization must still be obtained before providing any service requiring prior authorization.

#### **Are Clients Enrolled in Managed Care Eligible?**

[Refer to WAC 388-538-060 and 095]

**YES!** When verifying eligibility using ProviderOne, if the client is enrolled in an Agency managed care plan, managed care enrollment will be displayed on the Client Benefit Inquiry screen. All services must be requested directly through the client's Primary Care Provider (PCP). Clients can contact their managed care plan by calling the telephone number provided to them.

All medical services covered under a managed health care plan must be obtained by the client through designated facilities or providers. The managed care plan is responsible for:

- Payment of covered services; and
- Payment of services referred by a provider participating with the plan to an outside provider.

The Agency does not cover P&O devices provided by a nonparticipating provider for a client who is enrolled in an Agency-contracted managed care plan. [Refer to WAC 388-543-1400 [9])

**Note:** To prevent billing denials, please check the client's eligibility **prior** to scheduling services and at the **time of the service** and make sure proper authorization or referral is obtained from the plan. See the Agency *ProviderOne Billing and Resource Guide* at:

http://hrsa.dshs.wa.gov/download/ProviderOne Billing and Resource Guide.html for instructions on how to verify a client's eligibility.

# **Are Clients Enrolled in Primary Care Case Management (PCCM) Eligible?**

For the client who has chosen to obtain care with a PCCM provider, this information will be displayed on the Client Benefit Inquiry screen in ProviderOne. These clients must obtain or be referred for services via a PCCM provider. The PCCM provider is responsible for coordination of care just like the PCP would be in a plan setting.

**Note:** To prevent billing denials, please check the client's eligibility **prior** to scheduling services and at the **time of the service** and make sure proper authorization or referral is obtained from the PCCM provider. Please see the Agency *ProviderOne Billing and Resource Guide* at:

http://hrsa.dshs.wa.gov/download/ProviderOne Billing and Resource Guide.html for instructions on how to verify a client's eligibility.

### Coverage

#### What Is Covered? [Refer to WAC 388-543-1100]

- The Agency covers the P&O devices, repairs, and labor charges listed in the *Coverage Table* in these billing instructions.
- The Agency covers a replacement prosthesis only when the purchase of a replacement prosthesis is less costly than repairing or modifying a client's current prosthesis. [WAC 388-543-2600[3])

**Note:** Those HCPCS codes with a "#" symbol in the maximum allowable column of the fee schedule are not covered by the Agency.

### What Are the General Conditions of Coverage? [Refer to WAC 388-543-1100]

The Agency covers the P&O devices listed in the *Coverage Table* in these billing instructions when all of the following apply. The P&O devices must be:

- Medically necessary. The provider or client must submit sufficient objective evidence to
  establish medical necessity. Information used to establish medical necessity includes, but
  is not limited to, the following:
  - ✓ A physiological description of the client's disease, injury, impairment, or other ailment, and any changes in the client's condition written by the prescribing physician, licensed prosthetist and/or orthotist, physical therapist, occupational therapist, or speech therapist; or
  - ✓ Video and/or photograph(s) of the client demonstrating the impairments and the client's ability to use the requested equipment, when applicable.
- Within the scope of an eligible client's benefit service package (see *Client Eligibility*);
- Within accepted medical or physical medicine community standards of practice;
- Prior authorized (see *Authorization*);
- Prescribed by a physician, advanced registered nurse practitioner (ARNP), or physician

assistant certified (PAC). Except for dual eligible Medicare/Medicaid clients when Medicare is the primary payer and the Agency is billed for co-pay and/or deductible only:

The prescriber must use the Prescription Form, DSHS 13-794, to write the prescription. The form is available for download at <a href="http://www.dshs.wa.gov/msa/forms/eforms.html">http://www.dshs.wa.gov/msa/forms/eforms.html</a>. The prescription (DSHS 13-794) must:

- ✓ Be signed and dated by the prescriber;
- Be no older than one year from the date the prescriber signs the prescription; and
- ✓ State the specific item or service requested, diagnosis, estimated length of need (weeks, months, or years), and quantity.

**Note:** The Agency implemented the requirement of the prescription form for all new prescriptions effective March 1, 2008.

 Billed to the Agency as the payer of last resort only. The Agency does not pay first and then collect from Medicare.

**Note:** The Agency evaluates By Report (BR) items, procedures, or services for medical appropriateness and reimbursement value on a case-by-case basis.

# What If a Service Is Covered but Considered Experimental or Has Restrictions or Limitations?

[Refer to WAC 388-543-1100 [3] and [4])

- The Agency evaluates a request for a service that is in a covered category, but has been determined to be experimental or investigational as defined by WAC 388-531-0050, under the provisions of WAC 388-501-0165 which relate to medical necessity.
- The Agency evaluates a request for a covered service that is subject to limitations or other restrictions and approves such a service beyond those limitations or restrictions when medically necessary, under the standards for covered services in WAC 388-501-0165 (see page F.3 for limitation extensions).

### How Can I Request That Equipment/Supplies Be Added to the "Covered" List in These Billing Instructions?

[WAC 388-543-1100 [7])

An interested party may request the Agency to include new P&O devices and related supplies and services in these billing instructions by sending a written request to the Agency's DME Authorization Unit (see *Important Contacts* section), plus all of the following:

- Manufacturer's literature;
- Manufacturer's pricing;
- Clinical research/case studies (including FDA approval, if required); and
- Any additional information the requestor feels is important.

#### What Is Not Covered? [Refer to WAC 388-543-1300]

The Agency pays only for P&O devices and related supplies and services that are medically necessary, listed as covered, meet the definition of prosthetics and orthotics (see *Definitions*), and prescribed per the provider requirements in this billing instruction (see *Provider Requirements*).

The Agency considers all requests for covered P&O devices and related supplies and services, and noncovered P&O devices and related supplies and services, under the provisions of WAC 388-501-0165 which relate to medical necessity. When the Agency considers that a request does not meet the requirements for medical necessity, the definition(s) of covered item(s), or is not covered, the client may appeal that decision under the provisions of WAC 388-501-0165.

The Agency specifically excludes services and equipment in this billing instruction from fee-for-service (FFS) scope of coverage when the services and equipment do not meet the definition for a covered item, or the services are not typically medically necessary. This exclusion does not apply if the services and equipment are:

- Required under the EPSDT program;
- Included as part of a managed care plan service package;
- Included in a waivered program; or
- Part of one of the Medicare programs for qualified Medicare beneficiaries.

#### Services and equipment that are not covered include, but are not limited to:

- Services, procedures, devices, or the application of associated services that the Food and Drug Administration (FDA) and/or the Centers for Medicare and Medicaid Services (CMS) (formerly known as Health Care Financing Administration [HCFA]) consider investigative or experimental on the date the services are provided;
- Any service specifically excluded by statute;
- More costly services or equipment when the Agency determines that less costly, equally effective services or equipment are available;
- Hairpieces or wigs;
- Material or services covered under manufacturer's warranties;
- Procedures, prosthetics, or supplies related to gender dysphoria surgery;
- Shoe lifts less than one inch, arch supports, and nonorthopedic shoes;
- Supplies and equipment used during a physician office visit, such as tongue depressors and surgical gloves;
- Prosthetic devices dispensed for cosmetic reasons;
- Personal and comfort items that do not meet the definition of a prosthetic or orthotic device (see *Definitions*), including, but not limited to, the following:
  - Clothing and accessories, such as coats, gloves (including wheelchair gloves), hats, scarves, slippers, and socks;
  - ✓ Cosmetics, including corrective formulations, hair depilatories, and products for skin bleaching, commercial sun screens, and tanning; and
  - ✓ Impotence devices;

**Note:** The Agency evaluates a request for any equipment or devices that are listed as noncovered in this billing instruction under the provisions of WAC 388-501-0165. (Refer to WAC 388-543-1100[2])

# **Coverage Table**

| Column        | Abbreviation | Definition   |
|---------------|--------------|--|
| Code Status   | #            | Non-covered item   |
| Indicators    | N            | New  |
|               | D            | Discontinued   |
|               | U            | Update   |
|               | P            | Policy Change  |
| PA            | Y            | Requires Prior Authorization                                 |
| PA            | Y*           | Requires Prior Authorization for clients 17 years of age and |
|               |              | older  |
| Lic (License) | Y            | Licensure required   |
| Lic (License) | Y**          | Licensure required if prescribing treatment of scoliosis     |
| Lic (License) | ***          | The item can be provided by a DME or Pharmacy provider as    |
|               |              | long as other licensure requirements have been met           |

| Code<br>Status<br>Indicators | Procedure<br>Code | PA | Lic | Description   | Policy/<br>Comments  |
|------------------------------|-------------------|----|-----|---|--|
| #                            | A4280             |    |     | Adhesive skin support attachment for use with external breast prosthesis, each  |  |
|                              | A5500             |    |     | For diabetics only, fitting (including follow-up) custom preparation and supply of off-the-shelf depthinlay shoe manufactured to accommodate multidensity insert(s), per shoe | 1 pair per client,<br>per year.<br>Effective July 1,<br>2011 |
|                              | A5501             |    |     | For diabetics only, fitting (including follow-up) custom preparation and supply of shoe molded from cast(s) of patient's foot (custom molded shoe), per shoe                  | 1 pair per client,<br>per year.<br>Effective July 1,<br>2011 |
|                              | A5503             |    |     | For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom molded shoe with roller or rigid rocker bottom, per shoe                     | 1 pair per client,<br>per year.<br>Effective July 1,<br>2011 |
|                              | A5504             |    |     | For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom molded shoe with wedges, per shoe  | 1 pair per client,<br>per year.<br>Effective July 1,<br>2011 |
|                              | A5505             |    |     | For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom molded shoe with metatarsal bar, per shoe                                    | 1 pair per client,<br>per year.<br>Effective July 1,<br>2011 |
|                              | A5506             |    |     | For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom molded shoe with off-set heel(s), per shoe                                   | 1 pair per client,<br>per year.<br>Effective July 1,<br>2011 |

| Code                 |                   |    |     |   | 7. W. /             |
|----------------------|-------------------|----|-----|---|---------------------|
| Status<br>Indicators | Procedure<br>Code | PA | Lic | Decorintion   | Policy/<br>Comments |
| mulcators            | A5507             | Y  | Lic | Description For diabetics only, not otherwise specified   | Comments            |
|                      | A3301             | 1  |     | modification (including fitting) of off-the-shelf depth-  |                     |
|                      |                   |    |     | inlay or custom molded shoe, per shoe   |                     |
| #                    | A5508             |    |     | For diabetics only, deluxe feature of off-the-shelf   |                     |
| "                    | 110000            |    |     | depth-inlay shoe or custom molded shoe, per shoe  |                     |
| #                    | A5510             |    |     | For diabetics only, direct formed, compression molded   |                     |
|                      |                   |    |     | to patient's foot without external heat source, multiple  |                     |
|                      |                   |    |     | density insert(s) prefabricated, per shoe   |                     |
|                      | A5512             |    |     | For diabetics only, multiple density insert, direct   | 2 pair per client,  |
|                      |                   |    |     | formed, molded to foot after external heat source of  | per year.           |
|                      |                   |    |     | 230 degrees fahrenheit or higher, total contact with  | Effective July 1,   |
|                      |                   |    |     | patient's foot, including arch, base layer minimum of   | 2011                |
|                      |                   |    |     | 1/4 inch material of shore a 35 durometer or 3/16 inch  |                     |
|                      |                   |    |     | material of shore a 40 durometer (or higher), prefabricated, each                                     |                     |
|                      | A5513             |    |     | For diabetics only, multiple density insert, custom   | 2 pair per client,  |
|                      | A3313             |    |     | molded from model of patient's foot, total contact with   | per year.           |
|                      |                   |    |     | patient's foot, including arch, base layer minimum of   | Effective July 1,   |
|                      |                   |    |     | 3/16 inch material of shore a 35 durometer or higher,   | 2011                |
|                      |                   |    |     | includes arch filler and other shaping material, custom   |                     |
|                      |                   |    |     | fabricated, each  |                     |
| #                    | E1800             |    |     | Dynamic adjustable elbow extension/flexion device,  |                     |
|                      |                   |    |     | includes soft interface material  |                     |
| #                    | E1801             |    |     | Static progressive stretch elbow device, extension  |                     |
|                      |                   |    |     | and/or flexion, with or without range of motion   |                     |
| #                    | E1802             |    |     | adjustment, includes all components and accessories.  Dynamic adjustable forearm pronation/supination |                     |
| π                    | L1002             |    |     | device, includes soft interface material  |                     |
| #                    | E1805             |    |     | Dynamic adjustable wrist extension/flexion device,  |                     |
|                      |                   |    |     | includes soft interface material  |                     |
| #                    | E1806             |    |     | Static progressive stretch wrist device, flexion and/or   |                     |
|                      |                   |    |     | extension, with or without range of motion  |                     |
|                      |                   |    |     | adjustment, includes all components and accessories.  |                     |
| #                    | E1810             |    |     | Dynamic adjustable knee extension/flexion device,   |                     |
|                      | E1011             |    |     | includes soft interface material  |                     |
| #                    | E1811             |    |     | Static progressive stretch knee device, flexion and/or  |                     |
|                      |                   |    |     | extension, with or without range of motion  |                     |
| #                    | E1015             |    |     | adjustment, includes all components and accessories.  |                     |
| #                    | E1815             |    |     | Dynamic adjustable ankle extension/flexion, includes soft interface material                          |                     |
| #                    | E1816             |    |     | Static progressive stretch ankle device, flexion and/or   |                     |
|                      | 21010             |    |     | extension, with or without range of motion  |                     |
|                      |                   |    |     | adjustment, includes all components and accessories.  |                     |
| #                    | E1818             |    |     | Bi-directional progressive stretch forearm  |                     |
|                      |                   |    |     | pronation/supination device with range of motion  |                     |
|                      |                   |    |     | adjustment, includes cuffs  |                     |

|            | Procedure |    | т:.         | Denvis  | Policy/  |
|------------|-----------|----|-------------|---|----------|
| Indicators |           | PA | Lic         | <b>Description</b>  | Comments |
| #          | E1820     |    |             | Replacement soft interface material, dynamic adjustable extension/flexion device                        |          |
| #          | E1821     |    |             | Replacement soft interface material/cuffs for bi-   |          |
|            |           |    |             | directional static progressive stretch device   |          |
| #          | E1825     |    |             | Dynamic adjustable finger extension/flexion device,   |          |
|            |           |    |             | includes soft interface material  |          |
| #          | E1830     |    |             | Dynamic adjustable toe extension/flexion device,  |          |
|            |           |    |             | includes soft interface material  |          |
| #          | E1840     |    |             | Dynamic adjustable shoulder   |          |
|            |           |    |             | flexion/abduction/rotation device, includes soft  |          |
|            |           |    |             | interface material  |          |
| #          | E1841     |    |             | Static progressive stretch shoulder device, with or   |          |
|            |           |    |             | without range of motion adjustment, includes all  |          |
|            | ****      |    |             | components and accessories.   |          |
|            | K0672     | Y  |             | Addition to lower extremity orthosis, removable soft  |          |
|            | * 0440    |    |             | interface, all components, replacement only, each.  |          |
|            | L0112     | Y  | Y           | Cranial cervical orthosis, congenital torticollis type,   |          |
|            |           |    |             | with or without soft interface material, adjustable   |          |
|            | T 0112    | *7 | 3.7         | range of motion joint, custom fabricated  |          |
|            | L0113     | Y  | Y           | Cranial cervical orthosis, torticollis type, with or  |          |
|            |           |    |             | without joint, with or without soft interface material, prefabricated, includes fitting and adjustment. |          |
|            | L0120     |    | ***         | Cervical, flexible, nonadjustable (foam collar)   |          |
|            |           |    |             | •   |          |
|            | L0130     |    | Y           | Cervical, flexible, thermoplastic collar, molded to patient   |          |
|            | L0140     |    | ***         | Cervical, semi-rigid, adjustable (plastic collar)   |          |
|            | L0150     |    | ***         | Cervical, semi-rigid, adjustable molded chin cup  |          |
|            |           |    |             | (plastic collar with mandibular/occipital piece)  |          |
|            | L0160     |    |             | Cervical, semi-rigid, wire frame occipital/mandibular   |          |
|            |           |    |             | support   |          |
|            | L0170     | Y  | Y           | Cervical, collar, molded to patient model   |          |
|            | L0172     |    | ***         | Cervical, collar, semi-rigid thermoplastic foam, two  |          |
|            |           |    |             | piece   |          |
|            | L0174     |    | ***         | Cervical, collar, semi-rigid, thermoplastic foam, two   |          |
|            |           |    |             | piece with thoracic extension   |          |
|            | L0180     |    |             | Cervical, multiple post collar, occipital/mandibular  |          |
|            |           |    |             | supports, adjustable  |          |
|            | L0190     |    |             | Cervical, multiple post collar, occipital/mandibular  |          |
|            |           |    |             | supports, adjustable cervical bars (Somi, Guilford,   |          |
|            | * 0500    |    |             | Taylor types)   |          |
|            | L0200     |    |             | Cervical, multiple post collar, occipital/mandibular  |          |
|            |           |    |             | supports, adjustable cervical bars, and thoracic  |          |
|            | 1.0000    |    | ماد ماد باد | extension   |          |
|            | L0220     | ** | ***         | Thoracic, rib belt, custom fabricated   |          |
|            | L0430     | Y  | Y**         | Spinal orthosis, anterior-posterior-lateral control, with   |          |

| Code<br>Status<br>Indicators | Procedure<br>Code | PA | Lic | Description   | Policy/<br>Comments |
|------------------------------|-------------------|----|-----|---|---------------------|
|                              |                   |    |     | interface material, custom fitted (dewall posture protector only)   |                     |
|                              | L0450             |    | Y** | TLSO, flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intevertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated, includes fitting and adjustment  |                     |
|                              | L0452             | Y  |     | TLSO, flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intevertebral disks with rigid stays or panel(s), includes shoulder straps and closures, custom fabricated   |                     |
|                              | L0454             |    | Y** | TLSO, flexible, provides trunk support, extends from sacrococcygeal junction to above T-9 vertebra, restricts gross truck motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated, includes fitting and adjustment  |                     |
|                              | L0456             |    | Y** | TLSO, flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross truck motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks, includes straps and closures, prefabricated, includes fitting and adjustment   |                     |
|                              | L0458             |    | Y   | TLSO, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphold, soft liner, restricts gross trunk motion in the sagittal, coronal, and tranverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, including fitting and adjustment       |                     |
|                              | L0460             |    | Y   | TLSO, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and tranverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, including fitting and adjustment |                     |

| Code                 | <b>D</b> 1        |    |     |  | D. W. /             |
|----------------------|-------------------|----|-----|--|---------------------|
| Status<br>Indicators | Procedure<br>Code | PA | Lic | Description  | Policy/<br>Comments |
| mucators             | L0462             |    | Y   | TLSO, triplanar control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, including fitting and adjustment                                 | Comments            |
|                      | L0464             |    | Y   | TLSO, triplanar control, modular segmented spinal system, four rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in sagittal, coronal, and tranverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment  |                     |
|                      | L0466             |    | Y   | TLSO, sagittal-coronal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, restricts gross trunk motion in sagittal plane, produces intracavitary pressure to reduce load on intervertebral disks, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment   |                     |
|                      | L0468             |    | Y** | TLSO, sagittal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacroccoccygeal junction over scapulae, lateral strength provided by pelvic, thoracic and lateral frame pieces, restricts gross trunk motion in sagittal, and coronal planes, produces intracavitary pressure to reduce load on intervertebral disks, includes fitting and shaping the frame, prefabricated, includes filling and adjustment  |                     |
|                      | L0470             |    | Y** | TLSO, triplanar-control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacrococcygeal junction to scapula, lateral strength provided by pelvic, thoracic, and lateral frame pieces, rotational strength provided by subclavicular extentions, restricts gross trunk motion in sagittal, coronal, and tranverse planes, produces intracavitary pressure to reduce the load on intervertebral disks, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment |                     |

| Code                 | D 1               |    |     |  | D. P. /             |
|----------------------|-------------------|----|-----|--|---------------------|
| Status<br>Indicators | Procedure<br>Code | PA | Lic | Description  | Policy/<br>Comments |
| mulcators            | L0472             | IA | Y** | TLSO, triplanar control, hyperextension, rigid anterior  | Comments            |
|                      | 20172             |    | •   | and lateral frame extends from symphysis pubis to  |                     |
|                      |                   |    |     | sternal notch with two anterior components (one pubic  |                     |
|                      |                   |    |     | and one sternal), posterior and lateral pads with straps   |                     |
|                      |                   |    |     | and closures, limits spinal flexion, restricts gross trunk   |                     |
|                      |                   |    |     | motion in sagittal, coronal, and transverse planes,  |                     |
|                      |                   |    |     | includes fitting and shaping the frame, prefabricated,   |                     |
|                      |                   |    |     | includes fitting and adjustment  |                     |
|                      | L0474             | Y  | Y** | TLSO, sagittal-coronal control, flexion compression  |                     |
|                      |                   |    |     | jacket, two rigid plastic shells with soft liner, posterior  |                     |
|                      |                   |    |     | extends from sacrococcygeal junction and terminates at or before the T-9 vertebra, anterior extends from |                     |
|                      |                   |    |     | symphysis pubis to xiphoid, usually laced together on  |                     |
|                      |                   |    |     | one side, restricts gross trunk motion in sagittal and   |                     |
|                      |                   |    |     | coronal planes, allows free flexion and compression of   |                     |
|                      |                   |    |     | the LS region, includes straps and closures,   |                     |
|                      |                   |    |     | prefabricated, includes fitting and adjustment   |                     |
|                      | L0480             | Y  | Y   | TLSO, triplanar control, one piece rigid plastic shell   |                     |
|                      |                   |    |     | without interface liner, with multiple straps and  |                     |
|                      |                   |    |     | closures, posterior extends from sacrococcygeal  |                     |
|                      |                   |    |     | junction and terminates just inferior to scapular spine,   |                     |
|                      |                   |    |     | anterior extends from symphysis pubis to sternal   |                     |
|                      |                   |    |     | notch, anterior or posterior opening, restricts gross  |                     |
|                      |                   |    |     | trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or CAD-CAM model,    |                     |
|                      |                   |    |     | custom fabricated  |                     |
|                      | L0482             | Y  | Y   | TLSO, triplanar control, one piece rigid plastic shell   |                     |
|                      |                   |    |     | with interface liner, with multiple straps and closures,   |                     |
|                      |                   |    |     | posterior extends from sacrococcygeal junction and   |                     |
|                      |                   |    |     | terminates just inferior to scapular spine, anterior   |                     |
|                      |                   |    |     | extends from symphysis pubis to sternal notch,   |                     |
|                      |                   |    |     | anterior or posterior opening, restricts gross trunk   |                     |
|                      |                   |    |     | motion in sagittal, coronal, and transverse planes,  |                     |
|                      |                   |    |     | includes a carved plaster or CAD-CAM model, custom fabricated  |                     |
|                      | L0484             | Y  | Y   | TLSO, triplanar control, two piece rigid plastic shell   |                     |
|                      | L0704             | 1  | 1   | without interface liner, with multiple straps and  |                     |
|                      |                   |    |     | closures, posterior extends from sacrococcygeal  |                     |
|                      |                   |    |     | junction and terminates just inferior to scapular spine,   |                     |
|                      |                   |    |     | anterior extends from symphysis pubis to sternal   |                     |
|                      |                   |    |     | notch, lateral strength is enhanced by overlapping   |                     |
|                      |                   |    |     | plastic, restricts gross trunk motion in sagittal,   |                     |
|                      |                   |    |     | coronal, and transverse planes, includes a carved  |                     |
|                      | * 0 10 5          | ** | **  | plaster or CAD-CAM model, custom fabricated  |                     |
|                      | L0486             | Y  | Y   | TLSO, triplanar control, two piece rigid plastic shell   |                     |
|                      |                   |    |     | with interface liner, with multiple straps and closures,   |                     |
|                      |                   |    |     | posterior extends from sacrococcygeal junction and   |                     |

| Code                 | _                 |    |              |   |                     |
|----------------------|-------------------|----|--------------|---|---------------------|
| Status<br>Indicators | Procedure<br>Code | PA | Lic          | Description   | Policy/<br>Comments |
| Indicators           | Couc              |    | Die          | terminates just inferior to scapular spine, anterior  | Commence            |
|                      |                   |    |              | extends from symphysis pubis to sternal notch, lateral  |                     |
|                      |                   |    |              | strength is enhanced by overlapping plastic, restricts  |                     |
|                      |                   |    |              | gross trunk motion in sagittal, coronal, and transverse   |                     |
|                      |                   |    |              | planes, includes a carved plaster or CAD-CAM model, custom fabricated   |                     |
|                      | L0490             |    | Y**          | TLSO, sagittal-coronal control, one piece rigid plastic   |                     |
|                      | 20170             |    | 1            | shell with overlapping reinforced anterior, with  |                     |
|                      |                   |    |              | multiple straps and closures, posterior extends from  |                     |
|                      |                   |    |              | sacrococcygeal junction and terminates at or before   |                     |
|                      |                   |    |              | the T-9 vertebra, anterior extends from symphysis   |                     |
|                      |                   |    |              | pubis to xiphoid, anterior opening, restricts gross trunk   |                     |
|                      |                   |    |              | motion in sagittal and coronal planes, prefabricated, includes fitting and adjustment                         |                     |
|                      | L0491             |    | Y            | TLSO, Sagittal-coronal control, modular segmented   |                     |
|                      | D0471             |    | 1            | spinal system, two rigid plastic shells, posterior  |                     |
|                      |                   |    |              | extends from the sacrococcygeal junction area   |                     |
|                      | L0492             |    | Y            | TLSO, Sagittal-coronal control, modular segmented   |                     |
|                      |                   |    |              | spinal system, three rigid plastic shells, posterior  |                     |
|                      |                   |    |              | extends from the sacrococcygeal junction  |                     |
|                      | L0621             |    | Y**          | Sacroiliac orthosis, flexible, provides pelvic-sacral   |                     |
|                      |                   |    |              | support, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous          |                     |
|                      |                   |    |              | abdomen design, prefabricated, includes fitting and   |                     |
|                      |                   |    |              | adjustment  |                     |
|                      | L0622             |    | Y**/         | Sacroiliac orthosis, flexible, provides pelvic-sacral   |                     |
|                      |                   |    | ***          | support, reduces motion about the sacroiliac joint,   |                     |
|                      |                   |    |              | includes straps, closures, may included pendulous   |                     |
|                      | 1.0622            | V  | Y**/         | abdomen design, custom fabricated   |                     |
|                      | L0623             | Y  | Y **/<br>*** | Sacroiliac orthosis, provides pelvic-sacral support, with rigid or semi-rigid panels over the sacrum and      |                     |
|                      |                   |    |              | abdomen, reduces motion about the sacroiliac joint,   |                     |
|                      |                   |    |              | includes straps, closures, may include pendulous  |                     |
|                      |                   |    |              | abdomen design, prefabricated, includes fitting and   |                     |
|                      |                   |    |              | adjustment  |                     |
|                      | L0624             | Y  | Y**          | Sacroiliac orthosis, provides pelvic-sacral support,  |                     |
|                      |                   |    |              | with rigid or semi-rigid panels over the sacrum and   |                     |
|                      |                   |    |              | abdomen, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous          |                     |
|                      |                   |    |              | abdomen design, custom fabricated   |                     |
|                      | L0625             |    | Y**/         | Lumbar orthosis, flexible, provides lumbar support,   |                     |
|                      |                   |    | ***          | posterior extends from L-1 to below L - 5 vertebra,   |                     |
|                      |                   |    |              | produces intracavitary pressure to reduce load on the   |                     |
|                      |                   |    |              | intervertebral discs, includes straps, closures, may  |                     |
|                      |                   |    |              | include pendulous abdomen design, shoulder straps,  |                     |
|                      | L0626             |    | Y**/         | stays, prefabricated, includes fitting and adjustment Lumbar orthosis, sagittal control, with rigid posterior |                     |
|                      | L0020             | 1  | T , ,        | Lumoai ormosis, sagittai controi, with fight posterior  |                     |

| Code<br>Status | Procedure |    |             |   | Policy/  |
|----------------|-----------|----|-------------|---|----------|
| Indicators     |           | PA | Lic         | Description   | Comments |
|                |           |    | ***         | panel(s), posterior extends from L-1 to below L-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment  |          |
|                | L0627     |    | /<br>***    | Lumbar orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from L-1 to below L-5 vertebra, produces intractivitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment                   |          |
|                | L0628     |    | Y**/* **    | Lumbar-sacral orthosis, flexible, provides lumbo-<br>sacral support, posterior extends from sacrococcygeal<br>junction to T-9 vertebra, produces intracavitary<br>pressure to reduce load on the intervertebral discs,<br>includes straps, closures, may include stays, shoulder<br>straps, pendulous abdomen design, prefabricated,<br>includes fitting and adjustment |          |
|                | L0629     | Y  | Y**/<br>*** | Lumbar-sacral orthosis, flexible, provides lumbo-<br>sacral support, posterior extends from sacrococcygeal<br>junction to T-9 vertebra, produces intracavitary<br>pressure to reduce load on the intervertebral discs,<br>includes straps, closures, may include stays, shoulder<br>straps, pendulous abdomen design, custom fabricated                                 |          |
|                | L0630     |    | Y**/<br>*** | Lumbar-sacral orthosis, sagittal control, with rigid posterior panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment   |          |
|                | L0631     |    | Y**         | Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, pendulous abdomen design, prefabricated, includes fitting and adjustment                                       |          |
|                | L0632     | Y  | Y           | Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen  |          |

| Code<br>Status | Procedure |    |             |   | Policy/  |
|----------------|-----------|----|-------------|---|----------|
| Indicators     |           | PA | Lic         | Description   | Comments |
|                |           |    |             | design, custom fabricated   |          |
|                | L0633     |    | Y**/*<br>** | Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/Panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment  |          |
|                | L0634     | Y  | Y           | Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/Panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, custom fabricated   |          |
|                | L0635     | Y  | Y           | Lumbar-sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panels, lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, prefabricated, includes fitting and adjustment |          |
|                | L0636     | Y  | Y           | Lumbar-sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panels, lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, custom fabricated                              |          |
|                | L0637     | Y  | Y**         | Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment  |          |
|                | L0638     | Y  | Y           | Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to T-9 vertebra,   |          |

| Code<br>Status | Procedure |    |                 |  | Policy/  |
|----------------|-----------|----|-----------------|--|----------|
| Indicators     | Code      | PA | Lic             | Description  | Comments |
|                |           |    |                 | lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated  |          |
|                | L0639     |    | Y**             | Lumbar-sacral orthosis, sagittal-control, rigid shell(s)/panel(s) posterior extends from sacrococcygeal junction to T-9 vertebra, anterior extends from symphysis pubis to xiphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated, includes fitting and adjustment |          |
|                | L0640     | Y  | Y**             | Lumbar-sacral orthosis, sagittal-control, rigid shell(s)/panel(s) posterior extends from sacrococcygeal junction to T-9 vertebra, anterior extends from symphysis pubis to xiphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, custom fabricated                              |          |
|                | L0700     | Y  | Y               | CTLSO, anterior-posterior-lateral control, molded to patient model (Minerva type)  |          |
|                | L0710     | Y  | Y               | CTLSO, anterior-posterior-lateral control, molded to patient model, with interface material, (Minerva type)  |          |
|                | L0810     |    | Y               | Halo procedure, cervical halo incorporated into jacket vest  |          |
|                | L0820     |    | Y               | Halo procedure, cervical halo incorporated into plaster body jacket  |          |
|                | L0830     | Y  | Y               | Halo procedure, cervical halo incorporated into Milwaukee type orthosis  |          |
|                | L0859     |    | Y               | Addition to halo procedures, magnetic resonance image compatible system  |          |
|                | L0861     | Y  | Y               | Addition to halo procedure, replacement liner/interface material   |          |
|                | L0970     |    | Y**<br>***      | TLSO, corset front   |          |
|                | L0972     |    | Y**             | LSO, corset front  |          |
|                | L0974     |    | Y**             | TLSO, full corset  |          |
|                | L0976     |    | Y<br>**/**<br>* | LSO, full corset   |          |
|                | L0978     |    | ***             | Axillary crutch extension  |          |

| Code       |           |    |     |  |          |
|------------|-----------|----|-----|--|----------|
|            | Procedure |    |     |  | Policy/  |
| Indicators |           | PA | Lic | Description  | Comments |
|            | L0980     |    | *** | Peroneal straps, pair  |          |
|            | L0982     |    | *** | Stocking supporter grips, set of four (4)  |          |
|            | L0984     | Y  | *** | Protective body sock, each   |          |
|            | L0999     | Y  |     | Addition to spinal orthosis, not otherwise specified   |          |
|            | L1000     | Y* | Y   | CTLSO (Milwaukee), inclusive of furnishing initial orthosis, including model                           |          |
|            | L1001     | Y  | Y** | Cervical thoracic lumbar sacral orthosis, immobilizer,   |          |
|            | Lioui     | 1  | 1   | infant size, prefabricated, includes fitting and adjustment  |          |
|            | L1005     | Y  | Y   | Tension based scoliosis orthosis and accessory pads,   |          |
|            | 21000     | _  | -   | includes fitting and adjustment  |          |
|            | L1010     |    | Y   | Addition to CTLSO or scoliosis orthosis, axilla sling  |          |
|            | L1020     |    | Y   | Addition to CTLSO or scoliosis orthosis, kyphosis pad  |          |
|            | L1025     |    | Y   | Addition to CTLSO or scoliosis orthosis, kyphosis  |          |
|            |           |    |     | pad, floating  |          |
|            | L1030     |    | Y   | Addition to CTLSO or scoliosis orthosis, lumbar  |          |
|            |           |    |     | bolster pad  |          |
|            | L1040     |    | Y   | Addition to CTLSO or scoliosis orthosis, lumbar or   |          |
|            |           |    |     | lumbar rib pad   |          |
|            | L1050     |    | Y   | Addition to CTLSO or scoliosis orthosis, sternal pad   |          |
|            | L1060     |    | Y   | Addition to CTLSO or scoliosis orthosis, thoracic pad  |          |
|            | L1070     |    | Y   | Addition to CTLSO or scoliosis orthosis, trapezius sling   |          |
|            | L1080     |    | Y   | Addition to CTLSO or scoliosis orthosis, outrigger   |          |
|            | L1085     |    | Y   | Addition to CTLSO or scoliosis orthosis, outrigger,  |          |
|            | L1003     |    | •   | bilateral with vertical extensions   |          |
|            | L1090     |    | Y   | Addition to CTLSO or scoliosis orthosis, lumbar sling  |          |
|            | L1100     |    | Y   | Addition to CTLSO or scoliosis orthosis, ring flange,  |          |
|            | 21100     |    | •   | plastic or leather   |          |
|            | L1110     | Y* | Y   | Addition to CTLSO or scoliosis orthosis, ring flange,  |          |
|            |           |    |     | plastic or leather, molded to patient model  |          |
|            | L1120     | Y* | Y   | Addition to CTLSO or scoliosis orthosis, cover for   |          |
|            |           |    |     | upright, each  |          |
|            | L1200     | Y* | Y   | TLSO, inclusive of furnishing initial orthosis only  |          |
|            | L1210     |    | Y   | Addition to TLSO, (low profile), lateral thoracic  |          |
|            |           |    |     | extension  |          |
|            | L1220     |    | Y   | Addition to TLSO, (low profile), anterior thoracic   |          |
|            |           |    |     | extension  |          |
|            | L1230     |    | Y   | Addition to TLSO, (low profile), Milwaukee type  |          |
|            |           |    |     | superstructure   |          |
|            | L1240     |    | Y   | Addition to TLSO, (low profile), lumbar derotation pad   |          |
|            | L1250     |    | Y   | Addition to TLSO, (low profile), anterior ASIS pad   |          |
|            | L1250     |    | Y   | Addition to TLSO, (low profile), anterior ASIS pad  Addition to TLSO, (low profile), anterior thoracic |          |
|            | L1200     |    | 1   | derotation pad   |          |
|            | l         | L  |     | deromiton pud  |          |

| Code       | D 1           |    |          |  | D. II. /                               |
|------------|---------------|----|----------|--|--|
|            | Procedure     |    | T to     | Dogovintion  | Policy/<br>Comments                    |
| Indicators | Code<br>L1270 | PA | Lic<br>Y | Addition to TLSO, (low profile), abdominal pad   | Comments                               |
|            | L1270         |    | Y        | Addition to TLSO, (low profile), abdominal pad  Addition to TLSO, (low profile), rib gusset (elastic),   |  |
|            |               |    |          | each   |  |
|            | L1290         |    | Y        | Addition to TLSO, (low profile), lateral trochanteric pad  |  |
|            | L1300         | Y* | Y        | Other scoliosis procedure, body jacket molded to patient model   |  |
|            | L1310         | Y* | Y        | Other scoliosis procedures, postoperative body jacket  |  |
|            | L1499         | Y  | Y        | Spinal orthosis, not otherwise specified   |  |
|            | L1500         | Y  |          | THKAO, mobility frame (Newington, Parapodium types)  |  |
|            | L1510         |    |          | THKAO, standing frame; with or without tray accessories  | Limit of one per client every 5 years. |
|            | L1520         | Y  |          | THKAO, swivel walker   |  |
|            | L1600         |    |          | HO, abduction control of hip joints, flexible, Frejka type, with cover, prefabricated, includes fitting and adjustment                               |  |
|            | L1610         |    |          | HO, abduction control of hip joints, flexible, (Frejka cover only), prefabricated, includes fitting and adjustment                                   |  |
|            | L1620         |    |          | HO, abduction control of hip joints, flexible, (Pavlik Harness), prefabricated, includes fitting and adjustment                                      |  |
|            | L1630         |    | Y        | HO, abduction control of hip joints, semi-flexible (Von Rosen type), prefabricated, includes fitting and adjustment                                  |  |
|            | L1640         |    | Y        | HO, abduction control of hip joints, static, pelvic band or spreader bar, thigh cuffs, custom fabricated   |  |
|            | L1650         |    |          | HO, abduction control of hip joints, static, adjustable, (Ilfled type), prefabricated, includes fitting and adjustment                               |  |
|            | L1652         |    |          | Hip orthosis, bilateral thigh cuffs with adjustable abductor spreader bar, adult size, prefabricated, includes fitting and adjustment, any type      |  |
|            | L1660         |    |          | HO, abduction control of hip joints, static, plastic, prefabricated, includes fitting and adjustment   |  |
|            | L1680         |    | Y        | HO, abduction control of hip joints, dynamic, pelvic control, adjustable hip motion control, thigh cuffs (Rancho hip action type), custom fabricated |  |
|            | L1685         |    | Y        | HO, abduction control of hip joint, postoperative hip abduction type, custom fabricated  |  |
|            | L1686         |    | Y        | HO, abduction control of hip joint, postoperative hip abduction type, prefabricated, includes fitting and adjustment                                 |  |

| Code                 | <b>.</b>          |    |     |  | D. W. /             |
|----------------------|-------------------|----|-----|--|---------------------|
| Status<br>Indicators | Procedure<br>Code | PA | Lic | Description  | Policy/<br>Comments |
| Huicators            | L1690             | Y  | Y   | Combination, bilateral, lumbo-sacral, hip, femur   | Comments            |
|                      | L1070             | 1  | 1   | orthosis providing adduction and internal rotation   |                     |
|                      |                   |    |     | control, prefabricated, includes fitting and adjustment  |                     |
|                      | L1700             | Y  | Y   | Legg Perthes orthosis (Toronto type), custom   |                     |
|                      |                   |    |     | fabricated   |                     |
|                      | L1710             | Y  | Y   | Legg Perthes orthosis (Newington type), custom fabricated  |                     |
|                      | L1720             | Y  | Y   | Legg Perthes orthosis, trilateral (Tachdijan type), custom fabricated  |                     |
|                      | L1730             |    | Y   | Legg Perthes orthosis (Scottish Rite type), custom fabricated  |                     |
|                      | L1755             | Y  | Y   | Legg Perthes orthosis (Patten bottom type), custom fabricated  |                     |
|                      | L1810             |    | *** | KO, elastic with joints, prefabricated, includes fitting and adjustment  |                     |
|                      | L1820             |    | *** | KO, elastic with condylar pads and joints, prefabricated, includes fitting and adjustment  |                     |
|                      | L1830             |    | *** | KO, Immobilizer, canvas longitudinal, prefabricated, includes fitting and adjustment   |                     |
|                      | L1831             |    |     | Knee orthosis, locking knee joint(s), positional orthosis, prefabricated, includes fitting and adjustment  |                     |
|                      | L1832             |    |     | KO, adjustable knee joints (Unicentric or polycentric), positional orthosis, rigid support, prefabricated, includes fitting and adjustment   |                     |
|                      | L1834             | Y  | Y   | KO, without knee joints, rigid, custom fabricated  |                     |
|                      | L1836             |    |     | Knee orthosis, rigid, without joint(s), includes soft  |                     |
|                      |                   |    |     | interface material, prefabricated, includes fitting and adjustment   |                     |
|                      | L1840             |    | Y   | KO, derotation, medial-lateral, anterior cruciate ligament, custom fabricated  |                     |
|                      | L1843             |    |     | KO, single upright, thigh and calf, with adjustable flexion and extension joint (Unicentric or polycentric), medial-lateral and rotation control, prefabricated, includes fitting and adjustment |                     |
|                      | L1844             | Y  |     | KO, single upright, thigh and calf, with adjustable flexion and extension joint (Unicentric or polycentric), medial-lateral and rotation control, custom fabricated                              |                     |
|                      | L1845             |    |     | KO, double upright, thigh and calf, with adjustable flexion and extension joint (Unicentric or polycentric), medial-lateral and rotation control, prefabricated, includes fitting and adjustment |                     |
| P                    | L1846             | Y  | Y   | KO, double upright, thigh and calf, with adjustable flexion and extension joint (Unicentric or polycentric), medial-lateral and rotation control, custom fabricated                              |                     |
|                      | L1847             |    |     | KO, double upright with adjustable joint, with inflatable air support chamber(s), prefabricated,   |                     |

| Code<br>Status    | Procedure |    |     |   | Policy/                                |
|-------------------|-----------|----|-----|---|--|
| <b>Indicators</b> | Code      | PA | Lic | Description   | Comments                               |
|                   |           |    |     | includes fitting and adjustment   |  |
|                   | L1850     |    |     | KO, Swedish type, prefabricated, includes fitting and adjustment  |  |
|                   | L1860     | Y  | Y   | KO, modification of supracondylar prosthetic socket, custom fabricated (SK)   |  |
|                   | L1900     |    | Y   | AFO, spring wire, dorsiflexion assist calf band, custom fabricated  |  |
|                   | L1902     |    | *** | AFO, ankle gauntlet, prefabricated, includes fitting and adjustment   |  |
|                   | L1904     |    | Y   | AFO, molded ankle gauntlet, custom fabricated   |  |
|                   | L1906     |    | *** | AFO, multiligamentus ankle support, prefabricated, includes fitting and adjustment  |  |
|                   | L1907     |    | Y   | AFO, supramalleolar with straps, with or without interface/pads, custom fabricated  |  |
|                   | L1910     |    |     | AFO, posterior, single bar, clasp attachment to shoe counter, prefabricated, includes fitting and adjustment  |  |
|                   | L1920     |    | Y   | AFO, single upright with static or adjustable stop (Phelps or Perlstein type), custom fabricated  |  |
|                   | L1930     |    |     | Ankle foot orthosis, plastic or other material, prefabricated, includes fitting and adjustment  |  |
|                   | L1932     |    |     | AFO, rigid anterior tibial section, total carbon fiber or equal material, prefabricated, includes fitting and adjustment                            |  |
|                   | L1940     |    | Y   | Ankle foot orthosis, plastic or other material, custom fabricated   |  |
|                   | L1945     | Y  | Y   | AFO, molded to patient model, plastic, rigid anterior tibial section (floor reaction), custom fabricated  | See EPA<br>criteria, pages<br>E.5-E.7. |
|                   | L1950     | Y  | Y   | AFO, spiral, (IRM type), plastic, custom fabricated   |  |
|                   | L1951     | Y  | Y   | Ankle foot orthosis, spiral, (institute of rehabilitative medicine type), plastic or other material, prefabricated, includes fitting and adjustment |  |
|                   | L1960     |    | Y   | AFO, posterior solid ankle, plastic, custom fabricated  |  |
|                   | L1970     |    | Y   | AFO, plastic, with ankle joint, custom fabricated   |  |
|                   | L1971     | Y  | Y   | Ankle foot orthosis, plastic or other material with ankle joint, prefabricated, includes fitting and adjustment                                     |  |
|                   | L1980     |    | Y   | AFO, single upright free plantar dorsiflexion, solid stirrup, calf band/cuff (single bar "BK" orthosis), custom fabricated                          |  |
|                   | L1990     |    | Y   | AFO, double upright free plantar dorsiflexion, solid stirrup, calf band/cuff (double bar "BK" orthosis), custom fabricated                          |  |

| Code                 | D 1                                     |    |     |   | D. I. /             |
|----------------------|---|----|-----|---|---------------------|
| Status<br>Indicators | Procedure<br>Code                       | PA | Lic | Description   | Policy/<br>Comments |
| muicators            | L2000                                   | IA | Y   | KAFO, single upright, free knee, free ankle, solid  | Comments            |
|                      | L2000                                   |    | •   | stirrup, thigh and calf bands/cuffs (single bar "AK"  |                     |
|                      |   |    |     | orthosis), custom fabricated  |                     |
|                      | L2005                                   | Y  | Y   | Knee ankle foot orthosis, any material, single or   |                     |
|                      |   |    |     | double upright, stance control, automatic lock and  |                     |
|                      |   |    |     | swing phase release, mechanical activation, includes  |                     |
|                      |   |    |     | ankle joint, any type, custom fabricated  |                     |
|                      | L2010                                   |    | Y   | KAFO, single upright, free ankle, solid stirrup, thigh  |                     |
|                      |   |    |     | and calf bands/cuffs (single bar "AK" orthosis),  |                     |
|                      | L2020                                   |    | Y   | without knee joint, custom fabricated   |                     |
|                      | L2020                                   |    | 1   | KAFO, double upright, free knee, free ankle, solid stirrup, thigh and calf bands/cuffs (double bar "AK" |                     |
|                      |   |    |     | orthosis), custom fabricated  |                     |
|                      | L2030                                   |    | Y   | KAFO, double upright, free ankle, solid stirrup, thigh  |                     |
|                      | 22000                                   |    | -   | and calf bands/cuffs (double bar "AK" orthosis),  |                     |
|                      |   |    |     | without knee joint, custom fabricated   |                     |
|                      | L2034                                   | Y  | Y   | Knee ankle foot orthosis, full plastic, single upright,   |                     |
|                      |   |    |     | with or without free motion knee, medial lateral  |                     |
|                      |   |    |     | rotation control, with or without free motion   |                     |
|                      | L2035                                   |    |     | KAFO, full plastic, static, (pediatric size),   |                     |
|                      | * |    |     | prefabricated, includes fitting and adjustment  |                     |
|                      | L2036                                   | Y  | Y   | KAFO, full plastic, double upright, with or without   |                     |
|                      |   |    |     | free motion knee, with or without free motion ankle, custom fabricated                                  |                     |
|                      | L2037                                   | Y  | Y   | KAFO, full plastic, single upright, with or without free  |                     |
|                      | 22037                                   | 1  | •   | motion knee, with or without free motion ankle,   |                     |
|                      |   |    |     | custom fabricated   |                     |
|                      | L2038                                   | Y  | Y   | KAFO, full plastic, with or without free motion knee,   |                     |
|                      |   |    |     | with or without free motion ankle, multiaxis ankle,   |                     |
|                      |   |    |     | (Lively orthosis or equal), custom fabricated   |                     |
|                      | L2040                                   |    | Y   | HKAFO, torsion control, bilateral rotation straps,  |                     |
|                      | ¥ 2050                                  |    | * 7 | pelvic band/belt, custom fabricated   |                     |
|                      | L2050                                   |    | Y   | HKAFO, torsion control, bilateral torsion cables, hip joint, pelvic band/belt, custom fabricated        |                     |
|                      | L2060                                   |    | Y   | HKAFO, torsion control, bilateral torsion cables, ball  |                     |
|                      | L2000                                   |    | 1   | bearing hip joint, pelvic band/belt, custom fabricated  |                     |
|                      | L2070                                   |    | Y   | HKAFO, torsion control, unilateral rotation straps,   |                     |
|                      |   |    | •   | pelvic band/belt, custom fabricated   |                     |
|                      | L2080                                   |    | Y   | HKAFO, torsion control, unilateral torsion cable, hip   |                     |
|                      |   |    |     | joint, pelvic band/belt, custom fabricated  |                     |
|                      | L2090                                   |    | Y   | HKAFO, torsion control, unilateral torsion cable, ball  |                     |
|                      |   |    |     | bearing hip joint, pelvic band/belt, custom fabricated  |                     |
|                      | L2106                                   |    | Y   | AFO, fracture orthosis, tibial fracture cast orthosis,  |                     |
|                      | 1.0100                                  | ** | X 7 | thermoplastic type casting material, custom fabricated  |                     |
|                      | L2108                                   | Y  | Y   | AFO, fracture orthosis, tibial fracture cast orthosis,  |                     |
|                      |   |    |     | custom fabricated   |                     |

| Code       |               |    |     |  |          |
|------------|---------------|----|-----|--|----------|
|            | Procedure     |    | т   | D  | Policy/  |
| Indicators |               | PA | Lic | Description  AEO fracture outhoris tikiel fracture outhoris soft                                       | Comments |
|            | L2112         |    |     | AFO, fracture orthosis, tibial fracture orthosis, soft, prefabricated, includes fitting and adjustment |          |
|            | L2114         |    |     | AFO, fracture orthosis, tibial fracture orthosis, semi-  |          |
|            | L2114         |    |     | rigid, prefabricated, includes fitting and adjustment  |          |
|            | L2116         |    |     | AFO, fracture orthosis, tibial fracture orthosis, rigid,   |          |
|            | 22110         |    |     | prefabricated, includes fitting and adjustment   |          |
|            | L2126         | Y  | Y   | KAFO, fracture orthosis, femoral fracture cast   |          |
|            |               |    |     | orthosis, thermoplastic type casting material, custom  |          |
|            |               |    |     | fabricated   |          |
|            | L2128         | Y  | Y   | KAFO, fracture orthosis, femoral fracture cast   |          |
|            |               |    |     | orthosis, custom fabricated  |          |
|            | L2132         |    |     | KAFO, fracture orthosis, femoral fracture cast   |          |
|            |               |    |     | orthosis, soft, prefabricated, includes fitting and  |          |
|            | T 0104        |    |     | adjustment   |          |
|            | L2134         |    |     | KAFO, fracture orthosis, femoral fracture cast   |          |
|            |               |    |     | orthosis, semi-rigid, prefabricated, includes fitting and adjustment                                   |          |
|            | L2136         |    |     | KAFO, fracture orthosis, femoral fracture cast   |          |
|            | L2130         |    |     | orthosis, rigid, prefabricated, includes fitting and   |          |
|            |               |    |     | adjustment   |          |
|            | L2180         |    |     | Addition to lower extremity fracture orthosis, plastic   |          |
|            |               |    |     | shoe insert with ankle joints  |          |
|            | L2182         |    |     | Addition to lower extremity fracture orthosis, drop  |          |
|            |               |    |     | lock knee joint  |          |
|            | L2184         |    |     | Addition to lower extremity fracture orthosis, limited   |          |
|            |               |    |     | motion knee joint  |          |
|            | L2186         |    |     | Addition to lower extremity fracture orthosis,   |          |
|            |               |    |     | adjustable motion knee joint, Lerman type  |          |
|            | L2188         |    |     | Addition to lower extremity fracture orthosis,   |          |
|            | I 0100        |    |     | quadrilateral brim   |          |
|            | L2190         |    |     | Addition to lower extremity fracture orthosis, waist belt  |          |
|            | L2192         |    |     | Addition to lower extremity fracture orthosis, hip   |          |
|            | L2172         |    |     | joint, pelvic band, thigh flange, and pelvic belt  |          |
|            | L2200         |    |     | Addition to lower extremity, limited ankle motion,   |          |
|            | <b>L22</b> 00 |    |     | each joint   |          |
|            | L2210         |    |     | Addition to lower extremity, dorsiflexion assist   |          |
|            | -             |    |     | (plantar flexion resist), each joint   |          |
|            | L2220         |    |     | Addition to lower extremity, dorsiflexion and plantar  |          |
|            |               |    |     | flexion assist/resist, each joint  |          |
|            | L2230         |    |     | Addition to lower extremity, split flat caliper stirrups   |          |
|            |               |    |     | and plate attachment   |          |
|            | L2232         | Y  | Y   | Addition to lower extremity orthosis, rocker bottom  |          |
|            |               |    |     | for total contact ankle foot orthosis, for custom  |          |
|            |               |    |     | fabricated orthosis only   |          |

| Code<br>Status | Procedure |    |     |  | Policy/  |
|----------------|-----------|----|-----|--|----------|
| Indicators     |           | PA | Lic | Description  | Comments |
|                | L2240     |    |     | Addition to lower extremity, round caliper and plate attachment  |          |
|                | L2250     |    |     | Addition to lower extremity, foot plate, molded to patient model, stirrup attachment                                 |          |
|                | L2260     |    |     | Addition to lower extremity, reinforced solid stirrup (Scott-Craig type)   |          |
|                | L2265     |    |     | Addition to lower extremity, long tongue stirrup   |          |
|                | L2270     |    |     | Addition to lower extremity, varus/valgus correction ("T") strap, padded/lined or malleolus pad                      |          |
|                | L2275     |    |     | Addition to lower extremity, varus/valgus correction, plastic modification, padded/lined                             |          |
|                | L2280     |    | Y   | Addition to lower extremity, molded inner boot   |          |
|                | L2300     |    |     | Addition to lower extremity, abduction bar (bilateral hip involvement), jointed, adjustable                          |          |
|                | L2310     |    |     | Addition to lower extremity, abduction bar, straight   |          |
|                | L2320     |    |     | Addition to lower extremity, nonmolded lacer   |          |
|                | L2330     |    | Y   | Addition to lower extremity, lacer molded to patient model   |          |
|                | L2335     |    |     | Addition to lower extremity, anterior swing band   |          |
|                | L2340     |    | Y   | Addition to lower extremity, pretibial shell, molded to patient model  |          |
|                | L2350     |    | Y   | Addition to lower extremity, prosthetic type, (BK) socket, molded to patient model, (used for "PTB," "AFO" orthoses) |          |
|                | L2360     |    |     | Addition to lower extremity, extended steel shank  |          |
|                | L2370     |    |     | Addition to lower extremity, Patten bottom   |          |
|                | L2375     |    |     | Addition to lower extremity, torsion control, ankle joint and half solid stirrup                                     |          |
|                | L2380     |    |     | Addition to lower extremity, torsion control, straight knee joint, each joint  |          |
|                | L2385     |    |     | Addition to lower extremity, straight knee joint, heavy duty, each joint   |          |
|                | L2387     | Y  |     | Addition to lower extremity, polycentric knee joint, for custom fabricated knee ankle foot orthosis, each joint      |          |
|                | L2390     |    |     | Addition to lower extremity, offset knee joint, each joint   |          |
|                | L2395     |    |     | Addition to lower extremity, offset knee joint, heavy duty, each joint   |          |
|                | L2397     |    |     | Addition to lower extremity orthosis, suspension sleeve  |          |
|                | L2405     |    |     | Addition to knee joint, drop lock, each.   |          |
|                | L2415     |    |     | Addition to knee lock with integrated release mechanism (bail, cable, or equal), any material, each                  |          |
| L              |           |    |     | joint  |          |

| Code       |                |    |     |   |          |
|------------|----------------|----|-----|---|----------|
|            | Procedure      |    |     | <b>5</b>  | Policy/  |
| Indicators |                | PA | Lic | Description 11 11 1 6 11 1 1 1 1 1 1 1 1 1 1 1 1 1                            | Comments |
|            | L2425          |    |     | Addition to knee joint, disc or dial lock for adjustable                      |          |
|            | L2430          |    |     | knee flexion, each joint  Addition to knee joint, ratchet lock for active and |          |
|            | L2430          |    |     | progressive extension, each joint   |          |
|            | L2492          |    |     | Addition to knee joint, lift loop for drop lock ring                          |          |
|            | L2492<br>L2500 |    |     | Addition to lower extremity, thigh/weight bearing,                            |          |
|            | L2300          |    |     | gluteal/ischial weight bearing, ring  |          |
|            | L2510          |    | Y   | Addition to lower extremity, thigh/weight bearing,                            |          |
|            |                |    |     | quadric-lateral brim, molded to patient model                                 |          |
|            | L2520          |    |     | Addition to lower extremity, thigh/weight bearing,                            |          |
|            |                |    |     | quadric-lateral brim, custom fitted   |          |
|            | L2525          | Y  | Y   | Addition to lower extremity, thigh/weight bearing,                            |          |
|            |                |    |     | ischial containment/narrow M-L brim molded to                                 |          |
|            |                |    |     | patient model   |          |
|            | L2526          |    |     | Addition to lower extremity, thigh/weight bearing,                            |          |
|            |                |    |     | ischial containment/narrow M-L brim, custom fitted                            |          |
|            | L2530          |    |     | Addition to lower extremity, thigh/weight bearing,                            |          |
|            | ~ ~ ~          |    |     | lacer, nonmolded  |          |
|            | L2540          |    | Y   | Addition to lower extremity, thigh/weight bearing,                            |          |
|            | 1.0550         |    |     | lacer, molded to patient model  |          |
|            | L2550          |    |     | Addition to lower extremity, thigh/weight bearing,                            |          |
|            | 1.0570         |    |     | high roll cuff  |          |
|            | L2570          |    |     | Addition to lower extremity, pelvic control, hip joint                        |          |
|            | L2580          |    |     | Clevis type, two position joint, each   |          |
|            | L2380          |    |     | Addition to lower extremity, pelvic control, pelvic sling                     |          |
|            | L2600          |    |     | Addition to lower extremity, pelvic control, hip joint,                       |          |
|            | L2000          |    |     | Clevis type, or thrust bearing, free, each                                    |          |
|            | L2610          |    |     | Addition to lower extremity, pelvic control, hip joint,                       |          |
|            | L2010          |    |     | Clevis or thrust bearing, lock, each  |          |
|            | L2620          |    |     | Addition to lower extremity, pelvic control, hip joint,                       |          |
|            | 22020          |    |     | heavy-duty, each  |          |
|            | L2622          |    |     | Addition to lower extremity, pelvic control, hip joint,                       |          |
|            |                |    |     | adjustable flexion, each  |          |
|            | L2624          |    |     | Addition to lower extremity, pelvic control, hip joint,                       |          |
|            |                |    |     | adjustable flexion, extension, abduction control, each                        |          |
|            | L2627          | Y  | Y   | Addition to lower extremity, pelvic control, plastic,                         |          |
|            |                |    |     | molded to patient model, reciprocating hip joint and                          |          |
|            |                |    |     | cables  |          |
|            | L2628          | Y  |     | Addition to lower extremity, pelvic control, metal                            |          |
|            |                |    |     | frame, reciprocating hip joint and cables                                     |          |
|            | L2630          |    |     | Addition to lower extremity, pelvic control, band and                         |          |
|            | •              |    |     | belt, unilateral  |          |
|            | L2640          |    |     | Addition to lower extremity, pelvic control, band and                         |          |
|            |                |    |     | belt, bilateral   |          |

| Code       |               |    |      |  | /                           |
|------------|---------------|----|------|--|-----------------------------|
|            | Procedure     |    | T to | Degavintion  | Policy/<br>Comments         |
| Indicators | Code<br>L2650 | PA | Lic  | Description  Addition to lower extremity, pelvic and thoracic                      | Comments                    |
|            | L2030         |    |      | control, gluteal pad, each   |                             |
|            | L2660         |    |      | Addition to lower extremity, thoracic control, thoracic                            |                             |
|            | L2000         |    |      | band   |                             |
|            | L2670         |    |      | Addition to lower extremity, thoracic control,                                     |                             |
|            | 220,0         |    |      | paraspinal uprights  |                             |
|            | L2680         |    |      | Addition to lower extremity, thoracic control, lateral                             |                             |
|            |               |    |      | support uprights   |                             |
|            | L2750         |    | Y    | Addition to lower extremity orthosis, plating chrome                               |                             |
|            |               |    |      | or nickel, per bar   |                             |
|            | L2755         |    | Y    | Addition to lower extremity orthosis, high strength,                               |                             |
|            |               |    |      | lightweight material, all hybrid lamination/prepreg                                |                             |
|            | ¥ 0 = 40      |    |      | composite, per segment   |                             |
|            | L2760         |    |      | Addition to lower extremity orthosis, extension, per                               |                             |
|            | 1.07.00       | 37 | 17   | extension, per bar (for lineal adjustment for growth)                              |                             |
|            | L2768         | Y  | Y    | Orthotic side bar disconnect device, per bar                                       |                             |
|            | L2780         |    | Y    | Addition to lower extremity orthosis, noncorrosive finish, per bar                 |                             |
|            | L2785         |    |      | Addition to lower extremity orthosis, drop lock                                    |                             |
|            | L2703         |    |      | retainer, each   |                             |
|            | L2795         |    |      | Addition to lower extremity orthosis, knee control, full                           |                             |
|            | L2173         |    |      | kneecap  |                             |
|            | L2800         |    |      | Addition to lower extremity orthosis, knee control,                                |                             |
|            |               |    |      | kneecap, medial or lateral pull  |                             |
|            | L2810         |    |      | Addition to lower extremity orthosis, knee control,                                |                             |
|            |               |    |      | condylar pad   |                             |
|            | L2820         |    | Y    | Addition to lower extremity orthosis, soft interface for                           |                             |
|            |               |    |      | molded plastic, below knee section   |                             |
|            | L2830         |    | Y    | Addition to lower extremity orthosis, soft interface for                           |                             |
|            |               |    |      | molded plastic, above knee section   |                             |
|            | L2840         |    |      | Addition to lower extremity orthosis, tibial length                                |                             |
|            | 1 2050        |    |      | sock, fracture or equal, each  |                             |
|            | L2850         |    |      | Addition to lower extremity orthosis, femoral length sock, fracture or equal, each |                             |
| #          | L2860         |    |      | Addition to lower extremity joint, knee or ankle,                                  |                             |
| π          | L2000         |    |      | concentric adjustable torsion style mechanism, each                                |                             |
| #          | L2861         |    |      | Addition to lower extremity joint, knee or ankle,                                  |                             |
|            |               |    |      | concentric adjustable torsion  |                             |
|            | L2999         | Y  | Y    | Lower extremity orthoses, not otherwise specified                                  |                             |
|            | L3000         | Y  |      | Foot insert, removable, molded to patient model,                                   | See EPA                     |
|            |               |    |      | "UCB" type, Berkeley Shell, each   | criteria, pages<br>E.5-E.7. |
| #          | L3001         |    |      | Foot insert, removable, molded to patient model, Spenco, each.                     |                             |
| #          | L3002         |    |      | Foot insert, removable, molded to patient model,                                   |                             |

| Code                 |                   |    |     |   | D. II. /                               |
|----------------------|-------------------|----|-----|---|--|
| Status<br>Indicators | Procedure<br>Code |    | Lic | Description   | Policy/<br>Comments                    |
| maicators            | Code              | PA | Lic | Plastazote or equal, each   | Comments                               |
| #                    | L3003             |    |     | Foot insert, removable, molded to patient model,  |  |
|                      |                   |    |     | silicone gel, each  |  |
| #                    | L3010             |    |     | Foot insert, removable, molded to patient model, longitudinal arch support, each  |  |
| #                    | L3020             |    |     | Foot insert, removable, molded to patient model, longitudinal/metatarsal support, each  |  |
|                      | L3030             | Y  |     | Foot insert, removable, formed to patient foot, each  | See EPA<br>Criteria, pages<br>E.5-E.7. |
|                      | L3031             | Y  |     | Foot, insert/plate, removable, addition to lower extremity orthosis, high strength, lightweight material, all hybrid lamination/prepreg composite, each |  |
| #                    | L3040             |    |     | Foot, arch support, removable, premolded, longitudinal, each  |  |
| #                    | L3050             |    |     | Foot, arch support, removable, premolded, metatarsal, each  |  |
| #                    | L3060             |    |     | Foot, arch support, removable, premolded longitudinal/metatarsal, each  |  |
| #                    | L3070             |    |     | Foot, arch support, nonremovable, attached to shoe, longitudinal, each  |  |
| #                    | L3080             |    |     | Foot, arch support, nonremovable, attached to shoe, metatarsal, each  |  |
| #                    | L3090             |    |     | Foot, arch support, nonremovable, attached to shoe, longitudinal/metatarsal, each   |  |
| <del></del> #        | L3100             |    |     | Hallus-Valgus night dynamic splint  |  |
|                      | L3140             |    |     | Foot, abduction rotation bar, including shoes   |  |
|                      | L3150             |    |     | Foot, abduction rotation bar, without shoes   |  |
| #                    | L3160             |    |     | Foot, adjustable shoe-styled positioning device   |  |
|                      | L3170             | Y  |     | Foot, plastic, silicone or equal, heel stabilizer, each.  |  |
| #                    | L3201             |    |     | Orthopedic shoe, oxford with supinator or pronator, infant  |  |
| #                    | L3202             |    |     | Orthopedic shoe, oxford with supinator or pronator, child   |  |
| #                    | L3203             |    |     | Orthopedic shoe, oxford with supinator or pronator, junior  |  |
| #                    | L3204             |    |     | Orthopedic shoe, hightop with supinator or pronator, infant   |  |
| #                    | L3206             |    |     | Orthopedic shoe, hightop with supinator or pronator, child  |  |
| #                    | L3207             |    |     | Orthopedic shoe, hightop with supinator or pronator, junior   |  |
| #                    | L3208             |    |     | Surgical boot, each, infant   |  |
| #                    | L3209             |    |     | Surgical boot, each, child  |  |
| #                    | L3211             |    |     | Surgical boot, each, junior   |  |

| Code                 | Due se dune       |    |     |   | Dallary/   |
|----------------------|-------------------|----|-----|---|--|
| Status<br>Indicators | Procedure<br>Code | PA | Lic | Description   | Policy/<br>Comments  |
| #                    | L3212             |    | Lic | Benesch boot, pair, infant  | Comments   |
| #                    | L3213             |    |     | Benesch boot, pair, child   |  |
| #                    | L3214             |    |     | Benesch boot, pair, junior  |  |
| #                    | L3215             | Y  |     | Orthopedic footwear, ladies shoe, oxford, each  | Not covered for  |
| π                    | L3213             | 1  |     | Offinopedic footwear, radies snoe, oxford, each   | clients 21 years<br>of age and older<br>Effective July 1,<br>2011                    |
| #                    | L3216             |    |     | Orthopedic footwear, ladies shoe, depth inlay, each                                     |  |
| #                    | L3217             |    |     | Orthopedic footwear, ladies shoe, hightop, depth inlay, each                            |  |
| #                    | L3219             | Y  |     | Orthopedic footwear, mens shoe, oxford, each  | Not covered for<br>clients 21 years<br>of age and older<br>Effective July 1,<br>2011 |
| #                    | L3221             |    |     | Orthopedic footwear, mens shoe, each. depth inlay                                       |  |
| #                    | L3222             |    |     | Orthopedic footwear, mens shoe, hightop, depth inlay, each                              |  |
| #                    | L3224             |    |     | Orthopedic footwear, woman's shoe, oxford, used as an integral part of brace (orthosis) |  |
| #                    | L3225             |    |     | Orthopedic footwear, man's shoe, oxford, used as an integral part of a brace (orthosis) |  |
| #                    | L3230             | Y  |     | Orthopedic footwear, custom shoe, depth inlay, each.                                    | Not covered for<br>clients 21 years<br>of age and older<br>Effective July 1,<br>2011 |
| #                    | L3250             |    |     | Orthopedic footwear, custom molded shoe, removable inner mold, prosthetic shoe, each    |  |
| #                    | L3251             |    |     | Foot, shoe molded to patient model, silicone shoe, each                                 |  |
| #                    | L3252             |    |     | Foot, shoe molded to patient model, Plastazote (or similar), custom fabricated, each    |  |
| #                    | L3253             |    |     | Foot, molded shoe Plastazote (or similar), custom fitted, each                          |  |
| #                    | L3254             |    |     | Nonstandard size or width   |  |
| #                    | L3255             |    |     | Nonstandard size or length  |  |
| #                    | L3257             |    |     | Orthopedic footwear, additional charge for split size                                   |  |
| #                    | L3260             |    |     | Surgical boot/shoe, each  |  |
| #                    | L3265             |    |     | Plastazote sandal, each   |  |
| #                    | L3300             |    |     | Lift, elevation, heel, tapered to metatarsals, per inch                                 |  |

| Code       |             |    |     |   |                                |
|------------|-------------|----|-----|---|--------------------------------|
| Status     | Procedure   |    |     |   | Policy/                        |
| Indicators | Code        | PA | Lic | Description   | Comments                       |
|            | L3310       | Y  |     | Lift, elevation, heel and sole, neoprene, per inch    | See EPA                        |
|            |             |    |     |   | criteria E.5-E.7.              |
|            |             |    |     |   | 1 Pair per client,             |
|            |             |    |     |   | per year.                      |
|            |             |    |     |   | Effective July 1, 2011         |
|            | L3320       | Y  |     | Lift alayetian had and ada apple non-inch             | See EPA                        |
|            | L3320       | ĭ  |     | Lift, elevation, heel and sole, cork, per inch        | criteria E.5-E.7.              |
|            |             |    |     |   | 1 Pair per client,             |
|            |             |    |     |   | per year.                      |
|            |             |    |     |   | Effective July 1,              |
|            |             |    |     |   | 2011                           |
| #          | L3330       |    |     | Lift, elevation, metal extension (skate)              |                                |
| #          | L3332       |    |     | Lift, elevation, inside shoe, tapered, up to one-half |                                |
|            |             |    |     | inch  |                                |
|            | L3334       | Y  |     | Lift, elevation, heel, per inch                       | See EPA                        |
|            |             |    |     |   | criteria E.5-E.7.              |
|            |             |    |     |   | 1 Pair per client,             |
|            |             |    |     |   | per year.<br>Effective July 1, |
|            |             |    |     |   | 2011                           |
|            | L3340       | Y  |     | Heel wedge, SACH                                      | 2011                           |
|            | L3350       | Y  |     | Heel wedge  |                                |
|            | L3360       | Y  |     | Sole wedge, outside sole                              |                                |
| #          | L3370       |    |     | Sole wedge, between sole                              |                                |
| #          | L3380       |    |     | Clubfoot wedge  |                                |
| #          | L3390       |    |     | Outflare wedge  |                                |
|            | L3400       | Y  |     | Metatarsal bar wedge, rocker                          |                                |
|            | L3410       | Y  |     | Metatarsal bar wedge, between sole                    |                                |
|            | L3420       | Y  |     | Full sole and heel wedge, between sole                |                                |
|            | L3430       |    |     | Heel, counter, plastic reinforced                     |                                |
| #          | L3440       |    |     | Heel, counter, leather reinforced                     |                                |
| #          | L3450       |    |     | Heel, SACH cushion type                               |                                |
| #          | L3455       |    |     | Heel, new leather, standard                           |                                |
| #          | L3460       |    |     | Heel, new rubber, standard                            |                                |
| #          | L3465       |    |     | Heel, Thomas with wedge                               |                                |
| #          | L3470       |    |     | Heel, Thomas extended to ball                         |                                |
| #          | L3480       |    |     | Heel, pad and depression for spur                     |                                |
| #          | L3485       |    |     | Heel, pad, removable for spur                         |                                |
| #          | L3500       |    |     | Orthopedic shoe addition, insole, leather             |                                |
| #          | L3510       |    |     | Orthopedic shoe addition, insole, rubber              |                                |
| #          | L3520       |    |     | Orthopedic shoe addition, insole, felt covered with   |                                |
|            | * * = = = = |    |     | leather   |                                |
| #          | L3530       |    |     | Orthopedic shoe addition, sole, half                  |                                |
| #          | L3540       |    |     | Orthopedic shoe addition, sole, full                  |                                |

| Code<br>Status       | Procedure |    |     |   | Dolioy/   |
|----------------------|-----------|----|-----|---|---|
| Status<br>Indicators |           | PA | Lic | Description   | Policy/<br>Comments   |
| #                    | L3550     | IA | Lic | Orthopedic shoe addition, toe tap, standard   | Comments  |
| #                    | L3560     |    |     | Orthopedic shoe addition, toe tap, horseshoe  |   |
| #                    | L3570     |    |     | Orthopedic shoe addition, special extension to instep   |   |
| "                    | L3370     |    |     | (leather with eyelets)  |   |
| #                    | L3580     |    |     | Orthopedic shoe addition, convert instep to velcro closure  |   |
| #                    | L3590     |    |     | Orthopedic shoe addition, convert firm shoe counter to soft counter   |   |
| #                    | L3595     |    |     | Orthopedic shoe addition, March bar   |   |
| #                    | L3600     |    |     | Transfer of an orthosis from one shoe to another, caliper plate, existing   |   |
| #                    | L3610     |    |     | Transfer of an orthosis from one shoe to another, caliper plate, new  |   |
|                      | L3620     |    |     | Transfer of an orthosis from one shoe to another, solid stirrup, existing.  | One in a 12-<br>month period<br>allowed without<br>prior<br>authorization |
| #                    | L3630     |    |     | Transfer of an orthosis from one shoe to another, solid stirrup, new  |   |
| #                    | L3640     |    |     | Transfer of an orthosis from one shoe to another,   |   |
|                      |           |    |     | Dennis Browne splint (Riveton), both shoes  |   |
| #                    | L3649     |    |     | Orthopedic shoe, modification, addition or transfer,  |   |
|                      | L3650     |    | *** | not otherwise specified   |   |
|                      | L3030     |    |     | SO, figure of eight design abduction restrainer, prefabricated, includes fitting and adjustment                                 |   |
|                      | L3660     |    | *** | SO, figure of eight design abduction restrainer, canvas and webbing, prefabricated, includes fitting and adjustment             |   |
|                      | L3670     |    | *** | SO, acromio/clavicular (canvas and webbing type), prefabricated, includes fitting and adjustment                                |   |
|                      | L3671     | Y  | Y   | SO, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |   |
| #                    | L3675     |    |     | SO, vest type abduction restrainer, canvas webbing type, or equal, prefabricated, includes fitting and adjustment               |   |
|                      | L3677     | Y  | Y   | Shoulder orthosis, hard plastic, shoulder stabilizer, prefabricated, includes fitting and adjustment                            |   |
|                      | L3702     | Y  | Y   | EO, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment                      |   |
|                      | L3710     |    | *** | EO, elastic with metal joints, prefabricated, includes fitting and adjustment   |   |
|                      | L3720     |    |     | EO, double upright with forearm/arm cuffs, free motion, custom fabricated   |   |

| Code       | _              |    |     |  |          |
|------------|----------------|----|-----|--|----------|
|            | Procedure      |    | т.  | D  | Policy/  |
| Indicators |                | PA | Lic | Description  | Comments |
|            | L3730          | Y  | Y   | EO, double upright with forearm/arm cuffs,   |          |
|            | 1 2740         | 37 | V   | extension/flexion assist, custom fabricated  |          |
|            | L3740          | Y  | Y   | EO, double upright with forearm/arm cuffs, adjustable position lock with active control, custom fabricated |          |
|            | 1.2760         |    |     | •  |          |
|            | L3760          |    |     | EO, with adjustable position, locking joints, prefabricated, includes fitting and adjustment, any          |          |
|            |                |    |     | type   |          |
|            | L3762          |    | *** | EO, rigid, without joints, includes soft interface   |          |
|            | L3702          |    |     | material, prefabricated, includes fitting and adjustment   |          |
|            | L3763          | Y  | Y   | EWHO, rigid, without joints, may include soft  |          |
|            | L3703          | 1  | 1   | interface, straps, custom fabricated, includes fitting   |          |
|            |                |    |     | and adjustment   |          |
|            | L3764          | Y  | Y   | EWHO, includes one or more nontorsion joints, elastic  |          |
|            | 23701          | •  | -   | bands, turnbuckles, may include soft interface, straps,  |          |
|            |                |    |     | custom fabricated, includes fitting and adjustment   |          |
|            | L3765          | Y  | Y   | EWHFO, rigid, without joints, may include soft   |          |
|            |                |    |     | interface, straps, custom fabricated, includes fitting   |          |
|            |                |    |     | and adjustment   |          |
|            | L3766          | Y  | Y   | EWHFO, includes one or more nontorsion joints,   |          |
|            |                |    |     | elastic bands, turnbuckles, may include soft interface,  |          |
|            |                |    |     | straps, custom   |          |
|            | L3806          | Y  | Y   | Wrist hand finger orthosis, includes one or more   |          |
|            |                |    |     | nontorsion joint(s), turnbuckles, elastic bands/springs,   |          |
|            |                |    |     | may include soft interface material, straps, custom  |          |
|            |                |    |     | fabricated, includes fitting and adjustment  |          |
|            | L3807          |    |     | WHFO without joint(s), prefabricated, includes fitting   |          |
|            |                |    |     | and adjustment, any type   |          |
|            | L3808          | Y  | Y   | Wrist hand finger orthosis, rigid without joints, may  |          |
|            |                |    |     | include soft interface material; straps, custom  |          |
|            | * 2004         |    |     | fabricated, includes fitting and adjustment  |          |
| #          | L3891          |    |     | Addition to upper extremity joint, wrist or elbow,   |          |
|            | 1 2000         |    | 37  | concentric adjustable  |          |
|            | L3900          |    | Y   | WHFO, dynamic flexor hinge, reciprocal wrist   |          |
|            |                |    |     | extension/flexion, finger flexion/extension, wrist or  |          |
|            | I 2001         | V  | V   | finger driven, custom fabricated   |          |
|            | L3901          | Y  | Y   | WHFO, dynamic flexor hinge, reciprocal wrist extension/flexion, finger flexion/extension, cable            |          |
|            |                |    |     | driven, custom fabricated  |          |
|            | L3904          | Y  | Y   | WHFO, external powered, electric, custom fabricated  |          |
|            | L3904<br>L3905 | Y  | Y   | WHO, includes one or more nontorsion joints, elastic   |          |
|            | L3703          | 1  | 1   | bands, turnbuckles, may include soft interface, straps,  |          |
|            |                |    |     | custom fabricated, includes  |          |
|            | L3906          |    | Y   | WHO, without joints, may include soft interface,   |          |
|            | 23700          |    | •   | straps, custom fabricated, includes fitting and  |          |
|            |                |    |     | adjustment.  |          |
|            | L3908          |    | *** | WHO, wrist extension control cock-up, nonmolded,   |          |
|            | _2/30          | 1  |     | -, total total total up, nonmorded,  |          |

|            | Procedure |    |     |   | Policy/  |
|------------|-----------|----|-----|---|----------|
| Indicators | Code      | PA | Lic | Description   | Comments |
|            | L3912     |    | *** | prefabricated, includes fitting and adjustments HFO, flexion glove with elastic finger control,             |          |
|            | L3912     |    |     | prefabricated, includes fitting and adjustments   |          |
|            | L3913     | Y  | Y   | HFO, without joints, may include soft interface,  |          |
|            |           |    |     | straps, custom fabricated, includes fitting and   |          |
|            |           |    |     | adjustment  |          |
|            | L3915     | Y  | *** | Wrist hand orthosis, includes one or more nontorsion  |          |
|            |           |    |     | joint(s), elastic bands, turnbuckles, may include soft  |          |
|            |           |    |     | interface, straps, prefabricated, includes fitting and adjustment   |          |
|            | L3917     |    |     | HO, metacarpal fracture orthosis, prefabricated,  |          |
|            | L3717     |    |     | includes fitting  |          |
|            | L3919     | Y  | Y   | Hand orthosis, without joints, may include soft   |          |
|            |           |    |     | interface, straps, custom fabricated, includes fitting  |          |
|            |           |    |     | and adjustment  |          |
|            | L3921     | Y  | Y   | Hand finger orthosis, includes one or more nontorsion   |          |
|            |           |    |     | joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting |          |
|            |           |    |     | and adjustment  |          |
|            | L3923     |    |     | HFO, without joints, may include soft interface,  |          |
|            |           |    |     | straps, prefabricated, includes fitting and adjustment  |          |
|            | L3925     | Y  | *** | Finger orthosis, proximal interphalangeal (Pip)/distal  |          |
|            |           |    |     | interphalangeal (dip), non torsion joint/spring,  |          |
|            |           |    |     | extension/flexion, may include soft interface material,   |          |
|            | L3927     | Y  |     | prefabricated, includes fitting and adjustment.  Finger orthosis, proximal interphalangeal (Pip)/distal     |          |
|            | L3921     | 1  |     | interphalangeal (dip), without joint/spring,  |          |
|            |           |    |     | extension/flexion (e.g. static or ring type), may   |          |
|            |           |    |     | include soft interface material, prefabricated, includes  |          |
|            |           |    |     | fitting and adjustment.   |          |
|            | L3929     | Y  |     | Hand finger orthosis, includes one or more nontorsion   |          |
|            |           |    |     | joint(s), turnbuckles, elastic bands/springs, may   |          |
|            |           |    |     | include soft interface material, straps, prefabricated, includes fitting and adjustment                     |          |
|            | L3931     | Y  |     | Wrist hand finger orthosis, includes one or more  |          |
|            |           |    |     | nontorsion joint(s), turnbuckles, elastic bands/springs,  |          |
|            |           |    |     | may include soft interface material, straps,  |          |
|            |           |    |     | prefabricated, includes fitting and adjustment  |          |
|            | L3933     | Y  | Y   | Finger orthosis, without joints, may include soft   |          |
|            |           |    |     | interface, custom fabricated, includes fitting and adjustment   |          |
|            | L3935     | Y  | Y   | Finger orthosis, nontorsion joint, may include soft   |          |
|            |           | _  |     | interface, custom fabricated, includes fitting and  |          |
|            |           |    |     | adjustment  |          |
|            | L3956     | Y  | Y   | Addition of joint to upper extremity orthosis, any  |          |
|            |           |    |     | material; per joint   |          |

| Code<br>Status       | Procedure |            |     |   | Dolloy/             |
|----------------------|-----------|------------|-----|---|---------------------|
| Status<br>Indicators |           | PA         | Lic | Description   | Policy/<br>Comments |
|                      | L3960     |            |     | SEWHO, abduction positioning, airplane design,  | 00222200            |
|                      |           |            |     | prefabricated, includes fitting and adjustments   |                     |
|                      | L3961     | Y          | Y   | Shoulder elbow wrist hand orthosis, shoulder cap  |                     |
|                      |           |            |     | design, without joints, may include soft interface,   |                     |
|                      |           |            |     | straps, custom fabricated, includes fitting and   |                     |
|                      | 1 20.62   |            |     | adjustment  |                     |
|                      | L3962     |            |     | SEWHO, abduction positioning, Erb's palsey design, prefabricated, includes fitting and adjustments  |                     |
| #                    | L3964     |            |     | SEO, mobile arm support attached to wheelchair,   |                     |
| π                    | L3704     |            |     | balanced, adjustable, prefabricated, includes fitting   |                     |
|                      |           |            |     | and adjustments   |                     |
| #                    | L3965     |            |     | SEO, mobile arm support attached to wheelchair,   |                     |
|                      |           |            |     | balanced, adjustable Rancho type, prefabricated,  |                     |
|                      |           |            |     | includes fitting and adjustments  |                     |
| #                    | L3966     |            |     | SEO, mobile arm support attached to wheelchair,   |                     |
|                      |           |            |     | balanced, reclining, prefabricated, includes fitting and  |                     |
|                      | 1.2077    | 3.7        |     | adjustments   |                     |
|                      | L3967     | Y          |     | SEWHO, abduction positioning (airplane design), thoracic component and support bar, without joints, |                     |
|                      |           |            |     | may include soft interface, straps, custom fabricated,  |                     |
|                      |           |            |     | includes fitting and adjustments  |                     |
| #                    | L3968     |            |     | SEO, mobile arm support attached to wheelchair,   |                     |
|                      |           |            |     | balanced, friction arm support (friction dampening to   |                     |
|                      |           |            |     | proximal and distal joints), prefabricated, includes  |                     |
|                      |           |            |     | fitting and adjustments   |                     |
|                      | L3969     | Y          |     | SEO, mobile arm support, monosuspension arm and   |                     |
|                      |           |            |     | hand support, overhead elbow forearm hand sling support, yoke type arm suspension support,          |                     |
|                      |           |            |     | prefabricated, includes fitting and adjustments   |                     |
|                      | L3970     |            |     | SEO, addition to mobile arm support, elevating  |                     |
|                      |           |            |     | proximal arm  |                     |
|                      | L3971     | Y          |     | SEWHO, shoulder cap design, includes one or more  |                     |
|                      |           |            |     | nontorsion joints, elastic bands, turnbuckles, may  |                     |
|                      |           |            |     | include soft interface  |                     |
|                      | L3972     |            |     | SEO, addition to mobile arm support, offset or lateral  |                     |
|                      | 1.2072    | <b>T</b> 7 |     | rocker arm with elastic balance control   |                     |
|                      | L3973     | Y          |     | SEWHO, abduction positioning (airplane design),   |                     |
|                      |           |            |     | thoracic component and support bar, includes one or more nontorsion joints                          |                     |
|                      | L3974     |            |     | SEO, addition to mobile arm support, supinator  |                     |
|                      | L3975     | Y          | Y   | SEWHFO, shoulder cap design, without joints, may  |                     |
|                      | 23773     | •          | -   | include soft interface, straps, custom fabricated,  |                     |
|                      |           |            |     | includes fitting and adjustment   |                     |
|                      | L3976     | Y          |     | SEWHFO, abduction positioning (airplane design),  |                     |
|                      |           |            |     | thoracic component and support bar, without joints,   |                     |
|                      |           |            |     | may include soft interface, straps, custom fabricated,  |                     |

|            | Procedure |    |     |  | Policy/           |
|------------|-----------|----|-----|--|-------------------|
| Indicators | Code      | PA | Lic | Description  | Comments          |
|            | L3977     | Y  |     | includes fitting and adjustments   |                   |
|            | L3977     | 1  |     | SEWHFO, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may |                   |
|            |           |    |     | include soft interface, straps, custom fabricated, includes fitting and adjustments                  |                   |
|            | L3978     | Y  |     | SEWHFO, abduction positioning (airplane design),   |                   |
|            |           |    |     | thoracic component and support bar, includes one or more nontorsion                                  |                   |
|            | L3980     |    | *** | Upper extremity fracture orthosis, humeral,  |                   |
|            |           |    |     | prefabricated, includes fitting and adjustments  |                   |
|            | L3982     |    |     | Upper extremity fracture orthosis, radius/ulnar,   |                   |
|            |           |    |     | prefabricated, includes fitting and adjustments  |                   |
|            | L3984     |    |     | Upper extremity fracture orthosis, wrist, prefabricated, includes fitting and adjustments            |                   |
|            | L3995     |    |     | Addition to upper extremity orthosis, sock, fracture or  |                   |
|            |           |    |     | equal, each  |                   |
|            | L3999     | Y  | Y   | Upper limb orthosis, not otherwise specified   |                   |
|            | L4000     | Y  | Y   | Replace girdle for spinal orthosis (CTLSO or SO)   |                   |
|            | L4002     | Y  | Y   | Replacement strap, any orthosis, includes all  |                   |
|            |           |    |     | components, any length, any type   |                   |
|            | L4010     |    | Y   | Replace trilateral socket brim   |                   |
|            | L4020     |    | Y   | Replace quadrilateral socket brim, molded to patient model   |                   |
|            | L4030     |    | Y   | Replace quadrilateral socket brim, custom fitted   |                   |
|            | L4040     |    | Y   | Replace molded thigh lacer   |                   |
|            | L4045     |    | Y   | Replace nonmolded thigh lacer  |                   |
|            | L4050     |    | Y   | Replace molded calf lacer  |                   |
|            | L4055     |    | Y   | Replace nonmolded calf lacer   |                   |
|            | L4060     |    | Y   | Replace high roll cuff   |                   |
|            | L4070     |    | Y   | Replace proximal and distal upright for KAFO   |                   |
|            | L4080     |    | Y   | Replace metal bands KAFO, proximal thigh   |                   |
|            | L4090     |    | Y   | Replace metal bands KAFO–AFO, calf or distal thigh   |                   |
|            | L4100     |    | Y   | Replace leather cuff KAFO, proximal thigh  |                   |
|            | L4110     |    | Y   | Replace leather cuff KAFO–AFO, calf or distal thigh  |                   |
|            | L4130     |    | Y   | Replace pretibial shell  |                   |
|            | L4205     | Y  | Y   | Repair of orthotic device, labor component, per 15 minutes   |                   |
|            | L4210     | Y  | Y   | Repair of orthotic device, repair or replace minor parts   |                   |
|            | L4350     | -  | *** | Pneumatic ankle control splint (e.g., aircast),  | For fractures     |
|            |           |    |     | prefabricated, includes fitting and adjustments  | only              |
|            |           |    |     |  | Effective July 1, |
|            |           |    |     |  | 2011              |

|            | Procedure |    |     |  | Policy/                                   |
|------------|-----------|----|-----|--|---|
| Indicators |           | PA | Lic | Description  | Comments                                  |
|            | L4360     | Y  |     | Pneumatic ankle foot orthosis, with or without joints, prefabricated, includes fitting and adjustments   | For fractures only Effective July 1, 2011 |
|            | L4370     | Y  | *** | Pneumatic full leg splint (e.g., aircast), prefabricated, includes fitting and adjustments   |   |
|            | L4380     |    | *** | Pneumatic knee splint (e.g., aircast), prefabricated, includes fitting and adjustments   |   |
|            | L4386     | Y  | *** | Non-pneumatic walking splint, with or without joints, prefabricated, includes fitting and adjustments  |   |
| #          | L4392     |    |     | Replacement soft interface material, static AFO  |   |
| #          | L4394     |    |     | Replace soft interface material, foot drop splint  |   |
|            | L4396     | Y  |     | Static ankle foot orthosis, including soft interface material, adjustable for fit, for positioning, pressure reduction, may be used for minimal ambulation, prefabricated, includes fitting and adjustments            |   |
| #          | L4398     |    |     | Foot drop splint, recumbent positioning device, prefabricated, includes fitting and adjustments  |   |
|            | L4631     |    |     | Ankle foot orthosis, walking boot type, varus/valgus correction, rocker bottom, anterior tibial shell, soft interface, custom arch support, plastic or other material, includes straps and closures, custom fabricated |   |
|            | L5000     |    | Y   | Partial foot, shoe insert with longitudinal arch, toe filler   |   |
|            | L5010     |    | Y   | Partial foot, molded socket, ankle height, with toe filler   |   |
|            | L5020     |    | Y   | Partial foot, molded socket, tibial tubercle height, with toe filler   |   |
|            | L5050     |    | Y   | Ankle, Symes, molded socket, SACH Foot   |   |
|            | L5060     | Y  | Y   | Ankle, Symes, metal frame, molded leather socket, articulated ankle/foot   |   |
|            | L5100     |    | Y   | Below knee, molded socket, shin, SACH foot   |   |
|            | L5105     | Y  | Y   | Below knee, plastic socket, joints and thigh lacer, SACH foot  |   |
|            | L5150     | Y  | Y   | Knee disarticulation (or through knee), molded socket, external knee joints, shin, SACH foot   |   |
|            | L5160     | Y  | Y   | Knee disarticulation (or through knee), molded socket,<br>bent knee configuration, external knee joints, shin,<br>SACH foot  |   |
|            | L5200     |    | Y   | Above knee, molded socket, single axis constant friction knee, shin, SACH foot   |   |
|            | L5210     |    | Y   | Above knee, short prosthesis, no knee joint ("stubbies"), with foot blocks, no ankle joints, each  |   |
|            | L5220     | Y  | Y   | Above knee, short prosthesis, no knee joint  |   |

| Code<br>Status<br>Indicators | Procedure<br>Code | PA  | Lic | Description  | Policy/<br>Comments |
|------------------------------|-------------------|-----|-----|--|---------------------|
| Indicators                   | Couc              | 111 | Lic | ("stubbies"), with articulated ankle/foot, dynamically aligned, each   |                     |
|                              | L5230             | Y   | Y   | Above knee, for proximal femoral focal deficiency, constant friction knee, shin, SACH foot   |                     |
|                              | L5250             | Y   | Y   | Hip disarticulation, Canadian type; molded socket, hip joint, single axis constant friction knee, shin, SACH foot  |                     |
|                              | L5270             | Y   | Y   | Hip disarticulation, tilt table type; molded socket, locking hip joint, single axis constant friction knee, shin, SACH foot  |                     |
|                              | L5280             | Y   | Y   | Hemipelvectomy, Canadian type; molded socket, hip joint, single axis constant friction knee, shin, SACH foot   |                     |
|                              | L5301             |     | Y   | Below knee, molded socket, shin, SACH foot, endoskeletal system  |                     |
|                              | L5311             |     | Y   | Knee disarticulation (or through knee), molded socket, external knee joints, shin, SACH foot, endoskeletal system  |                     |
|                              | L5321             |     | Y   | Above knee, molded socket, open end, SACH foot, endoskeletal system, single axis knee  |                     |
|                              | L5331             |     | Y   | Hip disarticulation, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, SACH foot   |                     |
|                              | L5341             |     | Y   | Hemipelvectomy, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, SACH foot  |                     |
|                              | L5400             |     | Y   | Immediate postsurgical or early fitting, application of initial rigid dressing, including fitting, alignment, suspension, and one cast change, below knee  |                     |
|                              | L5410             |     | Y   | Immediate postsurgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension, below knee, each additional cast change and realignment                 |                     |
|                              | L5420             |     | Y   | Immediate postsurgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension and one cast change AK or knee disarticulation                           |                     |
|                              | L5430             |     | Y   | Immediate postsurgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension, AK or knee disarticulation, each additional cast change and realignment |                     |
|                              | L5450             |     | Y   | Immediate postsurgical or early fitting, application of nonweight bearing rigid dressing, below knee   |                     |
|                              | L5460             |     | Y   | Immediate postsurgical or early fitting, application of nonweight bearing rigid dressing, above knee   |                     |
|                              | L5500             |     | Y   | Initial, below knee PTB type socket, non-alignable   |                     |

| Code                 | D 1               |      |     |  | D. II. /                                   |
|----------------------|-------------------|------|-----|--|--|
| Status<br>Indicators | Procedure<br>Code | PA   | Lic | Description  | Policy/<br>Comments                        |
| mulcutors            | Couc              | 1 21 | Lic | system, pylon, no cover, SACH foot, plaster socket, direct formed  | Comments                                   |
|                      | L5505             | Y    | Y   | Initial, above knee – knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, SACH foot plaster socket, direct formed                 |  |
|                      | L5510             |      | Y   | Preparatory, below knee PTB type socket, non-<br>alignable system, pylon, no cover, SACH foot, plaster<br>socket, molded to model                                | One per client<br>per lifetime per<br>limb |
|                      | L5520             |      | Y   | Preparatory, below knee PTB type socket, non-<br>alignable system, pylon, no cover, SACH foot,<br>thermoplastic or equal, direct formed                          | One per client<br>per lifetime per<br>limb |
|                      | L5530             | Y    | Y   | Preparatory, below knee PTB type socket, non-<br>alignable system, pylon, no cover, SACH foot,<br>thermoplastic or equal, molded to model                        |  |
|                      | L5535             | Y    | Y   | Preparatory, below knee PTB type socket, non-<br>alignable system, pylon, no cover, SACH foot,<br>prefabricated, adjustable open end socket                      |  |
|                      | L5540             | Y    | Y   | Preparatory, below knee PTB type socket, non-<br>alignable system, pylon, no cover, SACH foot,<br>laminated socket, molded to model                              |  |
|                      | L5560             | Y    | Y   | Preparatory, above knee – knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, SACH foot, plaster socket, molded to model          |  |
|                      | L5570             | Y    | Y   | Preparatory, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, SACH foot, thermoplastic or equal, direct formed    |  |
|                      | L5580             | Y    | Y   | Preparatory, above knee – knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, SACH foot, thermoplastic or equal, molded to model  |  |
|                      | L5585             | Y    | Y   | Preparatory, above knee – knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, SACH foot, prefabricated adjustable open end socket |  |
|                      | L5590             | Y    | Y   | Preparatory, above knee – knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, SACH foot, laminated socket, molded to model        |  |
|                      | L5595             | Y    | Y   | Preparatory, hip disarticulation – hemipelvectomy, pylon, no cover, SACH foot, thermoplastic or equal, molded to patient model                                   |  |
|                      | L5600             | Y    | Y   | Preparatory, hip disarticulation – hemipelvectomy, pylon, no cover, SACH foot, laminated socket, molded to patient model   |  |
|                      | L5610             | Y    | Y   | Addition to lower extremity, endoskeletal system, above knee, hydracadence system  |  |
|                      | L5611             | Y    | Y   | Addition to lower extremity, endoskeletal system, above knee - knee disarticulation, 4-bar linkage, with friction swing phase control                            |  |

| Code              |           |    |            |  |          |
|-------------------|-----------|----|------------|--|----------|
|                   | Procedure |    |            |  | Policy/  |
| <b>Indicators</b> |           | PA | Lic        | Description  | Comments |
|                   | L5613     | Y  | Y          | Addition to lower extremity, endoskeletal system,              |          |
|                   |           |    |            | above knee - knee disarticulation, 4-bar linkage, with         |          |
|                   |           |    |            | hydraulic swing phase control                                  |          |
|                   | L5614     | Y  | Y          | Addition to lower extremity, endoskeletal system,              |          |
|                   |           |    |            | above knee - knee disarticulation, 4-bar linkage, with         |          |
|                   | T 5 6 1 6 |    | <b>T</b> 7 | pneumatic swing phase control                                  |          |
|                   | L5616     |    | Y          | Addition to lower extremity, endoskeletal system,              |          |
|                   |           |    |            | above knee, universal multiplex system, friction swing         |          |
|                   | I 5617    |    | <b>V</b>   | phase control  |          |
|                   | L5617     |    | Y          | Addition to lower extremity, quick change self-                |          |
|                   | I 5610    |    | Y          | aligning unit, above or below knee, each                       |          |
|                   | L5618     |    |            | Addition to lower extremity, test socket, Symes                |          |
|                   | L5620     |    | Y          | Addition to lower extremity, test socket, below knee           |          |
|                   | L5622     |    | Y          | Addition to lower extremity, test socket, knee disarticulation |          |
|                   | L5624     |    | Y          |  |          |
|                   |           |    |            | Addition to lower extremity, test socket, above knee           |          |
|                   | L5626     |    | Y          | Addition to lower extremity, test socket, hip disarticulation  |          |
|                   | L5628     |    | Y          |  |          |
|                   | L3028     |    | 1          | Addition to lower extremity, test socket, hemipelvectomy       |          |
|                   | L5629     |    | Y          | Addition to lower extremity, below knee, acrylic               |          |
|                   | L3029     |    | 1          | socket   |          |
|                   | L5630     |    | Y          | Addition to lower extremity, Symes type, expandable            |          |
|                   | L3030     |    | 1          | wall socket  |          |
|                   | L5631     |    | Y          | Addition to lower extremity, above knee or knee                |          |
|                   | L3031     |    | •          | disarticulation, acrylic socket                                |          |
|                   | L5632     |    | Y          | Addition to lower extremity, Symes type, PTB brim              |          |
|                   | 20002     |    | -          | design socket  |          |
|                   | L5634     |    | Y          | Addition to lower extremity, Symes type, posterior             |          |
|                   |           |    |            | opening (Canadian) socket                                      |          |
|                   | L5636     |    | Y          | Addition to lower extremity, Symes type, medial                |          |
|                   |           |    |            | opening socket   |          |
|                   | L5637     |    | Y          | Addition to lower extremity, below knee, total contact         |          |
|                   | L5638     | Y  | Y          | Addition to lower extremity, below knee, leather               |          |
|                   |           |    |            | socket   |          |
|                   | L5639     | Y  | Y          | Addition to lower extremity, below knee, wood socket           |          |
|                   | L5640     | Y  | Y          | Addition to lower extremity, knee disarticulation,             |          |
|                   |           |    |            | leather socket   |          |
|                   | L5642     | Y  | Y          | Addition to lower extremity, above knee, leather               |          |
|                   |           |    |            | socket   |          |
|                   | L5643     | Y  | Y          | Addition to lower extremity, hip disarticulation,              |          |
|                   |           |    |            | flexible inner socket, external frame                          |          |
|                   | L5644     | Y  | Y          | Addition to lower extremity, above knee, wood socket           |          |
|                   | L5645     | Y  | Y          | Addition to lower extremity, below knee, flexible              |          |
|                   |           |    |            | inner socket, external frame                                   |          |

| Code              |   |    |     |   |          |
|-------------------|---|----|-----|---|----------|
|                   | Procedure                               |    |     |   | Policy/  |
| <b>Indicators</b> |   | PA | Lic | Description   | Comments |
|                   | L5646                                   | Y  | Y   | Addition to lower extremity, below knee, air cushion                              |          |
|                   |   |    |     | socket  |          |
|                   | L5647                                   | Y  | Y   | Addition to lower extremity, below knee, suction                                  |          |
|                   |   |    |     | socket  |          |
|                   | L5648                                   | Y  | Y   | Addition to lower extremity, above knee, air cushion                              |          |
|                   |   |    |     | socket  |          |
|                   | L5649                                   |    | Y   | Addition to lower extremity, ischial  |          |
|                   |   |    |     | containment/narrow M-L socket   |          |
|                   | L5650                                   |    | Y   | Addition to lower extremity, total contact, above knee                            |          |
|                   |   |    |     | or knee disarticulation socket  |          |
|                   | L5651                                   |    | Y   | Addition to lower extremity, above knee, flexible                                 |          |
|                   |   |    |     | inner socket, external frame  |          |
|                   | L5652                                   |    | Y   | Addition to lower extremity, suction suspension,                                  |          |
|                   |   |    |     | above knee or knee disarticulation socket   |          |
|                   | L5653                                   |    | Y   | Addition to lower extremity, knee disarticulation,                                |          |
|                   |   |    |     | expandable wall socket  |          |
|                   | L5654                                   |    | Y   | Addition to lower extremity, socket insert, Symes                                 |          |
|                   |   |    |     | (Kemblo, Pelite, Aliplast, Plastazote or equal)                                   |          |
|                   | L5655                                   |    | Y   | Addition to lower extremity, socket insert, below knee                            |          |
|                   |   |    |     | (Kemblo, Pelite, Aliplast, Plastazote or equal)                                   |          |
|                   | L5656                                   |    | Y   | Addition to lower extremity, socket insert, knee                                  |          |
|                   |   |    |     | disarticulation (Kemblo, Pelite, Aliplast, Plastazote or                          |          |
|                   |   |    |     | equal)  |          |
|                   | L5658                                   | Y  | Y   | Addition to lower extremity, socket insert, above knee                            |          |
|                   |   |    |     | (Kemblo, Pelite, Aliplast, Plastazote or equal)                                   |          |
|                   | L5661                                   | Y  | Y   | Addition to lower extremity, socket insert,                                       |          |
|                   |   |    |     | multidurometer, Symes   |          |
|                   | L5665                                   |    | Y   | Addition to lower extremity, socket insert,                                       |          |
|                   | * *                                     |    |     | multidurometer, below knee  |          |
|                   | L5666                                   |    | Y   | Addition to lower extremity, below knee, cuff                                     |          |
|                   | * |    |     | suspension  |          |
|                   | L5668                                   |    | Y   | Addition to lower extremity, below knee, molded                                   |          |
|                   | 1.5.550                                 |    | 3.7 | distal cushion  |          |
|                   | L5670                                   |    | Y   | Addition to lower extremity, below knee, molded                                   |          |
|                   | 1.5.671                                 |    | 3.7 | supracondylar suspension (PTS or similar)   |          |
|                   | L5671                                   |    | Y   | Addition to lower extremity, below knee/above knee                                |          |
|                   |   |    |     | suspension locking mechanism (shuttle, lanyard or                                 |          |
|                   | I 5670                                  |    | V   | equal), excludes socket insert  |          |
|                   | L5672                                   |    | Y   | Addition to lower extremity, below knee, removable                                |          |
|                   | I 5672                                  |    | V   | medial brim suspension  |          |
|                   | L5673                                   |    | Y   | Addition to lower extremity, below knee/above knee,                               |          |
|                   |   |    |     | custom fabricated from existing mold or prefabricated,                            |          |
|                   |   |    |     | socket insert, silicone gel, elastomeric or equal, for use with locking mechanism |          |
|                   | 15676                                   |    | V   | _   |          |
|                   | L5676                                   |    | Y   | Addition to lower extremity, below knee, knee joints,                             |          |

| Code       |                  |    |     |  |          |
|------------|------------------|----|-----|--|----------|
|            | Procedure        |    |     | <b>5</b>   | Policy/  |
| Indicators | Code             | PA | Lic | Description  | Comments |
|            | L5677            | Y  | Y   | single axis, pair  |          |
|            | L3077            | 1  | 1   | Addition to lower extremity, below knee, knee joints, polycentric, pair                                    |          |
|            | L5678            |    | Y   | Addition to lower extremity, below knee, joint covers,   |          |
|            |                  |    |     | pair   |          |
|            | L5679            |    | Y   | Addition to lower extremity, below knee/above knee,  |          |
|            |                  |    |     | custom fabricated from existing mold or prefabricated,   |          |
|            |                  |    |     | socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism                      |          |
|            | L5680            |    | Y   | Addition to lower extremity, below knee, thigh lacer,  |          |
|            |                  |    |     | nonmolded  |          |
|            | L5681            | Y  | Y   | Addition to lower extremity, below knee/above knee,  |          |
|            |                  |    |     | custom fabricated socket insert for congenital or  |          |
|            |                  |    |     | atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, |          |
|            |                  |    |     | initial only (for other than initial, use code L5673 or  |          |
|            |                  |    |     | L5679)   |          |
|            | L5682            | Y  | Y   | Addition to lower extremity, below knee, thigh lacer,  |          |
|            |                  |    |     | gluteal/ischial, molded  |          |
|            | L5683            | Y  | Y   | Addition to lower extremity, below knee/above knee,  |          |
|            |                  |    |     | custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel,     |          |
|            |                  |    |     | elastomeric or equal, for use with or without locking  |          |
|            |                  |    |     | mechanism, initial only (for other than initial, use   |          |
|            |                  |    |     | code L5673 or L5679)   |          |
|            | L5684            |    | Y   | Addition to lower extremity, below knee, fork strap  |          |
|            | L5685            |    | Y   | Addition to lower extremity prosthesis, below knee,  |          |
|            |                  |    |     | suspension/sealing sleeve, with or without valve, any material, each                                       |          |
|            | L5686            |    | Y   | Addition to lower extremity, below knee, back check  |          |
|            |                  |    |     | (extension control)  |          |
|            | L5688            |    | Y   | Addition to lower extremity, below knee, waist belt,   |          |
|            |                  |    |     | webbing  |          |
|            | L5690            |    | Y   | Addition to lower extremity, below knee, waist belt,   |          |
|            | L5692            |    | Y   | padded and lined  Addition to lower extremity, above knee, pelvic  |          |
|            | L3092            |    | 1   | control belt, light  |          |
|            | L5694            |    | Y   | Addition to lower extremity, above knee, pelvic  |          |
|            |                  |    |     | control belt, padded and lined   |          |
|            | L5695            |    | Y   | Addition to lower extremity, above knee, pelvic  |          |
|            | <b>* *</b> - ^ - |    |     | control, sleeve suspension, neoprene or equal, each  |          |
|            | L5696            |    | Y   | Addition to lower extremity, above knee or knee  |          |
|            | L5697            |    | Y   | disarticulation, pelvic joint  Addition to lower extremity, above knee or knee                             |          |
|            | LJU71            |    | 1   | disarticulation, pelvic band   |          |
|            | L5698            |    | Y   | Addition to lower extremity, above knee or knee  |          |
|            | 1                |    |     | <u>√</u> ′   |          |

|            | Procedure |    |     |  | Policy/                       |
|------------|-----------|----|-----|--|-------------------------------|
| Indicators | Code      | PA | Lic | Description  | Comments                      |
|            |           |    |     | disarticulation, Silesian bandage  |                               |
|            | L5699     |    | Y   | All lower extremity prostheses, shoulder harness   |                               |
|            | L5700     |    | Y   | Replacement, socket, below knee, molded to patient model   | Limit one per client per year |
|            | L5701     |    | Y   | Replacement, socket, above knee/knee disarticulation, including attachment plate, molded to patient model                  | Limit one per client per year |
|            | L5702     | Y  | Y   | Replacement, socket, hip disarticulation, including hip joint, molded to patient model                                     |                               |
|            | L5703     | Y  | Y   | Ankle, symes, molded to patient model, socket without solid ankle cushion heel (sach) foot, replacement only               |                               |
|            | L5704     | Y  | Y   | Custom shaped protective cover, below knee   |                               |
|            | L5705     | Y  | Y   | Custom shaped protective cover, above knee   |                               |
|            | L5706     | Y  | Y   | Custom shaped protective cover, knee disarticulation   |                               |
|            | L5707     | Y  | Y   | Custom shaped protective cover, hip disarticulation  |                               |
|            | L5710     |    | Y   | Addition, exoskeletal knee-shin system, single axis, manual lock   |                               |
|            | L5711     |    | Y   | Addition, exoskeletal knee-shin system, single axis, manual lock, ultra-light material                                     |                               |
|            | L5712     |    | Y   | Addition, exoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee)                 |                               |
|            | L5714     |    | Y   | Addition, exoskeletal knee-shin system, single axis, variable friction swing phase control                                 |                               |
|            | L5716     | Y  | Y   | Addition, exoskeletal knee-shin system, polycentric, mechanical stance phase lock  |                               |
|            | L5718     | Y  | Y   | Addition, exoskeletal knee-shin system, polycentric, friction swing and stance phase control                               |                               |
|            | L5722     |    | Y   | Addition, exoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control                        |                               |
|            | L5724     | Y  | Y   | Addition, exoskeletal knee-shin system, single axis, fluid swing phase control   |                               |
|            | L5726     | Y  | Y   | Addition, exoskeletal knee-shin system, single axis, external joints, fluid swing phase control                            |                               |
|            | L5728     | Y  | Y   | Addition, exoskeletal knee-shin system, single axis, fluid swing and stance phase control                                  |                               |
|            | L5780     |    | Y   | Addition, exoskeletal knee-shin system, single axis, pneumatic/hydra pneumatic swing phase control                         |                               |
|            | L5781     | Y  | Y   | Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system             |                               |
|            | L5782     | Y  | Y   | Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system, heavy duty |                               |
|            | L5785     |    | Y   | Addition, exoskeletal system, below knee, ultra-light material (titanium, carbon fiber or equal)                           |                               |

|                   | Procedure |    |     |  | Policy/  |
|-------------------|-----------|----|-----|--|----------|
| <b>Indicators</b> | Code      | PA | Lic | Description  | Comments |
|                   | L5790     |    | Y   | Addition, exoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal)   |          |
|                   | L5795     |    | Y   | Addition, exoskeletal system, hip disarticulation,   |          |
|                   |           |    |     | ultra-light material (titanium carbon fiber or equal)  |          |
|                   | L5810     |    | Y   | Addition, endoskeletal knee-shin system, single axis, manual lock  |          |
|                   | L5811     |    | Y   | Addition, endoskeletal knee-shin system, single axis, manual lock, ultra-light material  |          |
|                   | L5812     |    | Y   | Addition, endoskeletal knee-shin system, single axis,  |          |
|                   |           |    |     | friction swing and stance phase control (safety knee)  |          |
|                   | L5814     | Y  | Y   | Addition, endoskeletal knee-shin system, polycentric, hydraulic swing phase control, mechanical stance phase lock  |          |
|                   | L5816     |    | Y   | Addition, endoskeletal knee-shin system, polycentric, mechanical stance phase lock   |          |
|                   | L5818     |    | Y   | Addition, endoskeletal knee-shin system, polycentric,  |          |
|                   | 1.5000    |    | Y   | friction swing and stance phase control  |          |
|                   | L5822     |    | 1   | Addition, endoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control   |          |
|                   | L5824     |    | Y   | Addition, endoskeletal knee-shin system, single axis, fluid swing phase control  |          |
|                   | L5826     | Y  | Y   | Addition, endoskeletal knee-shin system, single axis, hydraulic swing phase control, with miniature high activity frame  |          |
|                   | L5828     | Y  | Y   | Addition, endoskeletal knee-shin system, single axis, fluid swing and stance phase control   |          |
|                   | L5830     | Y  | Y   | Addition, endoskeletal knee-shin system, single axis, pneumatic/swing phase control  |          |
|                   | L5840     | Y  | Y   | Addition, endoskeletal knee-shin system, 4-bar linkage or multiaxial, pneumatic swing phase control  |          |
| #                 | L5845     |    |     | Addition, endoskeletal knee-shin system, stance flexion feature, adjustable  |          |
|                   | L5848     | Y  | Y   | Addition to, endoskeletal, knee-shin system, hydraulic stance extension, dampening feature, adjustable   |          |
|                   | L5850     |    | Y   | Addition, endoskeletal system, above knee or hip disarticulation, knee extension assist  |          |
|                   | L5855     |    | Y   | Addition, endoskeletal system, hip disarticulation, mechanical hip extension assist  |          |
| #                 | L5856     | Y  | Y   | Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing and stance phase, includes electronic sensor(s), any type |          |
|                   | L5857     | Y  | Y   | Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing phase only, includes electronic sensor(s), any type       |          |

| Code<br>Status | Procedure |    |            |   | Policy/  |
|----------------|-----------|----|------------|---|----------|
| Indicators     |           | PA | Lic        | Description   | Comments |
| #              | L5858     |    |            | Addition to lower extremity prosthesis, endoskeletal  |          |
|                |           |    |            | knee shin system, microprocessor control feature,   |          |
|                |           |    |            | stance phase only, includes electronic sensor(s), any   |          |
|                |           |    |            | type  |          |
|                | L5910     |    | Y          | Addition, endoskeletal system, below knee, alignable  |          |
|                | 1.5020    |    | <b>X</b> 7 | system  |          |
|                | L5920     |    | Y          | Addition, endoskeletal system, above knee or hip  |          |
|                | 1.5025    |    | Y          | disarticulation, alignable system   |          |
|                | L5925     |    | ĭ          | Addition, endoskeletal system, above knee, knee disarticulation or hip disarticulation, manual lock |          |
| #              | L5930     |    |            | Addition, endoskeletal system, high activity knee   |          |
| #              | L3930     |    |            | control frame   |          |
|                | L5940     | Y  | Y          | Addition, endoskeletal system, below knee, ultra-light  |          |
|                | 123710    | 1  | •          | material (titanium, carbon fiber or equal)  |          |
|                | L5950     | Y  | Y          | Addition, endoskeletal system, above knee, ultra-light  |          |
|                |           |    | _          | material (titanium, carbon fiber or equal)  |          |
|                | L5960     | Y  | Y          | Addition, endoskeletal system, hip disarticulation,   |          |
|                |           |    |            | ultra-light material (titanium, carbon fiber or equal)  |          |
|                | L5961     |    |            | Addition, endoskeletal system, polycentric hip joint,   |          |
|                |           |    |            | pneumatic or hydraulic control, rotation control, with  |          |
|                |           |    |            | or without flexion and/or extension control   |          |
|                | L5962     | Y  | Y          | Addition, endoskeletal system, below knee, flexible   |          |
|                |           |    |            | protective outer surface covering system  |          |
|                | L5964     | Y  | Y          | Addition, endoskeletal system, above knee, flexible   |          |
|                | * *0.     |    |            | protective outer surface covering system  |          |
|                | L5966     | Y  | Y          | Addition, endoskeletal system, hip disarticulation,   |          |
|                | 1.5060    | 37 | Y          | flexible protective outer surface covering system   |          |
|                | L5968     | Y  | ĭ          | Addition to lower limb prosthesis, multiaxial ankle with swing phase action dorsiflexion feature    |          |
|                | L5970     | Y  | Y          | All lower extremity prostheses, foot, external keel,  |          |
|                | LSTI      | 1  | 1          | SACH foot   |          |
|                | L5971     | Y  | Y          | All lower extremity prosthesis, solid ankle cushion   |          |
|                |           |    | -          | heel (sach) foot, replacement only  |          |
|                | L5972     |    | Y          | All lower extremity prostheses, flexible keel foot  |          |
|                |           |    |            | (safe, sten, bock dynamic or equal)   |          |
| #              | L5973     |    |            | Endoskeletal ankle foot system, microprocessor  |          |
|                |           |    |            | controlled feature, dorsiflexion  |          |
|                | L5974     |    | Y          | All lower extremity prostheses, foot, single axis   |          |
|                |           |    |            | ankle/foot  |          |
|                | L5975     |    | Y          | All lower extremity prosthesis, combination single  |          |
|                |           |    |            | axis and flexible keel foot   |          |
|                | L5976     |    | Y          | All lower extremity prostheses, energy storing foot   |          |
|                | 1.5050    |    | * 7        | (Seattle carbon copy II or equal)   |          |
|                | L5978     |    | Y          | All lower extremity prostheses, foot, multi-axial   |          |
|                |           |    |            | ankle/foot  |          |

| Code              |           |    |            |  |          |
|-------------------|-----------|----|------------|--|----------|
|                   | Procedure |    |            |  | Policy/  |
| <b>Indicators</b> |           | PA | Lic        | Description  | Comments |
|                   | L5979     | Y  | Y          | All lower extremity prostheses, multi-axial ankle,                                       |          |
|                   |           |    |            | dynamic response foot, one piece system  |          |
|                   | L5980     | Y  | Y          | All lower extremity prostheses, flex-foot system   |          |
|                   | L5981     | Y  | Y          | All lower extremity prostheses, flex-walk system or                                      |          |
|                   | L5982     | Y  | Y          | equal All exoskeletal lower extremity prostheses, axial                                  |          |
|                   | L3962     | 1  | 1          | rotation unit  |          |
|                   | L5984     | Y  | Y          | All endoskeletal lower extremity prostheses, axial                                       |          |
|                   |           |    |            | rotation unit  |          |
|                   | L5985     | Y  | Y          | All endoskeletal lower extremity prostheses, dynamic prosthetic pylon                    |          |
|                   | L5986     | Y  | Y          | All lower extremity prostheses, multi-axial rotation                                     |          |
|                   | L3700     | 1  | 1          | unit (MCP or equal)  |          |
| #                 | L5987     |    |            | All lower extremity prostheses, shank foot system  |          |
|                   |           |    |            | with vertical loading pylon  |          |
|                   | L5988     | Y  | Y          | Addition to lower limb prosthesis, vertical shock  |          |
|                   |           |    |            | reducing pylon feature   |          |
|                   | L5990     | Y  | Y          | Addition to lower extremity prosthesis, user adjustable                                  |          |
|                   | I 5000    | 37 | 37         | heel height  |          |
|                   | L5999     | Y  | Y          | Lower extremity prosthesis, not otherwise specified                                      |          |
|                   | L6000     | Y  | Y          | Partial hand, Robin-Aids, thumb remaining (or equal)                                     |          |
|                   | L6010     | Y  | Y          | Partial hand, Robin-Aids, little and/or ring finger remaining (or equal)                 |          |
|                   | L6020     | Y  | Y          | Partial hand, Robin-Aids, no finger remaining (or  |          |
|                   |           |    |            | equal)   |          |
|                   | L6025     | Y  | Y          | Transcarpal/metacarpal or partial hand disarticulation                                   |          |
|                   |           |    |            | prosthesis, external power, self-suspended, inner  |          |
|                   |           |    |            | socket with removable forearm section, electrodes and                                    |          |
|                   |           |    |            | cables, two batteries, charger, myoelectric control of                                   |          |
|                   |           |    |            | terminal device  |          |
|                   | L6050     |    | Y          | Wrist disarticulation, molded socket, flexible elbow hinges, triceps pad                 |          |
|                   | L6055     | Y  | Y          | Wrist disarticulation, molded socket with expandable                                     |          |
|                   | L0033     | 1  | 1          | interface, flexible elbow hinges, triceps pad  |          |
|                   | L6100     |    | Y          | Below elbow, molded socket, flexible elbow hinge,  |          |
|                   |           |    |            | triceps pad  |          |
|                   | L6110     |    | Y          | Below elbow, molded socket (Muenster or  |          |
|                   |           |    |            | Northwestern suspension types)   |          |
|                   | L6120     | Y  | Y          | Below elbow, molded double wall split socket, step-up                                    |          |
|                   | T (120    | *7 | <b>X</b> 7 | hinges, half cuff  |          |
|                   | L6130     | Y  | Y          | Below elbow, molded double wall split socket, stump                                      |          |
|                   | 1.6200    |    | Y          | activated locking hinge, half cuff Elbow disarticulation, molded socket, outside locking |          |
|                   | L6200     |    | 1          | hinge, forearm   |          |
|                   | L6205     | Y  | Y          | Elbow disarticulation, molded socket with expandable                                     |          |

| Code<br>Status | Procedure |    |     |  | Policy/  |
|----------------|-----------|----|-----|--|----------|
| Indicators     | Code      | PA | Lic | Description  | Comments |
|                |           |    |     | interface, outside locking hinges, forearm   |          |
|                | L6250     |    | Y   | Above elbow, molded double wall socket, internal locking elbow, forearm  |          |
|                | L6300     |    | Y   | Shoulder disarticulation, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm   |          |
|                | L6310     | Y  | Y   | Shoulder disarticulation, passive restoration (complete prosthesis)  |          |
|                | L6320     | Y  | Y   | Shoulder disarticulation, passive restoration (shoulder cap only)  |          |
|                | L6350     | Y  | Y   | Interscapular thoracic, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm   |          |
|                | L6360     | Y  | Y   | Interscapular thoracic, passive restoration (complete prosthesis)  |          |
|                | L6370     | Y  | Y   | Interscapular thoracic, passive restoration (shoulder cap only)  |          |
|                | L6380     |    | Y   | Immediate postsurgical or early fitting, application of initial rigid dressing, including fitting alignment and suspension of components, and one cast change, wrist disarticulation or below elbow              |          |
|                | L6382     |    | Y   | Immediate postsurgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, elbow disarticulation or above elbow               |          |
|                | L6384     |    | Y   | Immediate postsurgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, shoulder disarticulation or interscapular thoracic |          |
|                | L6386     |    | Y   | Immediate postsurgical or early fitting, each additional cast change and realignment   |          |
|                | L6388     |    | Y   | Immediate postsurgical or early fitting, application of rigid dressing only  |          |
|                | L6400     |    | Y   | Below elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping  |          |
|                | L6450     | Y  | Y   | Elbow disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping  |          |
|                | L6500     |    | Y   | Above elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping  |          |
|                | L6550     |    | Y   | Shoulder disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping   |          |
|                | L6570     |    | Y   | Interscapular thoracic, molded socket, endoskeletal system, including soft prosthetic tissue shaping   |          |
|                | L6580     | Y  | Y   | Preparatory, wrist disarticulation or below elbow, single wall plastic socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, Bowden  |          |

| Code                 | _                 |    |        |  |                     |
|----------------------|-------------------|----|--------|--|---------------------|
| Status<br>Indicators | Procedure<br>Code |    | Lic    | Decemention  | Policy/<br>Comments |
| mulcators            | Code              | PA | Lic    | Cable control, USMC or equal pylon, no cover,  | Comments            |
|                      |                   |    |        | molded to patient model  |                     |
|                      | L6582             | Y  | Y      | Preparatory, wrist disarticulation or below elbow,   |                     |
|                      |                   |    |        | single wall socket, friction wrist, flexible elbow   |                     |
|                      |                   |    |        | hinges, figure of eight harness, humeral cuff, Bowden  |                     |
|                      |                   |    |        | cable control, USMC or equal pylon, no cover, direct formed  |                     |
|                      | L6584             | Y  | Y      | Preparatory, elbow disarticulation or above elbow,   |                     |
|                      | D0304             | 1  | •      | single wall plastic socket, friction wrist, locking  |                     |
|                      |                   |    |        | elbow, figure of eight harness, fair lead cable control,   |                     |
|                      |                   |    |        | USMC or equal pylon, no cover, molded to patient   |                     |
|                      | * 5705            |    |        | model  |                     |
|                      | L6586             | Y  | Y      | Preparatory, elbow disarticulation or above elbow,   |                     |
|                      |                   |    |        | single wall socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, USMC or |                     |
|                      |                   |    |        | equal pylon, no cover, direct formed   |                     |
|                      | L6588             | Y  | Y      | Preparatory, shoulder disarticulation or interscapular   |                     |
|                      |                   |    |        | thoracic, single wall plastic socket, shoulder joint,  |                     |
|                      |                   |    |        | locking elbow, friction wrist, chest strap, fair lead  |                     |
|                      |                   |    |        | cable control, USMC or equal pylon, no cover, molded to patient model  |                     |
|                      | L6590             | Y  | Y      | Preparatory, shoulder disarticulation or interscapular   |                     |
|                      | 20270             | •  | •      | thoracic, single wall socket, shoulder joint, locking  |                     |
|                      |                   |    |        | elbow, friction wrist, chest strap, fair lead cable  |                     |
|                      |                   |    |        | control, USMC or equal pylon, no cover, direct   |                     |
|                      | 1.6600            |    | 37     | formed   |                     |
|                      | L6600             |    | Y      | Upper extremity additions, polycentric hinge, pair   |                     |
|                      | L6605<br>L6610    |    | Y<br>Y | Upper extremity additions, single pivot hinge, pair Upper extremity additions, flexible metal hinge, pair    |                     |
|                      | L6611             | Y  | Y      | Addition to upper extremity prosthesis, external   |                     |
|                      | Loom              |    | •      | powered, additional switch, any type   |                     |
|                      | L6615             |    | Y      | Upper extremity addition, disconnect locking wrist   |                     |
|                      |                   |    |        | unit   |                     |
|                      | L6616             |    | Y      | Upper extremity addition, additional disconnect insert   |                     |
|                      | 1.6620            |    | 37     | for locking wrist unit, each   |                     |
|                      | L6620             | Y  | Y      | Upper extremity addition, flexion-friction wrist unit  |                     |
|                      | L6621             | ı  | ĭ      | Upper extremity prosthesis addition, flexion/extension wrist with or without friction, for use with external |                     |
|                      |                   |    |        | powered terminal device  |                     |
|                      | L6623             | Y  | Y      | Upper extremity addition, spring assisted rotational   |                     |
|                      |                   |    |        | wrist unit with latch release  |                     |
|                      | L6624             | Y  | Y      | Upper extremity addition, flexion/extension and  |                     |
|                      | 1.6605            | 17 | 37     | rotation wrist unit  |                     |
|                      | L6625             | Y  | Y      | Upper extremity addition, rotational wrist unit with cable lock  |                     |
|                      | L6628             |    | Y      | Upper extremity addition, quick disconnect hook  |                     |
| <u> </u>             | 20020             | 1  | •      | -Fr  |                     |

| Code                 | _                 |    |     |  |                     |
|----------------------|-------------------|----|-----|--|---------------------|
| Status<br>Indicators | Procedure<br>Code | PA | Lic | Description  | Policy/<br>Comments |
| muicators            | Code              | FA | Lic | adapter, Otto Bock or equal  | Comments            |
|                      | L6629             |    | Y   | Upper extremity addition, quick disconnect lamination  |                     |
|                      | L002)             |    |     | collar with coupling piece, Otto Bock or equal   |                     |
|                      | L6630             |    | Y   | Upper extremity addition, stainless steel, any wrist   |                     |
|                      | L6632             |    | Y   | Upper extremity addition, latex suspension sleeve, each  |                     |
|                      | L6635             |    | Y   | Upper extremity addition, lift assist for elbow  |                     |
|                      | L6637             | Y  | Y   | Upper extremity addition, nudge control elbow lock   |                     |
|                      | L6638             | Y  | Y   | Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered elbow   |                     |
|                      | L6640             | Y  | Y   | Upper extremity additions, shoulder abduction joint, pair  |                     |
|                      | L6641             | Y  | Y   | Upper extremity addition, excursion amplifier, pulley type   |                     |
|                      | L6642             | Y  | Y   | Upper extremity addition, excursion amplifier, lever type  |                     |
|                      | L6645             |    | Y   | Upper extremity addition, shoulder flexion-abduction joint, each   |                     |
|                      | L6646             | Y  | Y   | Upper extremity addition, shoulder joint,<br>multipositional locking, flexion, adjustable abduction<br>friction control, for use with body powered or external<br>powered system |                     |
|                      | L6647             |    | Y   | Upper extremity addition, shoulder lock mechanism, body powered actuator   |                     |
|                      | L6648             | Y  | Y   | Upper extremity addition, shoulder lock mechanism, external powered actuator   |                     |
|                      | L6650             |    | Y   | Upper extremity addition, shoulder universal joint, each   |                     |
|                      | L6655             |    | Y   | Upper extremity addition, standard control cable, extra  |                     |
|                      | L6660             |    | Y   | Upper extremity addition, heavy duty control cable   |                     |
|                      | L6665             |    | Y   | Upper extremity addition, Teflon, or equal, cable lining   |                     |
|                      | L6670             |    | Y   | Upper extremity addition, hook to hand, cable adapter  |                     |
|                      | L6672             |    | Y   | Upper extremity addition, harness, chest or shoulder, saddle type  |                     |
|                      | L6675             |    | Y   | Upper extremity addition, harness, figure of eight type, for single control  |                     |
|                      | L6676             |    | Y   | Upper extremity addition, harness, figure of eight type, for dual control  |                     |
|                      | L6677             | Y  | Y   | Upper extremity addition, harness, triple control, simultaneous operation of terminal device and elbow.  |                     |
|                      | L6680             |    | Y   | Upper extremity addition, test socket, wrist disarticulation or below elbow  |                     |
|                      | L6682             |    | Y   | Upper extremity addition, test socket, elbow   |                     |

| Code<br>Status | Procedure |    |     |   | Policy/  |
|----------------|-----------|----|-----|---|--|
| Indicators     | Code      | PA | Lic | Description   | Comments   |
|                |           |    |     | disarticulation or above elbow  |  |
|                | L6684     |    | Y   | Upper extremity addition, test socket, shoulder   |  |
|                |           |    |     | disarticulation or interscapular thoracic   |  |
|                | L6686     |    | Y   | Upper extremity addition, suction socket  |  |
|                | L6687     |    | Y   | Upper extremity addition, frame type socket, below elbow or wrist disarticulation   |  |
|                | L6688     |    | Y   | Upper extremity addition, frame type socket, above elbow or elbow disarticulation   |  |
|                | L6689     | Y  | Y   | Upper extremity addition, frame type socket, shoulder disarticulation   |  |
|                | L6690     | Y  | Y   | Upper extremity addition, frame type socket, interscapular-thoracic   |  |
|                | L6691     | Y  | Y   | Upper extremity addition, removable insert, each  |  |
|                | L6692     | Y  | Y   | Upper extremity addition, silicone gel insert or equal, each  |  |
|                | L6693     | Y  | Y   | Upper extremity addition, external locking elbow, forearm counterbalance  |  |
|                | L6694     | ¥  | Y   | Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism.  | One per client per year without prior authorization. |
|                | L6695     |    | Y   | Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism   |  |
|                | L6696     | Y  | Y   | Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695)            |  |
|                | L6697     |    | Y   | Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695) |  |
|                | L6698     | Y  | Y   | Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert   |  |
|                | L6700     |    | Y   | Terminal device, hook, Dorrance or equal, model #3  |  |
|                | L6703     | Y  | Y   | Terminal device, passive hand/mitt, any material, any size  |  |
|                | L6704     | Y  | Y   | Terminal device, sport/recreational/work attachment, any material, any size   |  |

| Code                 |                   |         |            |  |                     |
|----------------------|-------------------|---------|------------|--|---------------------|
| Status<br>Indicators | Procedure<br>Code | DA      | Lic        | Description  | Policy/<br>Comments |
| muicators            | L6706             | PA<br>Y | Y          | Description Terminal device, hook, mechanical, voluntary                                     | Comments            |
|                      | L0700             | 1       | 1          | opening, any material, any size, lined or unlined  |                     |
|                      | L6707             | Y       | Y          | Terminal device, hook, mechanical, voluntary closing,  |                     |
|                      | 20707             | -       | •          | any material, any size, lined or unlined   |                     |
|                      | L6708             | Y       | Y          | Terminal device, hand, mechanical, voluntary   |                     |
|                      |                   |         |            | opening, any material, any size  |                     |
|                      | L6709             | Y       | Y          | Terminal device, hand, mechanical, voluntary closing,  |                     |
|                      |                   |         |            | any material, any size   |                     |
|                      | L6711             | Y       | Y          | Terminal device, hook, mechanical, voluntary   |                     |
|                      |                   |         |            | opening, any material, any size, lined or unlined, pediatric.                                |                     |
|                      | L6712             | Y       | Y          | Terminal device, hook, mechanical, voluntary closing,  |                     |
|                      | L0/12             | 1       | 1          | any material, any size, lined or unlined, pediatric.   |                     |
|                      | L6713             | Y       | Y          | Terminal device, hand, mechanical, voluntary   |                     |
|                      | 20,10             |         | -          | opening, any material, any size, pediatric.  |                     |
|                      | L6714             | Y       | Y          | Terminal device, hand, mechanical, voluntary closing,  |                     |
|                      |                   |         |            | any material, any size, pediatric.   |                     |
|                      | L6721             | Y       | Y          | Terminal device, hook or hand, heavy duty,   |                     |
|                      |                   |         |            | mechanical, voluntary opening, any material, any size,                                       |                     |
|                      | 1 (722            | 3.7     | <b>X</b> 7 | lined or unlined.  |                     |
|                      | L6722             | Y       | Y          | Terminal device, hook or hand, heavy duty,   |                     |
|                      |                   |         |            | mechanical, voluntary closing, any material, any size, lined or unlined.                     |                     |
|                      | L6810             | Y       | Y          | Terminal device, pincher tool, Otto Bock or equal  |                     |
|                      | L6881             | Y       | Y          | Automatic grasp feature, addition to upper limb  |                     |
|                      |                   |         |            | prosthetic terminal device   |                     |
|                      | L6882             | Y       | Y          | Microprocessor control feature, addition to upper limb                                       |                     |
|                      |                   |         |            | prosthetic terminal device   |                     |
|                      | T 6000            | * 7     | * 7        |  |                     |
|                      | L6883             | Y       | Y          | Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with |                     |
|                      |                   |         |            | or without external power  |                     |
|                      | L6884             | Y       | Y          | Replacement socket, above elbow disarticulation,   |                     |
|                      |                   |         | _          | molded to patient model, for use with or without   |                     |
|                      |                   |         |            | external power   |                     |
|                      | L6885             | Y       | Y          | Replacement socket, shoulder   |                     |
|                      |                   |         |            | disarticulation/interscapular thoracic, molded to  |                     |
|                      | 1.6000            |         | <b>X</b> 7 | patient model, for use with or without external power  |                     |
|                      | L6890             |         | Y          | Terminal device, glove for above hands, production   |                     |
|                      | L6895             | Y       | Y          | glove Terminal device, glove for above hands, custom glove                                   |                     |
|                      | L6900             | Y       | Y          | Hand restoration (casts, shading and measurements  |                     |
|                      | <b>L</b> 0700     | •       | 1          | included), partial hand, with glove, thumb or one  |                     |
|                      |                   |         |            | finger remaining   |                     |
|                      | L6905             | Y       | Y          | Hand restoration (casts, shading and measurements  |                     |
|                      |                   |         |            | included), partial hand, with glove, multiple fingers  |                     |

| Code<br>Status | Procedure |    |     |  | Policy/  |
|----------------|-----------|----|-----|--|----------|
| Indicators     | Code      | PA | Lic | Description  | Comments |
|                |           |    |     | remaining  |          |
|                | L6910     | Y  | Y   | Hand restoration (casts, shading and measurements included), partial hand, with glove, no fingers remaining  |          |
|                | L6915     | Y  | Y   | Hand restoration (shading and measurements included), replacement glove for above  |          |
|                | L6920     | Y  | Y   | Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device                                     |          |
|                | L6925     | Y  | Y   | Wrist disarticulation, external power, self-suspended<br>inner socket, removable forearm shell, Otto Bock or<br>equal electrodes, cables, two batteries and one<br>charger, myoelectronic control of terminal device                 |          |
|                | L6930     | Y  | Y   | Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device   |          |
|                | L6935     | Y  | Y   | Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device                                    |          |
|                | L6940     | Y  | Y   | Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device            |          |
|                | L6945     | Y  | Y   | Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device |          |
|                | L6950     | Y  | Y   | Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device                      |          |
|                | L6955     | Y  | Y   | Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal, electrodes, cables, two batteries and one charger, myoelectronic control of terminal device          |          |
|                | L6960     | Y  | Y   | Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead,  |          |

| Code       |   |    |            |  |          |
|------------|---|----|------------|--|----------|
|            | Procedure                               |    | т : .      | D  | Policy/  |
| Indicators | Code                                    | PA | Lic        | Description Communication of the Communication of t | Comments |
|            |   |    |            | humeral section, mechanical elbow, forearm, Otto   |          |
|            |   |    |            | Bock or equal switch, cables, two batteries and one charger, switch control of terminal device   |          |
|            | L6965                                   | Y  | Y          | Shoulder disarticulation, external power, molded inner   |          |
|            | L0703                                   | 1  | 1          | socket, removable shoulder shell, shoulder bulkhead,   |          |
|            |   |    |            | humeral section, mechanical elbow, forearm, Otto   |          |
|            |   |    |            | Bock or equal electrodes, cables, two batteries and one  |          |
|            |   |    |            | charger, myoelectronic control of terminal device  |          |
|            | L6970                                   | Y  | Y          | Interscapular-thoracic, external power, molded inner   |          |
|            |   |    |            | socket, removable shoulder shell, shoulder bulkhead,   |          |
|            |   |    |            | humeral section, mechanical elbow, forearm, Otto   |          |
|            |   |    |            | Bock or equal switch, cables, two batteries and one  |          |
|            | * ***                                   |    | •••        | charger, switch control of terminal device   |          |
|            | L6975                                   | Y  | Y          | Interscapular-thoracic, external power, molded inner   |          |
|            |   |    |            | socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto  |          |
|            |   |    |            | Bock or equal electrodes, cables, two batteries and one  |          |
|            |   |    |            | charger, myoelectronic control of terminal device  |          |
|            | L7007                                   | Y  | Y          | Electric hand, switch or myoelectric controlled, adult   |          |
|            | L7008                                   | Y  | Y          | Electric hand, switch or myoelectric, controlled,  |          |
|            |   |    |            | pediatric  |          |
|            | L7009                                   | Y  | Y          | Electric hook, switch or myoelectric controlled, adult   |          |
|            | L7040                                   | Y  | Y          | Prehensile actuator, Hosmer or equal, switch   |          |
|            |   |    |            | controlled   |          |
|            | L7045                                   | Y  | Y          | Electronic hook, child, Michigan or equal, switch  |          |
|            |   |    |            | controlled   |          |
|            | L7170                                   | Y  | Y          | Electronic elbow, Hosmer or equal, switch controlled   |          |
|            | L/1/0                                   | 1  | 1          | Electronic crow, frosinci of equal, switch controlled  |          |
|            | L7180                                   | Y  | Y          | Electronic elbow, Boston, Utah or equal,   |          |
|            |   |    |            | myoelectronically controlled   |          |
|            | L7181                                   | Y  | Y          | Electronic elbow, microprocessor simultaneous  |          |
|            |   |    |            | control of elbow and terminal device   |          |
|            | L7185                                   | Y  | Y          | Electronic elbow, adolescent, Variety Village or equal,  |          |
|            |   |    |            | switch controlled  |          |
|            | L7186                                   | Y  | Y          | Electronic elbow, child, Variety Village or equal,   |          |
|            | I 7100                                  | 37 | <b>3</b> 7 | switch controlled  |          |
|            | L7190                                   | Y  | Y          | Electronic elbow, adolescent, Variety Village or equal, myoelectronically controlled   |          |
|            | L7191                                   | Y  | Y          | Electronic elbow, child, Variety Village or equal,   |          |
|            | L/171                                   | 1  | 1          | myoelectronically controlled   |          |
|            | L7260                                   | Y  | Y          | Electronic wrist rotator, Otto Bock or equal   |          |
|            | L7261                                   | Y  | Y          | Electronic wrist rotator, for Utah arm   |          |
|            | L7266                                   | Y  | Y          | Servo control, Steeper or equal  |          |
|            | L7272                                   | Y  | Y          | Analogue control, UNB or equal   |          |
|            | 111111111111111111111111111111111111111 | *  |            | Time 500 control, of the of equal  |          |

| Code              |           |    |     |  |                                       |
|-------------------|-----------|----|-----|--|---------------------------------------|
|                   | Procedure |    |     |  | Policy/                               |
| <b>Indicators</b> |           | PA | Lic | Description  | Comments                              |
|                   | L7274     | Y  | Y   | Proportional control, 6-12 volt, Liberty, Utah or equal  |                                       |
|                   | L7360     | Y  | Y   | Six volt battery, Otto Bock or equal, each   |                                       |
|                   | L7362     | Y  | Y   | Battery charger, six volt, each.   |                                       |
|                   | L7364     | Y  | Y   | Twelve volt battery, each  |                                       |
|                   | L7366     | Y  | Y   | Battery charger, twelve volt, each.  |                                       |
|                   | L7367     | Y  | Y   | Lithium ion battery, replacement   |                                       |
|                   | L7368     | Y  | Y   | Lithium ion battery charger  |                                       |
|                   | L7400     | Y  | Y   | Addition to upper extremity prosthesis, below elbow/wrist disarticulation, ultralight material (titanium, carbon fiber or equal)               |                                       |
|                   | L7401     | Y  | Y   | Addition to upper extremity prosthesis, above elbow disarticulation, ultralight material (titanium, carbon fiber or equal)                     |                                       |
|                   | L7402     | Y  | Y   | Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, ultralight material (titanium, carbon fiber or equal) |                                       |
|                   | L7403     | Y  | Y   | Addition to upper extremity prosthesis, below elbow/wrist disarticulation, acrylic material  |                                       |
|                   | L7404     | Y  | Y   | Addition to upper extremity prosthesis, above elbow disarticulation, acrylic material  |                                       |
|                   | L7405     | Y  | Y   | Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, acrylic material                                      |                                       |
|                   | L7499     | Y  | Y   | Upper extremity prosthesis, not otherwise specified  |                                       |
| #                 | L7500     | Y  | Y   | Repair of prosthetic device, hourly rate   |                                       |
|                   | L7510     | Y  | Y   | Repair prosthetic device, repair or replace minor parts  |                                       |
|                   | L7520     | Y  | Y   | Repair of prosthetic device, labor component, per 15 minutes   |                                       |
|                   | L7600     | Y  | Y   | Prosthetic donning sleeve, any material, each  |                                       |
| #                 | L7900     |    |     | Vacuum erection system   |                                       |
|                   | L8000     |    | *** | Breast prosthesis, mastectomy bra  |                                       |
|                   | L8001     |    | *** | Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, unilateral  | Not allowed<br>with L8020 or<br>L8030 |
|                   | L8002     |    | *** | Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral   | Not allowed<br>with L8020 or<br>L8030 |
|                   | L8010     |    | *** | Breast prosthesis, mastectomy sleeve   |                                       |
|                   | L8015     |    | *** | External breast prosthesis garment, with mastectomy form, post mastectomy  |                                       |
|                   | L8020     |    | *** | Breast prosthesis, mastectomy form   |                                       |
|                   | L8030     |    | *** | Breast prosthesis, silicone or equal   |                                       |
| #                 | L8035     |    |     | Custom breast prosthesis, post mastectomy, molded to patient model   |                                       |
|                   | L8039     | Y  |     | Breast prosthesis, not otherwise specified   |                                       |

| Code              |           |    |     |  |          |
|-------------------|-----------|----|-----|--|----------|
|                   | Procedure |    |     |  | Policy/  |
| <b>Indicators</b> |           | PA | Lic | Description  | Comments |
| #                 | L8040     |    |     | Nasal prosthesis, provided by a non-physician  |          |
| #                 | L8041     |    |     | Midfacial prosthesis, provided by a non-physician  |          |
| #                 | L8042     |    |     | Orbital prosthesis, provided by a non-physician  |          |
| #                 | L8043     |    |     | Upper facial prosthesis, provided by a non-physician   |          |
| #                 | L8044     |    |     | Hemi-facial prosthesis, provided by a non-physician  |          |
| #                 | L8045     |    |     | Auricular prosthesis, provided by a non-physician  |          |
| #                 | L8046     |    |     | Partial facial prosthesis, provided by a non-physician   |          |
| #                 | L8047     |    |     | Nasal septal prosthesis, provided by a non-physician   |          |
| #                 | L8048     |    |     | Unspecified maxillofacial prosthesis, by report, provided by a non-physician   |          |
| #                 | L8049     |    |     | Repair or modification of maxillofacial prosthesis, labor component, 15 minute increments, provided by a non-physician |          |
|                   | L8300     |    | *** | Truss, single with standard pad  |          |
|                   | L8310     |    | *** | Truss, double with standard pads   |          |
|                   | L8320     |    | *** | Truss, addition to standard pad, water pad   |          |
|                   | L8330     |    | *** | Truss, addition to standard pad, scrotal pad   |          |
|                   | L8400     |    | Y   | Prosthetic sheath, below knee, each  |          |
|                   | L8410     |    | Y   | Prosthetic sheath, above knee, each  |          |
|                   | L8415     |    | Y   | Prosthetic sheath, upper limb, each  |          |
|                   | L8417     |    | Y   | Prosthetic sheath/sock, including a gel cushion layer,   |          |
|                   |           |    |     | below knee or above knee, each   |          |
|                   | L8420     |    | Y   | Prosthetic sock, multiple ply, below knee, each  |          |
|                   | L8430     |    | Y   | Prosthetic sock, multiple ply, above knee, each  |          |
|                   | L8435     |    | Y   | Prosthetic sock, multiple ply, upper limb, each  |          |
|                   | L8440     |    | Y   | Prosthetic shrinker, below knee, each  |          |
|                   | L8460     |    | Y   | Prosthetic shrinker, above knee, each  |          |
|                   | L8465     |    | Y   | Prosthetic shrinker, upper limb, each  |          |
|                   | L8470     |    | Y   | Prosthetic sock, single ply, fitting, below knee, each   |          |
|                   | L8480     |    | Y   | Prosthetic sock, single ply, fitting, above knee, each   |          |
|                   | L8485     |    | Y   | Prosthetic sock, single ply, fitting, upper limb, each   |          |
|                   | L8499     | Y  | Y   | Unlisted procedure for miscellaneous prosthetic services   |          |
| #                 | L8500     |    |     | Artificial larynx, any type  |          |
| #                 | L8501     |    |     | Tracheostomy speaking valve  |          |
| #                 | L8505     |    |     | Artificial larynx replacement battery/accessory, any type  |          |
| #                 | L8507     |    |     | Tracheo-esophageal voice prosthesis, patient inserted, any type, each  |          |
| #                 | L8509     |    |     | Tracheao-esophogeal voice prosthesis, inserted by a licensed health care provider, any type                            |          |
| #                 | L8510     |    |     | Voice amplifier  |          |
| #                 | L8511     |    |     | Insert for indwelling tracheoesophageal prosthesis,  |          |

| Code                                    |           |    |      |   |                   |
|---|-----------|----|------|---|-------------------|
|   | Procedure |    | T ia | Description   | Policy/           |
| Indicators                              | Code      | PA | Lic  | Description   | Comments          |
|   |           |    |      | with or without valve, replacement only, each                           |                   |
| #                                       | L8512     |    |      | Gelatin capsules or equivalent, for use with                            | 1 unit = 10       |
|   |           |    |      | tracheoesophageal voice prosthesis, replacement only,                   | capsules          |
|   |           |    |      | per 10  |                   |
| #                                       | L8513     |    |      | Cleaning device used with tracheoesophageal voice                       |                   |
|   |           |    |      | prosthesis, pipet, brush, or equal, replacement only,                   |                   |
|   |           |    |      | each  |                   |
| #                                       | L8514     |    |      | Tracheoesophageal puncture dilator, replacement                         |                   |
|   |           |    |      | only, each  |                   |
| #                                       | L8515     |    |      | Gelatin capsule, application device for use with                        |                   |
|   |           |    |      | tracheoesophageal voice prosthesis, each                                |                   |
| #                                       | L8600     |    |      | Implantable breast prosthesis, silicone or equal                        |                   |
| #                                       | L8603     |    |      | Injectable bulking agent, collagen implant, urinary                     | 1  unit = 2.5  ml |
|   |           |    |      | tract, per 2.5 ml syringe, includes shipping and                        |                   |
| ш                                       | 1.000     |    |      | necessary supplies Injectable bulking agent, synthetic implant, urinary | 1                 |
| #                                       | L8606     |    |      | tract, 1 ml syringe, includes shipping and necessary                    | 1  unit = 1  ml   |
|   |           |    |      | supplies  |                   |
| #                                       | L8609     |    |      | Artificial cornea   |                   |
| #                                       | L8610     |    |      | Ocular Implant  |                   |
| #                                       | L8612     |    |      | Aqueous shunt   |                   |
| #                                       | L8613     |    |      | Ossicular implant   |                   |
| #                                       | L8614     |    |      | Cochlear device/system  |                   |
| #                                       | L8615     |    |      | Headset/headpiece for use with cochlear implant                         |                   |
|   |           |    |      | device, replacement   |                   |
| #                                       | L8616     |    |      | Microphone for use with cochlear implant device,                        |                   |
|   | ¥ 0 < 4 = |    |      | replacement   |                   |
| #                                       | L8617     |    |      | Transmitting coil for use with cochlear implant device, replacement     |                   |
| #                                       | L8618     |    |      | Transmitter cable for use with cochlear implant                         |                   |
| #                                       | Louio     |    |      | device, replacement   |                   |
| #                                       | L8619     |    |      | Cochlear implant external speech processor,                             |                   |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 2001)     |    |      | replacement   |                   |
| #                                       | L8621     |    |      | Zinc air battery for use with cochlear implant device,                  |                   |
|   |           |    |      | replacement, each   |                   |
| #                                       | L8622     |    |      | Alkaline battery for use with cochlear implant device,                  |                   |
|   |           |    |      | any size, replacement, each   |                   |
| #                                       | L8623     |    |      | Lihium battery for use with cochlear implant device                     |                   |
|   |           |    |      | speech processor, other than ear level, replacement,                    |                   |
| п                                       | 1.0704    |    |      | each  |                   |
| #                                       | L8624     |    |      | Lihium battery for use with cochlear implant device                     |                   |
|   |           |    |      | speech processor, ear level replacement, each                           | <u> </u>          |

| Code              |           |    |     |   |          |
|-------------------|-----------|----|-----|---|----------|
|                   | Procedure |    |     |   | Policy/  |
| <b>Indicators</b> | Code      | PA | Lic | Description   | Comments |
| #                 | L8630     |    |     | Metacarpophalangeal joint implant                       |          |
| #                 | L8631     |    |     | Metacarpal phalangeal joint replacement, two or more    |          |
|                   |           |    |     | pieces, metal(e.g., stainless steel or cobalt chrome),  |          |
|                   |           |    |     | ceramic-like material (e.g., pyrocarbon), for surgical  |          |
|                   |           |    |     | implantation (all sizes, includes entire system)        |          |
| #                 | L8641     |    |     | Metatarsal joint implant                                |          |
| #                 | L8642     |    |     | Hallux implant  |          |
| #                 | L8658     |    |     | Interphalangeal joint implant                           |          |
| #                 | L8659     |    |     | Interphalangeal finger joint replacement, two or more   |          |
|                   |           |    |     | pieces, metal (e.g., stainless steel or cobalt chrome), |          |
|                   |           |    |     | ceramic-like material (e.g., pyrocarbon) for surgical   |          |
|                   |           |    |     | implantation, any size                                  |          |
| #                 | L8670     |    |     | Vascular graft material, synthetic, implant             |          |
| #                 | L8680     |    |     | Implantable neurostimulator electrode, each             |          |
| #                 | L8681     |    |     | Patient programmer (external) for use with              |          |
|                   |           |    |     | implantable programmable neurostimulator pulse          |          |
|                   |           |    |     | generator   |          |
| #                 | L8682     |    |     | Implantable neurostimulator radiofrequency receiver     |          |
| #                 | L8683     |    |     | Radiofrequency transmitter (external) for use with      |          |
|                   |           |    |     | implantable neurostimulator radiofrequency receiver     |          |
| #                 | L8684     |    |     | Radiofrequency transmitter (external) for use with      |          |
|                   |           |    |     | implantable sacral root neurostimulator receiver for    |          |
|                   |           |    |     | bowel and bladder management, replacement               |          |
| #                 | L8685     |    |     | Implantable neurostimulator pulse generator, single     |          |
|                   |           |    |     | array, rechargeable, includes extension                 |          |
| #                 | L8686     |    |     | Implantable neurostimulator pulse generator, single     |          |
|                   |           |    |     | array, non-rechargeable, includes extension             |          |
| #                 | L8687     |    |     | Implantable neurostimulator pulse generator, dual       |          |
|                   |           |    |     | array, rechargeable, includes extension                 |          |
| #                 | L8688     |    |     | Implantable neurostimulator pulse generator, dual       |          |
|                   |           |    |     | array, non-rechargeable, includes extension             |          |
| #                 | L8689     |    |     | External recharging system for implanted                |          |
|                   |           |    |     | neurostimulator, replacement only                       |          |
| #                 | L8690     |    |     | Auditory osseointegrated device, includes all internal  |          |
|                   |           |    |     | and external components                                 |          |
| #                 | L8691     |    |     | Auditory osseointegrated device, external sound         |          |
|                   |           |    |     | processor, replacement                                  |          |
| #                 | L8695     |    |     | External recharging system for battery (external) for   |          |
|                   |           |    |     | use with implantable neurostimulator                    |          |
| #                 | L8699     |    |     | Prosthetic implant, not otherwise specified             |          |
| #                 | L9900     |    |     | Orthotic and prosthetic supply, accessory, and/or       |          |
|                   |           |    |     | service component of another HCPCS L code               |          |
|                   | S1040     |    |     | Cranial remolding orthotic, pediatric, rigid, with soft |          |
| L                 |           |    |     |   |          |

| Code              | D 1       |    |     |   | D.I. /   |
|-------------------|-----------|----|-----|---|----------|
| 10000000          | Procedure |    |     |   | Policy/  |
| <b>Indicators</b> | Code      | PA | Lic | Description   | Comments |
|                   |           |    |     | interface material, custom fabricated, includes fitting |          |
|                   |           |    |     | and adjustment(s)                                       |          |
|                   | V2623     |    |     | Prosthetic eye, plastic, custom                         |          |
|                   | V2624     |    |     | Polishing/resurfacing of ocular prosthesis              |          |
|                   | V2625     |    |     | Enlargement of ocular prosthesis                        |          |
|                   | V2626     |    |     | Reduction of ocular prosthesis                          |          |
|                   | V2627     |    |     | Scleral cover shell                                     |          |
|                   | V2628     |    |     | Fabrication and fitting of ocular conformer             |          |
|                   | V2629     | Y  |     | Prosthetic eye, other type                              |          |

## **Provider Requirements**

# What Is Required from the Agency's P&O Devices Providers?

[Refer to WAC 388-543-1200 [1])

The Agency requires a provider who supplies P&O devices and related supplies and services to an Agency client to meet all of the following. The provider must:

- Have a proper business license;
- Have appropriately trained qualified staff;
- Be certified, licensed, and/or bonded, if required, to perform the services billed to the Agency. Out-of-state P&O providers must meet their state regulatory requirements; and
- Have an Agency core provider agreement.

# Who Does the Agency Reimburse for Providing P&O Devices and Related Supplies and Services to Agency Clients?

[Refer to WAC 388-543-1200 [2])

The Agency may reimburse qualified providers for P&O devices, repairs, and related supplies and services on a fee-for-service (FFS) basis as follows:

- Licensed P&O providers who are licensed by the Washington State Department of Health (DOH) in P&O. This does not apply to medical equipment dealers and pharmacies that do not require licensure to provide selected P&O;
- All HCPCS codes with a "\*\*\*" indicator in the licensure column may be provided by a supplier that has an NPI with a taxonomy of DME or Pharmacy as long as all other licensure requirements have been met.
- Physicians who provide medical equipment and supplies in the physician's office. The Agency may pay separately for medical supplies, subject to the provisions in the Agency Physician's-Related Services (RBRVS) fee schedule; and
- Out-of-state P&O providers who meet their state regulations.

**Note:** The Agency terminates from Medicaid participation any provider who violates program regulations and policies, as described in WAC 388-502-0030. (WAC 388-543-1200 [3])

### **Authorization**

### What Is Prior Authorization?

Prior authorization (PA) is the Agency's approval for certain medical services, equipment, or supplies, before the services are provided to clients, as a precondition for provider reimbursement. Expedited prior authorization (EPA) and limitation extensions (LE) are forms of prior authorization.

### Is Prior Authorization Required? [Refer to WAC 388-543-1600]

**Yes!** The Agency requires PA for certain purchases and repairs of medically necessary P&O devices and related supplies and services. Please refer to the PA column of the *Coverage Table* for items that require PA.

The Agency bases its determination about which P&O devices and related supplies and services require PA or EPA on utilization criteria. The Agency considers all of the following when establishing utilization criteria:

- High cost;
- Potential for utilization abuse;
- Narrow therapeutic indication; and
- Safety.

### **How Do I Request Prior Authorization?**

Call or fax the Agency all requests for prior authorization. (See *Important Contacts*.)

### **General Policies for Prior Authorization**

[Refer to WAC 388-543-1800]

- For PA requests, the Agency requires the prescribing provider to furnish patient-specific justification for base equipment and each requested line item accessory or modification identified as a separate charge. The Agency does not accept general standards of care or industry standards for generalized equipment as justification.
- When the Agency receives an initial request for PA, the prescription(s) for those items or services cannot be older than three months from the date the Agency receives the request.
- All written requests must be submitted on the General Information for Authorization form, DSHS 13-835. This form is available for download at <a href="http://www.dshs.wa.gov/msa/forms/eforms.html">http://www.dshs.wa.gov/msa/forms/eforms.html</a>.
- All written authorization requests must include a valid prescription prescribed by a physician, advanced registered nurse practitioner (ARNP), or physician assistant certified (PAC). Except for dual eligible Medicare/Medicaid clients when Medicare is the primary payer and the Agency is being billed for co-pay and/or deductible only:

The prescriber must use Prescription Form (DSHS 13-794) to write the prescription. The form is available for download at <a href="http://www.dshs.wa.gov/msa/forms/eforms.html">http://www.dshs.wa.gov/msa/forms/eforms.html</a>. The prescription (DSHS 13-794) must:

- ✓ Be signed and dated by the prescriber;
- ✓ Be no older than one year from the date the prescriber signs the prescription; and
- State the specific item or service requested, diagnosis, estimated length of need (weeks, months, or years), and quantity.

**Note:** The Agency implemented the requirement of the prescription form for all new prescriptions effective March 1, 2008.

#### Also note for prescriptions:

- ✓ Prescriber's signature must have credentials and currently we do not accept stamped or electronic signatures.
- ✓ Should be legible.
- ✓ The signature date is the valid date of the prescription.
- ✓ For a new request prescriptions can be no older than 90 days.
- ✓ For extensions prescription must be less than 1 year old.

• All forms must be complete (no blanks) and must be signed by the clinician to include their credentials.

**Note:** These forms can be downloaded from the Agency 's Electronic Forms Website at: http://www.dshs.wa.gov/msa/forms/eforms.html.

- If a letter of medical necessity is obtained for the services provided please remember:
  - ✓ The letter must be signed and dated by the clinician (to include credentials).
  - ✓ If using chart notes, they must be signed and dated by the clinician (to include credentials).
  - The letter should include client specific justification for the service and all related accessories/items.
  - ✓ The RX must be dated prior to LMN and/or chart notes used as a LMN.
  - ✓ Should be documentation of tried and failed less costly alternatives.
- The Agency requires certain information from providers to prior authorize the purchase of equipment. This information includes, but is not limited to, the following:
  - ✓ A detailed description of the item; and
  - ✓ Any modifications required, including the product or accessory number as shown in the manufacturer's catalog.
- The Agency prior authorizes By Report (BR) items that require PA and are listed in the *Coverage Table* only if medical necessity is established and the provider furnishes all of the following information to the Agency:
  - ✓ A detailed description of the item or service to be provided;
  - ✓ The cost or charge for the item;
  - ✓ A copy of the manufacturer's invoice, price-list or catalog with the product description for the item being provided; and
  - ✓ A detailed explanation of how the requested item differs from an already existing code description.
- The Agency does not reimburse for purchase or repair of medical equipment that duplicates equipment the client already owns. If the provider makes such a request, the Agency requires the provider to submit a PA request and explain the following:
  - ✓ Why the existing equipment no longer meets the client's medical needs; or
  - ✓ Why the existing equipment could not be repaired or modified to meet those medical needs.

- A provider may resubmit a request for PA for an item or service that the Agency has denied. The Agency requires the provider to include new documentation that is relevant to the request.
- The Agency prior authorizes extensive maintenance that the manufacturer recommends be performed by an authorized dealer. The Agency requires the client to take responsibility for routine maintenance of a prosthetic or orthotic. If the client does not have the physical or mental ability to perform the task, the Agency requires the client's caregiver to be responsible. [WAC 388-543-2600 (4)]
- Authorizations are valid:
  - ✓ For written requests = 3 months from the date of approval, then an extension must be requested.
  - ✓ For telephonic requests = 1 month from the date of approval, unless otherwise specified.

### What Is Expedited Prior Authorization?

Vendors are reminded that EPA numbers are only for those products listed on the following pages. EPA numbers are not valid for:

- P&O devices requiring prior authorization through the P&O Devices program;
- Products for which the documented medical condition does not meet all of the specified EPA criteria; or
- Over-limitation requests.

The written or telephonic request for prior authorization process must be used when a situation does not meet the criteria for a selected P&O code. Providers must submit the request to the DME authorization Unit or call for authorization.

**Note:** For more information on requesting authorization, See the Agency *ProviderOne Billing and Resource Guide* at:

http://hrsa.dshs.wa.gov/download/ProviderOne\_Billing\_and\_Resource\_Guide.html.

### **EPA Criteria Coding Table**

### **Prosthetics**

| Procedure      | EPA  |   |   |
|----------------|------|---|---|
| Code           | Code | Description   | Criteria  |
| L5683<br>L5681 | 787  | Addition to lower extremity, below knee/above knee, socket insert, suction suspension with or without locking mechanism | Initial purchase of one (1) L5683 and L5681 per initial, lower extremity prosthesis (one to wash, one to wear) allowed per 12-month period if any of the following criteria are met:  1) Short residual limb;  2) Diabetic; or  3) History of skin problems/open sores on stump   |
|                |      |   | <ol> <li>Note:         <ol> <li>If the medical condition does not meet one of the above specified criteria, you must obtain prior authorization by submitting a request in writing to QUS (see Important Contacts) or by calling the authorization toll-free number at 1-800-292-8064.</li> </ol> </li> <li>This EPA is allowed only one time per client, per 12-month period. It is the provider's responsibility to determine whether the EPA has been used for the client within 12 months prior to the provider's proposed date of service.</li> <li>EPA is for initial purchase only. It is not to be used for replacements of existing products.</li> </ol> |

### **Orthotics**

| Procedure | E+PA |  |   |
|-----------|------|--|---|
| Code      | Code | Description  | Criteria  |
| L3030     | 780  | Foot insert,<br>removable, formed<br>to patient foot | One (1) pair allowed in a 12-month period if one of the following criteria is met:  1) Severe arthritis with pain;  |
|           |      |  | 2) Flat feet or pes planus with pain;   |
|           |      |  | <ul><li>3) Valgus or varus deformity with pain;</li><li>4) Plantar fasciitis with pain; or</li></ul>  |
|           |      |  | 5) Pronation.   |
|           |      |  | Note:   |
|           |      |  | <ol> <li>If the medical condition does not meet one of the above specified criteria, you must obtain prior authorization by submitting a request in writing to QUS (see Important Contacts) or by calling the authorization toll-free number at 1-800-292-8064.</li> <li>This EPA is allowed only one time per client, per 12-month period. It is the provider's responsibility to determine whether the EPA has been used for the client within 12 months prior to the provider's proposed date of service.</li> </ol> |
| L3310     | 781  | Lift, elevation, heel                                | For a client with a leg length discrepancy,   |
| L3320     |      | & sole, per inch                                     | allowed for as many inches as required (must be   |
|           |      |  | at least one inch), on one shoe per 12-month period.  |

| Procedure | E+PA |                                 |   |
|-----------|------|---------------------------------|---|
| Code      | Code | Description                     | Criteria  |
| L3334     | 782  | Lift, elevation, heel, per inch | Allowed for as many inches as required (has to be at least one inch), for a client with a leg length discrepancy, on one shoe per 12-month period.  |
|           |      |                                 | Note:   |
|           |      |                                 | <ol> <li>Lift is covered per inch, for no less than one (1) inch, for one shoe.         For example: It is medically necessary for a client to have a two (2) inch lift for the left heel. Bill two units of L3334 using EPA # 870000782.     </li> <li>If the medical condition does not meet the above specified criteria, you must obtain prior authorization by submitting a request in writing to QUS (see Important Contacts) or by calling the authorization toll-free number at 1-800-292-8064.</li> <li>This EPA is allowed only one time per client, per 12-month period. It is the provider's responsibility to determine whether the EPA has been used for the client within 12 months prior to the provider's proposed date of service.</li> </ol> |

| F+PA |   |  |
|------|---|--|
|      | Description   | Criteria   |
| 784  | Foot insert,<br>removable, molded<br>to patient model,<br>"UCB" type,<br>Berkeley Shell, each | Purchase of one (1) pair per 12-month period for a client 16 years of age or younger allowed if any of the following criteria are met:  1) Required to prevent or correct pronation;  2) Required to promote proper foot alignment due to pronation; or  3) For ankle stability as required due to an existing medical condition such as hypotonia, Cerebral Palsy, etc.   |
|      |   | Note:  |
|      |   | <ol> <li>If the medical condition does not meet one of the above specified criteria, you must obtain prior authorization by submitting a request in writing to QUS (see <i>Important Contacts</i>) or by calling the authorization toll-free number at 800.292.8064.</li> <li>This EPA is allowed only one time per client, per 12-month period. It is the provider's responsibility to determine whether the EPA has been used for the client within 12 months prior to the provider's proposed date of service.</li> <li>If the client only medically requires one orthotic, right or left, prior authorization must be obtained.</li> </ol> |
|      | E+PA<br>Code<br>784   | Code Description  784 Foot insert, removable, molded to patient model, "UCB" type,   |

| Procedure      | E+PA |  |  |
|----------------|------|--|--|
| Code           | Code | Description  | Criteria   |
| L3215<br>L3219 | 785  | Orthopedic footwear, woman's or man's shoes, oxford. | Purchase of one (1) pair per 12-month period allowed if any of the following criteria are met:  1) When one or both shoes are attached to a brace;  2) When one or both shoes are required to accommodate a brace with the exception of L3030 foot inserts;  3) To accommodate a partial foot prosthesis; or  4) To accommodate club foot.   |
|                |      |  | Note:  |
|                |      |  | <ol> <li>MPA does not allow orthopedic footwear for the following reasons:         <ul> <li>a) To accommodate L3030 orthotics;</li> <li>b) Bunions;</li> <li>c) Hammer toes;</li> <li>d) Size difference (mismatched shoes); or</li> <li>e) Abnormal sized foot.</li> </ul> </li> <li>MPA only allows the following manufacturers of Orthopedic:         <ul> <li>a) Acor;</li> <li>b) Alden Shoe Company;</li> <ul> <li>c) Jerry Miller;</li> <li>d) Markell;</li> <li>e) P.W. Minor;</li> <li>f) Walkin-Comfort; and</li> <li>g) Hanger.</li> </ul> </ul></li> <li>If the medical condition does not meet one of the above specified criteria, you must obtain prior authorization by submitting a request in writing to QUS (see Important Contacts) or by calling the authorization toll-free number at 800.292.8064.</li> <li>EPA is allowed only one time per client, per 12-month period. It is the provider's responsibility to determine whether the client has already used all EPA in the period allowed under the EPA criteria.</li> </ol> |

| Procedure     | E+PA            | -   |  |
|---------------|-----------------|---|--|
| Code<br>L1945 | <b>Code</b> 786 | <b>Description</b> AFO, molded to   | Criteria  Purchase of one per limb allowed per 12 month  |
| L1943         | 780             | patient model,<br>plastic, rigid anterior<br>tibial section (floor<br>reaction) | Purchase of one per limb allowed per 12-month period if all of the following criteria are met:  1) Client is 16 years old or younger; and 2) Required due to a medical condition causing crouched gait.  |
|               |                 |   | Note:  |
|               |                 |   | <ol> <li>If the medical condition does not meet one of the above specified criteria, you must obtain prior authorization by submitting a request in writing to QUS (see Important Contacts) or by calling the authorization toll-free number at 1-800-292-8064.</li> <li>EPA is allowed only one time per client, per 12-month period. It is the provider's responsibility to determine whether the client has already used all EPA in the period allowed under the EPA criteria.</li> </ol> |

### Reimbursement

# General Reimbursement for P&O Devices and Related Supplies and Services [Refer to WAC 388-543-1400 and 388-543-2700]

- The Agency reimburses a qualified provider who serves a client who is not enrolled in an Agency-contracted managed care plan only when all of the following apply:
  - ✓ The provider meets all of the conditions in WAC 388-502-0100; and
  - ✓ The Agency does not include the item/service for which the provider is requesting reimbursement in other reimbursement rate methodologies. Other methodologies include, but are not limited to, the following:
    - ► Hospice providers' per diem reimbursement;
    - Hospital's diagnosis related group (DRG) reimbursement;
    - Managed care plans' capitation rate; and
    - Nursing facilities' per diem rate.
- A provider must not bill the Agency for the purchase of equipment supplied to the provider at no cost by suppliers/manufacturers.
- Reimbursement for P&O devices is limited to HCPCS/National Codes with the same level of coverage as Medicare.
- The Agency may adopt policies, procedure codes, and/or rates that are different than those set by Medicare, if the Agency determines that such actions are in the best interest of its clients.
- The Agency may pay for medical services rendered to a client only when the Agency is the payer of last resort.
- The Agency's maximum payment for medical equipment and supplies is the lesser of either of the following:
  - ✓ Provider's usual and customary charge; or
  - ✓ Established rates, unless the client is eligible for both Medicare and Medicaid.
- The Agency determines reimbursement for P&O devices according to a set fee schedule. The Agency considers Medicare's current fee schedule when determining maximum allowable fees. For By Report (BR) codes, the Agency reimburses 85% of the agreed upon fee.

- The Agency sets maximum allowable fees for P&O devices and related supplies and services using available published information, such as:
  - ✓ Commercial databases for price comparisons;
  - ✓ Manufacturers' catalogs;
  - ✓ Medicare fee schedules; and
  - ✓ Wholesale prices.
- The Agency evaluates and updates the maximum allowable fees for P&O devices at least once per year, independent of scheduled legislatively authorized vendor rate increases. Rates remain effective until the next rate change.

### **Specific Reimbursement for P&O Devices**

[Refer to WAC 388-543-2700]

- The Agency's reimbursement for a P&O device includes the cost of any necessary molds.
- The Agency's hospital reimbursement rate includes any P&O devices required for surgery and/or placed during the hospital stay.
- Reimbursement for gender dysphoria surgery includes payment for all related prosthetics and supplies.

### **Purchased P&O Devices and Related Supplies**

[Refer to WAC 388-543-1500]

- P&O devices and related supplies that the Agency purchases for a client are the client's property. The Agency reimbursement for covered P&O devices and related supplies includes all of the following:
  - Any adjustments or modifications to the equipment that are required within three months of the date of delivery. This does not apply to adjustments required because of changes in the client's medical condition;
  - ✓ Fitting and set-up; and
  - ✓ Instruction to the client or client's caregiver in the appropriate use of the equipment, device, and/or supplies.
- The Agency requires a provider to furnish to the Agency clients only new equipment that includes full manufacturer and dealer warranties.

- The Agency charges the dispensing provider for any costs it incurs to have another provider repair equipment if all of the following apply:
  - ✓ The dispensing provider is unwilling or unable to fulfill the warranty; and
  - ✓ The client still needs the equipment.
- The Agency rescinds purchase orders for the following reasons:
  - ✓ If the equipment was not delivered to the client before the client:
    - Dies:
    - Loses medical eligibility;
    - Becomes covered by a hospice agency; or
    - Becomes covered by an Agency managed care plan.
  - A provider may incur extra costs for customized equipment that may not be easily resold. In these cases, for purchase orders rescinded per the stipulations listed above, the Agency may pay the provider an amount it considers appropriate to help defray these extra costs. The Agency requires the provider to submit justification sufficient to support such a claim.
  - ✓ A client may become a managed care plan client before the Agency completes the purchase of prescribed medical equipment. If this occurs:
    - The Agency rescinds the purchase order until the managed care primary care provider (PCP) evaluates the client; then
    - The Agency requires the PCP to write a new prescription if the PCP determines the equipment is still medically necessary (see *Definitions & Abbreviations*); then
    - The managed care plan's applicable reimbursement policies apply to the purchase or rental of the equipment.

**Note:** P&O devices placed during an inpatient hospital stay **are** included in the hospital reimbursement rate. The Agency does **not** reimburse separately under these circumstances.

### **Fee Schedule**

You may view The Agency Prosthetic and Orthotic Devices Fee Schedule on-line at: <a href="http://hrsa.dshs.wa.gov/RBRVS/Index.html#p">http://hrsa.dshs.wa.gov/RBRVS/Index.html#p</a>

# **Billing and Claim Forms**

### What Are the General Billing Requirements?

Providers must follow the Agency *ProviderOne Billing and Resource Guide* at <a href="http://hrsa.dshs.wa.gov/download/ProviderOne\_Billing and Resource Guide.html">http://hrsa.dshs.wa.gov/download/ProviderOne\_Billing and Resource Guide.html</a>. These billing requirements include, but are not limited to:

- Time limits for submitting and resubmitting claims and adjustments;
- What fee to bill the Agency for eligible clients;
- When providers may bill a client;
- How to bill for services provided to primary care case management (PCCM) clients;
- Billing for clients eligible for both Medicare and Medicaid;
- Third-party liability; and
- Record keeping requirements.

### **Completing the CMS-1500 Claim Form**

**Note:** Refer to the Agency *ProviderOne Billing and Resource Guide* at <a href="http://hrsa.dshs.wa.gov/download/ProviderOne\_Billing\_and\_Resource\_Guide.html">http://hrsa.dshs.wa.gov/download/ProviderOne\_Billing\_and\_Resource\_Guide.html</a> for general instructions on completing the CMS-1500 Claim Form.

The following CMS-1500 Claim Form instructions relate to P&O Devices providers:

| Field | NI               |  | IP4                      |  |
|-------|------------------|--|--------------------------|--|
| No.   | Name             | Entry  |                          |  |
| 24B   | Place of Service | These are the only appropriate code(s) for this billing instruction: |                          |  |
|       |                  | <u>Code</u>  | To Be Used For           |  |
|       |                  | 12   | Client's residence       |  |
|       |                  | 13   | Assisted living facility |  |
|       |                  | 32   | Nursing facility         |  |
|       |                  | 31   | Skilled nursing facility |  |
|       |                  | 99   | Other                    |  |

# How Do I Submit Professional Services on a CMS-1500 Claim Form for Medicare Crossovers?

For services paid for, and/or applied to, the deductible by Medicare:

- Medicare should forward the claim to the Agency. If the claim is not received by the Agency, please resolve that issue prior to billing a paper claim to reduce the possibility of claim denial and the need to resubmit.
- Complete the claim form as if billing for a non-Medicare client.
- Always attach the Medicare Explanation of Medicare Benefits (EOMB).
- Do not indicate any payment made by Medicare in field 29. Enter only payments made by non-Medicare, third-party payers (e.g., Blue Cross) in field 29 and attach the Explanation of Benefits (EOB).

**Note:** If Medicare allowed/paid on some services and denied other services, the allowed/paid services must be billed on a different claim than the denied services.

**Exception:** When billing crossover claims for Indian Health Services, follow the instructions in the Agency's current *Tribal Health Program Billing Instructions*.

### What Does the Agency Require from the Provider-Generated EOMB to Process a Crossover Claim?

#### Header-level information on the EOMB must include all the following:

- "Medicare" as the identified payer;
- The Medicare claim paid or process date;
- The client's name (if not in the column level);
- Medicare Reason codes; and
- Text in font size 12 or greater.

#### Column-level labels on the EOMB for the 1500 Claim Form must include all the following:

- Client's name;
- Date of service;
- Number of service units (whole number) (NOS);
- Procedure ode (PROC);
- Modifiers (MODS);
- Billed amount;
- Allowed amount;
- Deductible;
- Amount paid by Medicare (PROV PD);
- Medicare Adjustment reason codes and remark codes; and
- Text in font size 12.