

Legend:

- ▲ Measure result is statistically significant above prior year (p < 0.05)
- ▼ Measure result is statistically significant below prior year (p < 0.05)

	Can report benchmark
	Rotated measures*

\*In March 2020, NCQA recognized that COVID-19 would likely impact plans' ability to collect medical record data due to travel bans, quarantines, and efforts to minimize risk to staff.

Therefore, NCQA allowed Medicaid plans participating in HEDIS reporting the option of submitting 2019 rates for their hybrid measures ("rotated measures").

\*\*2020 performance indicates whether a measure is statistically different than national benchmarks.

†Rates suppressed when the denominator is less than 30.

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
Adult BMI Assessment (ABA)	Statewide	89.0%	90.9%	91.5%	At 50th
	AMG	92.2%	97.0%	97.0%	At 75th
	CCW	83.0%	85.2%	85.2%	Below 50th
	CHPW	91.3%	88.4%	87.5%	At 50th
	MHW	92.9%	93.2%	93.4%	At 50th
	UHC	78.7%	87.5%	90.8%	At 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), BMI Percentile, 3-11 Years	Statewide	71.4%	72.8%	73.9%	Below 50th
	AMG	65.9%	73.4%	73.4%	Below 50th
	CCW	61.6%	64.3%	66.3%	Below 50th
	CHPW	78.5%	79.4%	76.4%	At 50th
	MHW	74.3%	76.6%	76.6%	At 50th
	UHC	60.1%	54.9%	64.9%	Below 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), BMI Percentile, 12-17 Years	Statewide	70.0%	71.2%	71.7%	Below 50th
	AMG	54.0%	71.3%	71.3%	Below 50th
	CCW	61.4%	52.1%	60.0%	Below 50th
	CHPW	80.5%	69.5%	78.3%	At 50th
	MHW	72.1%	79.7%	73.7%	At 50th
	UHC	58.5%	55.8%	63.7%	Below 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), BMI Percentile, Total	Statewide	70.8%	72.2%	73.1%	Below 50th
	AMG	61.6%	72.7%	72.7%	Below 50th
	CCW	61.6%	60.1%	64.0%	Below 50th
	CHPW	79.2%	75.7%	77.1%	At 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	73.5%	77.6%	75.7%	Below 50th
	UHC	59.6%	55.2%	64.5%	Below 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), Nutrition Counseling, 3-11 Years	Statewide	65.6%	62.8%	64.8%	Below 50th
	AMG	66.3%	62.8%	<b>62.8%</b>	Below 50th
	CCW	66.3%	70.3%	76.6%	At 50th
	CHPW	73.3%	69.5%	64.1%	Below 50th
	MHW	63.4%	60.1%	62.8%	Below 50th
	UHC	61.2%	56.0%	60.5%	Below 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), Nutrition Counseling, 12-17 Years	Statewide	58.1%	60.0%	59.2%	Below 50th
	AMG	48.7%	55.8%	<b>55.8%</b>	Below 50th
	CCW	60.6%	62.0%	59.3%	Below 50th
	CHPW	68.4%	64.9%	60.8%	Below 50th
	MHW	55.8%	58.6%	59.1%	Below 50th
	UHC	50.4%	57.2%	57.8%	Below 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), Nutrition Counseling, Total	Statewide	62.9%	61.8%	62.8%	Below 50th
	AMG	59.9%	60.6%	<b>60.6%</b>	Below 50th
	CCW	64.5%	67.4%	70.3%	At 50th
	CHPW	71.6%	67.8%	62.9%	Below 50th
	MHW	60.6%	59.6%	61.6%	Below 50th
	UHC	57.7%	56.4%	59.6%	Below 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), Physical Activity Counseling, 3-11 Years	Statewide	56.2%	55.3%	58.0%	Below 50th
	AMG	54.4%	52.8%	<b>52.8%</b>	Below 50th
	CCW	58.1%	64.3%	69.3%	At 50th
	CHPW	67.3%	66.4%	61.2%	At 50th
	MHW	54.1%	52.2%	56.2%	Below 50th
	UHC	45.3%	43.2%	48.9%	Below 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC), Physical Activity Counseling, 12-17 Years	Statewide	60.9%	61.9%	59.9%	Below 50th
	AMG	56.0%	57.4%	<b>57.4%</b>	Below 50th
	CCW	66.7%	65.5%	62.0%	Below 50th
	CHPW	74.4%	68.7%	67.1%	At 50th
	MHW	56.5%	59.4%	56.9%	Below 50th
	UHC	50.4%	60.1%	61.5%	Below 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for	Statewide	57.8%	57.5%	58.6%	Below 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
Children/Adolescents (WCC), Physical Activity Counseling, Total	AMG	55.0%	54.3%	<b>54.3%</b>	Below 50th
	CCW	60.8%	64.7%	66.7%	At 50th
	CHPW	69.8%	67.2%	63.4%	At 50th
	MHW	55.0%	54.5%	56.4%	Below 50th
	UHC	47.0%	48.9%	53.0%	Below 50th
Childhood Immunization Status (CIS), DTaP	Statewide	73.9%	76.9% ▲	77.7%	At 50th
	AMG	75.7%	73.5%	75.2%	At 50th
	CCW	82.7%	78.8%	84.9%	At 75th
	CHPW	73.7%	76.9%	76.4%	At 50th
	MHW	70.6%	76.6% ▲	<b>76.6%</b>	At 50th
	UHC	74.9%	77.6%	<b>77.6%</b>	At 50th
Childhood Immunization Status (CIS), IPV	Statewide	86.6%	88.9% ▲	89.2%	At 50th
	AMG	86.6%	87.8%	87.8%	At 50th
	CCW	93.4%	91.7%	94.2%	At 75th
	CHPW	88.6%	89.1%	89.3%	At 50th
	MHW	84.3%	88.1%	<b>88.1%</b>	At 50th
	UHC	84.4%	89.5%	<b>89.5%</b>	At 50th
Childhood Immunization Status (CIS), MMR	Statewide	85.7%	87.3% ▲	87.8%	At 50th
	AMG	86.9%	85.6%	87.6%	At 50th
	CCW	92.0%	91.0%	94.2%	At 75th
	CHPW	86.4%	88.1%	88.6%	At 50th
	MHW	83.5%	85.6%	<b>85.6%</b>	Below 50th
	UHC	84.9%	89.3%	<b>89.3%</b>	At 50th
Childhood Immunization Status (CIS), Hib	Statewide	86.3%	88.2% ▲	88.4%	At 50th
	AMG	86.4%	86.6%	86.6%	At 50th
	CCW	92.7%	91.0%	92.9%	At 75th
	CHPW	88.1%	87.8%	88.6%	At 50th
	MHW	84.1%	87.6%	<b>87.6%</b>	At 50th
	UHC	84.2%	88.3%	<b>88.3%</b>	At 50th
Childhood Immunization Status (CIS), Hepatitis B	Statewide	86.9%	88.3% ▲	88.0%	At 50th
	AMG	88.6%	88.3%	86.6%	Below 50th
	CCW	93.4%	92.7%	92.9%	At 75th
	CHPW	89.5%	90.3%	89.3%	At 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	84.0%	86.6%	<b>86.6%</b>	Below 50th
	UHC	85.6%	87.8%	<b>87.8%</b>	At 50th
Childhood Immunization Status (CIS), VZV	Statewide	84.8%	86.5% ▲	87.1%	At 50th
	AMG	85.9%	84.2%	85.9%	At 50th
	CCW	91.0%	89.8%	93.2%	At 75th
	CHPW	85.9%	87.6%	88.6%	At 50th
	MHW	82.4%	85.2%	<b>85.2%</b>	Below 50th
	UHC	84.4%	88.3%	<b>88.3%</b>	At 50th
Childhood Immunization Status (CIS), Pneumococcal	Statewide	74.3%	76.8% ▲	77.6%	At 50th
	AMG	75.9%	74.5%	75.7%	At 50th
	CCW	80.8%	80.3%	84.7%	At 75th
	CHPW	75.9%	76.4%	78.1%	At 50th
	MHW	71.5%	75.7%	<b>75.7%</b>	At 50th
	UHC	74.2%	79.3%	<b>79.3%</b>	At 50th
Childhood Immunization Status (CIS), Hepatitis A	Statewide	79.9%	83.1% ▲	83.7%	At 50th
	AMG	79.6%	82.0%	83.7%	At 50th
	CCW	87.8%	88.1%	91.5%	At 75th
	CHPW	82.7%	84.4%	85.9%	At 50th
	MHW	76.9%	80.8%	<b>80.8%</b>	Below 50th
	UHC	78.6%	85.4%	<b>85.4%</b>	At 50th
Childhood Immunization Status (CIS), Rotavirus	Statewide	67.7%	68.5% ▲	69.3%	At 50th
	AMG	72.7%	69.8%	71.5%	At 50th
	CCW	71.3%	72.5%	79.3%	At 75th
	CHPW	67.6%	72.7%	72.0%	At 50th
	MHW	65.7%	65.0%	<b>65.0%</b>	Below 50th
	UHC	68.1%	72.5%	<b>72.5%</b>	At 50th
Childhood Immunization Status (CIS), Influenza	Statewide	50.7%	55.4% ▲	55.3%	At 75th
	AMG	50.4%	53.3%	54.7%	At 75th
	CCW	59.6%	60.6%	67.4%	Above 75th
	CHPW	52.8%	62.3%	56.0%	At 75th
	MHW	47.1%	52.1%	<b>52.1%</b>	At 50th
	UHC	50.9%	55.7%	<b>55.7%</b>	At 75th
Childhood Immunization Status (CIS), Combo 2	Statewide	70.5%	73.2% ▲	74.0%	At 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	AMG	71.8%	69.8%	71.5%	At 50th
	CCW	81.0%	77.1%	82.2%	Above 75th
	CHPW	72.3%	74.2%	74.7%	At 50th
	MHW	65.9%	72.0% ▲	<b>72.0%</b>	At 50th
	UHC	72.3%	74.5%	<b>74.5%</b>	At 50th
Childhood Immunization Status (CIS), Combo 3	Statewide	66.9%	70.0% ▲	70.7%	At 50th
	AMG	69.1%	66.7%	68.9%	At 50th
	CCW	75.9%	75.2%	78.8%	At 75th
	CHPW	69.6%	70.6%	72.0%	At 50th
	MHW	62.5%	68.6% ▲	<b>68.6%</b>	At 50th
	UHC	68.6%	71.0%	<b>71.0%</b>	At 50th
Childhood Immunization Status (CIS), Combo 4	Statewide	65.1%	67.8% ▲	68.9%	At 50th
	AMG	65.9%	64.7%	68.1%	At 50th
	CCW	74.9%	73.7%	78.6%	Above 75th
	CHPW	68.1%	69.3%	71.5%	At 50th
	MHW	60.5%	65.7%	<b>65.7%</b>	At 50th
	UHC	66.4%	69.6%	<b>69.6%</b>	At 50th
Childhood Immunization Status (CIS), Combo 5	Statewide	57.2%	59.6% ▲	60.7%	At 50th
	AMG	60.6%	58.4%	62.0%	At 50th
	CCW	63.5%	63.5%	70.1%	At 75th
	CHPW	59.1%	62.8%	63.7%	At 50th
	MHW	53.8%	56.7%	<b>56.7%</b>	At 50th
	UHC	57.9%	63.5%	<b>63.5%</b>	At 50th
Childhood Immunization Status (CIS), Combo 6	Statewide	43.9%	47.7% ▲	47.8%	At 75th
	AMG	44.5%	44.5%	48.7%	At 75th
	CCW	53.5%	54.0%	60.1%	Above 75th
	CHPW	45.7%	53.5%	47.7%	At 50th
	MHW	39.9%	44.5%	<b>44.5%</b>	At 50th
	UHC	45.3%	48.4%	<b>48.4%</b>	At 75th
Childhood Immunization Status (CIS), Combo 7	Statewide	56.1%	58.3% ▲	59.7%	At 75th
	AMG	59.1%	57.2%	61.8%	At 50th
	CCW	62.8%	62.5%	69.8%	Above 75th
	CHPW	58.9%	61.6%	63.3%	At 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	52.5%	55.2%	<b>55.2%</b>	At 50th
	UHC	56.2%	62.3%	<b>62.3%</b>	At 50th
Childhood Immunization Status (CIS), Combo 8	Statewide	43.2%	47.2% ▲	47.5%	At 75th
	AMG	43.3%	43.3%	48.7%	At 75th
	CCW	53.0%	53.8%	59.9%	Above 75th
	CHPW	45.7%	52.8%	47.4%	At 75th
	MHW	39.1%	44.0%	<b>44.0%</b>	At 50th
	UHC	44.0%	47.9%	<b>47.9%</b>	At 75th
Childhood Immunization Status (CIS), Combo 9	Statewide	38.6%	42.1% ▲	42.5%	At 75th
	AMG	39.2%	39.4%	45.3%	At 75th
	CCW	45.3%	47.2%	54.3%	Above 75th
	CHPW	40.9%	48.4%	43.1%	At 75th
	MHW	35.6%	38.4%	<b>38.4%</b>	At 50th
	UHC	38.7%	44.8%	<b>44.8%</b>	At 75th
Childhood Immunization Status (CIS), Combo 10	Statewide	38.1%	41.5% ▲	42.1%	At 75th
	AMG	38.2%	38.4%	45.3%	At 75th
	CCW	45.0%	47.0%	54.0%	Above 75th
	CHPW	40.9%	47.7%	42.8%	At 75th
	MHW	35.1%	38.0%	<b>38.0%</b>	At 50th
	UHC	37.7%	44.3%	<b>44.3%</b>	At 75th
Immunizations for Adolescents (IMA), Meningococcal	Statewide	77.6%	79.0%	79.6%	Below 50th
	AMG	69.1%	70.6%	73.5%	Below 50th
	CCW	84.7%	82.7%	81.8%	At 50th
	CHPW	82.0%	83.0%	81.5%	At 50th
	MHW	75.2%	79.3%	80.3%	Below 50th
	UHC	75.9%	69.6%	72.5%	Below 50th
Immunizations for Adolescents (IMA), Tdap	Statewide	89.1%	86.0%	86.7%	Below 50th
	AMG	82.7%	85.9%	82.5%	Below 50th
	CCW	92.5%	88.1%	91.2%	At 50th
	CHPW	90.3%	88.3%	85.9%	At 50th
	MHW	89.3%	86.9%	87.3%	At 50th
	UHC	84.4%	74.2% ▼	80.0%	Below 50th
Immunizations for Adolescents (IMA), HPV	Statewide	40.6%	39.0% ▲	43.7%	Above 50th, Below 75th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	AMG	28.6%	34.5%	37.2%	At 50th
	CCW	48.4%	45.5%	46.0%	At 75th
	CHPW	46.7%	48.2%	44.0%	At 75th
	MHW	38.0%	35.5%	44.5%	At 75th
	UHC	36.5%	32.4%	38.7%	At 50th
Immunizations for Adolescents (IMA), Combo 1	Statewide	75.9%	76.0%	77.4%	Below 50th
	AMG	66.5%	68.4%	69.3%	Below 50th
	CCW	83.0%	79.3%	79.3%	At 50th
	CHPW	80.3%	79.6%	78.1%	Below 50th
	MHW	73.7%	76.6%	78.8%	At 50th
	UHC	73.7%	65.2%	70.1%	Below 50th
Immunizations for Adolescents (IMA), Combo 2	Statewide	37.7%	36.7% ▲	41.4%	Above 50th, Below 75th
	AMG	26.4%	32.4%	33.6%	At 50th
	CCW	44.5%	42.6%	41.8%	At 75th
	CHPW	45.3%	44.8%	41.1%	At 50th
	MHW	34.5%	33.8%	43.3% ▲	At 75th
	UHC	34.5%	30.2%	35.3%	At 50th
Lead Screening in Children (LSC)	Statewide	24.2%	31.7% ▲	29.8%	Below 50th
	AMG	24.6%	32.1%	<b>32.1%</b>	Below 50th
	CCW	31.9%	36.7%	37.5%	Below 50th
	CHPW	34.5%	46.5% ▲	39.7%	Below 50th
	MHW	19.8%	27.7% ▲	25.5%	Below 50th
	UHC	18.2%	24.1%	25.5%	Below 50th
Breast Cancer Screening (BCS)	Statewide	55.3%	54.5%	52.0% ▼	Below 50th
	AMG	47.9%	47.2%	45.9%	Below 50th
	CCW	52.8%	51.6%	52.0%	Below 50th
	CHPW	68.2%	66.7%	51.5% ▼	Below 50th
	MHW	54.4%	53.9%	53.8%	Below 50th
	UHC	49.8%	50.6%	52.8% ▲	Below 50th
Cervical Cancer Screening (CCS)	Statewide	56.9%	57.7%	60.5%	Below 50th
	AMG	55.5%	54.1%	<b>54.1%</b>	Below 50th
	CCW	56.6%	53.3%	56.0%	Below 50th
	CHPW	62.0%	61.6%	54.0%	Below 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	56.4%	60.8%	66.2%	At 75th
	UHC	53.5%	50.5%	57.7%	At 50th
Chlamydia Screening (CHL), 16-20 Years	Statewide	50.2%	49.2%	48.9%	Below 50th
	AMG	51.6%	46.5% ▼	47.8%	Below 50th
	CCW	51.3%	52.0%	51.0%	Below 50th
	CHPW	49.9%	48.4%	46.9%	Below 50th
	MHW	50.4%	49.2%	49.3%	Below 50th
	UHC	47.9%	47.6%	47.4%	Below 50th
Chlamydia Screening (CHL), 21-24 Years	Statewide	60.6%	60.1%	59.5%	Below 50th
	AMG	59.0%	57.4%	58.6%	Below 50th
	CCW	60.5%	60.2%	61.3%	Below 50th
	CHPW	61.6%	60.3%	58.9%	Below 50th
	MHW	61.4%	61.0%	60.1%	Below 50th
	UHC	57.9%	58.3%	56.3%	Below 50th
Chlamydia Screening (CHL), Total	Statewide	55.1%	54.2% ▼	53.6%	Below 50th
	AMG	55.9%	52.6% ▼	53.4%	Below 50th
	CCW	55.7%	55.7%	55.4%	Below 50th
	CHPW	55.3%	53.9%	52.2%	Below 50th
	MHW	55.2%	54.4%	54.0%	Below 50th
	UHC	53.3%	53.1%	51.6%	Below 50th
Appropriate Testing for Pharyngitis (CWP), 3-17 Years	Statewide	<i>Due to substantial changes in measure specifications between RY 2019 and RY 2020, only current year measure results are displayed.</i>		79.6%	Below 50th
	AMG			76.2%	Below 50th
	CCW			75.6%	Below 50th
	CHPW			79.5%	Below 50th
	MHW			80.8%	Below 50th
	UHC			81.5%	At 50th
Appropriate Testing for Pharyngitis (CWP), 18-64 Years	Statewide	<i>Due to substantial changes in measure specifications between RY 2019 and RY 2020, only current year measure results are displayed.</i>		76.8%	Above 75th
	AMG			73.5%	At 75th
	CCW			76.3%	Above 75th
	CHPW			78.5%	Above 75th
	MHW			77.2%	Above 75th
	UHC			76.3%	Above 75th
Appropriate Testing for Pharyngitis (CWP), Total	Statewide	<i>Due to substantial changes in</i>		78.6%	Above 50th, Below 75th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	AMG	<i>measure specifications</i>		74.9%	Below 50th
	CCW	<i>between RY 2019 and RY</i>		75.9%	Below 50th
	CHPW	<i>2020, only current year</i>		79.1%	Above 50th, Below 75th
	MHW	<i>measure results are</i>		79.5%	Above 50th, Below 75th
	UHC	<i>displayed.</i>		79.2%	Above 50th, Below 75th
Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Statewide	26.9%	27.3%	26.5%	Below 50th
	AMG	25.9%	27.7%	26.3%	At 50th
	CCW	27.2%	24.5%	23.5%	Below 50th
	CHPW	28.7%	29.0%	28.9%	At 50th
	MHW	24.5%	28.5%	26.9%	At 50th
	UHC	28.9%	24.6%	25.1%	At 50th
Pharmacotherapy Management of COPD Exacerbation (PCE), Systemic Corticosteroid	Statewide	73.4%	74.2%	74.1%	Above 50th, Below 75th
	AMG	70.9%	70.8%	72.1%	At 50th
	CCW	73.3%	72.2%	73.5%	At 50th
	CHPW	75.2%	76.7%	74.9%	At 75th
	MHW	73.7%	75.2%	74.7%	Above 50th, Below 75th
	UHC	72.7%	73.6%	74.2%	At 50th
Pharmacotherapy Management of COPD Exacerbation (PCE), Bronchodilator	Statewide	85.3%	85.8%	85.1%	At 50th
	AMG	81.9%	84.1%	83.6%	At 50th
	CCW	85.3%	83.8%	84.4%	At 50th
	CHPW	87.8%	87.7%	83.9%	At 50th
	MHW	86.0%	86.1%	86.1%	At 50th
	UHC	83.5%	85.7%	86.6%	At 50th
Medication Management for People With Asthma (MMA), Medication Compliance 50%, 5-11 Years	Statewide	49.4%	50.9%	53.5%	No Benchmark
	AMG	33.7%	49.5%	61.3%	No Benchmark
	CCW	52.7%	52.1%	51.5%	No Benchmark
	CHPW	52.6%	50.6%	60.0% ▲	No Benchmark
	MHW	48.0%	50.4%	51.5%	No Benchmark
	UHC	53.3%	52.9%	53.6%	No Benchmark
Medication Management for People With Asthma (MMA), Medication Compliance 75%, 5-11 Years	Statewide	25.7%	27.1%	30.4%	At 50th
	AMG	12.8%	22.4%	41.1% ▲	At 75th
	CCW	28.0%	26.9%	31.5%	At 50th
	CHPW	27.2%	29.7%	31.6%	At 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	25.1%	25.9%	28.8%	Below 50th
	UHC	28.0%	31.8%	31.5%	At 50th
Medication Management for People With Asthma (MMA), Medication Compliance 50%, 12-18 Years	Statewide	48.6%	49.5%	54.9%	▲ No Benchmark
	AMG	55.1%	51.1%	52.3%	No Benchmark
	CCW	53.0%	50.4%	56.2%	No Benchmark
	CHPW	46.5%	48.0%	60.5%	▲ No Benchmark
	MHW	47.4%	49.0%	53.6%	No Benchmark
	UHC	57.0%	53.9%	50.0%	No Benchmark
Medication Management for People With Asthma (MMA), Medication Compliance 75%, 12-18 Years	Statewide	25.4%	25.8%	30.1%	▲ At 50th
	AMG	19.2%	17.0%	25.2%	At 50th
	CCW	25.8%	29.6%	33.1%	At 50th
	CHPW	24.4%	24.0%	34.6%	▲ At 50th
	MHW	25.0%	25.7%	29.3%	At 50th
	UHC	33.9%	28.1%	22.5%	Below 50th
Medication Management for People With Asthma (MMA), Medication Compliance 50%, 19-50 Years	Statewide	61.1%	61.0%	62.9%	No Benchmark
	AMG	58.9%	62.0%	63.9%	No Benchmark
	CCW	63.8%	63.2%	64.5%	No Benchmark
	CHPW	61.5%	61.2%	65.5%	No Benchmark
	MHW	59.2%	59.2%	61.6%	No Benchmark
	UHC	65.7%	63.6%	62.3%	No Benchmark
Medication Management for People With Asthma (MMA), Medication Compliance 75%, 19-50 Years	Statewide	38.5%	38.2%	41.6%	▲ At 50th
	AMG	34.5%	37.0%	40.9%	At 50th
	CCW	37.8%	40.6%	42.8%	At 50th
	CHPW	42.4%	40.2%	46.6%	At 75th
	MHW	36.3%	36.1%	40.1%	▲ Below 50th
	UHC	43.3%	41.3%	40.5%	At 50th
Medication Management for People With Asthma (MMA), Medication Compliance 50%, 51-64 Years	Statewide	72.2%	70.9%	72.6%	No Benchmark
	AMG	73.3%	72.0%	72.7%	No Benchmark
	CCW	74.7%	76.2%	72.3%	No Benchmark
	CHPW	70.3%	68.5%	73.0%	No Benchmark
	MHW	71.1%	68.5%	72.1%	No Benchmark
	UHC	74.7%	74.9%	73.9%	No Benchmark
Medication Management for People With Asthma (MMA), Medication	Statewide	49.5%	49.5%	50.8%	Below 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
Compliance 75%, 51-64 Years	AMG	50.4%	50.2%	50.7%	At 50th
	CCW	53.0%	52.9%	55.5%	At 50th
	CHPW	46.0%	47.5%	48.6%	Below 50th
	MHW	49.3%	47.7%	51.0%	Below 50th
	UHC	51.4%	53.3%	49.5%	At 50th
Medication Management for People With Asthma (MMA), Medication Compliance 50%, Total (5-64 Years)	Statewide	57.6%	57.9%	60.8%	▲ No Benchmark
	AMG	59.9%	61.9%	64.3%	No Benchmark
	CCW	61.7%	60.0%	60.9%	No Benchmark
	CHPW	57.8%	57.5%	64.6%	▲ No Benchmark
	MHW	54.7%	55.8%	58.7%	▲ No Benchmark
UHC	64.3%	62.6%	61.7%	No Benchmark	
Medication Management for People With Asthma (MMA), Medication Compliance 75%, Total (5-64 Years)	Statewide	34.6%	34.9%	38.3%	▲ At 50th
	AMG	35.2%	36.5%	41.5%	At 50th
	CCW	36.5%	37.1%	40.1%	At 50th
	CHPW	35.8%	35.8%	41.3%	▲ At 75th
	MHW	32.1%	32.5%	36.3%	▲ Below 50th
UHC	41.2%	40.1%	38.5%	At 50th	
Asthma Medication Ratio (AMR), 5-11 Years	Statewide	65.5%	66.2%	65.3%	Below 50th
	AMG	53.5%	65.6%	59.3%	Below 50th
	CCW	65.8%	70.1%	68.1%	Below 50th
	CHPW	57.2%	59.8%	55.4%	Below 50th
	MHW	69.8%	67.1%	67.3%	Below 50th
UHC	60.5%	67.7%	69.2%	At 50th	
Asthma Medication Ratio (AMR), 12-18 Years	Statewide	55.6%	54.8%	56.6%	Below 50th
	AMG	47.0%	52.8%	52.3%	Below 50th
	CCW	54.0%	55.9%	55.4%	Below 50th
	CHPW	48.5%	49.7%	57.3%	Below 50th
	MHW	59.2%	56.0%	56.9%	Below 50th
UHC	54.9%	57.1%	57.3%	Below 50th	
Asthma Medication Ratio (AMR), 19-50 Years	Statewide	46.1%	45.8%	49.9%	▲ Below 50th
	AMG	41.2%	44.0%	44.0%	Below 50th
	CCW	44.0%	49.1%	49.9%	At 50th
	CHPW	43.4%	44.6%	61.6%	▲ Above 75th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	49.4%	46.3%	47.6%	Below 50th
	UHC	45.1%	44.3%	47.1%	Below 50th
Asthma Medication Ratio (AMR), 51-64 Years	Statewide	53.3%	51.3%	54.5%	At 50th
	AMG	50.5%	54.1%	50.8%	At 50th
	CCW	49.9%	53.1%	55.5%	At 50th
	CHPW	51.0%	52.4%	63.0%	▲ At 75th
	MHW	56.8%	50.3%	51.7%	▼ Below 50th
	UHC	53.5%	49.4%	53.7%	At 50th
Asthma Medication Ratio (AMR), Total	Statewide	53.2%	52.7%	55.0%	▲ Below 50th
	AMG	45.3%	49.6%	48.2%	Below 50th
	CCW	50.6%	55.6%	56.0%	▲ Below 50th
	CHPW	48.6%	50.1%	59.9%	▲ Below 50th
	MHW	57.7%	53.9%	54.6%	▼ Below 50th
	UHC	50.4%	50.6%	53.3%	Below 50th
Controlling High Blood Pressure (CBP)	Statewide	59.9%	62.9%	64.7%	At 50th
	AMG	57.2%	64.5%	<b>64.5%</b>	At 50th
	CCW	53.7%	53.8%	<b>53.8%</b>	Below 50th
	CHPW	67.8%	63.3%	61.8%	At 50th
	MHW	62.5%	66.9%	68.6%	At 75th
	UHC	52.3%	59.1%	66.7%	At 75th
Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Statewide	77.3%	77.5%	79.6%	At 50th
	AMG	76.1%	67.3%	80.4%	At 50th
	CCW	75.9%	79.8%	83.8%	At 50th
	CHPW	79.7%	79.6%	82.2%	At 50th
	MHW	77.1%	79.3%	79.5%	At 50th
	UHC	76.8%	76.4%	72.3%	Below 50th
Statin Therapy for Patients With Cardiovascular Disease (SPC), Received	Statewide	83.1%	83.3%	83.8%	At 75th
Statin Therapy, 21-75 years (Male)	AMG	84.1%	83.8%	83.5%	At 50th
	CCW	79.1%	82.3%	80.0%	At 50th
	CHPW	83.4%	81.0%	83.7%	At 50th
	MHW	83.8%	85.6%	84.8%	At 75th
	UHC	84.0%	81.6%	84.9%	At 50th
Statin Therapy for Patients With Cardiovascular Disease (SPC), Received	Statewide	81.2%	82.0%	82.0%	At 75th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
Statin Therapy, 40-75 years (Female)	AMG	80.2%	82.5%	78.1%	At 50th
	CCW	83.2%	83.2%	85.1%	At 75th
	CHPW	83.6%	82.1%	83.3%	At 75th
	MHW	79.8%	81.5%	80.8%	At 75th
	UHC	80.6%	82.1%	84.1%	At 75th
Statin Therapy for Patients With Cardiovascular Disease (SPC), Received	Statewide	82.4%	82.8%	83.2%	At 75th
Statin Therapy Total	AMG	82.9%	83.4%	82.1%	At 50th
	CCW	80.5%	82.6%	81.8%	At 50th
	CHPW	83.4%	81.4%	83.6%	At 75th
	MHW	82.2%	84.0%	83.3%	At 75th
	UHC	82.9%	81.8%	84.7%	At 75th
Statin Therapy for Patients With Cardiovascular Disease (SPC), Statin Adherence 80%, 21-75 years (Male)	Statewide	63.6%	65.7%	68.3%	At 50th
	AMG	61.7%	64.8%	70.7%	At 50th
	CCW	65.2%	67.6%	66.7%	At 50th
	CHPW	63.6%	68.3%	71.6%	At 50th
	MHW	64.7%	65.7%	68.5%	At 50th
Statin Therapy for Patients With Cardiovascular Disease (SPC), Statin Adherence 80%, 40-75 years (Female)	UHC	61.7%	62.5%	63.0%	Below 50th
	Statewide	66.9%	68.2%	70.8%	At 75th
	AMG	54.0%	66.2%	65.9%	At 50th
	CCW	69.4%	71.3%	73.3%	At 50th
	CHPW	64.2%	66.5%	74.0%	At 75th
Statin Therapy for Patients With Cardiovascular Disease (SPC), Statin Adherence 80%, Total	MHW	70.0%	67.9%	70.3%	At 50th
	UHC	70.9%	69.7%	69.0%	At 50th
	Statewide	64.7%	66.6%	69.1%	At 50th
	AMG	59.3%	65.2%	69.5%	At 50th
	CCW	66.7%	68.9%	69.1%	At 50th
Comprehensive Diabetes Care (CDC), HbA1c Testing	CHPW	63.8%	67.6%	72.5%	At 75th
	MHW	66.8%	66.5%	69.2%	At 50th
	UHC	64.5%	64.8%	64.8%	At 50th
	Statewide	89.2%	89.5%	89.5%	At 50th
	AMG	87.8%	86.6%	90.3%	At 50th
	CCW	87.8%	88.6%	90.0%	At 50th
	CHPW	90.0%	90.0%	89.3%	At 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	89.5%	90.0%	88.8%	At 50th
	UHC	89.8%	90.5%	90.3%	At 50th
Comprehensive Diabetes Care (CDC), Poor HbA1c Control (Note that a lower score is better for this measure)	Statewide	37.4%	37.1%	34.5%	Above 50th, Below 75th
	AMG	37.5%	39.7%	36.5%	At 50th
	CCW	51.3%	47.0%	41.4%	Above 50th, Below 75th
	CHPW	38.0%	43.1%	38.4%	Above 50th, Below 75th
	MHW	33.1%	32.6%	31.6%	At 50th
	UHC	34.8%	31.9%	30.9%	At 50th
Comprehensive Diabetes Care (CDC), HbA1c Control < 8.0%	Statewide	49.9%	50.3%	51.9%	At 50th
	AMG	49.9%	47.2%	51.8%	At 50th
	CCW	37.7%	42.1%	47.0%	At 50th
	CHPW	51.6%	44.3%	46.7%	Below 50th
	MHW	53.0%	54.0%	54.0%	At 50th
	UHC	51.1%	56.4%	56.2%	At 50th
Comprehensive Diabetes Care (CDC), Eye Exam	Statewide	59.7%	58.5%	59.1%	At 50th
	AMG	52.3%	51.8%	50.1%	Below 50th
	CCW	59.4%	56.4%	61.1%	At 50th
	CHPW	63.5%	57.9%	58.2%	At 50th
	MHW	61.3%	60.6%	61.6%	At 50th
	UHC	56.4%	60.1%	59.1%	At 50th
Comprehensive Diabetes Care (CDC), Medical Attention for Nephropathy	Statewide	89.4%	89.6%	88.0%	Below 50th
	AMG	87.3%	87.1%	88.8%	At 50th
	CCW	87.3%	89.8%	87.3%	At 50th
	CHPW	91.0%	89.3%	86.6%	Below 50th
	MHW	89.5%	89.3%	87.8%	At 50th
	UHC	90.3%	92.0%	89.5%	At 50th
Comprehensive Diabetes Care (CDC), Blood Pressure Control < 140/90 mm Hg	Statewide	67.8%	67.8%	72.0% ▲	At 75th
	AMG	64.7%	63.0%	69.6%	At 75th
	CCW	60.3%	58.4%	62.0%	At 50th
	CHPW	68.9%	70.8%	68.4%	At 50th
	MHW	72.0%	73.2%	77.4%	Above 75th
	UHC	65.2%	61.8%	71.5% ▲	At 75th
Statin Therapy for Patients With Diabetes (SPD), Received Statin Therapy	Statewide	64.7%	64.4%	66.0% ▲	At 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	AMG	63.7%	63.5%	65.2%	At 50th
	CCW	64.6%	64.0%	64.8%	At 50th
	CHPW	66.0%	65.3%	67.9%	At 75th
	MHW	64.4%	64.2%	65.6%	At 50th
	UHC	64.6%	64.9%	66.4%	At 50th
Statin Therapy for Patients With Diabetes (SPD), Statin Adherence 80%	Statewide	59.3%	63.9% ▲	66.7% ▲	Above 50th, Below 75th
	AMG	57.4%	61.4%	66.8% ▲	Above 50th, Below 75th
	CCW	60.3%	65.4% ▲	69.5%	At 75th
	CHPW	59.6%	67.4% ▲	71.1% ▲	At 75th
	MHW	58.4%	63.1% ▲	64.4%	At 50th
	UHC	61.5%	62.2%	64.8%	At 50th
Antidepressant Medication Management (AMM), Acute Phase	Statewide	51.6%	50.9%	53.5% ▲	At 50th
	AMG	51.6%	51.0%	52.9%	At 50th
	CCW	49.8%	54.8% ▲	56.2%	Above 50th, Below 75th
	CHPW	51.3%	51.0%	55.3% ▲	Above 50th, Below 75th
	MHW	51.0%	49.2%	52.4% ▲	Below 50th
	UHC	54.7%	52.2%	53.6%	At 50th
Antidepressant Medication Management (AMM), Continuation Phase	Statewide	35.9%	36.0%	38.4% ▲	At 50th
	AMG	36.8%	36.1%	39.7% ▲	At 50th
	CCW	34.4%	38.1% ▲	39.9%	At 50th
	CHPW	35.5%	36.8%	39.9% ▲	Above 50th, Below 75th
	MHW	35.5%	34.4%	37.2% ▲	Below 50th
	UHC	38.4%	38.0%	38.8%	At 50th
Follow-Up Care for Children Prescribed ADHD Medication (ADD), Initiation	Statewide	42.4%	42.8%	43.9%	At 50th
	AMG	32.7%	36.5%	34.0%	Below 50th
	CCW	37.1%	38.6%	39.6%	Below 50th
	CHPW	40.4%	40.1%	46.2%	At 50th
	MHW	45.3%	46.4%	47.1%	At 75th
	UHC	42.4%	37.2%	37.4%	Below 50th
Follow-Up Care for Children Prescribed ADHD Medication (ADD), Continuation	Statewide	49.1%	50.8%	53.6%	At 50th
	AMG	39.1%	45.5%	47.3%	At 50th
	CCW	38.5%	44.1%	48.9%	Below 50th
	CHPW	46.8%	48.2%	56.7%	At 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	54.0%	55.7%	58.3%	Above 50th, Below 75th
	UHC	48.1%	46.4%	37.5%	Below 50th
Follow-up after Hospitalization for Mental Illness (FUH), 30-Day Follow-Up, 6-17 Years	Statewide	NR	88.2%	63.3%	▼ Below 50th
	AMG	NR	NR	61.7%	At 50th
	CCW	NR	Denom < 30+	52.2%	Below 50th
	CHPW	NR	Denom < 30+	54.2%	Below 50th
	MHW	NR	89.4%	79.0%	At 75th
	UHC	NR	NR	31.3%	Below 50th
Follow-up after Hospitalization for Mental Illness (FUH), 30-Day Follow-Up, 18-64 Years	Statewide	NR	48.5%	44.6%	Below 50th
	AMG	NR	Denom < 30+	34.2%	Below 50th
	CCW	NR	Denom < 30+	34.2%	Below 50th
	CHPW	NR	46.2%	40.6%	Below 50th
	MHW	NR	47.8%	58.6%	▲ Above 50th, Below 75th
	UHC	NR	NR	26.1%	Below 50th
Follow-up after Hospitalization for Mental Illness (FUH), 30-Day Follow-Up, Total	Statewide	51.0%	52.1%	48.3%	Below 50th
	AMG	NR	Denom < 30+	37.3%	Below 50th
	CCW	NR	Denom < 30+	40.7%	Below 50th
	CHPW	51.1%	49.1%	42.5%	Below 50th
	MHW	51.0%	52.0%	62.8%	▲ Above 50th, Below 75th
	UHC	NR	NR	26.8%	Below 50th
Follow-up after Hospitalization for Mental Illness (FUH), 7-Day Follow-Up, 6-17 Years	Statewide	NR	69.7%	44.8%	▼ At 50th
	AMG	NR	NR	48.6%	At 50th
	CCW	NR	Denom < 30+	35.7%	Below 50th
	CHPW	NR	Denom < 30+	35.2%	Below 50th
	MHW	NR	71.2%	56.9%	At 75th
	UHC	NR	NR	20.5%	Below 50th
Follow-up after Hospitalization for Mental Illness (FUH), 7-Day Follow-Up, 18-64 Years	Statewide	NR	31.5%	28.9%	Below 50th
	AMG	NR	Denom < 30+	21.3%	Below 50th
	CCW	NR	Denom < 30+	22.8%	Below 50th
	CHPW	NR	30.8%	24.4%	Below 50th
	MHW	NR	30.4%	38.0%	▲ At 75th
	UHC	NR	NR	19.1%	Below 50th
Follow-up after Hospitalization for Mental Illness (FUH), 7-Day Follow-	Statewide	34.9%	35.1%	32.0%	Below 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
Up, Total	AMG	NR	Denom < 30†	24.3%	Below 50th
	CCW	NR	Denom < 30†	27.5%	Below 50th
	CHPW	39.4%	33.9%	26.0%	Below 50th
	MHW	33.9%	34.5%	41.9% ▲	At 75th
	UHC	NR	NR	19.3%	Below 50th
Follow-Up After Emergency Department Visit for Mental Illness (FUM), 30-Day Follow-Up, 6-17 Years	Statewide	NR	56.4%	66.0% ▲	At 50th
	AMG	NR	33.7%	49.8% ▲	Below 50th
	CCW	NR	Denom < 30†	65.3%	At 50th
	CHPW	NR	Denom < 30†	63.5%	At 50th
	MHW	NR	68.6%	71.1%	Above 50th, Below 75th
	UHC	NR	NR	63.9%	At 50th
Follow-Up After Emergency Department Visit for Mental Illness (FUM), 30-Day Follow-Up, 18-64 Years	Statewide	NR	29.3%	47.3% ▲	Below 50th
	AMG	NR	20.9%	37.9% ▲	Below 50th
	CCW	NR	57.7%	40.7% ▼	Below 50th
	CHPW	NR	56.4%	57.1%	At 75th
	MHW	NR	32.2%	49.2% ▲	At 50th
	UHC	NR	NR	49.5%	At 50th
Follow-Up After Emergency Department Visit for Mental Illness (FUM), 18-64 Years, 30-Day Follow-Up, Total	Statewide	26.1%	31.9% ▲	51.0% ▲	Below 50th
	AMG	22.9%	22.1%	39.4% ▲	Below 50th
	CCW	21.9%	63.5% ▲	49.8%	Below 50th
	CHPW	25.7%	55.8% ▲	58.0%	Above 50th, Below 75th
	MHW	34.6%	35.5%	53.6% ▲	Below 50th
	UHC	21.8%	NR	51.1%	Below 50th
Follow-Up After Emergency Department Visit for Mental Illness (FUM), 7-Day Follow-Up, 6-17 Years	Statewide	NR	42.6%	50.9% ▲	Above 75th
	AMG	NR	19.2%	33.2% ▲	At 50th
	CCW	NR	Denom < 30†	47.4%	Above 75th
	CHPW	NR	Denom < 30†	52.9%	Above 75th
	MHW	NR	55.2%	57.4%	Above 75th
	UHC	NR	NR	45.4%	At 75th
Follow-Up After Emergency Department Visit for Mental Illness (FUM), 7-Day Follow-Up, 18-64 Years	Statewide	NR	17.1%	34.3% ▲	Below 50th
	AMG	NR	11.5%	26.8% ▲	Below 50th
	CCW	NR	48.1%	28.0% ▼	Below 50th
	CHPW	NR	34.3%	42.8%	Below 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	NR	19.0%	35.7%	▲ Below 50th
	UHC	NR	NR	36.4%	Below 50th
Follow-Up After Emergency Department Visit for Mental Illness (FUM), 18-64 Years, 7-Day Follow-Up, Total	Statewide	14.7%	19.6%	▲ 37.5%	▲ Below 50th
	AMG	12.5%	12.3%	27.6%	▲ Below 50th
	CCW	11.6%	52.7%	▲ 35.3%	▼ Below 50th
	CHPW	14.4%	35.0%	▲ 44.1%	Above 50th, Below 75th
	MHW	20.8%	22.2%	40.1%	▲ At 50th
	UHC	11.8%	NR	37.4%	At 50th
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse Dependencies (FUA), 30-Day Follow-Up, 13-17 Years	Statewide	25.9%	20.0%	14.6%	At 75th
	AMG	NR	Denom < 30 <sup>+</sup>	15.4%	At 50th
	CCW	NR	Denom < 30 <sup>+</sup>	14.9%	At 75th
	CHPW	Denom < 30 <sup>+</sup>	Denom < 30 <sup>+</sup>	17.8%	At 75th
	MHW	25.5%	20.5%	13.1%	At 75th
	UHC	NR	NR	Denom < 30 <sup>+</sup>	NR
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse Dependencies (FUA), 30-Day Follow-Up, 18+ Years	Statewide	12.5%	14.9%	▲ 26.5%	▲ Above 50th, Below 75th
	AMG	NR	20.0%	23.5%	Above 50th, Below 75th
	CCW	NR	32.3%	21.4%	At 50th
	CHPW	28.6%	29.6%	31.8%	Above 75th
	MHW	11.7%	13.8%	▲ 28.4%	▲ At 75th
	UHC	NR	NR	21.0%	At 50th
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse Dependencies (FUA), 30-Day Follow-Up, Total	Statewide	12.7%	15.0%	▲ 26.1%	▲ Above 50th, Below 75th
	AMG	NR	19.5%	23.3%	Above 50th, Below 75th
	CCW	NR	30.8%	20.8%	At 50th
	CHPW	28.6%	29.5%	31.3%	Above 75th
	MHW	11.9%	13.9%	▲ 27.8%	▲ At 75th
	UHC	NR	NR	21.0%	At 50th
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse Dependencies (FUA), 7-Day Follow-Up, 13-17 Years	Statewide	8.6%	12.9%	9.1%	At 75th
	AMG	NR	Denom < 30 <sup>+</sup>	12.8%	At 50th
	CCW	NR	Denom < 30 <sup>+</sup>	6.7%	At 50th
	CHPW	Denom < 30 <sup>+</sup>	Denom < 30 <sup>+</sup>	12.3%	At 75th
	MHW	7.8%	13.7%	8.6%	At 50th
	UHC	NR	NR	Denom < 30 <sup>+</sup>	NR
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse Dependencies (FUA), 7-Day Follow-Up, Total	Statewide	7.4%	8.5%	16.9%	▲ Above 50th, Below 75th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
Abuse Dependencies (FUA), 7-Day Follow-Up, 18+ Years	AMG	NR	12.5%	15.5%	Above 50th, Below 75th
	CCW	NR	16.1%	12.6%	At 50th
	CHPW	18.8%	18.9%	21.2%	Above 75th
	MHW	6.8%	7.8%	18.1% ▲	At 75th
	UHC	NR	NR	12.2%	At 50th
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse Dependencies (FUA), 7-Day Follow-Up, Total	Statewide	7.4%	8.6%	16.6% ▲	Above 50th, Below 75th
Abuse Dependencies (FUA), 7-Day Follow-Up, Total	AMG	NR	12.2%	15.5%	Above 50th, Below 75th
	CCW	NR	15.4%	12.1%	At 50th
	CHPW	18.6%	18.7%	20.8%	Above 75th
	MHW	6.9%	7.9%	17.7% ▲	At 75th
	UHC	NR	NR	12.2%	At 50th
Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medication (SSD)	Statewide	85.2%	84.6%	82.0% ▼	At 50th
	AMG	85.7%	86.8%	83.6%	At 50th
	CCW	86.4%	84.2%	83.0%	At 50th
	CHPW	86.7%	85.6%	79.9% ▼	Below 50th
	MHW	83.8%	83.4%	82.4%	At 50th
	UHC	85.6%	85.0%	81.4%	At 50th
Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)	Statewide	67.5%	65.4%	67.5%	Below 50th
	AMG	65.3%	67.6%	69.2%	At 50th
	CCW	66.3%	65.3%	63.6%	At 50th
	CHPW	71.2%	63.8%	60.3%	Below 50th
	MHW	65.8%	64.9%	69.1%	At 50th
	UHC	69.3%	66.9%	72.1%	At 50th
Cardiovascular Monitoring for People with Cardiovascular Disease and Schizophrenia (SMC)	Statewide	56.4%	59.5%	54.2%	Below 50th
	AMG	Denom < 30†	Denom < 30†	Denom < 30†	NR
	CCW	Denom < 30†	Denom < 30†	Denom < 30†	NR
	CHPW	Denom < 30†	Denom < 30†	Denom < 30†	NR
	MHW	51.4%	68.4%	57.6%	Below 50th
	UHC	Denom < 30†	Denom < 30†	Denom < 30†	NR
Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Statewide	64.2%	63.8%	65.5%	Above 50th, Below 75th
	AMG	59.3%	60.7%	64.9%	At 50th
	CCW	61.9%	60.8%	61.6%	At 50th
	CHPW	67.2%	64.1%	67.4%	At 75th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	64.5%	64.4%	65.7%	Above 50th, Below 75th
	UHC	65.3%	67.1%	66.2%	At 75th
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose Testing, 1-11 Years	Statewide	NR	NR	42.6%	At 50th
	AMG	NR	NR	32.9%	Below 50th
	CCW	NR	NR	44.0%	At 50th
	CHPW	NR	NR	32.9%	Below 50th
	MHW	NR	NR	44.9%	At 50th
	UHC	NR	NR	45.8%	At 50th
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose Testing, 12-17 Years	Statewide	NR	NR	59.0%	At 50th
	AMG	NR	NR	65.7%	At 50th
	CCW	NR	NR	58.6%	At 50th
	CHPW	NR	NR	58.7%	At 50th
	MHW	NR	NR	59.8%	At 50th
	UHC	NR	NR	48.7%	Below 50th
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose Testing, Total	Statewide	NR	NR	53.3%	At 50th
	AMG	NR	NR	55.6%	At 50th
	CCW	NR	NR	53.5%	At 50th
	CHPW	NR	NR	50.0%	At 50th
	MHW	NR	NR	54.3%	At 50th
	UHC	NR	NR	47.8%	Below 50th
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Cholesterol Testing, 1-11 Years	Statewide	NR	NR	31.3%	At 50th
	AMG	NR	NR	20.3%	Below 50th
	CCW	NR	NR	35.3%	At 50th
	CHPW	NR	NR	15.8%	Below 50th
	MHW	NR	NR	34.0%	At 50th
	UHC	NR	NR	33.3%	At 50th
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Cholesterol Testing, 12-17 Years	Statewide	NR	NR	35.4%	Below 50th
	AMG	NR	NR	39.3%	At 50th
	CCW	NR	NR	37.2%	At 50th
	CHPW	NR	NR	28.0%	Below 50th
	MHW	NR	NR	37.0%	Below 50th
	UHC	NR	NR	26.6%	Below 50th
Metabolic Monitoring for Children and Adolescents on Antipsychotics	Statewide	NR	NR	34.0%	Below 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
(APM), Cholesterol Testing, Total	AMG	NR	NR	33.5%	At 50th
	CCW	NR	NR	36.6%	At 50th
	CHPW	NR	NR	23.8%	Below 50th
	MHW	NR	NR	35.9%	At 50th
	UHC	NR	NR	28.7%	Below 50th
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose and Cholesterol Testing, 1-11 Years	Statewide	27.9%	26.8%	28.8%	At 50th
	AMG	17.5%	15.5%	19.0%	Below 50th
	CCW	35.7%	34.4%	33.3%	At 50th
	CHPW	19.7%	22.8%	15.8%	Below 50th
	MHW	27.9%	25.7%	30.4%	At 50th
UHC	20.9%	22.5%	33.3%	At 50th	
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose and Cholesterol Testing, 12-17 Years	Statewide	31.2%	30.2%	33.9%	Below 50th
	AMG	27.2%	29.0%	38.8%	At 50th
	CCW	31.8%	35.2%	35.6%	At 50th
	CHPW	27.7%	27.3%	26.6%	Below 50th
	MHW	32.9%	29.3%	35.3%	▲ Below 50th
UHC	28.7%	27.2%	25.3%	Below 50th	
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose and Cholesterol Testing, Total	Statewide	30.0%	29.0%	32.1%	▲ Below 50th
	AMG	23.7%	24.7%	32.7%	At 50th
	CCW	33.3%	34.9%	34.8%	At 50th
	CHPW	25.1%	25.9%	22.9%	Below 50th
	MHW	31.0%	28.0%	33.5%	▲ At 50th
UHC	25.9%	25.8%	27.8%	Below 50th	
Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS) (Note that a lower score is better for this measure)	Statewide	0.8%	0.5%	▲ 0.3%	▲ At 50th
	AMG	0.2%	0.1%	0.2%	At 50th
	CCW	0.5%	0.4%	0.4%	At 50th
	CHPW	1.4%	0.4%	▲ 0.3%	At 50th
	MHW	0.8%	0.6%	▲ 0.4%	▲ At 50th
UHC	0.4%	0.4%	0.3%	At 50th	
Appropriate Treatment for Upper Respiratory Infection (URI), 3 Months-17 Years	Statewide	<i>Due to substantial changes in measure specifications between RY 2019 and RY 2020, only current year</i>		95.4%	Above 75th
	AMG			95.1%	Above 75th
	CCW			95.1%	Above 75th
	CHPW			95.6%	Above 75th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	<i>measure results are</i>		95.4%	Above 75th
	UHC	<i>displayed.</i>		95.4%	Above 75th
Appropriate Treatment for Upper Respiratory Infection (URI), 18-64 Years	Statewide	<i>Due to substantial changes in</i>		89.0%	Above 75th
	AMG	<i>measure specifications</i>		89.7%	Above 75th
	CCW	<i>between RY 2019 and RY</i>		89.9%	Above 75th
	CHPW	<i>2020, only current year</i>		89.2%	Above 75th
	MHW	<i>measure results are</i>		89.0%	Above 75th
	UHC	<i>displayed.</i>		87.2%	Above 75th
Appropriate Treatment for Upper Respiratory Infection (URI), Total	Statewide	<i>Due to substantial changes in</i>		93.8%	Above 75th
	AMG	<i>measure specifications</i>		93.4%	Above 75th
	CCW	<i>between RY 2019 and RY</i>		94.1%	Above 75th
	CHPW	<i>2020, only current year</i>		94.0%	Above 75th
	MHW	<i>measure results are</i>		94.0%	Above 75th
	UHC	<i>displayed.</i>		93.0%	Above 75th
Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB), 3 Months-17 Years	Statewide	<i>Due to substantial changes in</i>		73.1%	Above 75th
	AMG	<i>measure specifications</i>		79.8%	Above 75th
	CCW	<i>between RY 2019 and RY</i>		80.7%	Above 75th
	CHPW	<i>2020, only current year</i>		72.5%	Above 75th
	MHW	<i>measure results are</i>		69.3%	At 75th
	UHC	<i>displayed.</i>		76.2%	Above 75th
Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB), 18-64 Years	Statewide	<i>Due to substantial changes in</i>		47.3%	Above 75th
	AMG	<i>measure specifications</i>		50.1%	Above 75th
	CCW	<i>between RY 2019 and RY</i>		50.9%	Above 75th
	CHPW	<i>2020, only current year</i>		47.9%	Above 75th
	MHW	<i>measure results are</i>		45.7%	Above 75th
	UHC	<i>displayed.</i>		46.8%	Above 75th
Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB), Total	Statewide	<i>Due to substantial changes in</i>		61.9%	Above 75th
	AMG	<i>measure specifications</i>		64.1%	Above 75th
	CCW	<i>between RY 2019 and RY</i>		70.3%	Above 75th
	CHPW	<i>2020, only current year</i>		61.7%	Above 75th
	MHW	<i>measure results are</i>		59.5%	Above 75th
	UHC	<i>displayed.</i>		60.5%	Above 75th
Use of Imaging Studies for Low Back Pain (LBP)	Statewide	75.6%	74.8%	76.6%	▲ Above 50th, Below 75th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	AMG	78.4%	74.1% ▼	77.6%	At 75th
	CCW	76.3%	75.1%	79.9% ▲	At 75th
	CHPW	76.0%	76.1%	76.5%	Above 50th, Below 75th
	MHW	74.8%	74.3%	75.3%	Above 50th, Below 75th
	UHC	74.6%	75.3%	78.2%	At 75th
Use of Opioids at High Dosage (HDO) (Note that a lower score is better for this measure)	Statewide	<i>Due to substantial changes in measure specifications between RY 2019 and RY 2020, only current year measure results are displayed.</i>		7.1%	Below 50th
	AMG			6.2%	Above 50th, Below 75th
	CCW			7.1%	Below 50th
	CHPW			7.8%	Below 50th
	MHW			6.4%	Below 50th
	UHC			9.4%	Below 50th
Use of Opioids from Multiple Prescribers (UOP) (Note that a lower score is better for this measure)	Statewide	26.1%	24.2% ▲	23.9%	Below 50th
	AMG	25.0%	23.0%	22.7%	Below 50th
	CCW	25.0%	22.1% ▲	21.1%	Above 50th, Below 75th
	CHPW	27.3%	25.5%	23.7%	Below 50th
	MHW	27.3%	25.0% ▲	25.1%	Below 50th
	UHC	23.4%	22.8%	22.8%	Below 50th
Use of Opioids from Multiple Pharmacies (UOP) (Note that a lower score is better for this measure)	Statewide	7.7%	6.5% ▲	5.2% ▲	Below 50th
	AMG	8.4%	4.8% ▲	3.4% ▲	At 50th
	CCW	7.0%	6.6%	5.2%	Above 50th, Below 75th
	CHPW	7.6%	5.9% ▲	4.7%	Above 50th, Below 75th
	MHW	7.1%	5.9% ▲	5.3%	Below 50th
	UHC	9.4%	9.3%	6.7% ▲	Below 50th
Use of Opioids from Multiple Prescribers and Multiple Pharmacies (UOP) (Note that a lower score is better for this measure)	Statewide	4.8%	3.9% ▲	3.3% ▲	Below 50th
	AMG	4.7%	3.1% ▲	2.1%	Above 50th, Below 75th
	CCW	4.3%	3.6%	3.1%	Above 50th, Below 75th
	CHPW	5.2%	3.8% ▲	3.1%	Below 50th
	MHW	4.6%	3.8% ▲	3.5%	Below 50th
	UHC	5.3%	5.0%	3.9% ▲	Below 50th
Risk of Continued Opioid Use (COU), At least 15 days, 18-64 Years	Statewide	NR	7.3%	6.7% ▼	Above 75th
	AMG	NR	8.2%	7.6%	Above 75th
	CCW	NR	6.1%	5.7%	At 50th
	CHPW	NR	7.3%	7.1%	Above 75th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**	
	MHW	NR	7.6%	6.8%	▼ Above 75th	
	UHC	NR	7.0%	6.3%	At 50th	
Risk of Continued Opioid Use (COU), At least 15 days, Total	Statewide	NR	7.3%	6.7%	▼ Above 75th	
	AMG	NR	8.2%	7.6%	Above 75th	
	CCW	NR	6.1%	5.7%	Below 50th	
	CHPW	NR	7.3%	7.1%	Above 75th	
	MHW	NR	7.6%	6.8%	▼ Above 75th	
	UHC	NR	7.0%	6.3%	At 50th	
Risk of Continued Opioid Use (COU), At least 30 days, 18-64 Years	Statewide	NR	2.7%	2.8%	Below 50th	
	AMG	NR	3.3%	3.5%	At 50th	
	CCW	NR	2.1%	2.3%	Below 50th	
	CHPW	NR	2.6%	3.1%	At 50th	
	MHW	NR	2.9%	2.8%	Below 50th	
	UHC	NR	2.6%	2.4%	Below 50th	
Risk of Continued Opioid Use (COU), At least 30 days, Total	Statewide	NR	2.7%	2.8%	Below 50th	
	AMG	NR	3.3%	3.5%	At 50th	
	CCW	NR	2.1%	2.3%	Below 50th	
	CHPW	NR	2.6%	3.1%	At 50th	
	MHW	NR	2.9%	2.8%	Below 50th	
	UHC	NR	2.6%	2.4%	Below 50th	
Adults' Access to Preventive/Ambulatory Health Services (AAP), 20-44 Years	Statewide	72.6%	73.1%	▲	74.1%	▲ Below 50th
	AMG	66.2%	66.8%		69.8%	▲ Below 50th
	CCW	68.6%	69.0%		70.4%	▲ Below 50th
	CHPW	71.8%	72.0%		73.1%	▲ Below 50th
	MHW	77.3%	77.5%		77.5%	Below 50th
	UHC	69.5%	70.1%		71.2%	▲ Below 50th
Adults' Access to Preventive/Ambulatory Health Services (AAP), 45-64 Years	Statewide	80.6%	80.2%	▼	80.5%	Below 50th
	AMG	76.2%	75.1%		76.8%	▲ Below 50th
	CCW	77.9%	77.0%		77.8%	Below 50th
	CHPW	81.4%	80.5%	▼	80.4%	Below 50th
	MHW	83.6%	83.3%		83.0%	Below 50th
	UHC	79.5%	79.4%		79.7%	Below 50th
Adults' Access to Preventive/Ambulatory Health Services (AAP), Total	Statewide	75.4%	75.5%		76.5%	▲ Below 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	AMG	70.0%	69.5%	72.5%	▲ Below 50th
	CCW	71.9%	71.9%	73.1%	▲ Below 50th
	CHPW	75.4%	75.2%	75.9%	▲ Below 50th
	MHW	79.3%	79.3%	79.3%	Below 50th
	UHC	73.3%	73.6%	75.3%	▲ Below 50th
Children's Access to Primary Care Practitioners (CAP), 12-24 Months	Statewide	96.7%	96.8%	96.8%	Above 50th, Below 75th
	AMG	95.1%	95.7%	96.4%	At 50th
	CCW	96.7%	97.5%	97.1%	At 75th
	CHPW	96.6%	96.7%	96.3%	At 50th
	MHW	96.9%	97.1%	97.3%	At 75th
	UHC	96.8%	95.6%	94.7%	▼ Below 50th
Children's Access to Primary Care Practitioners (CAP), 25 Months-6 Years	Statewide	85.8%	86.6%	87.0%	▲ Below 50th
	AMG	81.6%	83.6%	85.8%	▲ Below 50th
	CCW	86.9%	87.8%	88.0%	At 50th
	CHPW	84.6%	85.6%	86.6%	▲ Below 50th
	MHW	86.7%	87.4%	88.2%	▲ Below 50th
	UHC	84.6%	84.6%	81.1%	▼ Below 50th
Children's Access to Primary Care Practitioners (CAP), 7-11 Years	Statewide	90.4%	89.9%	90.8%	▲ Below 50th
	AMG	84.9%	84.4%	87.1%	▲ Below 50th
	CCW	90.6%	89.3%	90.6%	▲ Below 50th
	CHPW	90.5%	90.1%	90.4%	Below 50th
	MHW	91.0%	90.9%	91.9%	▲ Above 50th, Below 75th
	UHC	89.1%	87.5%	86.5%	▼ Below 50th
Children's Access to Primary Care Practitioners (CAP), 12-19 Years	Statewide	90.6%	89.7%	90.2%	▲ At 50th
	AMG	85.4%	84.2%	85.7%	▲ Below 50th
	CCW	90.1%	88.3%	88.7%	Below 50th
	CHPW	90.1%	89.6%	90.3%	▲ At 50th
	MHW	91.6%	91.2%	91.6%	▲ Above 50th, Below 75th
	UHC	89.0%	87.4%	86.1%	▼ Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Alcohol Abuse or Dependence Initiation of AOD Treatment: 13-17 Years	Statewide	25.4%	29.7%	25.8%	Below 50th
	AMG	NR	Denom < 30†	23.5%	At 50th
	CCW	NR	Denom < 30†	32.1%	At 50th
	CHPW	Denom < 30†	Denom < 30†	22.8%	Below 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	24.1%	30.5%	23.4%	Below 50th
	UHC	NR	NR	Denom < 30†	NR
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Alcohol Abuse or Dependence Engagement of AOD Treatment: 13-17 Years	Statewide	6.3%	11.9%	6.9%	Below 50th
	AMG	NR	Denom < 30†	5.9%	At 50th
	CCW	NR	Denom < 30†	11.0%	At 50th
	CHPW	Denom < 30†	Denom < 30†	3.5%	At 50th
	MHW	5.2%	14.7%	5.9%	Below 50th
	UHC	NR	NR	Denom < 30†	NR
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Opioid Abuse or Dependence: Initiation of AOD Treatment: 13-17 Years	Statewide	Denom < 30†	Denom < 30†	57.6%	No Benchmark
	AMG	NR	NR	Denom < 30†	NR
	CCW	NR	NR	Denom < 30†	NR
	CHPW	NR	NR	Denom < 30†	NR
	MHW	Denom < 30†	Denom < 30†	Denom < 30†	NR
	UHC	NR	NR	Denom < 30†	NR
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Opioid Abuse or Dependence: Engagement of AOD Treatment: 13-17 Years	Statewide	Denom < 30†	Denom < 30†	15.2%	No Benchmark
	AMG	NR	NR	Denom < 30†	NR
	CCW	NR	NR	Denom < 30†	NR
	CHPW	NR	NR	Denom < 30†	NR
	MHW	Denom < 30†	Denom < 30†	Denom < 30†	NR
	UHC	NR	NR	Denom < 30†	NR
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Other Drug Abuse or Dependence: Initiation of AOD Treatment: 13-17 Years	Statewide	26.7%	31.3%	32.9%	Below 50th
	AMG	NR	Denom < 30†	41.2%	At 50th
	CCW	NR	Denom < 30†	33.5%	Below 50th
	CHPW	Denom < 30†	Denom < 30†	30.1%	Below 50th
	MHW	27.1%	34.8%	33.1%	Below 50th
	UHC	NR	NR	20.8%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Other Drug Abuse or Dependence: Engagement of AOD Treatment: 13-17 Years	Statewide	10.9%	17.2%	10.8%	▼ Below 50th
	AMG	NR	Denom < 30†	14.7%	At 50th
	CCW	NR	Denom < 30†	10.9%	At 50th
	CHPW	Denom < 30†	Denom < 30†	6.4%	Below 50th
	MHW	11.1%	19.9%	11.6%	▼ Below 50th
	UHC	NR	NR	5.7%	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence	Statewide	26.3%	28.0%	30.9%	Below 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
Treatment (IET), Total: Initiation of AOD Treatment: 13-17 Years	AMG	NR	Denom < 30†	36.4%	At 50th
	CCW	NR	12.5%	32.2%	Below 50th
	CHPW	Denom < 30†	Denom < 30†	28.4%	Below 50th
	MHW	26.4%	30.0%	30.6%	Below 50th
	UHC	NR	NR	23.8%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Total: Engagement of AOD Treatment: 13-17 Years	Statewide	9.7%	13.8%	9.7%	Below 50th
	AMG	NR	Denom < 30†	12.4%	At 50th
	CCW	NR	6.3%	10.3%	At 50th
	CHPW	Denom < 30†	Denom < 30†	5.7%	Below 50th
	MHW	9.8%	15.9%	10.3%	Below 50th
	UHC	NR	NR	6.3%	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Alcohol Abuse or Dependence Initiation of AOD Treatment: 18+ Years	Statewide	29.4%	31.9%	35.4% ▲	Below 50th
	AMG	NR	48.0%	37.8%	Below 50th
	CCW	NR	36.3%	34.0%	Below 50th
	CHPW	30.4%	37.5%	29.6% ▼	Below 50th
	MHW	29.3%	31.1%	36.1% ▲	Below 50th
	UHC	NR	NR	37.9%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Alcohol Abuse or Dependence Engagement of AOD Treatment: 18+ Years	Statewide	4.7%	7.0% ▲	9.1% ▲	Below 50th
	AMG	NR	22.0%	9.2% ▼	Below 50th
	CCW	NR	12.3%	7.2%	Below 50th
	CHPW	5.8%	11.0%	7.5%	Below 50th
	MHW	4.6%	6.4% ▲	10.0% ▲	Below 50th
	UHC	NR	NR	8.5%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Opioid Abuse or Dependence: Initiation of AOD Treatment: 18+ Years	Statewide	47.1%	60.0% ▲	62.5%	Above 50th, Below 75th
	AMG	NR	Denom < 30†	63.1%	At 75th
	CCW	NR	51.2%	62.4%	At 75th
	CHPW	42.0%	70.2% ▲	60.7%	At 50th
	MHW	47.3%	59.8% ▲	63.2% ▲	Above 50th, Below 75th
	UHC	NR	NR	59.2%	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Opioid Abuse or Dependence: Engagement of AOD Treatment: 18+ Years	Statewide	19.5%	34.7% ▲	34.4%	Above 50th, Below 75th
	AMG	NR	Denom < 30†	33.5%	Above 50th, Below 75th
	CCW	NR	24.4%	31.9%	At 50th
	CHPW	11.7%	37.6% ▲	33.2%	Above 50th, Below 75th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	19.9%	34.8% ▲	36.0%	Above 50th, Below 75th
	UHC	NR	NR	29.8%	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Other Drug Abuse or Dependence: Initiation of AOD Treatment: 18+ Years	Statewide	27.0%	32.5% ▲	36.4% ▲	Below 50th
	AMG	NR	31.8%	40.8%	At 50th
	CCW	NR	31.4%	34.8%	Below 50th
	CHPW	26.0%	41.1% ▲	29.2% ▼	Below 50th
	MHW	27.0%	32.1% ▲	37.1% ▲	Below 50th
	UHC	NR	NR	37.9%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Other Drug Abuse or Dependence: Engagement of AOD Treatment: 18+ Years	Statewide	3.7%	8.2% ▲	9.1%	Below 50th
	AMG	NR	9.1%	9.1%	At 50th
	CCW	NR	8.7%	8.0%	Below 50th
	CHPW	3.6%	12.6% ▲	10.0%	At 50th
	MHW	3.7%	8.0% ▲	9.5% ▲	Below 50th
	UHC	NR	NR	6.3%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Total: Initiation of AOD Treatment: 18+ Years	Statewide	32.1%	38.8% ▲	42.5% ▲	At 50th
	AMG	NR	40.5%	45.4%	Above 50th, Below 75th
	CCW	NR	36.8%	40.2%	Below 50th
	CHPW	31.1%	46.5% ▲	38.6% ▼	Below 50th
	MHW	32.2%	38.5% ▲	43.1% ▲	At 50th
	UHC	NR	NR	43.3%	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Total: Engagement of AOD Treatment: 18+ Years	Statewide	8.0%	14.6% ▲	15.1%	Above 50th, Below 75th
	AMG	NR	17.6%	15.2%	Above 50th, Below 75th
	CCW	NR	13.7%	13.1%	At 50th
	CHPW	6.4%	16.6% ▲	13.3%	At 50th
	MHW	8.1%	14.5% ▲	16.2% ▲	Above 50th, Below 75th
	UHC	NR	NR	13.3%	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Alcohol Abuse or Dependence: Initiation of AOD Treatment: Total	Statewide	29.3%	31.8%	35.1% ▲	Below 50th
	AMG	NR	47.1%	37.5%	Below 50th
	CCW	NR	35.1%	33.8%	Below 50th
	CHPW	30.6%	37.4%	29.4% ▼	Below 50th
	MHW	29.2%	31.1%	35.7% ▲	Below 50th
	UHC	NR	NR	37.9%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence	Statewide	4.7%	7.1% ▲	9.1% ▲	Below 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
Treatment (IET), Alcohol Abuse or Dependence: Engagement of AOD	AMG	NR	21.6%	9.2%	▼ Below 50th
Treatment: Total	CCW	NR	11.7%	7.5%	Below 50th
	CHPW	6.0%	10.5%	7.3%	Below 50th
	MHW	4.6%	6.6% ▲	9.9% ▲	Below 50th
	UHC	NR	NR	8.5%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence	Statewide	0.47	0.60 ▲	0.62	Above 50th, Below 75th
Treatment (IET), Opioid Abuse or Dependence: Initiation of AOD	AMG	NR	Denom < 30 <sup>+</sup>	0.63	At 75th
Treatment: Total	CCW	NR	0.51	0.62	At 75th
	CHPW	0.42	0.70 ▲	0.61	At 50th
	MHW	0.47	0.60 ▲	0.63 ▲	Above 50th, Below 75th
	UHC	NR	NR	0.59	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence	Statewide	0.19	0.35 ▲	0.34	Above 50th, Below 75th
Treatment (IET), Opioid Abuse or Dependence: Engagement of AOD	AMG	NR	Denom < 30 <sup>+</sup>	0.34	Above 50th, Below 75th
Treatment: Total	CCW	NR	0.24	0.32	At 50th
	CHPW	0.12	0.38 ▲	0.33	Above 50th, Below 75th
	MHW	0.20	0.35 ▲	0.36	Above 50th, Below 75th
	UHC	NR	NR	0.30	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence	Statewide	26.9%	32.5% ▲	36.1% ▲	Below 50th
Treatment (IET), Other Drug Abuse or Dependence: Initiation of AOD	AMG	NR	30.4%	40.9%	At 50th
Treatment: Total	CCW	NR	28.5%	34.6%	Below 50th
	CHPW	25.8%	40.7% ▲	29.3% ▼	Below 50th
	MHW	27.0%	32.2% ▲	36.8% ▲	Below 50th
	UHC	NR	NR	37.2%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence	Statewide	3.9%	8.5% ▲	9.2%	Below 50th
Treatment (IET), Other Drug Abuse or Dependence: Engagement of AOD	AMG	NR	8.7%	9.4%	Below 50th
Treatment: Total	CCW	NR	8.5%	8.4%	Below 50th
	CHPW	3.9%	12.3% ▲	9.7%	At 50th
	MHW	3.9%	8.3% ▲	9.7% ▲	Below 50th
	UHC	NR	NR	6.2%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence	Statewide	32.0%	38.6% ▲	42.0% ▲	Below 50th
Treatment (IET), Total: Initiation of AOD Treatment: Total	AMG	NR	39.6%	45.2%	Above 50th, Below 75th
	CCW	NR	34.8%	39.5%	Below 50th
	CHPW	30.9%	46.0% ▲	38.1% ▼	Below 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	32.1%	38.3% ▲	42.5% ▲	Below 50th
	UHC	NR	NR	42.9%	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Total: Engagement of AOD Treatment: Total	Statewide	8.1%	14.6% ▲	14.8%	Above 50th, Below 75th
	AMG	NR	17.2%	15.1%	At 50th
	CCW	NR	13.1%	12.8%	Below 50th
	CHPW	6.4%	16.2% ▲	12.9%	Below 50th
	MHW	8.2%	14.5% ▲	15.9% ▲	Above 50th, Below 75th
	UHC	NR	NR	13.1%	At 50th
Prenatal and Postpartum Care (PPC), Timeliness of Prenatal Care	Statewide	<i>Due to substantial changes in measure specifications between RY 2019 and RY 2020, only current year measure results are displayed.</i>		87.2%	Below 50th
	AMG			<b>76.3%</b>	Below 50th
	CCW			77.4%	Below 50th
	CHPW			76.4%	Below 50th
	MHW			94.6%	At 75th
	UHC			88.3%	At 50th
Prenatal and Postpartum Care (PPC), Postpartum Care	Statewide	<i>Due to substantial changes in measure specifications between RY 2019 and RY 2020, only current year measure results are displayed.</i>		73.6%	Below 50th
	AMG			<b>60.1%</b>	Below 50th
	CCW			72.7%	At 50th
	CHPW			77.4%	At 50th
	MHW			75.2%	At 50th
	UHC			74.7%	At 50th
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP), 1-11 Years	Statewide	18.5%	12.7%	55.8% ▲	Below 50th
	AMG	Denom < 30†	Denom < 30†	40.6%	Below 50th
	CCW	13.6%	9.0%	52.9% ▲	Below 50th
	CHPW	18.5%	6.6%	45.9% ▲	Below 50th
	MHW	54.1%	57.9%	67.6%	At 50th
	UHC	12.5%	2.0%	Denom < 30†	NR
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP), 12-17 Years	Statewide	16.1%	18.3%	55.7% ▲	Below 50th
	AMG	9.8%	9.1%	34.5% ▲	Below 50th
	CCW	8.2%	13.2%	55.6% ▲	Below 50th
	CHPW	21.1%	13.2%	50.0% ▲	Below 50th
	MHW	48.4%	61.7%	69.0%	At 50th
	UHC	5.8%	6.3%	43.1% ▲	Below 50th
Use of First-Line Psychosocial Care for Children and Adolescents on	Statewide	17.0%	16.6%	55.7% ▲	Below 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
Antipsychotics (APP), Total	AMG	7.8%	7.8%	36.7%	▲ Below 50th
	CCW	10.5%	11.7%	54.7%	▲ Below 50th
	CHPW	20.3%	11.3%	48.6%	▲ Below 50th
	MHW	50.5%	60.7%	68.5%	At 50th
	UHC	7.6%	5.2%	47.0%	▲ Below 50th
Well-Child Visits in the First 15 Months of Life (W15), 4 Visits	Statewide	8.6%	8.5%	8.0%	At 50th
	AMG	6.1%	7.2%	<b>7.2%</b>	At 50th
	CCW	5.7%	8.0%	<b>8.0%</b>	At 50th
	CHPW	12.6%	7.8%	6.3%	At 50th
	MHW	8.8%	9.0%	8.5%	At 50th
	UHC	7.5%	9.0%	8.3%	At 50th
Well-Child Visits in the First 15 Months of Life (W15), 5 Visits	Statewide	15.1%	16.0%	13.2%	At 50th
	AMG	14.3%	15.5%	<b>15.5%</b>	At 50th
	CCW	13.2%	17.5%	<b>17.5%</b>	At 75th
	CHPW	12.1%	13.7%	15.8%	At 50th
	MHW	16.3%	15.6%	10.7%	At 50th
	UHC	16.9%	19.1%	13.4%	At 50th
Well-Child Visits in the First 15 Months of Life (W15), 6 or More Visits	Statewide	67.7%	67.0%	71.4%	Above 50th, Below 75th
	AMG	72.2%	69.6%	<b>69.6%</b>	At 50th
	CCW	72.8%	67.9%	<b>67.9%</b>	At 50th
	CHPW	67.0%	70.9%	72.7%	At 50th
	MHW	65.7%	66.4%	72.5%	At 75th
	UHC	67.8%	62.0%	70.8%	At 50th
Well-Child Visits in the Third, Fourth, Fifth, and Sixth Years of Life (W34)	Statewide	66.7%	67.7%	70.1%	Below 50th
	AMG	68.6%	65.6%	68.6%	Below 50th
	CCW	75.0%	71.3%	73.0%	At 50th
	CHPW	68.1%	68.3%	71.8%	At 50th
	MHW	64.2%	66.4%	69.3%	Below 50th
	UHC	63.9%	69.0%	<b>69.0%</b>	Below 50th
Adolescent Well-Care Visits (AWC)	Statewide	48.0%	46.6%	51.2%	Below 50th
	AMG	50.6%	45.5%	50.6%	Below 50th
	CCW	51.1%	52.1%	54.7%	At 50th
	CHPW	49.9%	42.1%	48.4%	Below 50th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	46.2%	46.0%	51.3%	Below 50th
	UHC	46.7%	51.1%	51.1%	Below 50th
Ambulatory Care (AMB), Outpatient	Statewide	303.1	301.1	304.1	NR
	AMG	262.8	252.6	260.0	NR
	CCW	299.6	304.1	307.2	NR
	CHPW	282.8	279.9	285.0	NR
	MHW	321.9	320.8	322.1	NR
	UHC	302.3	294.2	296.9	NR
Ambulatory Care (AMB), Emergency Department	Statewide	48.7	48.1	48.3	NR
	AMG	51.4	50.9	50.6	NR
	CCW	52.9	53.0	53.9	NR
	CHPW	49.3	49.7	49.9	NR
	MHW	47.0	46.0	46.7	NR
	UHC	47.1	46.3	44.6	NR
Identification of Alcohol and Other Drug Services (IAD), Total Any Services	Statewide	9.0%	7.0% ▼	8.2% ▲	Above 50th, Below 75th
	AMG	NR	8.7%	10.4% ▲	Above 75th
	CCW	NR	6.4%	7.6% ▲	Above 50th, Below 75th
	CHPW	9.3%	11.0% ▲	8.3% ▼	Above 50th, Below 75th
	MHW	9.0%	6.5% ▼	7.4% ▲	Above 50th, Below 75th
	UHC	NR	NR	10.4%	Above 75th
Identification of Alcohol and Other Drug Services (IAD), Total Inpatient	Statewide	1.2%	1.6% ▲	1.6%	Above 50th, Below 75th
	AMG	NR	1.2%	2.1% ▲	At 75th
	CCW	NR	1.2%	1.4%	Below 50th
	CHPW	1.1%	2.2% ▲	1.6% ▼	Above 50th, Below 75th
	MHW	1.2%	1.6% ▲	1.4% ▼	At 50th
	UHC	NR	NR	1.9%	Above 50th, Below 75th
Identification of Alcohol and Other Drug Services (IAD), Total Intensive Outpatient/Partial Hospitalization	Statewide	0.0%	0.4% ▲	0.0% ▼	Below 50th
	AMG	NR	0.0%	0.0%	Below 50th
	CCW	NR	0.0%	0.0%	Below 50th
	CHPW	0.0%	0.0%	0.0%	Below 50th
	MHW	0.0%	0.5% ▲	0.0% ▼	Below 50th
	UHC	NR	NR	0.1%	At 50th
Identification of Alcohol and Other Drug Services (IAD), Total	Statewide	5.3%	5.6% ▲	6.5% ▲	Above 50th, Below 75th

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
Outpatient/MAT	AMG	NR	6.8%	7.9% ▲	Above 75th
	CCW	NR	5.3%	5.8%	Above 50th, Below 75th
	CHPW	6.2%	8.8% ▲	6.6% ▼	Above 50th, Below 75th
	MHW	5.2%	5.2%	6.0% ▲	Above 50th, Below 75th
	UHC	NR	NR	8.4%	Above 75th
Identification of Alcohol and Other Drug Services (IAD), Total ED	Statewide	2.8%	2.2% ▼	2.5% ▲	Above 50th, Below 75th
	AMG	NR	2.6%	3.4% ▲	Above 75th
	CCW	NR	1.8%	2.5% ▲	Above 50th, Below 75th
	CHPW	2.2%	2.9% ▲	2.5% ▼	Above 50th, Below 75th
	MHW	2.8%	2.1% ▼	2.1%	Above 50th, Below 75th
	UHC	NR	NR	2.8%	At 75th
Identification of Alcohol and Other Drug Services (IAD), Total Telehealth	Statewide	0.1%	0.5% ▲	0.6% ▲	Above 75th
	AMG	NR	0.1%	0.8% ▲	Above 75th
	CCW	NR	0.0%	0.5% ▲	Above 75th
	CHPW	0.0%	1.1% ▲	0.4% ▼	Above 75th
	MHW	0.1%	0.4% ▲	0.6% ▲	Above 75th
	UHC	NR	NR	0.6%	Above 75th
Mental Health Utilization (MPT), Total Outpatient	Statewide	5.2%	6.5%	11.2%	NR
	AMG	3.8%	4.6%	7.6%	NR
	CCW	4.1%	6.6%	12.0%	NR
	CHPW	4.4%	5.2%	8.8%	NR
	MHW	8.5%	9.9%	13.3%	NR
	UHC	4.0%	4.2%	10.1%	NR
Mental Health Utilization (MPT), Total ED	Statewide	0.2%	0.6%	0.3%	NR
	AMG	0.1%	0.2%	0.1%	NR
	CCW	0.1%	0.1%	0.1%	NR
	CHPW	0.1%	0.1%	0.1%	NR
	MHW	0.4%	1.8%	0.5%	NR
	UHC	0.1%	0.2%	0.1%	NR
Plan All-Cause Readmissions (PCR), Total: 18-44 Years (Note that a lower score is better for this measure)	Statewide	<i>Due to substantial changes in measure specifications between RY 2019 and RY 2020, only current year</i>		8.4%	No Benchmark
	AMG			8.6%	No Benchmark
	CCW			9.2%	No Benchmark
	CHPW			10.4%	No Benchmark

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	<i>measure results are</i>		7.9%	No Benchmark
	UHC	<i>displayed.</i>		7.5%	No Benchmark
Plan All-Cause Readmissions (PCR), Total: 45-54 Years (Note that a lower score is better for this measure)	Statewide	<i>Due to substantial changes in</i>		9.2%	No Benchmark
	AMG	<i>measure specifications</i>		9.2%	No Benchmark
	CCW	<i>between RY 2019 and RY</i>		10.0%	No Benchmark
	CHPW	<i>2020, only current year</i>		10.6%	No Benchmark
	MHW	<i>measure results are</i>		8.6%	No Benchmark
	UHC	<i>displayed.</i>		8.9%	No Benchmark
Plan All-Cause Readmissions (PCR), Total: 55-64 Years (Note that a lower score is better for this measure)	Statewide	<i>Due to substantial changes in</i>		9.6%	No Benchmark
	AMG	<i>measure specifications</i>		8.1%	No Benchmark
	CCW	<i>between RY 2019 and RY</i>		9.9%	No Benchmark
	CHPW	<i>2020, only current year</i>		11.0%	No Benchmark
	MHW	<i>measure results are</i>		9.2%	No Benchmark
	UHC	<i>displayed.</i>		10.5%	No Benchmark
Plan All-Cause Readmissions (PCR), Total (Note that a lower score is better for this measure)	Statewide	<i>Due to substantial changes in</i>		9.0%	No Benchmark
	AMG	<i>measure specifications</i>		8.6%	No Benchmark
	CCW	<i>between RY 2019 and RY</i>		9.6%	No Benchmark
	CHPW	<i>2020, only current year</i>		10.6%	No Benchmark
	MHW	<i>measure results are</i>		8.4%	No Benchmark
	UHC	<i>displayed.</i>		8.9%	No Benchmark
Substance Use Disorder Treatment Penetration, 12-64 Years	Statewide	30.8%	34.1% ▲	36.6% ▲	Above Benchmark
	AMG	31.5%	33.6% ▲	34.9% ▲	Above Benchmark
	CCW	31.4%	35.4% ▲	38.2% ▲	Above Benchmark
	CHPW	28.0%	31.5% ▲	34.4% ▲	Above Benchmark
	MHW	30.6%	34.4% ▲	37.8% ▲	Above Benchmark
	UHC	31.9%	34.5% ▲	35.5%	Above Benchmark
Substance Use Disorder Treatment Penetration, 12-17 Years	Statewide	34.1%	33.0%	28.2% ▼	Below Benchmark
	AMG	36.7%	31.8%	29.5%	At Benchmark
	CCW	35.9%	35.2%	27.4% ▼	Below Benchmark
	CHPW	32.8%	36.5%	27.9% ▼	Below Benchmark
	MHW	34.8%	32.2%	28.5% ▼	Below Benchmark
	UHC	27.9%	26.4%	26.6%	Below Benchmark
Substance Use Disorder Treatment Penetration, 12-26 Years	Statewide	28.3%	29.6% ▲	29.3%	At Benchmark

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	AMG	30.0%	30.8%	31.8%	At Benchmark
	CCW	29.7%	31.6%	28.9%	At Benchmark
	CHPW	26.1%	29.5% ▲	28.6%	At Benchmark
	MHW	28.3%	29.0%	29.3%	At Benchmark
	UHC	27.8%	28.9%	28.6%	At Benchmark
Substance Use Disorder Treatment Penetration, 18-64 Years	Statewide	30.4%	34.2% ▲	37.6% ▲	Above Benchmark
	AMG	30.3%	33.9% ▲	37.6% ▲	Above Benchmark
	CCW	31.3%	35.4% ▲	38.4% ▲	Above Benchmark
	CHPW	27.3%	31.2% ▲	35.0% ▲	Above Benchmark
	MHW	30.5%	34.4% ▲	38.1% ▲	Above Benchmark
	UHC	31.4%	34.9% ▲	37.0% ▲	Above Benchmark
Mental Health Treatment Penetration, 6-64 Years	Statewide	54.8%	57.3% ▲	57.4%	Above Benchmark
	AMG	61.1%	63.7% ▲	62.6% ▼	Above Benchmark
	CCW	49.9%	51.4% ▲	52.7% ▲	Below Benchmark
	CHPW	51.4%	54.6% ▲	54.3%	Below Benchmark
	MHW	50.5%	52.6% ▲	53.4% ▲	Below Benchmark
	UHC	56.6%	59.1% ▲	59.4%	Above Benchmark
Mental Health Treatment Penetration, 6-17 Years	Statewide	65.3%	67.9% ▲	66.4%	At Benchmark
	AMG	64.7%	66.0%	66.4%	At Benchmark
	CCW	62.2%	67.0% ▲	64.3%	Below Benchmark
	CHPW	69.0%	71.8% ▲	69.7%	Above Benchmark
	MHW	66.0%	67.8% ▲	66.4%	At Benchmark
	UHC	59.8%	63.6% ▲	63.5%	Below Benchmark
Mental Health Treatment Penetration, 6-26 Years	Statewide	59.9%	62.8% ▲	62.2%	Above Benchmark
	AMG	57.9%	60.0% ▲	62.0%	At Benchmark
	CCW	58.4%	62.0% ▲	60.5%	At Benchmark
	CHPW	62.7%	66.1% ▲	65.1%	Above Benchmark
	MHW	61.0%	63.2% ▲	62.4%	Above Benchmark
	UHC	54.3%	58.4% ▲	58.9%	Below Benchmark
Mental Health Treatment Penetration, 18-64 Years	Statewide	47.5%	49.3% ▲	50.1% ▲	Above Benchmark
	AMG	48.0%	49.3% ▲	50.1%	Above Benchmark
	CCW	48.6%	49.8% ▲	50.1%	Above Benchmark
	CHPW	46.5%	48.4% ▲	49.2%	Above Benchmark

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
	MHW	48.1%	50.1% ▲	51.2% ▲	Above Benchmark
	UHC	45.3%	47.1% ▲	46.5%	Below Benchmark
Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 30-Day Follow-Up, 13-17 Years	Statewide	NR	NR	48.4%	No Benchmark
	AMG	NR	NR	Denom < 30+	NR
	CCW	NR	NR	Denom < 30+	NR
	CHPW	NR	NR	Denom < 30+	NR
	MHW	NR	NR	Denom < 30+	NR
	UHC	NR	NR	Denom < 30+	NR
Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 30-Day Follow-Up, 18-64 Years	Statewide	NR	NR	56.5%	No Benchmark
	AMG	NR	NR	54.3%	No Benchmark
	CCW	NR	NR	51.2%	No Benchmark
	CHPW	NR	NR	57.9%	No Benchmark
	MHW	NR	NR	58.8%	No Benchmark
	UHC	NR	NR	51.8%	No Benchmark
Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 30-Day Follow-Up, Total	Statewide	NR	NR	56.5%	No Benchmark
	AMG	NR	NR	54.3%	No Benchmark
	CCW	NR	NR	50.9%	No Benchmark
	CHPW	NR	NR	58.1%	No Benchmark
	MHW	NR	NR	58.7%	No Benchmark
	UHC	NR	NR	51.9%	No Benchmark
Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 7-Day Follow-Up, 13-17 Years	Statewide	NR	NR	35.5%	No Benchmark
	AMG	NR	NR	Denom < 30+	NR
	CCW	NR	NR	Denom < 30+	NR
	CHPW	NR	NR	Denom < 30+	NR
	MHW	NR	NR	Denom < 30+	NR
	UHC	NR	NR	Denom < 30+	NR
Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 7-Day Follow-Up, 18-64 Years	Statewide	NR	NR	39.0%	No Benchmark
	AMG	NR	NR	40.5%	No Benchmark
	CCW	NR	NR	37.4%	No Benchmark
	CHPW	NR	NR	36.0%	No Benchmark
	MHW	NR	NR	40.8%	No Benchmark
	UHC	NR	NR	33.5%	No Benchmark
Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 7-	Statewide	NR	NR	39.0%	No Benchmark

Measure Description	MCO	2018 Rate	2019 Rate	2020 Rate	2020 Performance**
Day Follow-Up, Total	AMG	NR	NR	40.5%	No Benchmark
	CCW	NR	NR	37.3%	No Benchmark
	CHPW	NR	NR	36.3%	No Benchmark
	MHW	NR	NR	40.8%	No Benchmark
	UHC	NR	NR	33.2%	No Benchmark
Pharmacotherapy for Opioid Use Disorder (POD): 16-64 Years	Statewide	NR	NR	18.9%	No Benchmark
	AMG	NR	NR	18.4%	No Benchmark
	CCW	NR	NR	19.3%	No Benchmark
	CHPW	NR	NR	18.5%	No Benchmark
	MHW	NR	NR	17.2%	No Benchmark
	UHC	NR	NR	24.3%	No Benchmark
Pharmacotherapy for Opioid Use Disorder (POD): Total	Statewide	NR	NR	18.9%	No Benchmark
	AMG	NR	NR	18.4%	No Benchmark
	CCW	NR	NR	19.4%	No Benchmark
	CHPW	NR	NR	18.5%	No Benchmark
	MHW	NR	NR	17.2%	No Benchmark
	UHC	NR	NR	24.5%	No Benchmark