

## Attachment Appendix B.

- Abacioglu, U., Ozen, Z., Yilmaz, M., Arifoglu, A., Gunhan, B., Kayalilar, N., ... Cozzi, L. (2014). Critical appraisal of RapidArc radiosurgery with flattening filter free photon beams for benign brain lesions in comparison to GammaKnife: A treatment planning study. *Radiation Oncology*, 9, 119. DOI: <http://dx.doi.org/10.1186/1748-717X-9-119>
- AbdelRahman, O. M., & Elsayed, Z. (2014). External beam radiotherapy for unresectable hepatocellular carcinoma. *Cochrane Database of Systematic Reviews*(9).
- Abdul Rahim, M., North, J., & Costello, S. (2013). Stereotactic ablative radiotherapy for inoperable early stage non-small cell lung cancer-Dunedin experience. *Journal of medical imaging and radiation oncology*, 57(120).
- Abe, T., Ebara, T., Miyaura, K., Kumazaki, Y., Nakahira, M., Sugashawa, M., ... Kato, S. (2015). Malignant melanoma of the nasal cavity treated with stereotactic radiotherapy using CyberKnife: Report of 2 cases. *American Journal of Otolaryngology*, 36(2), 306-309. DOI: <http://dx.doi.org/10.1016/j.amjoto.2014.11.010>
- Abe, T., Saitoh, J., Kobayashi, D., Shibuya, K., Koyama, Y., Shimada, H., ... Nakano, T. (2015). Dosimetric comparison of carbon ion radiotherapy and stereotactic body radiotherapy with photon beams for the treatment of hepatocellular carcinoma. *Radiation Oncology*, 10, 187. DOI: <http://dx.doi.org/10.1186/s13014-015-0491-8>
- Abelson, J. A., Murphy, J. D., Loo, B. W., Jr., Chang, D. T., Daly, M. E., Wiegner, E. A., ... Gibbs, I. C. (2012). Esophageal tolerance to high-dose stereotactic ablative radiotherapy. *Diseases of the Esophagus*, 25(7), 623-629. DOI: <http://dx.doi.org/10.1111/j.1442-2050.2011.01295.x>
- Abelson, J. A., Murphy, J. D., Loo, B. W., Jr., Chang, D. T., Daly, M. E., Wiegner, E. A., ... Gibbs, I. C. (2012). Esophageal tolerance to high-dose stereotactic ablative radiotherapy. *Diseases of the Esophagus*, 25(7), 623-629. DOI: <http://dx.doi.org/10.1111/j.1442-2050.2011.01295.x>
- Abla, A. A., Rutledge, W. C., Seymour, Z. A., Guo, D., Kim, H., Gupta, N., ... Lawton, M. T. (2015). A treatment paradigm for high-grade brain arteriovenous malformations: Volume-staged radiosurgical downgrading followed by microsurgical resection. *Journal of Neurosurgery*, 122(2), 419-432. DOI: <http://dx.doi.org/10.3171/2014.10.JNS1424>
- Aboukais, R., Marinho, P., Baroncini, M., Bourgeois, P., Leclerc, X., Vinchon, M., & Lejeune, J. P. (2015). Ruptured cerebral arteriovenous malformations: Outcomes analysis after microsurgery. *Clinical Neurology & Neurosurgery*, 138, 137-142. DOI: <http://dx.doi.org/10.1016/j.clineuro.2015.08.017>
- Aboukais, R., Zairi, F., Le Rhun, E., Lejeune, J. P., Devos, P., & Reyns, N. (2015). Radiation-associated grade 2 meningiomas: A nine patient-series and review of the literature. *Clinical Neurology & Neurosurgery*, 136, 10-14. DOI: <http://dx.doi.org/10.1016/j.clineuro.2015.05.022>
- Aboukais, R., Zairi, F., Lejeune, J. P., Le Rhun, E., Vermandel, M., Blond, S., ... Re却ns, N. (2015). Grade 2 meningioma and radiosurgery. *Journal of Neurosurgery*, 122(5), 1157-1162. DOI: <http://dx.doi.org/10.3171/2014.9.JNS14233>
- Aboukais, R., Zairi, F., Lejeune, J. P., Le Rhun, E., Vermandel, M., Blond, S., ... Re却ns, N. (2015). Grade 2 meningioma and radiosurgery. *Journal of Neurosurgery*, 122(5), 1157-1162. DOI: <http://dx.doi.org/10.3171/2014.9.JNS14233>

- Aboukais, R., Zairi, F., Reyms, N., Le Rhun, E., Touzet, G., Blond, S., & Lejeune, J. P. (2014). Surgery followed by radiosurgery: a deliberate valuable strategy in the treatment of intracranial meningioma. *Clinical Neurology & Neurosurgery*, 124, 123-126. DOI: <http://dx.doi.org/10.1016/j.clineuro.2014.06.035>
- Abu Dabrh, A. M., Asi, N., Farah, W. H., Mohammed, K., Wang, Z., Farah, M. H., ... Murad, M. H. (2015). Radiotherapy Versus Radiosurgery in Treating Patients with Acromegaly: A Systematic Review and Meta-Analysis. *Endocrine Practice*, 21(8), 943-956. DOI: <http://dx.doi.org/10.4158/EP14574.OR>
- Adas, Y. G., Yazici, O., Kekilli, E., Akkas, E. A., Karakaya, E., Ucer, A. R., ... Guney, Y. (2015). Whole brain radiotherapy combined with stereotactic radiosurgery versus stereotactic radiosurgery alone for brain metastases. *Asian Pacific Journal of Cancer Prevention*, 16(17), 7595-7597.
- Adebahr, S., Collette, S., Shash, E., Lambrecht, M., Le Pechoux, C., Faivre-Finn, C., ... Nestle, U. (2015). LungTech, an EORTC Phase II trial of stereotactic body radiotherapy for centrally located lung tumours: a clinical perspective. *British Journal of Radiology*, 88(1051), 20150036. DOI: <http://dx.doi.org/10.1259/bjr.20150036>
- Adebahr, S., Collette, S., Shash, E., Lambrecht, M., Le Pechoux, C., Faivre-Finn, C., ... Nestle, U. (2015). LungTech, an EORTC Phase II trial of stereotactic body radiotherapy for centrally located lung tumours: a clinical perspective. *British Journal of Radiology*, 88(1051), 20150036. DOI: <http://dx.doi.org/10.1259/bjr.20150036>
- Agarwal, A., Mehta, A., Logeswaran, P., Cooley, T. P., & Subramaniam, R. M. (2012). Radiology quiz case 2. Docetaxel (Taxotere)-induced photosensitivity. *Archives of Otolaryngology -- Head & Neck Surgery*, 138(9), 869-870. DOI: <http://dx.doi.org/10.1001/archoto.2012.1675>
- Agolli, L., Valeriani, M., Nicosia, L., Bracci, S., De Sanctis, V., Minniti, G., ... Osti, M. F. (2015). Stereotactic Ablative Body Radiotherapy (SABR) in Pulmonary Oligometastatic/Oligorecurrent Non-small Cell Lung Cancer Patients: A New Therapeutic Approach. *Anticancer Research*, 35(11), 6239-6245.
- Agolli, L., Valeriani, M., Nicosia, L., Bracci, S., De Sanctis, V., Minniti, G., ... Osti, M. F. (2015). Stereotactic Ablative Body Radiotherapy (SABR) in Pulmonary Oligometastatic/Oligorecurrent Non-small Cell Lung Cancer Patients: A New Therapeutic Approach.[Erratum appears in Anticancer Res. 2016 May;36(5):2629; PMID: 27127169]. *Anticancer Research*, 35(11), 6239-6245.
- Ahmed, K. A., Barney, B. M., Macdonald, O. K., Miller, R. C., Garces, Y. I., Laack, N. N., ... Olivier, K. R. (2013). Stereotactic body radiotherapy in the treatment of adrenal metastases. *American Journal of Clinical Oncology*, 36(5), 509-513. DOI: <http://dx.doi.org/10.1097/COC.0b013e3182569189>
- Ahmed, K. A., Freilich, J. M., Abuodeh, Y., Figura, N., Patel, N., Sarangkasiri, S., ... Rao, N. G. (2014). Fractionated stereotactic radiotherapy to the post-operative cavity for radioresistant and radiosensitive brain metastases. *Journal of Neuro-Oncology*, 118(1), 179-186. DOI: <http://dx.doi.org/10.1007/s11060-014-1417-2>
- Ahmed, K. A., Freilich, J. M., Sloot, S., Figura, N., Gibney, G. T., Weber, J. S., ... Rao, N. G. (2015). LINAC-based stereotactic radiosurgery to the brain with concurrent vemurafenib for melanoma metastases. *Journal of Neuro-Oncology*, 122(1), 121-126. DOI: <http://dx.doi.org/10.1007/s11060-014-1685-x>
- Ahmed, K. A., Stauder, M. C., Miller, R. C., Bauer, H. J., Rose, P. S., Olivier, K. R., ... Laack, N. N. (2012). Stereotactic body radiation therapy in spinal metastases. *International Journal of Radiation Oncology, Biology, Physics*, 82(5), e803-809. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.11.036>

- Ahmed, K. A., & Torres-Roca, J. F. (2016). Stereotactic Body Radiotherapy in the Management of Oligometastatic Disease. *Cancer Control*, 23(1), 21-29.
- Aibe, N., Yamazaki, H., Nakamura, S., Tsubokura, T., Kobayashi, K., Kodani, N., ... Yamada, K. (2014). Outcome and toxicity of stereotactic body radiotherapy with helical tomotherapy for inoperable lung tumor: analysis of Grade 5 radiation pneumonitis. *Journal of Radiation Research*, 55(3), 575-582. DOI: <http://dx.doi.org/10.1093/jrr/rrt146>
- Aibe, N., Yamazaki, H., Nakamura, S., Tsubokura, T., Kobayashi, K., Kodani, N., ... Yamada, K. (2014). Outcome and toxicity of stereotactic body radiotherapy with helical tomotherapy for inoperable lung tumor: analysis of Grade 5 radiation pneumonitis. *Journal of Radiation Research*, 55(3), 575-582.
- Aitken, K., Tree, A., Thomas, K., Nutting, C., Hawkins, M., Tait, D., ... van As, N. (2015). Initial UK Experience of Stereotactic Body Radiotherapy for Extracranial Oligometastases: Can We Change the Therapeutic Paradigm? *Clinical Oncology (Royal College of Radiologists)*, 27(7), 411-419. DOI: <http://dx.doi.org/10.1016/j.clon.2015.03.006>
- Aitken, K. L., Tait, D. M., Nutting, C. M., Khabra, K., & Hawkins, M. A. (2014). Risk-adapted strategy partial liver irradiation for the treatment of large volume metastatic liver disease. *Acta Oncologica*, 53(5), 702-706. DOI: <http://dx.doi.org/10.3109/0284186X.2013.862595>
- Aitken, K. L., Tait, D. M., Nutting, C. M., Khabra, K., & Hawkins, M. A. (2014). Risk-adapted strategy partial liver irradiation for the treatment of large volume metastatic liver disease. *Acta Oncologica*, 53(5), 702-706. DOI: <http://dx.doi.org/10.3109/0284186X.2013.862595>
- Akino, Y., Das, I. J., Cardenes, H. R., & Desrosiers, C. M. (2014). Correlation between target volume and electron transport effects affecting heterogeneity corrections in stereotactic body radiotherapy for lung cancer. *Journal of Radiation Research*, 55(4), 754-760. DOI: <http://dx.doi.org/10.1093/jrr/rrt231>
- Akino, Y., Oh, R. J., Masai, N., Shiomi, H., & Inoue, T. (2014). Evaluation of potential internal target volume of liver tumors using cine-MRI. *Medical Physics*, 41(11), 111704. DOI: <http://dx.doi.org/10.1118/1.4896821>
- Al Kafi, M. A., Mwidu, U., & Moftah, B. (2015). Continuous versus step-by-step scanning mode of a novel 3D scanner for CyberKnife measurements. *Applied Radiation & Isotopes*, 105, 88-91. DOI: <http://dx.doi.org/10.1016/j.apradiso.2015.07.020>
- Alberts, L., El Sharouni, S. Y., Hofman, F. N., Van Putte, B. P., Tromp, E., Van Vulpen, M., ... Schramel, F. M. (2015). Changes in Pulmonary Function After Stereotactic Body Radiotherapy and After Surgery for Stage I and II Non-small Cell Lung Cancer, a Description of Two Cohorts. *Anticancer Research*, 35(12), 6773-6779.
- Algan, O., Confer, M., Algan, S., Matthiesen, C., Herman, T., Ahmad, S., & Ali, I. (2015). Quantitative evaluation of correlation of dose and FDG-PET uptake value with clinical chest wall complications in patients with lung cancer treated with stereotactic body radiation therapy. *Journal of X-Ray Science & Technology*, 23(6), 727-736. DOI: <http://dx.doi.org/10.3233/XST-150523>
- Algan, O., Giem, J., Young, J., Ali, I., Ahmad, S., & Hossain, S. (2015). Comparison of doses received by the hippocampus in patients treated with single isocenter- vs multiple isocenter-based stereotactic radiation therapy to the brain for multiple brain metastases. *Medical Dosimetry*, 40(4), 314-317. DOI: <http://dx.doi.org/10.1016/j.meddos.2015.04.001>

- Al-Halabi, H., Sayegh, K., Digamurthy, S. R., Niemierko, A., Piotrowska, Z., Willers, H., & Sequist, L. V. (2015). Pattern of Failure Analysis in Metastatic EGFR-Mutant Lung Cancer Treated with Tyrosine Kinase Inhibitors to Identify Candidates for Consolidation Stereotactic Body Radiation Therapy. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 10(11), 1601-1607. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000648>
- Allibhai, Z., Taremi, M., Bezjak, A., Brade, A., Hope, A. J., Sun, A., & Cho, B. C. (2013). The impact of tumor size on outcomes after stereotactic body radiation therapy for medically inoperable early-stage non-small cell lung cancer. *International Journal of Radiation Oncology, Biology, Physics*, 87(5), 1064-1070. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.08.020>
- Al-Mamgani, A., Tans, L., Teguh, D. N., van Rooij, P., Zwijnenburg, E. M., & Levendag, P. C. (2012). Stereotactic body radiotherapy: a promising treatment option for the boost of oropharyngeal cancers not suitable for brachytherapy: a single-institutional experience. *International Journal of Radiation Oncology, Biology, Physics*, 82(4), 1494-1500. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.05.019>
- Al-Mamgani, A., Van Rooij, P., Sewnaik, A., Mehilal, R., Tans, L., Verduijn, G. M., & Baatenburg de Jong, R. J. (2013). Brachytherapy or stereotactic body radiotherapy boost for early-stage oropharyngeal cancer: Comparable outcomes of two different approaches. *Oral Oncology*, 49(10), 1018-1024. DOI: <http://dx.doi.org/10.1016/j.oraloncology.2013.07.007>
- Almeida-Freitas, D. B., Pinho, M. C., Otaduy, M. C., Braga, H. F., Meira-Freitas, D., & da Costa Leite, C. (2014). Assessment of irradiated brain metastases using dynamic contrast-enhanced magnetic resonance imaging. *Neuroradiology*, 56(6), 437-443. DOI: <http://dx.doi.org/10.1007/s00234-014-1344-0>
- Al-Omair, A., Masucci, L., Masson-Cote, L., Campbell, M., Atenafu, E. G., Parent, A., ... Sahgal, A. (2013). Surgical resection of epidural disease improves local control following postoperative spine stereotactic body radiotherapy. *Neuro-Oncology*, 15(10), 1413-1419. DOI: <http://dx.doi.org/10.1093/neuonc/not101>
- Al-Omair, A., Soliman, H., Xu, W., Karotki, A., Mainprize, T., Phan, N., ... Sahgal, A. (2013). Hypofractionated stereotactic radiotherapy in five daily fractions for post-operative surgical cavities in brain metastases patients with and without prior whole brain radiation. *Technology in Cancer Research & Treatment*, 12(6), 493-499. DOI: <http://dx.doi.org/10.7785/tcrc.2012.500336>
- Al-Omair, A., Soliman, H., Xu, W., Karotki, A., Mainprize, T., Phan, N., ... Sahgal, A. (2013). Hypofractionated stereotactic radiotherapy in five daily fractions for post-operative surgical cavities in brain metastases patients with and without prior whole brain radiation. *Technology in Cancer Research & Treatment*, 12(6), 493-499. DOI: <http://dx.doi.org/10.7785/tcrc.2012.500336>
- Al-Shahi Salman, R., White, P. M., Counsell, C. E., du Plessis, J., van Beijnum, J., Josephson, C. B., ... Scottish Audit of Intracranial Vascular Malformations, C. (2014). Outcome after conservative management or intervention for unruptured brain arteriovenous malformations. *JAMA*, 311(16), 1661-1669. DOI: <http://dx.doi.org/10.1001/jama.2014.3200>
- Al-Shahi Salman, R., White, P. M., Counsell, C. E., du Plessis, J., van Beijnum, J., Josephson, C. B., ... Scottish Audit of Intracranial Vascular Malformations, C. (2014). Outcome after conservative management or intervention for unruptured brain arteriovenous malformations. *JAMA*, 311(16), 1661-1669. DOI: <http://dx.doi.org/10.1001/jama.2014.3200>
- Altoos, B., Amini, A., Yacoub, M., Bourlon, M. T., Kessler, E. E., Flaig, T. W., ... Karam, S. D. (2015). Local Control Rates of Metastatic Renal Cell Carcinoma (RCC) to Thoracic, Abdominal, and Soft Tissue

Lesions Using Stereotactic Body Radiotherapy (SBRT). *Radiation Oncology*, 10, 218. DOI: <http://dx.doi.org/10.1186/s13014-015-0528-z>

Alvarez, F. L., Suarez, V., Suarez, C., & Llorente, J. L. (2013). Multimodality approach for advanced-stage juvenile nasopharyngeal angiofibromas. *Head & Neck*, 35(2), 209-213. DOI: <http://dx.doi.org/10.1002/hed.22947>

Ambrogi, M. C., Melfi, F., Zirafa, C., Lucchi, M., De Liperi, A., Mariani, G., ... Mussi, A. (2012). Radio-guided thoracoscopic surgery (RGTS) of small pulmonary nodules. *Surgical Endoscopy*, 26(4), 914-919. DOI: <http://dx.doi.org/10.1007/s00464-011-1967-8>

Amdur, R. J., Bennett, J., Olivier, K., Wallace, A., Morris, C. G., Liu, C., & Mendenhall, W. M. (2009). A prospective, phase II study demonstrating the potential value and limitation of radiosurgery for spine metastases. *American Journal of Clinical Oncology*, 32(5), 515-520. DOI: <http://dx.doi.org/10.1097/COC.0b013e318194f70f>

Amini, B., Beaman, C. B., Madewell, J. E., Allen, P. K., Rhines, L. D., Tatsui, C. E., ... Ghia, A. J. (2016). Osseous Pseudoprogression in Vertebral Bodies Treated with Stereotactic Radiosurgery: A Secondary Analysis of Prospective Phase I/II Clinical Trials. *Ajnr: American Journal of Neuroradiology*, 37(2), 387-392. DOI: <http://dx.doi.org/10.3174/ajnr.A4528>

Amini, B., Beaman, C. B., Madewell, J. E., Allen, P. K., Rhines, L. D., Tatsui, C. E., ... Ghia, A. J. (2016). Osseous Pseudoprogression in Vertebral Bodies Treated with Stereotactic Radiosurgery: A Secondary Analysis of Prospective Phase I/II Clinical Trials. *Ajnr: American Journal of Neuroradiology*, 37(2), 387-392. DOI: <http://dx.doi.org/10.3174/ajnr.A4528>

Amoodi, H. A., Makki, F. M., Cavanagh, J., Maessen, H., & Bance, M. (2012). Cochlear implant rehabilitation for patients with vestibular schwannoma: report of two cases. *Cochlear Implants International*, 13(2), 124-127. DOI: <http://dx.doi.org/10.1179/1754762810Y.0000000003>

Amponsah, K., Ellis, T. L., Chan, M. D., Bourland, J. D., Glazier, S. S., McMullen, K. P., ... Tatter, S. B. (2011). Staged gamma knife radiosurgery for large cerebral arteriovenous malformations. *Stereotactic & Functional Neurosurgery*, 89(6), 365-371. DOI: <http://dx.doi.org/10.1159/000329363>

Amponsah, K., Ellis, T. L., Chan, M. D., Lovato, J. F., Bourland, J. D., deGuzman, A. F., ... Tatter, S. B. (2012). Retrospective analysis of imaging techniques for treatment planning and monitoring of obliteration for gamma knife treatment of cerebral arteriovenous malformation. *Neurosurgery*, 71(4), 893-899.

Amsbaugh, M. J., Boling, W., & Woo, S. (2015). Tumor bed radiosurgery: an emerging treatment for brain metastases. *Journal of Neuro-Oncology*, 123(2), 197-203. DOI: <http://dx.doi.org/10.1007/s11060-015-1789-y>

Anand, A. K., Punnakal, A. U., Chaudhoory, A. R., Garg, C., Munjal, R. K., Bansal, A. K., ... Kumar, G. (2012). Stereotactic body radiation therapy (SBRT) for lung and liver tumours. *Journal of the Indian Medical Association*, 110(7), 462-464.

Anand, A. K., Venkadamickam, G., Punnakal, A. U., Walia, B. S., Kumar, A., Bansal, A. K., & Singh, H. M. (2015). Hypofractionated stereotactic body radiotherapy in spinal metastasis - with or without epidural extension. *Clinical Oncology (Royal College of Radiologists)*, 27(6), 345-352. DOI: <http://dx.doi.org/10.1016/j.clon.2015.01.035>

Anderson, B. M., Khuntia, D., Bentzen, S. M., Geye, H. M., Hayes, L. L., Kuo, J. S., ... Mehta, M. P. (2014). Single institution experience treating 104 vestibular schwannomas with fractionated stereotactic

radiation therapy or stereotactic radiosurgery. *Journal of Neuro-Oncology*, 116(1), 187-193. DOI: <http://dx.doi.org/10.1007/s11060-013-1282-4>

Anderson, B. M., Khuntia, D., Bentzen, S. M., Geye, H. M., Hayes, L. L., Kuo, J. S., ... Mehta, M. P. (2014). Single institution experience treating 104 vestibular schwannomas with fractionated stereotactic radiation therapy or stereotactic radiosurgery. *Journal of Neuro-Oncology*, 116(1), 187-193. DOI: <http://dx.doi.org/10.1007/s11060-013-1282-4>

Andratschke, N., Zimmermann, F., Boehm, E., Schill, S., Schoenknecht, C., Thamm, R., ... Geinitz, H. (2011). Stereotactic radiotherapy of histologically proven inoperable stage I non-small cell lung cancer: patterns of failure. *Radiotherapy & Oncology*, 101(2), 245-249. DOI: <http://dx.doi.org/10.1016/j.radonc.2011.06.009>

Andratschke, N. H., Nieder, C., Heppt, F., Molls, M., & Zimmermann, F. (2015). Stereotactic radiation therapy for liver metastases: factors affecting local control and survival. *Radiation Oncology*, 10, 69. DOI: <http://dx.doi.org/10.1186/s13014-015-0369-9>

Anonymous. (2012). Early-stage lung cancer: trial compares radiosurgery to standard surgery. *Oncology (Williston Park)*, 26(11), 1072-1073.

Anonymous. (2014). Is there still a place for stereotactic brachytherapy for brain tumors in modern neuro-oncology? *Stereotactic and Functional Neurosurgery. Conference: 21st Congress of the European Society for Stereotactic and Functional Neurosurgery: Implementing Research in Clinical Applications Maastricht Netherlands. Conference Start*, 92.

Anonymous. (2015). Proceedings of the 2015 Autumn Meeting of the Society of British Neurological Surgeons, SBNS 2015. *British Journal of Neurosurgery*, 29(4) (no pagination), CONFERENCE START: 2015 Sep 2019 CONFERENCE END: 2015 Sep 2019.

Anonymous. (2015). Proceedings of the 2015 Autumn Meeting of the Society of British Neurological Surgeons, SBNS 2015. *British Journal of Neurosurgery. Conference*, 29(4).

Anqi, X., Zhang, S., Jiahe, X., & Chao, Y. (2014). Cavernous sinus cavernous hemangioma: imaging features and therapeutic effect of Gamma Knife radiosurgery. *Clinical Neurology & Neurosurgery*, 127, 59-64. DOI: <http://dx.doi.org/10.1016/j.clineuro.2014.09.025>

Anwar, M., Weinberg, V., Chang, A. J., Hsu, I. C., Roach, M., 3rd, & Gottschalk, A. (2014). Hypofractionated SBRT versus conventionally fractionated EBRT for prostate cancer: Comparison of PSA slope and nadir. *Radiation Oncology*, 9, 42. DOI: <http://dx.doi.org/10.1186/1748-717X-9-42>

Anwar, M., Weinberg, V., Seymour, Z., Hsu, I. J., Roach, M., 3rd, & Gottschalk, A. R. (2016). Outcomes of hypofractionated stereotactic body radiotherapy boost for intermediate and high-risk prostate cancer. *Radiation Oncology*, 11, 8. DOI: <http://dx.doi.org/10.1186/s13014-016-0585-y>

Aoki, M., Hatayama, Y., Kawaguchi, H., Hirose, K., Sato, M., Akimoto, H., ... Takai, Y. (2016). Clinical outcome of stereotactic body radiotherapy for primary and oligometastatic lung tumors: A single institutional study with almost uniform dose with different five treatment schedules. *Radiation Oncology*, 11(1).

Aoki, M., Sato, M., Hirose, K., Akimoto, H., Kawaguchi, H., Hatayama, Y., ... Takai, Y. (2015). Radiation-induced rib fracture after stereotactic body radiotherapy with a total dose of 54-56 Gy given in 9-7 fractions for patients with peripheral lung tumor: impact of maximum dose and fraction size. *Radiation Oncology*, 10, 99. DOI: <http://dx.doi.org/10.1186/s13014-015-0406-8>

- Aoyama, H., Tago, M., & Shirato, H. (2015). Stereotactic radiosurgery with or without whole-brain radiotherapy for brain metastases: Secondary analysis of the JROSG 99-1 randomized clinical trial. *JAMA Oncology*, 1(4), 457-464.
- Aoyama, H., Tago, M., Shirato, H., & Japanese Radiation Oncology Study Group, I. (2015). Stereotactic Radiosurgery With or Without Whole-Brain Radiotherapy for Brain Metastases: Secondary Analysis of the JROSG 99-1 Randomized Clinical Trial. *JAMA Oncology*, 1(4), 457-464. DOI: <http://dx.doi.org/10.1001/jamaoncol.2015.1145>
- Aoyama, H., Tago, M., Shirato, H., & Japanese Radiation Oncology Study Group, I. (2015). Stereotactic Radiosurgery With or Without Whole-Brain Radiotherapy for Brain Metastases: Secondary Analysis of the JROSG 99-1 Randomized Clinical Trial. *JAMA Oncology*, 1(4), 457-464. DOI: <http://dx.doi.org/10.1001/jamaoncol.2015.1145>
- Aoyama, H., Tago, M., Shirato, H., & Japanese Radiation Oncology Study Group, I. (2015). Stereotactic Radiosurgery With or Without Whole-Brain Radiotherapy for Brain Metastases: Secondary Analysis of the JROSG 99-1 Randomized Clinical Trial. *JAMA Oncology*, 1(4), 457-464. DOI: <http://dx.doi.org/10.1001/jamaoncol.2015.1145>
- Arscott, W. T., Chen, L. N., Wilson, N., Bhagat, A., Kim, J. S., Moures, R. A., ... Collins, S. P. (2014). Obstructive voiding symptoms following stereotactic body radiation therapy for prostate cancer. *Radiation Oncology*, 9, 163. DOI: <http://dx.doi.org/10.1186/1748-717X-9-163>
- Arscott, W. T., Chen, L. N., Wilson, N., Bhagat, A., Kim, J. S., Moures, R. A., ... Collins, S. P. (2014). Obstructive voiding symptoms following stereotactic body radiation therapy for prostate cancer. *Radiation Oncology*, 9, 163. DOI: <http://dx.doi.org/10.1186/1748-717X-9-163>
- Asai, K., Nakamura, K., Shioyama, Y., Sasaki, T., Matsuo, Y., Ohga, S., ... Honda, H. (2015). Clinical characteristics and outcome of pneumothorax after stereotactic body radiotherapy for lung tumors. *International Journal of Clinical Oncology*, 20(6), 1117-1121. DOI: <http://dx.doi.org/10.1007/s10147-015-0833-4>
- Asai, K., Shioyama, Y., Nakamura, K., Sasaki, T., Ohga, S., Nonoshita, T., ... Honda, H. (2012). Radiation-induced rib fractures after hypofractionated stereotactic body radiation therapy: risk factors and dose-volume relationship. *International Journal of Radiation Oncology, Biology, Physics*, 84(3), 768-773. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.01.027>
- Asher, A. L., Burri, S. H., Wiggins, W. F., Kelly, R. P., Boltes, M. O., Mehrlich, M., ... Fraser, R. W. (2014). A new treatment paradigm: neoadjuvant radiosurgery before surgical resection of brain metastases with analysis of local tumor recurrence.[Erratum appears in Int J Radiat Oncol Biol Phys. 2014 Jul 1;89(3):696]. *International Journal of Radiation Oncology, Biology, Physics*, 88(4), 899-906. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.12.013>
- Ashworth, A., Senan, S., Palma, D. A., Riquet, M., Ahn, Y., Ricardi, U., ... Rodrigues, G. An individual patient data meta-analysis of outcomes and prognostic factors after treatment of oligometastatic non-small cell lung cancer. *International Journal of Radiation Oncology Biology Physics*, 90(5 SUPPL. 1), S4.
- Asnaashari, K., Chow, J. C., & Heydarian, M. (2013). Dosimetric comparison between two MLC systems commonly used for stereotactic radiosurgery and radiotherapy: a Monte Carlo and experimental study. *Physica Medica*, 29(4), 350-356. DOI: <http://dx.doi.org/10.1016/j.ejmp.2012.05.001>
- Astrandsson, A., Wiencke, A. K., Munck af Rosenschold, P., Engelholm, S. A., Ohlhues, L., Roed, H., & Juhler, M. (2014). Visual outcome after fractionated stereotactic radiation therapy of benign anterior skull

base tumors. *Journal of Neuro-Oncology*, 118(1), 101-108. DOI: <http://dx.doi.org/10.1007/s11060-014-1399-0>

Atalar, B., Aydin, G., Gungor, G., Caglar, H., Yapici, B., & Ozyar, E. (2012). Dosimetric comparison of robotic and conventional linac-based stereotactic lung irradiation in early-stage lung cancer. *Technology in Cancer Research & Treatment*, 11(3), 249-255.

Atalar, B., Choi, C. Y., Harsh, G. R. t., Chang, S. D., Gibbs, I. C., Adler, J. R., & Soltys, S. G. (2013). Cavity volume dynamics after resection of brain metastases and timing of postresection cavity stereotactic radiosurgery. *Neurosurgery*, 72(2), 180-185; discussion 185. DOI: <http://dx.doi.org/10.1227/NEU.0b013e31827b99f3>

Atalar, B., Modlin, L. A., Choi, C. Y., Adler, J. R., Gibbs, I. C., Chang, S. D., ... Soltys, S. G. (2013). Risk of leptomeningeal disease in patients treated with stereotactic radiosurgery targeting the postoperative resection cavity for brain metastases. *International Journal of Radiation Oncology, Biology, Physics*, 87(4), 713-718. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.07.034>

Atallah, S., Cho, B. C., Alllibhai, Z., Taremi, M., Giuliani, M., Le, L. W., ... Hope, A. J. (2014). Impact of pretreatment tumor growth rate on outcome of early-stage lung cancer treated with stereotactic body radiation therapy. *International Journal of Radiation Oncology, Biology, Physics*, 89(3), 532-538. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.03.003>

Attia, A., Chan, M. D., Mott, R. T., Russell, G. B., Seif, D., Daniel Bourland, J., ... Shaw, E. G. (2012). Patterns of failure after treatment of atypical meningioma with gamma knife radiosurgery. *Journal of Neuro-Oncology*, 108(1), 179-185. DOI: <http://dx.doi.org/10.1007/s11060-012-0828-1>

Attia, A., Chan, M. D., Mott, R. T., Russell, G. B., Seif, D., Daniel Bourland, J., ... Shaw, E. G. (2012). Patterns of failure after treatment of atypical meningioma with gamma knife radiosurgery. *Journal of Neuro-Oncology*, 108(1), 179-185. DOI: <http://dx.doi.org/10.1007/s11060-012-0828-1>

Attia, A., Tatter, S. B., Weller, M., Marshall, K., Lovato, J. F., Bourland, J. D., ... Chan, M. D. (2012). CT-only planning for Gamma Knife radiosurgery in the treatment of trigeminal neuralgia: methodology and outcomes from a single institution. *Journal of Medical Imaging & Radiation Oncology*, 56(4), 490-494. DOI: <http://dx.doi.org/10.1111/j.1754-9485.2012.02403.x>

Avecillas-Chasin, J. M., Saceda-Gutierrez, J., Alonso-Lera, P., Garcia-Pumarino, R., Issa, S., Lopez, E., & Barcia, J. A. (2015). Scalp Metastases of Recurrent Meningiomas: Aggressive Behavior or Surgical Seeding? *World Neurosurgery*, 84(1), 121-131. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.02.041>

Avecillas-Chasin, J. M., Saceda-Gutierrez, J., Alonso-Lera, P., Garcia-Pumarino, R., Issa, S., Lopez, E., & Barcia, J. A. (2015). Scalp Metastases of Recurrent Meningiomas: Aggressive Behavior or Surgical Seeding? *World Neurosurgery*, 84(1), 121-131. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.02.041>

Awad, A. J., Walcott, B. P., Stapleton, C. J., Ding, D., Lee, C. C., & Loeffler, J. S. (2015). Repeat radiosurgery for cerebral arteriovenous malformations. *Journal of Clinical Neuroscience*, 22(6), 945-950. DOI: <http://dx.doi.org/10.1016/j.jocn.2015.01.015>

Awad, A. J., Walcott, B. P., Stapleton, C. J., Ding, D., Lee, C. C., & Loeffler, J. S. (2015). Repeat radiosurgery for cerebral arteriovenous malformations. *Journal of Clinical Neuroscience*, 22(6), 945-950. DOI: <http://dx.doi.org/10.1016/j.jocn.2015.01.015>

Azad, T. D., Veeravagu, A., Kumar, S., & Katzenelson, L. (2015). Nelson Syndrome: Update on Therapeutic Approaches. *World Neurosurgery*, 83(6), 1135-1140. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.01.038>

- Azad, T. D., Veeravagu, A., Kumar, S., & Katznelson, L. (2015). Nelson Syndrome: Update on Therapeutic Approaches. *World Neurosurgery*, 83(6), 1135-1140. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.01.038>
- Badakhshi, H., Barelkowski, T., Wust, P., Budach, V., Boehmer, D., & Graf, R. (2013). Intrafraction variations in linac-based image-guided radiosurgery of intracranial lesions. *Cancer Radiotherapie*, 17(7), 664-667. DOI: <http://dx.doi.org/10.1016/j.canrad.2013.05.011>
- Badakhshi, H., Graf, R., Prasad, V., & Budach, V. (2014). The impact of 18F-FET PET-CT on target definition in image-guided stereotactic radiotherapy in patients with skull base lesions. *Cancer Imaging*, 14, 25. DOI: <http://dx.doi.org/10.1186/1470-7330-14-25>
- Badakhshi, H., Kaul, D., Wust, P., Wiener, E., Budach, V., & Graf, R. (2013). Image-guided stereotactic radiosurgery for cranial lesions: large margins compensate for reduced image guidance frequency.[Erratum appears in Anticancer Res. 2013 Dec;33(12):5707 Note: Buadch, Volker [corrected to Budach, Volker]]. *Anticancer Research*, 33(10), 4639-4643.
- Badakhshi, H., Muellner, S., Wiener, E., & Budach, V. (2014). Image-guided stereotactic radiotherapy for patients with vestibular schwannoma. A clinical study. *Strahlentherapie und Onkologie*, 190(6), 533-537. DOI: <http://dx.doi.org/10.1007/s00066-014-0646-9>
- Badiyan, S. N., Ferraro, D. J., Yaddanapudi, S., Drzymala, R. E., Lee, A. Y., Silver, S. A., ... Robinson, C. G. (2013). Impact of time of day on outcomes after stereotactic radiosurgery for non-small cell lung cancer brain metastases. *Cancer*, 119(19), 3563-3569. DOI: <http://dx.doi.org/10.1002/cncr.28237>
- Badiyan, S. N., Regine, W. F., & Mehta, M. (2016). Stereotactic radiosurgery for treatment of brain metastases. *Journal of Oncology Practice*, 12(8), 703-712. DOI: [10.1200/JOP.2016.012922](https://doi.org/10.1200/JOP.2016.012922)
- Bae, M. K., Yu, W. S., Byun, G. E., Lee, C. Y., Lee, J. G., Kim, D. J., & Chung, K. Y. (2015). Prognostic factors for cases with no extracranial metastasis in whom brain metastasis is detected after resection of non-small cell lung cancer. *Lung Cancer*, 88(2), 195-200. DOI: <http://dx.doi.org/10.1016/j.lungcan.2015.02.013>
- Bae, S. H., Kim, M. S., Cho, C. K., Kang, J. K., Kang, H. J., Kim, Y. H., ... Lee, D. H. (2012). High dose stereotactic body radiotherapy using three fractions for colorectal oligometastases. *Journal of Surgical Oncology*, 106(2), 138-143. DOI: <http://dx.doi.org/10.1002/jso.23058>
- Bae, S. H., Kim, M. S., Cho, C. K., Kang, J. K., Lee, S. Y., Lee, K. N., ... Kim, S. B. (2012). Predictor of severe gastroduodenal toxicity after stereotactic body radiotherapy for abdominopelvic malignancies. *International Journal of Radiation Oncology, Biology, Physics*, 84(4), e469-474. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.06.005>
- Bahig, H., Campeau, M. P., Vu, T., Doucet, R., Beliveau Nadeau, D., Fortin, B., ... Filion, E. (2013). Predictive parameters of CyberKnife fiducial-less (XSight Lung) applicability for treatment of early non-small cell lung cancer: a single-center experience. *International Journal of Radiation Oncology, Biology, Physics*, 87(3), 583-589. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.06.2048>
- Bahig, H., Filion, E., Vu, T., Roberge, D., Lambert, L., Bouchard, M., ... Campeau, M. P. (2015). Excellent Cancer Outcomes Following Patient-adapted Robotic Lung SBRT But a Case for Caution in Idiopathic Pulmonary Fibrosis. *Technology in Cancer Research & Treatment*, 14(6), 667-676. DOI: <http://dx.doi.org/10.7785/tcrt.2012.500445>
- Baker, R., Han, G., Sarangkasiri, S., DeMarco, M., Turke, C., Stevens, C. W., & Dilling, T. J. (2013). Clinical and dosimetric predictors of radiation pneumonitis in a large series of patients treated with

stereotactic body radiation therapy to the lung. *International Journal of Radiation Oncology, Biology, Physics*, 85(1), 190-195. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.03.041>

- Balagamwala, E. H., Angelov, L., Koyfman, S. A., Suh, J. H., Reddy, C. A., Djemil, T., ... Chao, S. T. (2012). Single-fraction stereotactic body radiotherapy for spinal metastases from renal cell carcinoma. *Journal of Neurosurgery Spine*, 17(6), 556-564. DOI: <http://dx.doi.org/10.3171/2012.8.SPINE12303>
- Balagamwala, E. H., Suh, J. H., Barnett, G. H., Khan, M. K., Neyman, G., Cai, R. S., ... Chao, S. T. (2012). The importance of the conformality, heterogeneity, and gradient indices in evaluating Gamma Knife radiosurgery treatment plans for intracranial meningiomas.[Erratum appears in Int J Radiat Oncol Biol Phys. 2013 Jan 1;85(1):5]. *International Journal of Radiation Oncology, Biology, Physics*, 83(5), 1406-1413. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.10.024>
- Baldacci, M., Autorino, R., Chiesa, S., Mattiucci, G., Pompucci, A., Azario, L., ... Valentini, V. (2015). Radiosurgery or Fractionated Stereotactic Radiotherapy plus Whole-brain Radiotherapy in Brain Oligometastases: A Long-term Analysis. *Anticancer Research*, 35(5), 3055-3059.
- Banfill, K. E., Bownes, P. J., St Clair, S. E., Loughrey, C., & Hatfield, P. (2012). Stereotactic radiosurgery for the treatment of brain metastases: impact of cerebral disease burden on survival. *British Journal of Neurosurgery*, 26(5), 674-678. DOI: <http://dx.doi.org/10.3109/02688697.2012.690913>
- Bansal, S., Suri, A., Singh, M., Kale, S. S., Agarwal, D., Sharma, M. S., ... Sharma, B. S. (2014). Cavernous sinus hemangioma: a fourteen year single institution experience. *Journal of Clinical Neuroscience*, 21(6), 968-974. DOI: <http://dx.doi.org/10.1016/j.jocn.2013.09.008>
- Barani, I. J., Raleigh, D. R., & Larson, D. (2015). The management of central neurocytoma: radiotherapy. *Neurosurgery Clinics of North America*, 26(1), 45-56. DOI: <http://dx.doi.org/10.1016/j.nec.2014.09.014>
- Baranoski, J. F., Grant, R. A., Hirsch, L. J., Visintainer, P., Gerrard, J. L., Gunel, M., ... Bulsara, K. R. (2014). Seizure control for intracranial arteriovenous malformations is directly related to treatment modality: a meta-analysis. *Journal of Neurointerventional Surgery*, 6(9), 684-690. DOI: <http://dx.doi.org/10.1136/neurintsurg-2013-010945>
- Barney, B. M., Markovic, S. N., Laack, N. N., Miller, R. C., Sarkaria, J. N., Macdonald, O. K., ... Olivier, K. R. (2013). Increased bowel toxicity in patients treated with a vascular endothelial growth factor inhibitor (VEGFI) after stereotactic body radiation therapy (SBRT). *International Journal of Radiation Oncology, Biology, Physics*, 87(1), 73-80. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.05.012>
- Barney, B. M., Olivier, K. R., Macdonald, O. K., Fong de Los Santos, L. E., Miller, R. C., & Haddock, M. G. (2012). Clinical outcomes and dosimetric considerations using stereotactic body radiotherapy for abdominopelvic tumors. *American Journal of Clinical Oncology*, 35(6), 537-542. DOI: <http://dx.doi.org/10.1097/COC.0b013e31821f876a>
- Barney, B. M., Olivier, K. R., Miller, R. C., & Haddock, M. G. (2012). Clinical outcomes and toxicity using stereotactic body radiotherapy (SBRT) for advanced cholangiocarcinoma. *Radiation Oncology*, 7, 67. DOI: <http://dx.doi.org/10.1186/1748-717X-7-67>
- Baschnagel, A. M., Cartier, J. L., Dreyer, J., Chen, P. Y., Pieper, D. R., Olson, R. E., ... Grills, I. S. (2014). Trigeminal neuralgia pain relief after gamma knife stereotactic radiosurgery. *Clinical Neurology & Neurosurgery*, 117, 107-111. DOI: <http://dx.doi.org/10.1016/j.clineuro.2013.12.003>

- Baschnagel, A. M., Chen, P. Y., Bojrab, D., Pieper, D., Kartush, J., Didyuk, O., ... Grills, I. S. (2013). Hearing preservation in patients with vestibular schwannoma treated with Gamma Knife surgery. *Journal of Neurosurgery*, 118(3), 571-578. DOI: <http://dx.doi.org/10.3171/2012.10.JNS12880>
- Baschnagel, A. M., Mangona, V. S., Robertson, J. M., Welsh, R. J., Kestin, L. L., & Grills, I. S. (2013). Lung metastases treated with image-guided stereotactic body radiation therapy. *Clinical Oncology (Royal College of Radiologists)*, 25(4), 236-241. DOI: <http://dx.doi.org/10.1016/j.clon.2012.12.005>
- Bashir, A., Hodge, C. J., Jr., Dababneh, H., Hussain, M., Hahn, S., & Canute, G. W. (2014). Impact of the number of metastatic brain lesions on survival after Gamma Knife radiosurgery. *Journal of Clinical Neuroscience*, 21(11), 1928-1933. DOI: <http://dx.doi.org/10.1016/j.jocn.2014.03.026>
- Bate, B. G., Khan, N. R., Kimball, B. Y., Gabrick, K., & Weaver, J. (2015). Stereotactic radiosurgery for spinal metastases with or without separation surgery. *Journal of Neurosurgery Spine*, 22(4), 409-415. DOI: <http://dx.doi.org/10.3171/2014.10.SPINE14252>
- Bates, J. E., Youn, P., Usuki, K. Y., Walter, K. A., Huggins, C. F., Okunieff, P., & Milano, M. T. (2015). Brain metastasis from melanoma: the prognostic value of varying sites of extracranial disease. *Journal of Neuro-Oncology*, 125(2), 411-418. DOI: <http://dx.doi.org/10.1007/s11060-015-1932-9>
- Batistuzzo, M. C., Hoexter, M. Q., Taub, A., Gentil, A. F., Cesar, R. C., Joaquim, M. A., ... Lopes, A. C. (2015). Visuospatial Memory Improvement after Gamma Ventral Capsulotomy in Treatment Refractory Obsessive-Compulsive Disorder Patients. *Neuropsychopharmacology*, 40(8), 1837-1845. DOI: <http://dx.doi.org/10.1038/npp.2015.33>
- Batistuzzo, M. C., Hoexter, M. Q., Taub, A., Gentil, A. F., Cesar, R. C., Joaquim, M. A., ... Lopes, A. C. (2015). Visuospatial Memory Improvement after Gamma Ventral Capsulotomy in Treatment Refractory Obsessive-Compulsive Disorder Patients. *Neuropsychopharmacology*, 40(8), 1837-1845. DOI: <http://dx.doi.org/10.1038/npp.2015.33>
- Batistuzzo, M. C., Hoexter, M. Q., Taub, A., Gentil, A. F., Cesar, R. C., Joaquim, M. A., ... Lopes, A. C. (2015). Visuospatial Memory Improvement after Gamma Ventral Capsulotomy in Treatment Refractory Obsessive-Compulsive Disorder Patients. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology*, 40(8), 1837-1845.
- Baykara, M., Kurt, G., Buyukberber, S., Demirci, U., Ceviker, N., Algin, E., ... Benekli, M. (2014). Management of brain metastases from non-small cell lung cancer. *Journal of Cancer Research & Therapeutics*, 10(4), 915-921. DOI: <http://dx.doi.org/10.4103/0973-1482.137939>
- Bedard, G., McDonald, R., Poon, I., Erler, D., Soliman, H., Cheung, P., ... Sahgal, A. (2016). Stereotactic body radiation therapy for non-spine bone metastases-A review of the literature. *Annals of Palliative Medicine*, 5(1), 58-66. DOI: <http://dx.doi.org/10.3978/j.issn.2224-5820.2015.07.01>
- Benghiat, H., Heyes, G., Nightingale, P., Hartley, A., Tiffany, M., Spooner, D., ... Sanghera, P. (2014). Linear accelerator stereotactic radiosurgery for vestibular schwannomas: a UK series. *Clinical Oncology (Royal College of Radiologists)*, 26(6), 309-315. DOI: <http://dx.doi.org/10.1016/j.clon.2014.02.008>
- Bennani, O., Derrey, S., Langlois, O., Castel, H., Laquerriere, A., Freger, P., & Proust, F. (2014). Brain metastasis from renal cell carcinoma. *Neuro-Chirurgie*, 60(1-2), 12-16. DOI: <http://dx.doi.org/10.1016/j.neuchi.2013.12.001>
- Bennett, M. H., Feldmeier, J., Hampson, N. B., Smee, R., & Milross, C. (2016). Hyperbaric oxygen therapy for late radiation tissue injury. *Cochrane Database of Systematic Reviews*(9).

- Berkowitz, O., Iyer, A. K., Kano, H., Talbott, E. O., & Lunsford, L. D. (2015). Epidemiology and Environmental Risk Factors Associated with Vestibular Schwannoma. *World Neurosurgery*, 84(6), 1674-1680. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.07.007>
- Berkowitz, O., Iyer, A. K., Kano, H., Talbott, E. O., & Lunsford, L. D. (2015). Epidemiology and Environmental Risk Factors Associated with Vestibular Schwannoma. *World Neurosurgery*, 84(6), 1674-1680. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.07.007>
- Berkowitz, O., Kondziolka, D., Bissonette, D., Niranjan, A., Kano, H., & Lunsford, L. D. (2013). The evolution of a clinical registry during 25 years of experience with Gamma Knife radiosurgery in Pittsburgh. *Neurosurgical Focus*, 34(1), E4. DOI: <http://dx.doi.org/10.3171/2012.11.FOCUS12295>
- Bernard, M. E., Wegner, R. E., Reineman, K., Heron, D. E., Kirkwood, J., Burton, S. A., & Mintz, A. H. (2012). Linear accelerator based stereotactic radiosurgery for melanoma brain metastases. *Journal of Cancer Research & Therapeutics*, 8(2), 215-221. DOI: <http://dx.doi.org/10.4103/0973-1482.98973>
- Bernstein, M. B., Chang, E. L., Amini, B., Pan, H., Cabanillas, M., Wang, X. A., ... Ghia, A. J. (2016). Spine Stereotactic Radiosurgery for Patients with Metastatic Thyroid Cancer: Secondary Analysis of Phase I/II Trials. *Thyroid*, 26(9), 1269-1275.
- Bhatt, A. D., El-Ghamry, M. N., Dunlap, N. E., Bhatt, G., Harkenrider, M. M., Schuler, J. C., ... Woo, S. Y. (2015). Tumor volume change with stereotactic body radiotherapy (SBRT) for early-stage lung cancer: evaluating the potential for adaptive SBRT. *American Journal of Clinical Oncology*, 38(1), 41-46. DOI: <http://dx.doi.org/10.1097/COC.0b013e318287bd7f>
- Bhattasali, O., Chen, L. N., Woo, J., Park, J. W., Kim, J. S., Moures, R., ... Collins, S. P. (2014). Patient-reported outcomes following stereotactic body radiation therapy for clinically localized prostate cancer. *Radiation Oncology*, 9, 52. DOI: <http://dx.doi.org/10.1186/1748-717X-9-52>
- Bhattasali, O., Chen, L. N., Woo, J., Park, J. W., Kim, J. S., Moures, R., ... Collins, S. P. (2014). Patient-reported outcomes following stereotactic body radiation therapy for clinically localized prostate cancer. *Radiation Oncology*, 9, 52. DOI: <http://dx.doi.org/10.1186/1748-717X-9-52>
- Bibault, J. E., Dewas, S., Vautravers-Dewas, C., Hollebecque, A., Jarraya, H., Lacornerie, T., ... Mirabel, X. (2013). Stereotactic body radiation therapy for hepatocellular carcinoma: prognostic factors of local control, overall survival, and toxicity. *PLoS ONE [Electronic Resource]*, 8(10), e77472. DOI: <http://dx.doi.org/10.1371/journal.pone.0077472>
- Bilal, H., Mahmood, S., Rajashanker, B., & Shah, R. (2012). Is radiofrequency ablation more effective than stereotactic ablative radiotherapy in patients with early stage medically inoperable non-small cell lung cancer? *Interactive Cardiovascular & Thoracic Surgery*, 15(2), 258-265. DOI: <http://dx.doi.org/10.1093/icvts/ivs179>
- Binkley, M. S., Shrager, J. B., Chaudhuri, A., Popat, R., Maxim, P. G., Shultz, D. B., ... Loo, B. W., Jr. (2016). Time course and predictive factors for lung volume reduction following stereotactic ablative radiotherapy (SABR) of lung tumors. *Radiation Oncology*, 11, 40. DOI: <http://dx.doi.org/10.1186/s13014-016-0616-8>
- Binkley, M. S., Shrager, J. B., Leung, A. N., Popat, R., Trakul, N., Atwood, T. F., ... Loo, B. W., Jr. (2014). Lung volume reduction after stereotactic ablative radiation therapy of lung tumors: potential application to emphysema. *International Journal of Radiation Oncology, Biology, Physics*, 90(1), 216-223. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.05.025>
- Binkley, M. S., Trakul, N., Jacobs, L. R., von Eyben, R., Le, Q. T., Maxim, P. G., ... Diehn, M. (2015). Colorectal Histology Is Associated With an Increased Risk of Local Failure in Lung Metastases Treated With

Stereotactic Ablative Radiation Therapy. *International Journal of Radiation Oncology, Biology, Physics*, 92(5), 1044-1052. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.04.004>

Bir, S. C., Ambekar, S., Maiti, T. K., & Nanda, A. (2015). Clinical outcome and complications of gamma knife radiosurgery for intracranial arteriovenous malformations. *Journal of Clinical Neuroscience*, 22(7), 1117-1122. DOI: <http://dx.doi.org/10.1016/j.jocn.2014.12.017>

Bir, S. C., Ambekar, S., & Nanda, A. (2014). Long term outcome of Gamma Knife radiosurgery for metastatic brain tumors. *Journal of Clinical Neuroscience*, 21(12), 2122-2128. DOI: <http://dx.doi.org/10.1016/j.jocn.2014.05.015>

Bir, S. C., Bollam, P., & Nanda, A. (2015). Outcomes and predictors of improved survival after gamma knife radiosurgery for metastatic brain tumors originated from breast carcinoma. *Neurosurgical Review*, 38(3), 489-498; discussion 498. DOI: <http://dx.doi.org/10.1007/s10143-015-0624-4>

Bir, S. C., Connor, D. E., Jr., Ambekar, S., Wilden, J. A., & Nanda, A. (2015). Factors predictive of improved overall survival following stereotactic radiosurgery for recurrent glioblastoma. *Neurosurgical Review*, 38(4), 705-713. DOI: <http://dx.doi.org/10.1007/s10143-015-0632-4>

Bishop, A. J., Tao, R., Rebueno, N. C., Christensen, E. N., Allen, P. K., Wang, X. A., ... Ghia, A. J. (2015). Outcomes for Spine Stereotactic Body Radiation Therapy and an Analysis of Predictors of Local Recurrence. *International Journal of Radiation Oncology, Biology, Physics*, 92(5), 1016-1026. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.03.037>

Blakeley, J. O., Evans, D. G., Adler, J., Brackmann, D., Chen, R., Ferner, R. E., ... Giovannini, M. (2012). Consensus recommendations for current treatments and accelerating clinical trials for patients with neurofibromatosis type 2. *American Journal of Medical Genetics. Part A*, 158A(1), 24-41. DOI: <http://dx.doi.org/10.1002/ajmg.a.34359>

Blakeley, J. O., Evans, D. G., Adler, J., Brackmann, D., Chen, R., Ferner, R. E., ... Giovannini, M. (2012). Consensus recommendations for current treatments and accelerating clinical trials for patients with neurofibromatosis type 2. *American Journal of Medical Genetics. Part A*, 158A(1), 24-41. DOI: <http://dx.doi.org/10.1002/ajmg.a.34359>

Blamek, S., Grzadziel, A., & Miszczyk, L. (2013). Robotic radiosurgery versus micro-multileaf collimator: a dosimetric comparison for large or critically located arteriovenous malformations. *Radiation Oncology*, 8, 205. DOI: <http://dx.doi.org/10.1186/1748-717X-8-205>

Blauwblomme, T., Naggar, O., Brunelle, F., Grevent, D., Puget, S., Di Rocco, F., ... Boddaert, N. (2015). Arterial spin labeling magnetic resonance imaging: toward noninvasive diagnosis and follow-up of pediatric brain arteriovenous malformations. *Journal of Neurosurgery. Pediatrics.*, 15(4), 451-458. DOI: <http://dx.doi.org/10.3171/2014.9.PEDS14194>

Boari, N., Bailo, M., Gagliardi, F., Franzin, A., Gemma, M., del Vecchio, A., ... Mortini, P. (2014). Gamma Knife radiosurgery for vestibular schwannoma: clinical results at long-term follow-up in a series of 379 patients. *Journal of Neurosurgery, 121 Suppl*, 123-142. DOI: <http://dx.doi.org/10.3171/2014.8.GKS141506>

Boari, N., Gagliardi, F., Spina, A., Bailo, M., Franzin, A., & Mortini, P. (2013). Management of spheno-orbital en plaque meningiomas: clinical outcome in a consecutive series of 40 patients. *British Journal of Neurosurgery*, 27(1), 84-90. DOI: <http://dx.doi.org/10.3109/02688697.2012.709557>

Bodaghabadi, M., Riazi, H., Aran, S., Bitaraf, M. A., Alikhani, M., Alahverdi, M., ... Azar, M. (2014). Repeated transsphenoidal surgery or gamma knife radiosurgery in recurrent cushing disease after

transsphenoidal surgery. *Journal of Neurological Surgery, Part A, Central European neurosurgery*, 75(2), 91-97. DOI: <http://dx.doi.org/10.1055/s-0033-1345688>

Bodaghabadi, M., Riazi, H., Aran, S., Bitaraf, M. A., Alikhani, M., Alahverdi, M., ... Azar, M. (2014). Repeated transsphenoidal surgery or gamma knife radiosurgery in recurrent cushing disease after transsphenoidal surgery. *Journal of Neurological Surgery, Part A, Central European neurosurgery*, 75(2), 91-97.

Boda-Heggemann, J., Dinter, D., Weiss, C., Frauenfeld, A., Siebenlist, K., Attenberger, U., ... Lohr, F. (2012). Hypofractionated image-guided breath-hold SABR (stereotactic ablative body radiotherapy) of liver metastases--clinical results. *Radiation Oncology*, 7, 92. DOI: <http://dx.doi.org/10.1186/1748-717X-7-92>

Boda-Heggemann, J., Frauenfeld, A., Weiss, C., Simeonova, A., Neumaier, C., Siebenlist, K., ... Lohr, F. (2014). Clinical outcome of hypofractionated breath-hold image-guided SABR of primary lung tumors and lung metastases. *Radiation Oncology*, 9, 10. DOI: <http://dx.doi.org/10.1186/1748-717X-9-10>

Boda-Heggemann, J., Mai, S., Fleckenstein, J., Siebenlist, K., Simeonova, A., Ehmann, M., ... Stieler, F. (2013). Flattening-filter-free intensity modulated breath-hold image-guided SABR (Stereotactic Ablative Radiotherapy) can be applied in a 15-min treatment slot. *Radiotherapy & Oncology*, 109(3), 505-509. DOI: <http://dx.doi.org/10.1016/j.radonc.2013.09.014>

Boehling, N. S., Grosshans, D. R., Allen, P. K., McAleer, M. F., Burton, A. W., Azeem, S., ... Chang, E. L. (2012). Vertebral compression fracture risk after stereotactic body radiotherapy for spinal metastases. *Journal of Neurosurgery Spine*, 16(4), 379-386. DOI: <http://dx.doi.org/10.3171/2011.11.SPINE116>

Boggs, D. H., Feigenberg, S., Walter, R., Wissing, D., Patel, B., Wu, T., & Rosen, L. (2014). Stereotactic radiotherapy using tomotherapy for early-stage non-small cell lung carcinoma: analysis of intrafraction tumour motion. *Journal of Medical Imaging & Radiation Oncology*, 58(6), 706-713. DOI: <http://dx.doi.org/10.1111/1754-9485.12179>

Boggs, D. H., Feigenberg, S., Walter, R., Wissing, D., Patel, B., Wu, T., & Rosen, L. (2014). Stereotactic radiotherapy using tomotherapy for early-stage non-small cell lung carcinoma: analysis of intrafraction tumour motion. *Journal of medical imaging and radiation oncology*, 58(6), 706-713.

Bokstein, F., Blumenthal, D. T., Corn, B. W., Gez, E., Matceyevsky, D., Shtraus, N., ... Kanner, A. A. (2016). Stereotactic radiosurgery (SRS) in high-grade glioma: judicious selection of small target volumes improves results. *Journal of Neuro-Oncology*, 126(3), 551-557. DOI: <http://dx.doi.org/10.1007/s11060-015-1997-5>

Bongers, E. M., Haasbeek, C. J., Lagerwaard, F. J., Slotman, B. J., & Senan, S. (2011). Incidence and risk factors for chest wall toxicity after risk-adapted stereotactic radiotherapy for early-stage lung cancer. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 6(12), 2052-2057. DOI: <http://dx.doi.org/10.1097/JTO.0b013e3182307e74>

Bonomo, P., Cipressi, S., Saieva, C., Greto, D., Masi, L., Paiar, F., ... Biti, G. (2013). Clinical outcome of stereotactic body radiotherapy for abdominal lymph node metastases. *Tumori*, 99(5), 611-616. DOI: <http://dx.doi.org/10.1700/1377.15311>

Boone, B. A., Steve, J., Krasinskas, A. M., Zureikat, A. H., Lembersky, B. C., Gibson, M. K., ... Bahary, N. (2013). Outcomes with FOLFIRINOX for borderline resectable and locally unresectable pancreatic cancer. *Journal of Surgical Oncology*, 108(4), 236-241. DOI: <http://dx.doi.org/10.1002/jso.23392>

- Boone, B. A., Steve, J., Krasinskas, A. M., Zureikat, A. H., Lembersky, B. C., Gibson, M. K., ... Bahary, N. (2013). Outcomes with FOLFIRINOX for borderline resectable and locally unresectable pancreatic cancer. *Journal of Surgical Oncology*, 108(4), 236-241. DOI: <http://dx.doi.org/10.1002/jso.23392>
- Borcek, A. O., Emmez, H., Akkan, K. M., Ocal, O., Kurt, G., Aykol, S., ... Baykaner, K. M. (2014). Gamma Knife radiosurgery for arteriovenous malformations in pediatric patients. *Childs Nervous System*, 30(9), 1485-1492. DOI: <http://dx.doi.org/10.1007/s00381-014-2469-5>
- Bose, R., Agrawal, D., Singh, M., Kale, S. S., Gopishankar, N., Bisht, R. K., & Sharma, B. S. (2015). Draining vein shielding in intracranial arteriovenous malformations during gamma-knife: a new way of preventing post gamma-knife edema and hemorrhage. *Neurosurgery*, 76(5), 623-631; discussion 631-622. DOI: <http://dx.doi.org/10.1227/NEU.00000000000000660>
- Bostrom, J. P., Kinfe, T., Meyer, A., Pintea, B., Gerlach, R., Surber, G., ... Hamm, K. (2015). Treatment of acromegaly patients with risk-adapted single or fractionated stereotactic high-precision radiotherapy: High local control and low toxicity in a pooled series. *Strahlentherapie und Onkologie*, 191(6), 477-485. DOI: <http://dx.doi.org/10.1007/s00066-014-0802-2>
- Bostrom, J. P., Kinfe, T., Meyer, A., Pintea, B., Gerlach, R., Surber, G., ... Hamm, K. (2015). Treatment of acromegaly patients with risk-adapted single or fractionated stereotactic high-precision radiotherapy: High local control and low toxicity in a pooled series. *Strahlentherapie und Onkologie : Organ der Deutschen Rontgengesellschaft .. [et al.]*, 191(6), 477-485.
- Bougie, E., Masson-Cote, L., & Mathieu, D. (2015). Comparison between surgical resection and stereotactic radiosurgery in patients with a single brain metastasis from non-small cell lung cancer. *World Neurosurgery*, 83(6), 900-906. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.01.029>
- Bougie, E., Masson-Cote, L., & Mathieu, D. (2015). Comparison Between Surgical Resection and Stereotactic Radiosurgery in Patients with a Single Brain Metastasis from Non-Small Cell Lung Cancer. *World Neurosurgery*, 83(6), 900-906. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.01.029>
- Boujelbene, N., Elloumi, F., Kamel, M. E., Abeidi, H., Matzinger, O., Mirimanoff, R. O., & Khanfir, K. (2013). Stereotactic body radiation therapy in stage I inoperable lung cancer: from palliative to curative options. *Swiss Medical Weekly*, 143, w13780. DOI: <http://dx.doi.org/10.4414/smw.2013.13780>
- Bourgeois, D. J., 3rd, & Singh, A. K. (2015). Single-fraction stereotactic body radiation therapy for sinonasal malignant melanoma. *Head & Neck*, 37(3), E34-37. DOI: <http://dx.doi.org/10.1002/hed.23788>
- Bowden, G., Kano, H., Caparosa, E., Park, S. H., Niranjan, A., Flickinger, J., & Lunsford, L. D. (2015). Gamma knife radiosurgery for the management of cerebral metastases from non-small cell lung cancer. *Journal of Neurosurgery*, 122(4), 766-772. DOI: <http://dx.doi.org/10.3171/2014.12.JNS141111>
- Bowden, G., Kano, H., Caparosa, E., Tonetti, D., Niranjan, A., Monaco, E. A., 3rd, ... Lunsford, L. D. (2015). Stereotactic radiosurgery for arteriovenous malformations of the postgeniculate visual pathway. *Journal of Neurosurgery*, 122(2), 433-440. DOI: <http://dx.doi.org/10.3171/2014.10.JNS1453>
- Bowden, G., Kano, H., Tempel, Z. J., Caparosa, E., Monaco, E., 3rd, Niranjan, A., ... Lunsford, L. D. (2014). Gamma knife radiosurgery for management of cerebral metastases from esophageal carcinoma. *Journal of Neuro-Oncology*, 118(1), 141-146. DOI: <http://dx.doi.org/10.1007/s11060-014-1408-3>
- Bowden, G., Kano, H., Tonetti, D., Niranjan, A., Flickinger, J., Arai, Y., & Lunsford, L. D. (2014). Stereotactic radiosurgery for sylvian fissure arteriovenous malformations with emphasis on hemorrhage risks and seizure outcomes. *Journal of Neurosurgery*, 121(3), 637-644. DOI: <http://dx.doi.org/10.3171/2014.5.JNS132244>

- Bowden, G., Kano, H., Tonetti, D., Niranjan, A., Flickinger, J., & Lunsford, L. D. (2014). Stereotactic radiosurgery for arteriovenous malformations of the cerebellum. *Journal of Neurosurgery*, 120(3), 583-590. DOI: <http://dx.doi.org/10.3171/2013.9.JNS131022>
- Bowden, G., Kano, H., Yang, H. C., Niranjan, A., Flickinger, J., & Lunsford, L. D. (2014). Gamma Knife surgery for arteriovenous malformations within or adjacent to the ventricles. *Journal of Neurosurgery*, 121(6), 1416-1423. DOI: <http://dx.doi.org/10.3171/2014.4.JNS131943>
- Bowden, G., Niranjan, A., Laing, E., Pathak, S., Flickinger, J., & Lunsford, L. D. (2014). Integration of magnetoencephalography-generated functional brain maps into dose planning during arteriovenous malformation radiosurgery. *Stereotactic & Functional Neurosurgery*, 92(2), 103-108. DOI: <http://dx.doi.org/10.1159/000358271>
- Braam, P., Lambin, P., & Bussink, J. (2016). Stereotactic versus conventional radiotherapy for pain reduction and quality of life in spinal metastases: Study protocol for a randomized controlled trial. *Trials [Electronic Resource]*, 17(1).
- Braccini, A. L., Azria, D., Thezenas, S., Romieu, G., Ferrero, J. M., & Jacot, W. (2013). Prognostic factors of brain metastases from breast cancer: impact of targeted therapies. *Breast*, 22(5), 993-998. DOI: <http://dx.doi.org/10.1016/j.breast.2013.05.011>
- Bradac, O., Charvat, F., & Benes, V. (2013). Treatment for brain arteriovenous malformation in the 1998-2011 period and review of the literature. *Acta Neurochirurgica*, 155(2), 199-209. DOI: <http://dx.doi.org/10.1007/s00701-012-1572-1>
- Brauer-Krisch, E., Adam, J. F., Alagoz, E., Bartzsch, S., Crosbie, J., DeWagter, C., ... Stugu, B. (2015). Medical physics aspects of the synchrotron radiation therapies: Microbeam radiation therapy (MRT) and synchrotron stereotactic radiotherapy (SSRT). *Physica Medica*, 31(6), 568-583. DOI: <http://dx.doi.org/10.1016/j.ejmp.2015.04.016>
- Breivik, C. N., Nilsen, R. M., Myrseth, E., Finnirkirk, M. K., & Lund-Johansen, M. (2013). Working disability in Norwegian patients with vestibular schwannoma: vertigo predicts future dependence. *World Neurosurgery*, 80(6), e301-305. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.03.069>
- Breivik, C. N., Nilsen, R. M., Myrseth, E., Finnirkirk, M. K., & Lund-Johansen, M. (2013). Working disability in Norwegian patients with vestibular schwannoma: vertigo predicts future dependence. *World Neurosurgery*, 80(6), e301-305. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.03.069>
- Breivik, C. N., Nilsen, R. M., Myrseth, E., Pedersen, P. H., Varughese, J. K., Chaudhry, A. A., & Lund-Johansen, M. (2013). Conservative management or gamma knife radiosurgery for vestibular schwannoma: tumor growth, symptoms, and quality of life. *Neurosurgery*, 73(1), 48-56; discussion 56-47. DOI: <http://dx.doi.org/10.1227/01.neu.0000429862.50018.b9>
- Breivik, C. N., Nilsen, R. M., Myrseth, E., Pedersen, P. H., Varughese, J. K., Chaudhry, A. A., & Lund-Johansen, M. (2013). Conservative management or gamma knife radiosurgery for vestibular schwannoma: tumor growth, symptoms, and quality of life. *Neurosurgery*, 73(1), 48-56; discussion 56-47.
- Brennan, C., Yang, T. J., Hilden, P., Zhang, Z., Chan, K., Yamada, Y., ... Beal, K. (2014). A phase 2 trial of stereotactic radiosurgery boost after surgical resection for brain metastases. *International Journal of Radiation Oncology, Biology, Physics*, 88(1), 130-136. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.09.051>
- Brennan, C., Yang, T. J., Hilden, P., Zhang, Z., Chan, K., Yamada, Y., ... Beal, K. (2014). A phase 2 trial of stereotactic radiosurgery boost after surgical resection for brain metastases. *International Journal*

*of Radiation Oncology, Biology, Physics*, 88(1), 130-136. DOI:  
<http://dx.doi.org/10.1016/j.ijrobp.2013.09.051>

Brisman, R. (2013). Constant face pain in typical trigeminal neuralgia and response to gamma knife radiosurgery. *Stereotactic & Functional Neurosurgery*, 91(2), 122-128. DOI:  
<http://dx.doi.org/10.1159/000343206>

Brokinkel, B., Sauerland, C., Holling, M., Ewelt, C., Horstmann, G., van Eck, A. T., & Stummer, W. (2014). Gamma Knife radiosurgery following subtotal resection of vestibular schwannoma. *Journal of Clinical Neuroscience*, 21(12), 2077-2082. DOI: <http://dx.doi.org/10.1016/j.jocn.2014.03.037>

Brower, J. V., & Robins, H. I. (2016). Erlotinib for the treatment of brain metastases in non-small cell lung cancer. *Expert opinion on pharmacotherapy*, 17(7), 1013-1021.

Brown, P. D., Jaeckle, K., Ballman, K. V., Farace, E., Cerhan, J. H., Anderson, S. K., ... Asher, A. L. (2016). Effect of Radiosurgery Alone vs Radiosurgery With Whole Brain Radiation Therapy on Cognitive Function in Patients With 1 to 3 Brain Metastases: A Randomized Clinical Trial. *JAMA*, 316(4), 401-409. DOI: <http://dx.doi.org/10.1001/jama.2016.9839>

Brown, P. D., Jaeckle, K., Ballman, K. V., Farace, E., Cerhan, J. H., Anderson, S. K., ... Asher, A. L. (2016). Effect of Radiosurgery Alone vs Radiosurgery With Whole Brain Radiation Therapy on Cognitive Function in Patients With 1 to 3 Brain Metastases: A Randomized Clinical Trial. *JAMA*, 316(4), 401-409. DOI: <http://dx.doi.org/10.1001/jama.2016.9839>

Brown, P. D., Jaeckle, K., Ballman, K. V., Farace, E., Cerhan, J. H., Anderson, S. K., ... Asher, A. L. (2016). Effect of Radiosurgery Alone vs Radiosurgery With Whole Brain Radiation Therapy on Cognitive Function in Patients With 1 to 3 Brain Metastases: A Randomized Clinical Trial. *JAMA*, 316(4), 401-409.

Brown, P. D., Jaeckle, K., Ballman, K. V., Farace, E., Cerhan, J. H., Anderson, S. K., ... Asher, A. L. (2016). Effect of radiosurgery alone vs radiosurgery with whole brain radiation therapy on cognitive function in patients with 1 to 3 brain metastases a randomized clinical trial. *JAMA Journal of the American Medical Association*, 316(4), 401-409.

Brown, P. D., Shook, S., Laack, N. N., Wefel, J. S., Choucair, A., Suh, J. H., ... Watkins-Bruner, D. Memantine for the prevention of cognitive dysfunction in patients receiving whole-brain radiation therapy (WBRT): First report of rtog 0614, a placebo-controlled, double-blind, randomized trial. *International Journal of Radiation Oncology Biology Physics*, 84(3 SUPPL. 1), S1-S2.

Bruni, A., Gaito, S., Ciarmatori, A., Lanfranchi, B., Mazzeo, E., Maffei, N., ... Bertoni, F. (2015). Radiosurgery Using Tomotherapy for Patients with Brain Oligo-metastasis: A Retrospective Analysis on Feasibility and Tolerance. *Anticancer Research*, 35(12), 6805-6812.

Brunner, T. B., Nestle, U., Grosu, A. L., & Partridge, M. (2015). SBRT in pancreatic cancer: what is the therapeutic window? *Radiotherapy & Oncology*, 114(1), 109-116. DOI:  
<http://dx.doi.org/10.1016/j.radonc.2014.10.015>

Bugoci, D. M., Girvigian, M. R., Chen, J. C., Miller, M. M., & Rahimian, J. (2013). Photon-based fractionated stereotactic radiotherapy for postoperative treatment of skull base chordomas. *American Journal of Clinical Oncology*, 36(4), 404-410. DOI: <http://dx.doi.org/10.1097/COC.0b013e318248dc6f>

Buis, D. R., Bot, J. C., Barkhof, F., Knol, D. L., Lagerwaard, F. J., Slotman, B. J., ... van den Berg, R. (2012). The predictive value of 3D time-of-flight MR angiography in assessment of brain arteriovenous malformation obliteration after radiosurgery.[Erratum appears in AJNR Am J Neuroradiol. 2012

Apr;33(4):E68]. *Ajnr: American Journal of Neuroradiology*, 33(2), 232-238. DOI: <http://dx.doi.org/10.3174/ajnr.A2744>

- Bujold, A., Massey, C. A., Kim, J. J., Brierley, J., Cho, C., Wong, R. K., ... Dawson, L. A. (2013). Sequential phase I and II trials of stereotactic body radiotherapy for locally advanced hepatocellular carcinoma. *Journal of Clinical Oncology*, 31(13), 1631-1639. DOI: <http://dx.doi.org/10.1200/JCO.2012.44.1659>
- Bulat, C., Pesutic-Pisac, V., Capkun, V., Marovic, Z., Pogorelic, Z., & Druzijanic, N. (2014). Comparison of thermal damage of the internal thoracic artery using ultra high radiofrequency and monopolar diathermy. *The surgeon : journal of the Royal Colleges of Surgeons of Edinburgh and Ireland*, 12(5), 249-255.
- Burke, D., Mascott, C., Rock, L., Callinan, S., Mihai, A., Thirion, P., & Armstrong, J. G. (2013). Stereotactic radiosurgery for the treatment of brain metastases; results from a single institution experience. *Irish Journal of Medical Science*, 182(3), 481-485. DOI: <http://dx.doi.org/10.1007/s11845-013-0918-x>
- Burrow, A. M., Link, M. J., & Pollock, B. E. (2014). Is stereotactic radiosurgery the best treatment option for patients with a radiosurgery-based arteriovenous malformation score < 1? *World Neurosurgery*, 82(6), 1144-1147. DOI: <http://dx.doi.org/10.1016/j.wneu.2014.07.009>
- Burrow, A. M., Link, M. J., & Pollock, B. E. (2014). Is stereotactic radiosurgery the best treatment option for patients with a radiosurgery-based arteriovenous malformation score < 1? *World Neurosurgery*, 82(6), 1144-1147. DOI: <http://dx.doi.org/10.1016/j.wneu.2014.07.009>
- Buwenge, M., Cellini, F., Silvestris, N., Cilla, S., Deodato, F., Macchia, G., ... Morganti, A. G. (2015). Robotic radiosurgery in pancreatic cancer: A systematic review. *World Journal of Gastroenterology*, 21(31), 9420-9429. DOI: <http://dx.doi.org/10.3748/wjg.v21.i31.9420>
- Caballero, J. A., Snead, P. K., Lamborn, K. R., Ma, L., Denduluri, S., Nakamura, J. L., ... McDermott, M. W. (2012). Prognostic factors for survival in patients treated with stereotactic radiosurgery for recurrent brain metastases after prior whole brain radiotherapy. *International Journal of Radiation Oncology, Biology, Physics*, 83(1), 303-309. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.06.1987>
- Cabrera, A. R., Cuneo, K. C., Desjardins, A., Sampson, J. H., McSherry, F., Herndon, I. J., ... Kirkpatrick, J. P. (2013). Concurrent stereotactic radiosurgery and bevacizumab in recurrent malignant gliomas: A prospective trial. *International Journal of Radiation Oncology Biology Physics*, 86(5), 873-879.
- Cabrera, A. R., Cuneo, K. C., Desjardins, A., Sampson, J. H., McSherry, F., Herndon, J. E., 2nd, ... Kirkpatrick, J. P. (2013). Concurrent stereotactic radiosurgery and bevacizumab in recurrent malignant gliomas: a prospective trial. *International Journal of Radiation Oncology, Biology, Physics*, 86(5), 873-879. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.04.029>
- Cage, T. A., Clark, A. J., Aranda, D., Gupta, N., Sun, P. P., Parsa, A. T., & Auguste, K. I. (2013). A systematic review of treatment outcomes in pediatric patients with intracranial ependymomas. *Journal of Neurosurgery Pediatrics*, 11(6), 673-681. DOI: <http://dx.doi.org/10.3171/2013.2.PEDS12345>
- Cai, L., Zhu, J. F., Zhang, X. W., Lin, S. X., Su, X. D., Lin, P., ... Zhang, L. J. (2014). A comparative analysis of EGFR mutation status in association with the efficacy of TKI in combination with WBRT/SRS/surgery plus chemotherapy in brain metastasis from non-small cell lung cancer. *Journal of Neuro-Oncology*, 120(2), 423-430. DOI: <http://dx.doi.org/10.1007/s11060-014-1570-7>
- Cai, L., Zhu, J. F., Zhang, X. W., Lin, S. X., Su, X. D., Lin, P., ... Zhang, L. J. (2014). A comparative analysis of EGFR mutation status in association with the efficacy of TKI in combination with

- WBRT/SRS/surgery plus chemotherapy in brain metastasis from non-small cell lung cancer. *Journal of Neuro-Oncology*, 120(2), 423-430. DOI: <http://dx.doi.org/10.1007/s11060-014-1570-7>
- Caivano, D., Bracci, S., Russo, I., Montalto, A., Armosini, V., De Sanctis, V., ... Osti, M. F. (2015). Stereotactic Body Radiation Therapy for Liver Lesions. A Single-institution Experience. *Anticancer Research*, 35(7), 4171-4175.
- Caivano, D., Bracci, S., Russo, I., Montalto, A., Armosini, V., De Sanctis, V., ... Osti, M. F. (2015). Stereotactic Body Radiation Therapy for Liver Lesions. A Single-institution Experience.[Erratum appears in Anticancer Res. 2016 May;36(5):2629; PMID: 27127169]. *Anticancer Research*, 35(7), 4171-4175.
- Calvo, J. F., San Jose, S., Garrido, L., Puertas, E., Moragues, S., Pozo, M., & Casals, J. (2013). Feasibility of an online adaptive replanning method for cranial frameless intensity-modulated radiosurgery. *Medical Dosimetry*, 38(3), 291-297. DOI: <http://dx.doi.org/10.1016/j.meddos.2013.02.011>
- Calvo-Ortega, J. F., Delgado, D., Moragues, S., Pozo, M., & Casals, J. (2016). Dosimetric comparison of intensity modulated radiosurgery with dynamic conformal arc radiosurgery for small cranial lesions. *Journal of Cancer Research and Therapeutics*, 12(2), 852-857. DOI: 10.4103/0973-1482.163680
- Campbell, A. M., Glover, J., Chiang, V. L., Gerrard, J., & Yu, J. B. (2015). Gamma knife stereotactic radiosurgical thalamotomy for intractable tremor: a systematic review of the literature. *Radiotherapy & Oncology*, 114(3), 296-301. DOI: <http://dx.doi.org/10.1016/j.radonc.2015.01.013>
- Cannon, N. A., Iyengar, P., Choy, H., Timmerman, R., & Meyer, J. (2014). Stereotactic ablative body radiation therapy for tumors in the lung in octogenarians: a retrospective single institution study. *BMC Cancer*, 14, 971. DOI: <http://dx.doi.org/10.1186/1471-2407-14-971>
- Cannon, N. A., Meyer, J., Iyengar, P., Ahn, C., Westover, K. D., Choy, H., & Timmerman, R. (2015). Neutrophil-lymphocyte and platelet-lymphocyte ratios as prognostic factors after stereotactic radiation therapy for early-stage non-small-cell lung cancer. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 10(2), 280-285. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000399>
- Cao, K. I., Lebas, N., Gerber, S., Levy, C., Fourquet, A., Campana, F., ... Kirova, Y. M. Randomized phase 2 study of whole-brain radiation therapy with or without concomitant temozolomide for brain metastases from breast cancer. *International Journal of Radiation Oncology Biology Physics*, 90(1 SUPPL. 1), S163.
- Cao, K. I., Lebas, N., Gerber, S., Levy, C., Le Scodan, R., Bourgier, C., ... Kirova, Y. M. (2015). Phase II randomized study of whole-brain radiation therapy with or without concurrent temozolomide for brain metastases from breast cancer. *Annals of oncology : official journal of the European Society for Medical Oncology*, 26(1), 89-94.
- Cao, K. I., Lebas, N., Gerber, S., Levy, C., Le Scodan, R., Marsiglia, H., ... Kirova, Y. M. A randomized phase II clinical trial of whole-brain radiation therapy plus concomitant temozolomide in treatment of brain metastases from breast cancer: Six-month follow-up results. *Cancer research*, 73(24 SUPPL. 1), CONFERENCE START: 2013 Dec 2010 CONFERENCE END: 2013 Dec 2014.
- Cao, M., Lasley, F. D., Das, I. J., Desrosiers, C. M., Slessinger, E. D., & Cardenes, H. R. (2012). Evaluation of rotational errors in treatment setup of stereotactic body radiation therapy of liver cancer. *International Journal of Radiation Oncology, Biology, Physics*, 84(3), e435-440. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.05.018>

- Carles, M., Fechter, T., Nemer, U., Nanko, N., Mix, M., Nestle, U., & Schaefer, A. (2015). Feasibility of a semi-automated contrast-oriented algorithm for tumor segmentation in retrospectively gated PET images: phantom and clinical validation. *Physics in Medicine & Biology*, 60(24), 9227-9251. DOI: <http://dx.doi.org/10.1088/0031-9155/60/24/9227>
- Carlson, M. L., Jacob, J. T., Pollock, B. E., Neff, B. A., Tombers, N. M., Driscoll, C. L., & Link, M. J. (2013). Long-term hearing outcomes following stereotactic radiosurgery for vestibular schwannoma: patterns of hearing loss and variables influencing audiometric decline. *Journal of Neurosurgery*, 118(3), 579-587. DOI: <http://dx.doi.org/10.3171/2012.9.JNS12919>
- Carlson, M. L., Thom, J. J., Driscoll, C. L., Haynes, D. S., Neff, B. A., Link, M. J., & Wanna, G. B. (2013). Management of primary and recurrent endolymphatic sac tumors. *Otology & Neurotology*, 34(5), 939-943. DOI: <http://dx.doi.org/10.1097/MAO.0b013e31828680da>
- Carlson, M. L., Tveiten, O. V., Driscoll, C. L., Boes, C. J., Sullan, M. J., Goplen, F. K., ... Link, M. J. (2015). Risk factors and analysis of long-term headache in sporadic vestibular schwannoma: a multicenter cross-sectional study. *Journal of Neurosurgery*, 123(5), 1276-1286. DOI: <http://dx.doi.org/10.3171/2014.12.JNS142109>
- Carlson, M. L., Tveiten, O. V., Driscoll, C. L., Goplen, F. K., Neff, B. A., Pollock, B. E., ... Link, M. J. (2015). Long-term quality of life in patients with vestibular schwannoma: an international multicenter cross-sectional study comparing microsurgery, stereotactic radiosurgery, observation, and nontumor controls. *Journal of Neurosurgery*, 122(4), 833-842. DOI: <http://dx.doi.org/10.3171/2014.11.JNS14594>
- Carlson, M. L., Tveiten, O. V., Driscoll, C. L., Neff, B. A., Shepard, N. T., Eggers, S. D., ... Link, M. J. (2014). Long-term dizziness handicap in patients with vestibular schwannoma: a multicenter cross-sectional study. *Otolaryngology - Head & Neck Surgery*, 151(6), 1028-1037. DOI: <http://dx.doi.org/10.1177/0194599814551132>
- Caruso, J. P., Moosa, S., Fezeu, F., Ramesh, A., & Sheehan, J. P. (2015). A cost comparative study of Gamma Knife radiosurgery versus open surgery for intracranial pathology. *Journal of Clinical Neuroscience*, 22(1), 184-188. DOI: <http://dx.doi.org/10.1016/j.jocn.2014.08.012>
- Carvajal, C., Navarro-Martin, A., Cacicedo, J., Ramos, R., & Guedea, F. (2015). Stereotactic body radiotherapy for colorectal lung oligometastases: preliminary single-institution results. *Journal of B.U.On.*, 20(1), 158-165.
- Casentini, L., Fornezza, U., Perini, Z., Perissinotto, E., & Colombo, F. (2015). Multisession stereotactic radiosurgery for large vestibular schwannomas. *Journal of Neurosurgery*, 122(4), 818-824. DOI: <http://dx.doi.org/10.3171/2014.11.JNS131552>
- Casutt, A., Bouchaab, H., Beigelman-Aubry, C., Bourhis, J., Lovis, A., & Matzinger, O. (2015). Stereotactic body radiotherapy with helical TomoTherapy for medically inoperable early stage primary and second-primary non-small-cell lung neoplasm: 1-year outcome and toxicity analysis. *British Journal of Radiology*, 88(1049), 20140687. DOI: <http://dx.doi.org/10.1259/bjr.20140687>
- Casutt, A., Bouchaab, H., Beigelman-Aubry, C., Bourhis, J., Lovis, A., & Matzinger, O. (2015). Stereotactic body radiotherapy with helical TomoTherapy for medically inoperable early stage primary and second-primary non-small-cell lung neoplasm: 1-year outcome and toxicity analysis. *British Journal of Radiology*, 88(1049), 20140687. DOI: <http://dx.doi.org/10.1259/bjr.20140687>

- Celejewska, A., Tukiendorf, A., Miszczyk, L., Skladowski, K., Wydmanski, J., & Trela-Janus, K. (2014). Stereotactic radiotherapy in epithelial ovarian cancer brain metastases patients. *Journal of ovarian research*, 7, 79. DOI: <http://dx.doi.org/10.1186/s13048-014-0079-1>
- Cengiz, M., Ozyigit, G., Guney, Y., Mayadagli, A., Guler, G., Kocak, M., ... Gultekin, M. Comparison of single versus 2 fractions of radiosurgery for brain metastases: A prospective randomized study. *International Journal of Radiation Oncology Biology Physics*, 84(3 SUPPL. 1), S826.
- Cetin, I. A., Ates, R., Dhaens, J., & Storme, G. (2012). Retrospective analysis of linac-based radiosurgery for arteriovenous malformations and testing of the Flickinger formula in predicting radiation injury. *Strahlentherapie und Onkologie*, 188(12), 1133-1138. DOI: <http://dx.doi.org/10.1007/s00066-012-0180-6>
- Chae, S. M., Lee, G. W., & Son, S. H. (2014). The effect of multileaf collimator leaf width on the radiosurgery planning for spine lesion treatment in terms of the modulated techniques and target complexity. *Radiation Oncology*, 9, 72. DOI: <http://dx.doi.org/10.1186/1748-717X-9-72>
- Chamberlain, M. C. (2012). Hydroxyurea for recurrent surgery and radiation refractory high-grade meningioma. *Journal of Neuro-Oncology*, 107(2), 315-321. DOI: <http://dx.doi.org/10.1007/s11060-011-0741-z>
- Champ, C. E., Shen, X., Shi, W., Mayekar, S. U., Chapman, K., Werner-Wasik, M., ... Andrews, D. W. (2013). Reduced-dose fractionated stereotactic radiotherapy for acoustic neuromas: maintenance of tumor control with improved hearing preservation. *Neurosurgery*, 73(3), 489-496. DOI: <http://dx.doi.org/10.1227/NEU.00000000000000019>
- Chan, M. K., Kwong, D. L., Ng, S. C., Tam, E. K., & Tong, A. S. (2012). Investigation of four-dimensional (4D) Monte Carlo dose calculation in real-time tumor tracking stereotactic body radiotherapy for lung cancers. *Medical Physics*, 39(9), 5479-5487. DOI: <http://dx.doi.org/10.1118/1.4739249>
- Chan, M. K., Kwong, D. L., Ng, S. C., Tong, A. S., & Tam, E. K. (2013). Experimental evaluations of the accuracy of 3D and 4D planning in robotic tracking stereotactic body radiotherapy for lung cancers. *Medical Physics*, 40(4), 041712. DOI: <http://dx.doi.org/10.1118/1.4794505>
- Chan, M. K., Lee, V., Chiang, C. L., Lee, F. A., Law, G., Sin, N. Y., ... Blanck, O. (2016). Lipiodol versus diaphragm in 4D-CBCT-guided stereotactic radiotherapy of hepatocellular carcinomas. *Strahlentherapie und Onkologie*, 192(2), 92-101. DOI: <http://dx.doi.org/10.1007/s00066-015-0929-9>
- Chan, O. S., Yeung, R. M., Hung, A. W., Lee, M. C., Chang, A. T., Chan, C. C., & Lee, A. W. (2012). Stereotactic ablative radiotherapy for medically inoperable early stage lung cancer: early outcomes. *Hong Kong Medical Journal*, 18(5), 412-418.
- Chan, O. S., Yeung, R. M., Hung, A. W., Lee, M. C., Chang, A. T., Chan, C. C., & Lee, A. W. (2012). Stereotactic ablative radiotherapy for medically inoperable early stage lung cancer: early outcomes. *Hong Kong Medical Journal*, 18(5), 412-418.
- Chang, C. S., Chuang, C. C., Wu, M. F., Liu, W. S., Tu, H. T., & Huang, C. F. (2012). Gamma Knife surgery for hemifacial spasm related to cerebellopontine angle tumors. *Journal of Neurosurgery*, 117 Suppl, 170-174. DOI: <http://dx.doi.org/10.3171/2012.7.GKS12999>
- Chang, J. Y., Li, Q. Q., Xu, Q. Y., Allen, P. K., Rebueno, N., Gomez, D. R., ... Roth, J. A. (2014). Stereotactic ablative radiation therapy for centrally located early stage or isolated parenchymal recurrences of non-small cell lung cancer: how to fly in a "no fly zone". *International Journal of Radiation Oncology, Biology, Physics*, 88(5), 1120-1128. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.01.022>

- Chang, J. Y., Li, Q. Q., Xu, Q. Y., Allen, P. K., Rebueno, N., Gomez, D. R., ... Roth, J. A. (2014). Stereotactic ablative radiation therapy for centrally located early stage or isolated parenchymal recurrences of non-small cell lung cancer: how to fly in a "no fly zone". *International Journal of Radiation Oncology, Biology, Physics*, 88(5), 1120-1128. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.01.022>
- Chang, J. Y., Liu, H., Balter, P., Komaki, R., Liao, Z., Welsh, J., ... Swisher, S. G. (2012). Clinical outcome and predictors of survival and pneumonitis after stereotactic ablative radiotherapy for stage I non-small cell lung cancer. *Radiation Oncology*, 7, 152.
- Chang, J. Y., Liu, H., Balter, P., Komaki, R., Liao, Z., Welsh, J., ... Swisher, S. G. (2012). Clinical outcome and predictors of survival and pneumonitis after stereotactic ablative radiotherapy for stage I non-small cell lung cancer. *Radiation Oncology*, 7, 152.
- Chang, J. Y., Liu, Y. H., Zhu, Z., Welsh, J. W., Gomez, D. R., Komaki, R., ... Swisher, S. G. (2013). Stereotactic ablative radiotherapy: a potentially curable approach to early stage multiple primary lung cancer. *Cancer*, 119(18), 3402-3410. DOI: <http://dx.doi.org/10.1002/cncr.28217>
- Chang, J. Y., Liu, Y. H., Zhu, Z., Welsh, J. W., Gomez, D. R., Komaki, R., ... Swisher, S. G. (2013). Stereotactic ablative radiotherapy: a potentially curable approach to early stage multiple primary lung cancer. *Cancer*, 119(18), 3402-3410. DOI: <http://dx.doi.org/10.1002/cncr.28217>
- Chang, J. Y., Senan, S., Paul, M. A., Mehran, R. J., Louie, A. V., Balter, P., ... Roth, J. A. (2015). Stereotactic ablative radiotherapy versus lobectomy for operable stage I non-small-cell lung cancer: a pooled analysis of two randomised trials. *Lancet Oncology*, 16(6), 630-637. DOI: [http://dx.doi.org/10.1016/S1470-2045\(15\)70168-3](http://dx.doi.org/10.1016/S1470-2045(15)70168-3)
- Chang, J. Y., Senan, S., Paul, M. A., Mehran, R. J., Louie, A. V., Balter, P., ... Roth, J. A. (2015). Stereotactic ablative radiotherapy versus lobectomy for operable stage I non-small-cell lung cancer: a pooled analysis of two randomised trials. *The Lancet, Oncology*. 16(6), 630-637.
- Chang, J. Y., Senan, S., Paul, M. A., Mehran, R. J., Louie, A. V., Balter, P., ... Roth, J. A. (2015). Stereotactic ablative radiotherapy versus lobectomy for operable stage I non-small-cell lung cancer: A pooled analysis of two randomised trials. [Erratum appears in Lancet Oncol. 2015 Sep;16(9):e427; PMID: 26370351]. *Lancet Oncology*, 16(6), 630-637. DOI: [http://dx.doi.org/10.1016/S1470-2045\(15\)70168-3](http://dx.doi.org/10.1016/S1470-2045(15)70168-3)
- Chang, U. K., Cho, W. I., Kim, M. S., Cho, C. K., Lee, D. H., & Rhee, C. H. (2012). Local tumor control after retreatment of spinal metastasis using stereotactic body radiotherapy; comparison with initial treatment group. *Acta Oncologica*, 51(5), 589-595. DOI: <http://dx.doi.org/10.3109/0284186X.2012.666637>
- Chang, U. K., Cho, W. I., Lee, D. H., Kim, M. S., Cho, C. K., Lee, S. Y., & Jeon, D. G. (2012). Stereotactic radiosurgery for primary and metastatic sarcomas involving the spine. *Journal of Neuro-Oncology*, 107(3), 551-557. DOI: <http://dx.doi.org/10.1007/s11060-011-0777-0>
- Chang, U. K., Kim, M. S., Han, C. J., & Lee, D. H. (2014). Clinical result of stereotactic radiosurgery for spinal metastasis from hepatocellular carcinoma: Comparison with conventional radiation therapy. *Journal of Neuro-Oncology*, 119(1), 141-148. DOI: <http://dx.doi.org/10.1007/s11060-014-1463-9>
- Chang, U. K., Lee, D. H., & Kim, M. S. (2014). Stereotactic radiosurgery for primary malignant spinal tumors. *Neurological Research*, 36(6), 597-606. DOI: <http://dx.doi.org/10.1179/1743132814Y.0000000381>
- Channer, G. A., Herman, B., Telischi, F. F., Zeitler, D., & Angeli, S. I. (2012). Management outcomes of facial nerve tumors: comparative outcomes with observation, CyberKnife, and surgical management.

*Otolaryngology - Head & Neck Surgery*, 147(3), 525-530. DOI:  
<http://dx.doi.org/10.1177/0194599812446686>

- Chao, S. T., Koyfman, S. A., Woody, N., Angelov, L., Soeder, S. L., Reddy, C. A., ... Suh, J. H. (2012). Recursive partitioning analysis index is predictive for overall survival in patients undergoing spine stereotactic body radiation therapy for spinal metastases. *International Journal of Radiation Oncology, Biology, Physics*, 82(5), 1738-1743. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.02.019>
- Chao, S. T., Thakkar, V. V., Barnett, G. H., Vogelbaum, M. A., Angelov, L., Weil, R. J., ... Suh, J. H. (2012). Prospective study of the short-term adverse effects of gamma knife radiosurgery. *Technology in Cancer Research & Treatment*, 11(2), 117-122.
- Chen, C. J., Chivukula, S., Ding, D., Starke, R. M., Lee, C. C., Yen, C. P., ... Sheehan, J. P. (2014). Seizure outcomes following radiosurgery for cerebral arteriovenous malformations. *Neurosurgical Focus*, 37(3), E17. DOI: <http://dx.doi.org/10.3171/2014.6.FOCUS1454>
- Chen, C. J., Lee, C. C., Ding, D., Starke, R. M., Chivukula, S., Yen, C. P., ... Sheehan, J. P. (2015). Stereotactic radiosurgery for intracranial dural arteriovenous fistulas: a systematic review. *Journal of Neurosurgery*, 122(2), 353-362. DOI: <http://dx.doi.org/10.3171/2014.10.JNS14871>
- Chen, J. C. (2012). Microvascular decompression for trigeminal neuralgia in patients with and without prior stereotactic radiosurgery. *World Neurosurgery*, 78(1-2), 149-154. DOI: <http://dx.doi.org/10.1016/j.wneu.2011.09.029>
- Chen, J. C. (2012). Microvascular decompression for trigeminal neuralgia in patients with and without prior stereotactic radiosurgery. *World Neurosurgery*, 78(1-2), 149-154. DOI: <http://dx.doi.org/10.1016/j.wneu.2011.09.029>
- Chen, L. F., Yang, Y., Yu, X. G., Gui, Q. P., Xu, B. N., & Zhou, D. B. (2015). Multimodal treatment and management strategies for intracranial hemangiopericytoma. *Journal of Clinical Neuroscience*, 22(4), 718-725. DOI: <http://dx.doi.org/10.1016/j.jocn.2014.11.011>
- Chen, L. N., Suy, S., Uhm, S., Oermann, E. K., Ju, A. W., Chen, V., ... Collins, S. P. (2013). Stereotactic body radiation therapy (SBRT) for clinically localized prostate cancer: the Georgetown University experience. *Radiation Oncology*, 8, 58. DOI: <http://dx.doi.org/10.1186/1748-717X-8-58>
- Chen, L. N., Suy, S., Wang, H., Bhagat, A., Woo, J. A., Moures, R. A., ... Collins, S. P. (2014). Patient-reported urinary incontinence following stereotactic body radiation therapy (SBRT) for clinically localized prostate cancer. *Radiation Oncology*, 9, 148. DOI: <http://dx.doi.org/10.1186/1748-717X-9-148>
- Chen, L. N., Suy, S., Wang, H., Bhagat, A., Woo, J. A., Moures, R. A., ... Collins, S. P. (2014). Patient-reported urinary incontinence following stereotactic body radiation therapy (SBRT) for clinically localized prostate cancer. *Radiation Oncology*, 9, 148. DOI: <http://dx.doi.org/10.1186/1748-717X-9-148>
- Chen, N., Du, S. Q., Yan, N., Liu, C., Zhang, J. G., Ge, Y., & Meng, F. G. (2014). Delayed complications after Gamma Knife surgery for intractable epilepsy. *Journal of Clinical Neuroscience*, 21(9), 1525-1528. DOI: <http://dx.doi.org/10.1016/j.jocn.2013.11.044>
- Chen, X., Xiao, J., Li, X., Jiang, X., Zhang, Y., Xu, Y., & Dai, J. (2012). Fifty percent patients avoid whole brain radiotherapy: stereotactic radiotherapy for multiple brain metastases: a retrospective analysis of a single center. *Clinical & Translational Oncology: Official Publication of the Federation of Spanish Oncology Societies & of the National Cancer Institute of Mexico*, 14(8), 599-605. DOI: <http://dx.doi.org/10.1007/s12094-012-0849-4>

- Chen, X. J., Xiao, J. P., Li, X. P., Jiang, X. S., Zhang, Y., Xu, Y. J., ... Li, Y. X. (2011). Risk factors of distant brain failure for patients with newly diagnosed brain metastases treated with stereotactic radiotherapy alone. *Radiation Oncology*, 6, 175. DOI: <http://dx.doi.org/10.1186/1748-717X-6-175>
- Chen, Y., Li, Z. F., Zhang, F. X., Li, J. X., Cai, L., Zhuge, Q. C., & Wu, Z. B. (2013). Gamma knife surgery for patients with volumetric classification of nonfunctioning pituitary adenomas: a systematic review and meta-analysis. *European Journal of Endocrinology*, 169(4), 487-495. DOI: <http://dx.doi.org/10.1530/EJE-13-0400>
- Chen, Y., Li, Z. F., Zhang, F. X., Li, J. X., Cai, L., Zhuge, Q. C., & Wu, Z. B. (2013). Gamma knife surgery for patients with volumetric classification of nonfunctioning pituitary adenomas: a systematic review and meta-analysis. *European Journal of Endocrinology*, 169(4), 487-495. DOI: <http://dx.doi.org/10.1530/EJE-13-0400>
- Cheng, C. H., Crowley, R. W., Yen, C. P., Schlesinger, D., Shaffrey, M. E., & Sheehan, J. P. (2012). Gamma Knife surgery for basal ganglia and thalamic arteriovenous malformations. *Journal of Neurosurgery*, 116(4), 899-908. DOI: <http://dx.doi.org/10.3171/2011.12.JNS11542>
- Chetty, I. J., Devpura, S., Liu, D., Chen, D., Li, H., Wen, N. W., ... Movsas, B. (2013). Correlation of dose computed using different algorithms with local control following stereotactic ablative radiotherapy (SABR)-based treatment of non-small-cell lung cancer. *Radiotherapy & Oncology*, 109(3), 498-504. DOI: <http://dx.doi.org/10.1016/j.radonc.2013.10.012>
- Cheung, C. C., & Ting, K. L. (2014). Stereotactic radiotherapy plus surgical resection for large hepatocellular carcinoma: A case series and patients outcome. *HPB*, 16(298), ancreato-Biliary.
- Chi, A., Ma, P., Fu, G., Hobbs, G., Welsh, J. S., Nguyen, N. P., ... Komaki, R. (2013). Critical structure sparing in stereotactic ablative radiotherapy for central lung lesions: helical tomotherapy vs. volumetric modulated arc therapy. *PLoS ONE [Electronic Resource]*, 8(4), e59729. DOI: <http://dx.doi.org/10.1371/journal.pone.0059729>
- Chiang, A., Thibault, I., Warner, A., Rodrigues, G., Palma, D., Soliman, H., ... Cheung, P. (2016). A comparison between accelerated hypofractionation and stereotactic ablative radiotherapy (SABR) for early-stage non-small cell lung cancer (NSCLC): Results of a propensity score-matched analysis. *Radiotherapy & Oncology*, 118(3), 478-484. DOI: <http://dx.doi.org/10.1016/j.radonc.2015.12.026>
- Chiang, A., Zeng, L., Zhang, L., Lochray, F., Korol, R., Loblaw, A., ... Sahgal, A. (2013). Pain flare is a common adverse event in steroid-naive patients after spine stereotactic body radiation therapy: a prospective clinical trial. *International Journal of Radiation Oncology, Biology, Physics*, 86(4), 638-642. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.03.022>
- Chiou, S. M. (2013). Survival of brain metastatic patients treated with gamma knife radiosurgery alone. *Clinical Neurology & Neurosurgery*, 115(3), 260-265. DOI: <http://dx.doi.org/10.1016/j.clineuro.2012.05.018>
- Chmura, S. J., Salama, J. K., & Weichselbaum, R. R. (2013). Stereotactic radiotherapy for pulmonary metastases. *Seminars in Thoracic & Cardiovascular Surgery*, 25(4), 292-299. DOI: <http://dx.doi.org/10.1053/j.semtcvs.2014.01.003>
- Chmura, S. J., Winter, K. A., Salama, J. K., Woodward, W. A., Borges, V. F., Al-Hallaq, H. A., ... White, J. R. (2015). NRG BR002: A phase II/III trial of standard of care therapy with or without stereotactic body radiotherapy (SBRT) and/or surgical ablation for newly oligometastatic breast cancer. *Journal of Clinical Oncology*, 33(15 SUPPL. 1), CONFERENCE START: 2015 May 2029 CONFERENCE END: 2015 Jun 2012.

- Cho, D. Y., Yang, W. K., Lee, H. C., Hsu, D. M., Lin, H. L., Lin, S. Z., ... Ho, L. H. (2012). Adjuvant immunotherapy with whole-cell lysate dendritic cells vaccine for glioblastoma multiforme: a phase II clinical trial. *World Neurosurgery*, 77(5-6), 736-744. DOI: <http://dx.doi.org/10.1016/j.wneu.2011.08.020>
- Cho, D. Y., Yang, W. K., Lee, H. C., Hsu, D. M., Lin, H. L., Lin, S. Z., ... Ho, L. H. (2012). Adjuvant immunotherapy with whole-cell lysate dendritic cells vaccine for glioblastoma multiforme: a phase II clinical trial. *World Neurosurgery*, 77(5-6), 736-744. DOI: <http://dx.doi.org/10.1016/j.wneu.2011.08.020>
- Cho, D. Y., Yang, W. K., Lee, H. C., Hsu, D. M., Lin, H. L., Lin, S. Z., ... Ho, L. H. (2012). Adjuvant immunotherapy with whole-cell lysate dendritic cells vaccine for glioblastoma multiforme: a phase II clinical trial. *World Neurosurgery*, 77(5-6), 736-744.
- Cho, J., Kim, J., Ryu, H. J., Roh, H. G., Chung, H. W., Koh, Y. C., ... Kim, S. Y. (2014). Pilot study of gamma-knife surgery-incorporated systemic chemotherapy omitting whole brain radiotherapy for the treatment of elderly primary central nervous system lymphoma patients with poor prognostic scores. *Medical Oncology*, 31(3), 863. DOI: <http://dx.doi.org/10.1007/s12032-014-0863-1>
- Cho, K. R., Lee, M. H., Kong, D. S., Seol, H. J., Nam, D. H., Sun, J. M., ... Lee, J. I. (2015). Outcome of gamma knife radiosurgery for metastatic brain tumors derived from non-small cell lung cancer. *Journal of Neuro-Oncology*, 125(2), 331-338. DOI: <http://dx.doi.org/10.1007/s11060-015-1915-x>
- Cho, Y. H., Lee, J. M., Lee, D., Park, J. H., Yoon, K., Kim, S. O., ... Roh, S. W. (2015). Experiences on two different stereotactic radiosurgery modalities of Gamma Knife and Cyberknife in treating brain metastases. *Acta Neurochirurgica*, 157(11), 2003-2009; discussion 2009. DOI: <http://dx.doi.org/10.1007/s00701-015-2585-3>
- Choi, C. Y., Chang, S. D., Gibbs, I. C., Adler, J. R., Harsh, G. R. t., Lieberson, R. E., & Soltys, S. G. (2012). Stereotactic radiosurgery of the postoperative resection cavity for brain metastases: prospective evaluation of target margin on tumor control. *International Journal of Radiation Oncology, Biology, Physics*, 84(2), 336-342. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.12.009>
- Choi, C. Y., Soltys, S. G., Gibbs, I. C., Harsh, G. R., Sakamoto, G. T., Patel, D. A., ... Adler, J. R. (2011). Stereotactic radiosurgery of cranial nonvestibular schwannomas: results of single- and multisession radiosurgery. *Neurosurgery*, 68(5), 1200-1208; discussion 1208. DOI: <http://dx.doi.org/10.1227/NEU.0b013e31820c0474>
- Choi, J. W., Im, Y. S., Kong, D. S., Seol, H. J., Nam, D. H., & Lee, J. I. (2015). Effectiveness of Postoperative Gamma Knife Radiosurgery to the Tumor Bed After Resection of Brain Metastases. *World Neurosurgery*, 84(6), 1752-1757. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.07.045>
- Choi, J. W., Im, Y. S., Kong, D. S., Seol, H. J., Nam, D. H., & Lee, J. I. (2015). Effectiveness of Postoperative Gamma Knife Radiosurgery to the Tumor Bed After Resection of Brain Metastases. *World Neurosurgery*, 84(6), 1752-1757. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.07.045>
- Choi, J. W., Lee, J. Y., Phi, J. H., Wang, K. C., Chung, H. T., Paek, S. H., ... Kim, S. K. (2014). Clinical course of vestibular schwannoma in pediatric neurofibromatosis Type 2. *Journal of Neurosurgery. Pediatrics*, 13(6), 650-657. DOI: <http://dx.doi.org/10.3171/2014.3.PEDS13455>
- Choi, Y. J., Lee, D. H., Choi, C. M., Lee, J. C., Chang, H. M., Ahn, J. H., ... Kim, S. W. Gamma knife surgery (GKS) alone versus GKS followed by whole brain radiotherapy (WBRT) as the initial treatment of brain metastasis. *Journal of thoracic oncology*, 7(11 SUPPL. 5), S479.

- Chojnowski, M. M., Kobylecka, M., Plazinska, M. T., & Krolicki, L. (2014). Popliteal cyst after yttrium-90 radiosynovectomy-usefulness of delayed PET/CT imaging. *Rheumatology*, 53(11), 1983. DOI: <http://dx.doi.org/10.1093/rheumatology/keu308>
- Chow, R., Tsao, M., Pulenzas, N., Zhang, L., Sahgal, A., Cella, D., ... Chow, E. (2016). Do patients with brain metastases selected for whole brain radiotherapy have worse baseline quality of life as compared to those for radiosurgery or neurosurgery (with or without whole brain radiotherapy)? *Annals of Palliative Medicine*, 5(1), 1-12. DOI: <http://dx.doi.org/10.3978/j.issn.2224-5820.2015.11.01>
- Chowdhry, V. K., Chowdhry, A. K., Goldman, N., Scalzetti, E. M., Grage, R. A., & Bogart, J. A. (2014). Complications from computed tomography-guided core needle biopsy for patients receiving stereotactic body radiation therapy for early-stage lesions of the lung. *Clinical Lung Cancer*, 15(4), 302-306. DOI: <http://dx.doi.org/10.1016/j.cllc.2014.04.001>
- Chowdhry, V. K., Hsu, J., Lemke, S., Kittur, D., & Hahn, S. S. (2012). Long-term survival in a patient with metastatic oropharynx squamous cell carcinoma to liver. *Journal of Cancer Research & Therapeutics*, 8(1), 138-141. DOI: <http://dx.doi.org/10.4103/0973-1482.95196>
- Chowdhury, I. H., Ojerholm, E., McMillan, M. T., Miller, D., Kolker, J. D., Kurtz, G., ... Alonso-Basanta, M. (2015). Novel risk scores for survival and intracranial failure in patients treated with radiosurgery alone to melanoma brain metastases. *Radiation Oncology*, 10, 248. DOI: <http://dx.doi.org/10.1186/s13014-015-0553-y>
- Choy, W., Spasic, M., Pezeshkian, P., Fong, B. M., Nagasawa, D. T., Trang, A., ... Yang, I. (2013). Outcomes of stereotactic radiosurgery and stereotactic radiotherapy for the treatment of vestibular schwannoma. *Neurosurgery*, 60 Suppl 1, 120-125. DOI: <http://dx.doi.org/10.1227/01.neu.0000430307.78949.4e>
- Chuang, C. C., Chang, C. S., Tyan, Y. S., Chuang, K. S., Tu, H. T., & Huang, C. F. (2012). Use of apparent diffusion coefficients in evaluating the response of vestibular schwannomas to Gamma Knife surgery. *Journal of Neurosurgery*, 117 Suppl, 63-68. DOI: <http://dx.doi.org/10.3171/2012.7.GKS121003>
- Chun, S. G., Nedzi, L. A., Choe, K. S., Abdulrahman, R. E., Chen, S. A., Yordy, J. S., ... Isaacson, B. (2014). A retrospective analysis of tumor volumetric responses to five-fraction stereotactic radiotherapy for paragangliomas of the head and neck (glomus tumors). *Stereotactic & Functional Neurosurgery*, 92(3), 153-159. DOI: <http://dx.doi.org/10.1159/000360864>
- Chung, C., & Brown, P. D. (2015). Interventions for the treatment of brain radionecrosis after radiotherapy or radiosurgery. *Cochrane Database of Systematic Reviews*(1).
- Chung, H. T., & Kim, D. G. (2012). Modern radiosurgery equipment for treating brain metastases. *Progress in Neurological Surgery*, 25, 236-247. DOI: <http://dx.doi.org/10.1159/000331197>
- Chung, J. B., Kim, J. S., Eom, K. Y., Kim, I. A., Kang, S. W., Lee, J. W., ... Suh, T. S. (2015). Comparison of VMAT-SABR treatment plans with flattening filter (FF) and flattening filter-free (FFF) beam for localized prostate cancer. *Journal of Applied Clinical Medical Physics*, 16(6), 5728.
- Chung, J. B., Kim, J. S., Eom, K. Y., Kim, I. A., Kang, S. W., Lee, J. W., ... Suh, T. S. (2015). Comparison of VMAT-SABR treatment plans with flattening filter (FF) and flattening filter-free (FFF) beam for localized prostate cancer. *Journal of Applied Clinical Medical Physics*, 16(6), 5728.
- Chung, S. B., Jo, K. I., Seol, H. J., Nam, D. H., & Lee, J. I. (2013). Radiosurgery to palliate symptoms in brain metastases from uterine cervix cancer. *Acta Neurochirurgica*, 155(3), 399-405. DOI: <http://dx.doi.org/10.1007/s00701-012-1576-x>

- Chung, W. Y., Liu, K. D., Shiau, C. Y., Wu, H. M., Wang, L. W., Guo, W. Y., ... Pan, D. H. (2013). Gamma knife surgery for vestibular schwannoma: 10-year experience of 195 cases. *Journal of Neurosurgery*, 111 Suppl, 87-97.
- Chuong, M. D., Springett, G. M., Freilich, J. M., Park, C. K., Weber, J. M., Mellon, E. A., ... Shridhar, R. (2013). Stereotactic body radiation therapy for locally advanced and borderline resectable pancreatic cancer is effective and well tolerated. *International Journal of Radiation Oncology, Biology, Physics*, 86(3), 516-522. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.02.022>
- Chytka, T., Liscak, R., Kozubikova, P., & Vymazal, J. (2015). Radiosurgery for Large Arteriovenous Malformations as a Single-Session or Staged Treatment. *Stereotactic & Functional Neurosurgery*, 93(5), 342-347. DOI: <http://dx.doi.org/10.1159/000439116>
- Ciammella, P., Podgornii, A., Galeandro, M., D'Abbiero, N., Pisanello, A., Botti, A., ... Iotti, C. (2013). Hypofractionated stereotactic radiation therapy for recurrent glioblastoma: single institutional experience. *Radiation Oncology*, 8, 222. DOI: <http://dx.doi.org/10.1186/1748-717X-8-222>
- Cifarelli, C. P., Schlesinger, D. J., & Sheehan, J. P. (2012). Cranial nerve dysfunction following Gamma Knife surgery for pituitary adenomas: long-term incidence and risk factors. *Journal of Neurosurgery*, 116(6), 1304-1310. DOI: <http://dx.doi.org/10.3171/2012.2.JNS111630>
- Ciurea, J. (2014). Radiofrequency at Foramen Ovale approach for Trigeminal Neuralgia. How selective can it be? *Stereotactic and Functional Neurosurgery. Conference: 21st Congress of the European Society for Stereotactic and Functional Neurosurgery: Implementing Research in Clinical Applications Maastricht Netherlands. Conference Start*, 92.
- Cochran, D. C., Chan, M. D., Aklilu, M., Lovato, J. F., Alphonse, N. K., Bourland, J. D., ... Ellis, T. L. (2012). The effect of targeted agents on outcomes in patients with brain metastases from renal cell carcinoma treated with Gamma Knife surgery. *Journal of Neurosurgery*, 116(5), 978-983. DOI: <http://dx.doi.org/10.3171/2012.2.JNS111353>
- Cochran, D. C., Chan, M. D., Aklilu, M., Lovato, J. F., Alphonse, N. K., Bourland, J. D., ... Ellis, T. L. (2012). The effect of targeted agents on outcomes in patients with brain metastases from renal cell carcinoma treated with Gamma Knife surgery. *Journal of Neurosurgery*, 116(5), 978-983. DOI: <http://dx.doi.org/10.3171/2012.2.JNS111353>
- Cognard, C. (2015). A randomized trial of unruptured brain arteriovenous malformations study: What impact on clinical care and therapeutic decision? *American Journal of Neuroradiology*, 36(4), 619-622.
- Cohen-Inbar, O., Lee, C. C., Schlesinger, D., Xu, Z., & Sheehan, J. P. (2016). The Geriatric Scoring System (GSS) for Risk Stratification in Meningioma Patients as a Predictor of Outcome in Patients Treated with Radiosurgery. *World Neurosurgery*, 87, 431-438. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.10.081>
- Cohen-Inbar, O., Lee, C. C., Xu, Z., Schlesinger, D., & Sheehan, J. P. (2015). A quantitative analysis of adverse radiation effects following Gamma Knife radiosurgery for arteriovenous malformations. *Journal of Neurosurgery*, 123(4), 945-953. DOI: <http://dx.doi.org/10.3171/2014.10.JNS142264>
- Cohen-Inbar, O., Melmer, P., Lee, C. C., Xu, Z., Schlesinger, D., & Sheehan, J. P. (2016). Leukoencephalopathy in long term brain metastases survivors treated with radiosurgery. *Journal of Neuro-Oncology*, 126(2), 289-298.

- Cohen-Inbar, O., Xu, Z., Schlesinger, D., Vance, M. L., & Sheehan, J. P. (2015). Gamma Knife radiosurgery for medically and surgically refractory prolactinomas: long-term results. *Pituitary*, 18(6), 820-830. DOI: <http://dx.doi.org/10.1007/s11102-015-0658-1>
- Colaco, R. J., & Decker, R. H. (2015). Stereotactic radiotherapy in the treatment of primary bronchial carcinoid tumor. *Clinical Lung Cancer*, 16(2), e11-14. DOI: <http://dx.doi.org/10.1016/j.cllc.2014.12.005>
- Collen, C., Christian, N., Schallier, D., Meysman, M., Duchateau, M., Storme, G., & De Ridder, M. (2014). Phase II study of stereotactic body radiotherapy to primary tumor and metastatic locations in oligometastatic nonsmall-cell lung cancer patients. *Annals of Oncology*, 25(10), 1954-1959. DOI: <http://dx.doi.org/10.1093/annonc/mdu370>
- Collen, C., Christian, N., Schallier, D., Meysman, M., Duchateau, M., Storme, G., & De Ridder, M. (2014). Phase II study of stereotactic body radiotherapy to primary tumor and metastatic locations in oligometastatic nonsmall-cell lung cancer patients. *Annals of Oncology*, 25(10), 1954-1959. DOI: <http://dx.doi.org/10.1093/annonc/mdu370>
- Collins, S. P., Suy, S., Chen, L. N., Collins, B. T., & Dritschilo, A. (2013). A response to Sher et al, "Cost-effectiveness analysis of SBRT versus IMRT for low-risk prostate cancer". *American Journal of Clinical Oncology*, 36(3), 316-317. DOI: <http://dx.doi.org/10.1097/COC.0b013e318294101b>
- Combs, S. E. (2015). Individualized radiotherapy (iRT) concepts for locally advanced pancreatic cancer (LAPC): indications and prognostic factors. *Langenbecks Archives of Surgery*, 400(7), 749-756. DOI: <http://dx.doi.org/10.1007/s00423-015-1309-8>
- Combs, S. E., Welzel, T., Kessel, K., Habermehl, D., Rieken, S., Schramm, O., & Debus, J. (2013). Hearing preservation after radiotherapy for vestibular schwannomas is comparable to hearing deterioration in healthy adults and is accompanied by local tumor control and a highly preserved quality of life (QOL) as patients' self-reported outcome. *Radiotherapy & Oncology*, 106(2), 175-180. DOI: <http://dx.doi.org/10.1016/j.radonc.2012.12.004>
- Comet, B., Kramar, A., Faivre-Pierret, M., Dewas, S., Coche-Dequeant, B., Degardin, M., ... Lartigau, E. F. (2012). Salvage stereotactic reirradiation with or without cetuximab for locally recurrent head-and-neck cancer: a feasibility study. *International Journal of Radiation Oncology, Biology, Physics*, 84(1), 203-209. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.11.054>
- Conti, A., Pontoriero, A., Ricciardi, G. K., Granata, F., Vinci, S., Angileri, F. F., ... Tomasello, F. (2013). Integration of functional neuroimaging in CyberKnife radiosurgery: feasibility and dosimetric results. *Neurosurgical Focus*, 34(4), E5. DOI: <http://dx.doi.org/10.3171/2013.2.FOCUS12414>
- Contreras Lopez, W. O., Azevedo, A. R., Cury, R. G., Alencar, F., Neville, I. S., Reis, P. R., ... Fonoff, E. T. (2016). Caudal Zona Incerta/VOP Radiofrequency Lesioning Guided by Combined Stereotactic MRI and Microelectrode Recording for Posttraumatic Midbrain Resting-Kinetic Tremor. *World Neurosurgery*, 86, 316-320. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.09.031>
- Cook, S., Mendes, R., Ross, A., Hardavalla, G., Succony, L., Carnell, D., ... Navani, N. (2014). Effective treatment options in the management of brain metastases in lung cancer. *Lung Cancer*, 83(29).
- Coolens, C., Driscoll, B., Chung, C., Shek, T., Gorjizadeh, A., Menard, C., & Jaffray, D. (2015). Automated voxel-based analysis of volumetric dynamic contrast-enhanced CT data improves measurement of serial changes in tumor vascular biomarkers. *International Journal of Radiation Oncology, Biology, Physics*, 91(1), 48-57. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.09.028>

- Coolens, C., Foltz, W., Driscoll, B., Pellow, C., & Chung, C. (2016). Comparison of arterial input functions by magnitude and phase signal measurement in DCE MRI of brain cancer patients. *Radiotherapy and Oncology. Conference: International Conference on Translational Research in Radiation Oncology/Physics for Health in Europe, ICTR PHE*, 118, S27-S28.
- Copeland, W. R., Link, M. J., Stafford, S. L., & Pollock, B. E. (2014). Single-fraction stereotactic radiosurgery of meningeal hemangiopericytomas. *Journal of Neuro-Oncology*, 120(1), 95-102. DOI: <http://dx.doi.org/10.1007/s11060-014-1521-3>
- Coroller, T. P., Mak, R. H., Lewis, J. H., Baldini, E. H., Chen, A. B., Colson, Y. L., ... Killoran, J. H. (2014). Low incidence of chest wall pain with a risk-adapted lung stereotactic body radiation therapy approach using three or five fractions based on chest wall dosimetry. *PLoS ONE [Electronic Resource]*, 9(4), e94859. DOI: <http://dx.doi.org/10.1371/journal.pone.0094859>
- Correa, S. F., Marta, G. N., & Teixeira, M. J. (2014). Neurosymptomatic carvenous sinus meningioma: a 15-years experience with fractionated stereotactic radiotherapy and radiosurgery. *Radiation Oncology*, 9, 27. DOI: <http://dx.doi.org/10.1186/1748-717X-9-27>
- Corso, C. D., Park, H. S., Kim, A. W., Yu, J. B., Husain, Z., & Decker, R. H. (2015). Racial disparities in the use of SBRT for treating early-stage lung cancer. *Lung Cancer*, 89(2), 133-138. DOI: <http://dx.doi.org/10.1016/j.lungcan.2015.05.002>
- Corvo, R., Lamanna, G., Vagge, S., Belgioia, L., Bosetti, D., Alois, D., ... Bacigalupo, A. (2013). Once-weekly stereotactic radiotherapy for patients with oligometastases: compliance and preliminary efficacy. *Tumori*, 99(2), 159-163. DOI: <http://dx.doi.org/10.1700/1283.14186>
- Costa, D. B., Shaw, A. T., Ou, S. H., Solomon, B. J., Riely, G. J., Ahn, M. J., ... Crino, L. (2015). Clinical Experience With Crizotinib in Patients With Advanced ALK-Rearranged Non-Small-Cell Lung Cancer and Brain Metastases. *Journal of Clinical Oncology*, 33(17), 1881-1888. DOI: <http://dx.doi.org/10.1200/JCO.2014.59.0539>
- Costa, D. B., Shaw, A. T., Ou, S. H., Solomon, B. J., Riely, G. J., Ahn, M. J., ... Crino, L. (2015). Clinical Experience With Crizotinib in Patients With Advanced ALK-Rearranged Non-Small-Cell Lung Cancer and Brain Metastases. *Journal of Clinical Oncology*, 33(17), 1881-1888. DOI: <http://dx.doi.org/10.1200/JCO.2014.59.0539>
- Cox, B. W., Jackson, A., Hunt, M., Bilsky, M., & Yamada, Y. (2012). Esophageal toxicity from high-dose, single-fraction paraspinal stereotactic radiosurgery. *International Journal of Radiation Oncology, Biology, Physics*, 83(5), e661-667. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.01.080>
- Cox, B. W., Jackson, A., Hunt, M., Bilsky, M., & Yamada, Y. (2012). Esophageal toxicity from high-dose, single-fraction paraspinal stereotactic radiosurgery. *International Journal of Radiation Oncology, Biology, Physics*, 83(5), e661-667. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.01.080>
- Cox, B. W., Spratt, D. E., Lovelock, M., Bilsky, M. H., Lis, E., Ryu, S., ... Yamada, Y. (2012). International Spine Radiosurgery Consortium consensus guidelines for target volume definition in spinal stereotactic radiosurgery. *International Journal of Radiation Oncology, Biology, Physics*, 83(5), e597-605. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.03.009>
- Crabtree, T., Puri, V., Timmerman, R., Fernando, H., Bradley, J., Decker, P. A., ... Meyers, B. (2013). Treatment of stage I lung cancer in high-risk and inoperable patients: Comparison of prospective clinical trials using stereotactic body radiotherapy (RTOG 0236), sublobar resection (ACOSOG Z4032), and radiofrequency ablation (ACOSOG Z4033). *Journal of Thoracic & Cardiovascular Surgery*, 145(3), 692-699. DOI: <http://dx.doi.org/10.1016/j.jtcvs.2012.10.038>

- Crabtree, T. D., Puri, V., Robinson, C., Bradley, J., Broderick, S., Patterson, G. A., ... Meyers, B. F. (2014). Analysis of first recurrence and survival in patients with stage I non-small cell lung cancer treated with surgical resection or stereotactic radiation therapy. *Journal of Thoracic & Cardiovascular Surgery*, 147(4), 1183-1191; discussion 1191-1182. DOI: <http://dx.doi.org/10.1016/j.jtcvs.2013.11.057>
- Crabtree, T. D., Puri, V., Robinson, C., Bradley, J., Broderick, S., Patterson, G. A., ... Meyers, B. F. (2014). Analysis of first recurrence and survival in patients with stage I non-small cell lung cancer treated with surgical resection or stereotactic radiation therapy. *Journal of Thoracic & Cardiovascular Surgery*, 147(4), 1183-1191; discussion 1191-1182. DOI: <http://dx.doi.org/10.1016/j.jtcvs.2013.11.057>
- Craighead, P. S., & Chan, A. (2012). Defining treatment for brain metastases patients: nihilism versus optimism. *Supportive Care in Cancer*, 20(2), 279-285. DOI: <http://dx.doi.org/10.1007/s00520-010-1068-6>
- Creach, K. M., Bradley, J. D., Mahasittiwat, P., & Robinson, C. G. (2012). Stereotactic body radiation therapy in the treatment of multiple primary lung cancers. *Radiotherapy & Oncology*, 104(1), 19-22. DOI: <http://dx.doi.org/10.1016/j.radonc.2011.12.005>
- Crocker, J. K., Ng, J. A., Keall, P. J., & Booth, J. T. (2012). Measurement of patient imaging dose for real-time kilovoltage x-ray intrafraction tumour position monitoring in prostate patients. *Physics in Medicine & Biology*, 57(10), 2969-2980. DOI: <http://dx.doi.org/10.1088/0031-9155/57/10/2969>
- Crocker, J. K., Ng, J. A., Keall, P. J., & Booth, J. T. (2012). Measurement of patient imaging dose for real-time kilovoltage x-ray intrafraction tumour position monitoring in prostate patients. *Physics in Medicine & Biology*, 57(10), 2969-2980. DOI: <http://dx.doi.org/10.1088/0031-9155/57/10/2969>
- Croker, J., Chua, B., Bernard, A., Allon, M., & Foote, M. (2016). Treatment of brain oligometastases with hypofractionated stereotactic radiotherapy utilising volumetric modulated arc therapy. *Clinical & Experimental Metastasis*, 33(2), 125-132. DOI: <http://dx.doi.org/10.1007/s10585-015-9762-x>
- Cuaron, J. J., Yorke, E. D., Foster, A., Hsu, M., Zhang, Z., Liu, F., ... Rimner, A. (2013). Stereotactic body radiation therapy for primary lung cancers >3 centimeters. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 8(11), 1396-1401. DOI: <http://dx.doi.org/10.1097/JTO.0b013e3182a47181>
- Cullerton, S., Jiang, H., Haddad, C. R., Kim, J., Brierley, J., Brade, A., ... Dawson, L. A. (2014). Outcomes following definitive stereotactic body radiotherapy for patients with Child-Pugh B or C hepatocellular carcinoma. *Radiotherapy & Oncology*, 111(3), 412-417. DOI: <http://dx.doi.org/10.1016/j.radonc.2014.05.002>
- Cuneo, K. C., Vredenburgh, J. J., Sampson, J. H., Reardon, D. A., Desjardins, A., Peters, K. B., ... Kirkpatrick, J. P. (2012). Safety and efficacy of stereotactic radiosurgery and adjuvant bevacizumab in patients with recurrent malignant gliomas. *International Journal of Radiation Oncology, Biology, Physics*, 82(5), 2018-2024. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2010.12.074>
- Cuneo, K. C., Vredenburgh, J. J., Sampson, J. H., Reardon, D. A., Desjardins, A., Peters, K. B., ... Kirkpatrick, J. P. (2012). Safety and efficacy of stereotactic radiosurgery and adjuvant bevacizumab in patients with recurrent malignant gliomas. *International Journal of Radiation Oncology, Biology, Physics*, 82(5), 2018-2024. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2010.12.074>

- Cuneo, K. C., Zagar, T. M., Brizel, D. M., Yoo, D. S., Hoang, J. K., Chang, Z., ... Kirkpatrick, J. P. (2012). Stereotactic radiotherapy for malignancies involving the trigeminal and facial nerves. *Technology in Cancer Research & Treatment*, 11(3), 221-228.
- Cunha, M. V., Al-Omair, A., Atenafu, E. G., Masucci, G. L., Letourneau, D., Korol, R., ... Sahgal, A. (2012). Vertebral compression fracture (VCF) after spine stereotactic body radiation therapy (SBRT): analysis of predictive factors. *International Journal of Radiation Oncology, Biology, Physics*, 84(3), e343-349. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.04.034>
- Cusumano, D., Fumagalli, M. L., Marchetti, M., Fariselli, L., & De Martin, E. (2015). Dosimetric verification of stereotactic radiosurgery/stereotactic radiotherapy dose distributions using Gafchromic EBT3. *Medical Dosimetry*, 40(3), 226-231. DOI: <http://dx.doi.org/10.1016/j.meddos.2015.01.001>
- Cvek, J., Knybel, L., Skacelikova, E., Stransky, J., Matousek, P., Zelenik, K., ... Feltl, D. (2016). Hyperfractionated stereotactic reirradiation for recurrent head and neck cancer. *Strahlentherapie und Onkologie*, 192(1), 40-46. DOI: <http://dx.doi.org/10.1007/s00066-015-0886-3>
- Dagoglu, N., Mahadevan, A., Nedea, E., Poylin, V., & Nagle, D. (2015). Stereotactic body radiotherapy (SBRT) reirradiation for pelvic recurrence from colorectal cancer. *Journal of Surgical Oncology*, 111(4), 478-482. DOI: <http://dx.doi.org/10.1002/jso.23858>
- Dahele, M., Van Sornsen De Koste, J. R., Van De Ven, P. M., Spoelstra, F., Slotman, B., & Senan, S. (2015). Parenchymal lung changes on computed tomography after stereotactic radiotherapy using high dose rate flattening filter free beams. *Radiotherapy and oncology*, 114(3), 357-360.
- D'Aliberti, G., Talamonti, G., Cenzato, M., La Camera, A., Debernardi, A., Valvassori, L., ... Nichelatti, M. (2015). Arterial and venous aneurysms associated with arteriovenous malformations. *World Neurosurgery*, 83(2), 188-196. DOI: <http://dx.doi.org/10.1016/j.wneu.2014.05.037>
- D'Aliberti, G., Talamonti, G., Cenzato, M., La Camera, A., Debernardi, A., Valvassori, L., ... Nichelatti, M. (2015). Arterial and venous aneurysms associated with arteriovenous malformations. *World Neurosurgery*, 83(2), 188-196. DOI: <http://dx.doi.org/10.1016/j.wneu.2014.05.037>
- Daly, M. E., Perks, J. R., & Chen, A. M. (2013). Patterns-of-care for thoracic stereotactic body radiotherapy among practicing radiation oncologists in the United States. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 8(2), 202-207. DOI: <http://dx.doi.org/10.1097/JTO.0b013e318279155f>
- Dalyai, R., Starke, R. M., Chalouhi, N., Theofanis, T., Busack, C., Jabbour, P., ... Tjoumakaris, S. (2014). Smoking is a negative predictor of arteriovenous malformation posttreatment obliteration: analysis of vascular risk factors in 774 patients. *Neurosurgical Focus*, 37(3), E3. DOI: <http://dx.doi.org/10.3171/20145.FOCUS14121>
- Danaila, L. (2012). Microsurgical treatment of the interhemispheric arteriovenous malformations. *Chirurgia (Bucuresti)*, 107(6), 701-714.
- Darsaut, T. E., Magro, E., Gentric, J. C., Batista, A. L., Chaalala, C., Roberge, D., ... Raymond, J. (2015). Treatment of Brain AVMs (TOBAS): study protocol for a pragmatic randomized controlled trial. *Trials [Electronic Resource]*, 16, 497. DOI: <http://dx.doi.org/10.1186/s13063-015-1019-0>
- Darsaut, T. E., Magro, E., Gentric, J. C., Batista, A. L., Chaalala, C., Roberge, D., ... Raymond, J. (2015). Treatment of Brain AVMs (TOBAS): study protocol for a pragmatic randomized controlled trial. *Trials [Electronic Resource]*, 16(497), 04.

- Darsaut, T. E., Magro, E., Gentric, J. C., Batista, A. L., Chaalala, C., Roberge, D., ... Raymond, J. (2015). Treatment of Brain AVMs (TOBAS): Study protocol for a pragmatic randomized controlled trial. *Trials [Electronic Resource]*, 16(1).
- Davis, J. N., Medbery, C., Sharma, S., Pablo, J., Kimsey, F., Perry, D., ... Mahadevan, A. (2015). Stereotactic body radiotherapy for centrally located early-stage non-small cell lung cancer or lung metastases from the RSSearch() patient registry. *Radiation Oncology*, 10, 113. DOI: <http://dx.doi.org/10.1186/s13014-015-0417-5>
- Day, J., Zienius, K., Gehring, K., Grosshans, D., Taphoorn, M., Grant, R., ... Brown, P. D. (2016). Interventions for preventing and ameliorating cognitive deficits in adults treated with cranial irradiation. *Cochrane Database of Systematic Reviews*(9).
- Dayal, M., Perez-Andujar, A., Chuang, C., Parsa, A. T., & Barani, I. J. (2013). Management of vestibular schwannoma: focus on vertigo. *CNS Oncology*, 2(1), 99-104. DOI: <http://dx.doi.org/10.2217/cns.12.30>
- de Azevedo Santos, T. R., Tundisi, C. F., Ramos, H., Maia, M. A., Pellizzon, A. C., Silva, M. L., ... de Castro, D. G. (2015). Local control after radiosurgery for brain metastases: predictive factors and implications for clinical decision. *Radiation Oncology*, 10, 63. DOI: <http://dx.doi.org/10.1186/s13014-015-0367-y>
- De Bari, B., Arcangeli, S., Ciardo, D., Mazzola, R., Alongi, F., Russi, E. G., ... Jereczek-Fossa, B. A. (2016). Extreme hypofractionation for early prostate cancer: Biology meets technology. *Cancer Treatment Reviews*, 50, 48-60.
- De Ieso, P. B., Schick, U., Rosenfelder, N., Mohammed, K., & Ross, G. M. (2015). Breast cancer brain metastases - A 12 year review of treatment outcomes. *Breast*, 24(4), 426-433. DOI: <http://dx.doi.org/10.1016/j.breast.2015.03.007>
- De Ruysscher, D., Wanders, R., van Baardwijk, A., Dingemans, A. M., Reymen, B., Houben, R., ... Lambin, P. (2012). Radical treatment of non-small-cell lung cancer patients with synchronous oligometastases: long-term results of a prospective phase II trial (Nct01282450). *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 7(10), 1547-1555.
- de Vin, T., Engels, B., Gevaert, T., Storme, G., & De Ridder, M. (2014). Stereotactic radiotherapy for oligometastatic cancer: a prognostic model for survival. *Annals of Oncology*, 25(2), 467-471. DOI: <http://dx.doi.org/10.1093/annonc/mdt537>
- de Vin, T., Engels, B., Gevaert, T., Storme, G., & De Ridder, M. (2014). Stereotactic radiotherapy for oligometastatic cancer: a prognostic model for survival. *Annals of Oncology*, 25(2), 467-471. DOI: <http://dx.doi.org/10.1093/annonc/mdt537>
- De Wolf, K., Berwouts, D., Lambert, B., Bultijnck, R., De Neve, W., De Lobel, L., ... Ost, P. (2015). Biological image guided stereotactic radiosurgery for painful bone metastasis: A randomized phase II trial. *Radiotherapy and oncology*, 115(24).
- Decaestecker, K., De Meerleer, G., Ameye, F., Fonteyne, V., Lambert, B., Joniau, S., ... Ost, P. (2014). Surveillance or metastasis-directed Therapy for OligoMetastatic Prostate cancer recurrence (STOMP): study protocol for a randomized phase II trial. *BMC Cancer*, 14, 671. DOI: <http://dx.doi.org/10.1186/1471-2407-14-671>

- Decaestecker, K., De Meerleer, G., Ameye, F., Fonteyne, V., Lambert, B., Joniau, S., ... Ost, P. (2014). Surveillance or metastasis-directed Therapy for OligoMetastatic Prostate cancer recurrence (STOMP): study protocol for a randomized phase II trial. *BMC Cancer*, 14(671).
- Decaestecker, K., De Meerleer, G., Ameye, F., Fonteyne, V., Lambert, B., Joniau, S., ... Ost, P. (2014). Surveillance or metastasis-directed Therapy for OligoMetastatic Prostate cancer recurrence (STOMP): Study protocol for a randomized phase II trial. *BMC Cancer*, 14(1).
- Decaestecker, K., De Meerleer, G., Lambert, B., Delrue, L., Fonteyne, V., Claeys, T., ... Ost, P. (2014). Repeated stereotactic body radiotherapy for oligometastatic prostate cancer recurrence. *Radiation Oncology*, 9, 135. DOI: <http://dx.doi.org/10.1186/1748-717X-9-135>
- Deibert, C. P., Ahluwalia, M. S., Sheehan, J. P., Link, M. J., Hasegawa, T., Yomo, S., ... Kondziolka, D. (2013). Bevacizumab for refractory adverse radiation effects after stereotactic radiosurgery. *Journal of Neuro-Oncology*, 115(2), 217-223. DOI: <http://dx.doi.org/10.1007/s11060-013-1214-3>
- Demiral, S., Beyzadeoglu, M., Uysal, B., Oysul, K., Kahya, Y. E., Sager, O., ... Surenkok, S. (2013). Evaluation of stereotactic body radiotherapy (SBRT) boost in the management of endometrial cancer. *Neoplasma*, 60(3), 322-327. DOI: [http://dx.doi.org/10.4149/neo\\_2013\\_043](http://dx.doi.org/10.4149/neo_2013_043)
- Den, R. B., & Andrews, D. W. (2012). Combined role of whole-brain radiation therapy and radiosurgery for the treatment of brain metastasis. *Progress in Neurological Surgery*, 25, 228-235. DOI: <http://dx.doi.org/10.1159/000331196>
- Deodato, F., Cilla, S., Macchia, G., Torre, G., Caravatta, L., Mariano, G., ... Morganti, A. G. (2014). Stereotactic Radiosurgery (SRS) with Volumetric Modulated Arc Therapy (VMAT): Interim Results of a Multi-arm Phase I Trial (DESTROY-2). *Clinical Oncology*, 26(12), 748-756.
- Descovich, M., Ma, L., Chuang, C. F., Larson, D. A., & Barani, I. J. (2012). Comparison between prone and supine patient setup for spine stereotactic body radiosurgery. *Technology in Cancer Research & Treatment*, 11(3), 229-236.
- Descovich, M., McGuinness, C., Kannarunimit, D., Chen, J., Pinnaduwage, D., Pouliot, J., ... Yom, S. S. (2015). Comparison between target margins derived from 4DCT scans and real-time tumor motion tracking: insights from lung tumor patients treated with robotic radiosurgery. *Medical Physics*, 42(3), 1280-1287. DOI: <http://dx.doi.org/10.1118/1.4907956>
- Detti, B., Bonomo, P., Masi, L., Doro, R., Cipressi, S., Iermano, C., ... Livi, L. (2015). Stereotactic radiotherapy for isolated nodal recurrence of prostate cancer. *World Journal of Urology*, 33(8), 1197-1203. DOI: <http://dx.doi.org/10.1007/s00345-014-1427-x>
- Devriendt, D., De Smedt, F., Glineur, R., & Massager, N. (2015). Five-fraction Gamma Knife radiosurgery using the Extend relocatable system for benign neoplasms close to optic pathways. *Practical Radiation Oncology*, 5(3), e119-125. DOI: <http://dx.doi.org/10.1016/j.prro.2014.08.021>
- Devriendt, D., De Smedt, F., Glineur, R., & Massager, N. (2015). Five-fraction Gamma Knife radiosurgery using the Extend relocatable system for benign neoplasms close to optic pathways. *Practical Radiation Oncology*, 5(3), e119-125. DOI: <http://dx.doi.org/10.1016/j.prro.2014.08.021>
- Dewas, S., Bibault, J. E., Mirabel, X., Fumagalli, I., Kramar, A., Jarraya, H., ... Lartigau, E. (2012). Prognostic factors affecting local control of hepatic tumors treated by Stereotactic Body Radiation Therapy. *Radiation Oncology*, 7, 166. DOI: <http://dx.doi.org/10.1186/1748-717X-7-166>

- Dewas, S., Bibault, J. E., Mirabel, X., Nickers, P., Castelain, B., Lacornerie, T., ... Lartigau, E. (2011). Robotic image-guided reirradiation of lateral pelvic recurrences: preliminary results. *Radiation Oncology*, 6, 77. DOI: <http://dx.doi.org/10.1186/1748-717X-6-77>
- Dhabaan, A., Schreibmann, E., Siddiqi, A., Elder, E., Fox, T., Ogunleye, T., ... Shu, H. K. (2012). Six degrees of freedom CBCT-based positioning for intracranial targets treated with frameless stereotactic radiosurgery. *Journal of Applied Clinical Medical Physics*, 13(6), 3916. DOI: <http://dx.doi.org/10.1120/jacmp.v13i6.3916>
- Dhabaan, A., Schreibmann, E., Siddiqi, A., Elder, E., Fox, T., Ogunleye, T., ... Shu, H. K. (2012). Six degrees of freedom CBCT-based positioning for intracranial targets treated with frameless stereotactic radiosurgery. *Journal of Applied Clinical Medical Physics*, 13(6), 3916. DOI: <http://dx.doi.org/10.1120/jacmp.v13i6.3916>
- Dhakal, S., Peterson, C. R., 3rd, & Milano, M. T. (2014). Radiation therapy in the management of patients with limited brain metastases. *American Journal of Clinical Oncology*, 37(2), 208-214. DOI: <http://dx.doi.org/10.1097/COC.0b013e3182546807>
- Dholakia, A. S., Chaudhry, M., Leal, J. P., Chang, D. T., Raman, S. P., Hacker-Prietz, A., ... Herman, J. M. (2014). Baseline metabolic tumor volume and total lesion glycolysis are associated with survival outcomes in patients with locally advanced pancreatic cancer receiving stereotactic body radiation therapy. *International Journal of Radiation Oncology, Biology, Physics*, 89(3), 539-546. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.02.031>
- Dholakia, A. S., Chaudhry, M., Leal, J. P., Chang, D. T., Raman, S. P., Hacker-Prietz, A., ... Herman, J. M. (2014). Baseline metabolic tumor volume and total lesion glycolysis are associated with survival outcomes in patients with locally advanced pancreatic cancer receiving stereotactic body radiation therapy. *International Journal of Radiation Oncology, Biology, Physics*, 89(3), 539-546. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.02.031>
- Di Ieva, A., Niamah, M., Menezes, R. J., Tsao, M., Krings, T., Cho, Y. B., ... Cusimano, M. D. (2014). Computational fractal-based analysis of brain arteriovenous malformation angioarchitecture. *Neurosurgery*, 75(1), 72-79. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000353>
- Dickey, M., Roa, W., Drodge, S., Ghosh, S., Murray, B., Scrimger, R., & Gabos, Z. (2015). A planning comparison of 3-dimensional conformal multiple static field, conformal arc, and volumetric modulated arc therapy for the delivery of stereotactic body radiotherapy for early stage lung cancer. *Medical Dosimetry*, 40(4), 347-351. DOI: <http://dx.doi.org/10.1016/j.meddos.2015.04.006>
- Dinca, E. B., de Lacy, P., Yianni, J., Rowe, J., Radatz, M. W., Preotiuc-Pietro, D., & Kemeny, A. A. (2012). Gamma knife surgery for pediatric arteriovenous malformations: a 25-year retrospective study. *Journal of Neurosurgery. Pediatrics.*, 10(5), 445-450. DOI: <http://dx.doi.org/10.3171/2012.8.PEDS1241>
- Dinca, E. B., Yianni, J., Rowe, J., Radatz, M. W., Preotiuc-Pietro, D., Rundle, P., ... Kemeny, A. A. (2012). Survival and complications following gamma knife radiosurgery or enucleation for ocular melanoma: a 20-year experience. *Acta Neurochirurgica*, 154(4), 605-610. DOI: <http://dx.doi.org/10.1007/s00701-011-1252-6>
- Dincoglan, F., Beyzadeoglu, M., Sager, O., Demiral, S., Gamsiz, H., Uysal, B., ... Dirican, B. (2015). Management of patients with recurrent glioblastoma using hypofractionated stereotactic radiotherapy. *Tumori*, 101(2), 179-184. DOI: <http://dx.doi.org/10.5301/tj.5000236>

- Dincoglan, F., Beyzadeoglu, M., Sager, O., Uysal, B., Demiral, S., Gamsiz, H., & Dirican, B. (2013). Evaluation of linear accelerator-based stereotactic radiosurgery in the management of meningiomas: a single center experience. *Journal of B.U.On.*, 18(3), 717-722.
- Dincoglan, F., Sager, O., Gamsiz, H., Uysal, B., Demiral, S., Oysul, K., ... Beyzadeoglu, M. (2014). Management of patients with >4 brain metastases using stereotactic radiosurgery boost after whole brain irradiation. *Tumori*, 100(3), 302-306. DOI: <http://dx.doi.org/10.1700/1578.17210>
- Ding, C., Solberg, T. D., Hrycushko, B., Xing, L., Heinzerling, J., & Timmerman, R. D. (2013). Optimization of normalized prescription isodose selection for stereotactic body radiation therapy: conventional vs robotic linac. *Medical Physics*, 40(5), 051705. DOI: <http://dx.doi.org/10.1118/1.4798944>
- Ding, D., Quigg, M., Starke, R. M., Xu, Z., Yen, C. P., Przybylowski, C. J., ... Sheehan, J. P. (2015). Radiosurgery for temporal lobe arteriovenous malformations: effect of temporal location on seizure outcomes. *Journal of Neurosurgery*, 123(4), 924-934. DOI: <http://dx.doi.org/10.3171/2014.10.JNS141807>
- Ding, D., Quigg, M., Starke, R. M., Yen, C. P., Przybylowski, C. J., Dodson, B. K., & Sheehan, J. P. (2015). Cerebral Arteriovenous Malformations and Epilepsy, Part 2: Predictors of Seizure Outcomes Following Radiosurgery. *World Neurosurgery*, 84(3), 653-662. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.04.064>
- Ding, D., Quigg, M., Starke, R. M., Yen, C. P., Przybylowski, C. J., Dodson, B. K., & Sheehan, J. P. (2015). Cerebral Arteriovenous Malformations and Epilepsy, Part 2: Predictors of Seizure Outcomes Following Radiosurgery. *World Neurosurgery*, 84(3), 653-662. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.04.064>
- Ding, D., Quigg, M., Starke, R. M., Yen, C. P., Przybylowski, C. J., Dodson, B. K., & Sheehan, J. P. (2015). Cerebral Arteriovenous Malformations and Epilepsy, Part 2: Predictors of Seizure Outcomes Following Radiosurgery. *World Neurosurgery*, 84(3), 653-662.
- Ding, D., Sheehan, J. P., Starke, R. M., Durst, C. R., Raper, D. M., Conger, J. R., & Evans, A. J. (2015). Embolization of cerebral arteriovenous malformations with silk suture particles prior to stereotactic radiosurgery. *Journal of Clinical Neuroscience*, 22(10), 1643-1649. DOI: <http://dx.doi.org/10.1016/j.jocn.2015.03.046>
- Ding, D., Starke, R. M., Hantzmon, J., Yen, C. P., Williams, B. J., & Sheehan, J. P. (2013). The role of radiosurgery in the management of WHO Grade II and III intracranial meningiomas. *Neurosurgical Focus*, 35(6), E16. DOI: <http://dx.doi.org/10.3171/2013.9.FOCUS13364>
- Ding, D., Starke, R. M., Kano, H., Mathieu, D., Huang, P., Kondziolka, D., ... Sheehan, J. P. (2016). Radiosurgery for Cerebral Arteriovenous Malformations in A Randomized Trial of Unruptured Brain Arteriovenous Malformations (ARUBA)-Eligible Patients : A Multicenter Study. *Stroke; a journal of cerebral circulation*, 47(2), 342-349.
- Ding, D., Starke, R. M., Kano, H., Mathieu, D., Huang, P., Kondziolka, D., ... Sheehan, J. P. (2016). Radiosurgery for Cerebral Arteriovenous Malformations in A Randomized Trial of Unruptured Brain Arteriovenous Malformations (ARUBA)-Eligible Patients: A Multicenter Study. *Stroke*, 47(2), 342-349. DOI: <http://dx.doi.org/10.1161/STROKEAHA.115.011400>
- Ding, D., Starke, R. M., Kano, H., Nakaji, P., Barnett, G. H., Mathieu, D., ... Sheehan, J. P. (2014). Gamma knife radiosurgery for cerebellopontine angle meningiomas: a multicenter study. *Neurosurgery*, 75(4), 398-408; quiz 408. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000480>

- Ding, D., Starke, R. M., Quigg, M., Yen, C. P., Przybylowski, C. J., Dodson, B. K., & Sheehan, J. P. (2015). Cerebral Arteriovenous Malformations and Epilepsy, Part 1: Predictors of Seizure Presentation. *World Neurosurgery*, 84(3), 645-652. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.02.039>
- Ding, D., Starke, R. M., Quigg, M., Yen, C. P., Przybylowski, C. J., Dodson, B. K., & Sheehan, J. P. (2015). Cerebral Arteriovenous Malformations and Epilepsy, Part 1: Predictors of Seizure Presentation. *World Neurosurgery*, 84(3), 645-652. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.02.039>
- Ding, D., Starke, R. M., & Sheehan, J. P. (2014). Treatment paradigms for pituitary adenomas: defining the roles of radiosurgery and radiation therapy. *Journal of Neuro-Oncology*, 117(3), 445-457.
- Ding, D., Starke, R. M., Yen, C. P., & Sheehan, J. P. (2014). Radiosurgery for cerebellar arteriovenous malformations: does infratentorial location affect outcome? *World Neurosurgery*, 82(1-2), e209-217. DOI: <http://dx.doi.org/10.1016/j.wneu.2014.02.007>
- Ding, D., Starke, R. M., Yen, C. P., & Sheehan, J. P. (2014). Radiosurgery for cerebellar arteriovenous malformations: does infratentorial location affect outcome? *World Neurosurgery*, 82(1-2), e209-217. DOI: <http://dx.doi.org/10.1016/j.wneu.2014.02.007>
- Ding, D., Xu, Z., McNeill, I. T., Yen, C. P., & Sheehan, J. P. (2013). Radiosurgery for parasagittal and parafalcine meningiomas. *Journal of Neurosurgery*, 119(4), 871-877. DOI: <http://dx.doi.org/10.3171/2013.6.JNS13110>
- Ding, D., Xu, Z., Shih, H. H., Starke, R. M., Yen, C. P., & Sheehan, J. P. (2016). Stereotactic Radiosurgery for Partially Resected Cerebral Arteriovenous Malformations. *World Neurosurgery*, 85, 263-272. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.10.001>
- Ding, D., Xu, Z., Starke, R. M., Yen, C. P., Shih, H. H., Buell, T. J., & Sheehan, J. P. (2016). Radiosurgery for Cerebral Arteriovenous Malformations with Associated Arterial Aneurysms. *World Neurosurgery*, 87, 77-90. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.11.080>
- Ding, D., Xu, Z., Yen, C. P., Starke, R. M., & Sheehan, J. P. (2015). Radiosurgery for Cerebral Arteriovenous Malformations in Elderly Patients: Effect of Advanced Age on Outcomes After Intervention. *World Neurosurgery*, 84(3), 795-804. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.05.012>
- Ding, D., Xu, Z., Yen, C. P., Starke, R. M., & Sheehan, J. P. (2015). Radiosurgery for Cerebral Arteriovenous Malformations in Elderly Patients: Effect of Advanced Age on Outcomes After Intervention. *World Neurosurgery*, 84(3), 795-804. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.05.012>
- Ding, D., Xu, Z., Yen, C. P., Starke, R. M., & Sheehan, J. P. (2015). Radiosurgery for unruptured cerebral arteriovenous malformations in pediatric patients. *Acta Neurochirurgica*, 157(2), 281-291. DOI: <http://dx.doi.org/10.1007/s00701-014-2305-4>
- Ding, D., Yen, C. P., Starke, R. M., Xu, Z., & Sheehan, J. P. (2014). Radiosurgery for ruptured intracranial arteriovenous malformations. *Journal of Neurosurgery*, 121(2), 470-481. DOI: <http://dx.doi.org/10.3171/2014.2.JNS131605>
- Ding, D., Yen, C. P., Starke, R. M., Xu, Z., & Sheehan, J. P. (2015). Effect of prior hemorrhage on intracranial arteriovenous malformation radiosurgery outcomes. *Cerebrovascular Diseases*, 39(1), 53-62. DOI: <http://dx.doi.org/10.1159/000369959>
- Ding, D., Yen, C. P., Starke, R. M., Xu, Z., Sun, X., & Sheehan, J. P. (2014). Outcomes following single-session radiosurgery for high-grade intracranial arteriovenous malformations. *British Journal of Neurosurgery*, 28(5), 666-674. DOI: <http://dx.doi.org/10.3109/02688697.2013.872227>

- Ding, D., Yen, C. P., Xu, Z., Starke, R. M., & Sheehan, J. P. (2013). Radiosurgery for patients with unruptured intracranial arteriovenous malformations. *Journal of Neurosurgery*, 118(5), 958-966. DOI: <http://dx.doi.org/10.3171/2013.2.JNS121239>
- Ding, D., Yen, C. P., Xu, Z., Starke, R. M., & Sheehan, J. P. (2013). Radiosurgery for primary motor and sensory cortex arteriovenous malformations: outcomes and the effect of eloquent location. *Neurosurgery*, 73(5), 816-824; discussio 824. DOI: <http://dx.doi.org/10.1227/NEU.000000000000000106>
- Ding, D., Yen, C. P., Xu, Z., Starke, R. M., & Sheehan, J. P. (2014). Radiosurgery for low-grade intracranial arteriovenous malformations. *Journal of Neurosurgery*, 121(2), 457-467. DOI: <http://dx.doi.org/10.3171/2014.1.JNS131713>
- Diot, Q., Kavanagh, B., Schefter, T., Gaspar, L., Stuhr, K., & Miften, M. (2012). Regional normal lung tissue density changes in patients treated with stereotactic body radiation therapy for lung tumors. *International Journal of Radiation Oncology, Biology, Physics*, 84(4), 1024-1030. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.11.080>
- Ditzel Filho, L. F., McLaughlin, N., Bresson, D., Solari, D., Kassam, A. B., & Kelly, D. F. (2014). Supraorbital eyebrow craniotomy for removal of intraaxial frontal brain tumors: a technical note. *World Neurosurgery*, 81(2), 348-356. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.11.051>
- Ditzel Filho, L. F., McLaughlin, N., Bresson, D., Solari, D., Kassam, A. B., & Kelly, D. F. (2014). Supraorbital eyebrow craniotomy for removal of intraaxial frontal brain tumors: a technical note. *World Neurosurgery*, 81(2), 348-356. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.11.051>
- Dizdarevic, K., Hadzic, E., & Beculic, H. (2012). Giant craniopharyngioma: 9-year follow up after stereotactic Yttrium -90 instillation and microsurgical resection. *Medicinski Glasnik Ljekarske Komore Zenickodobojskog Kantona*, 9(2), 420-424.
- Dizman, A., Coskun-Breuneval, M., Altinisik-Inan, G., Olcay, G. K., Cetindag, M. F., & Guney, Y. (2014). Reirradiation with robotic stereotactic body radiotherapy for recurrent nasopharyngeal carcinoma. *Asian Pacific Journal of Cancer Prevention: Apjcp*, 15(8), 3561-3566.
- Dodoo, E., Huffmann, B., Peredo, I., Grinaker, H., Sinclair, G., Machinis, T., ... Lippitz, B. (2014). Increased survival using delayed gamma knife radiosurgery for recurrent high-grade glioma: a feasibility study. *World Neurosurgery*, 82(5), e623-632. DOI: <http://dx.doi.org/10.1016/j.wneu.2014.06.011>
- Dodoo, E., Huffmann, B., Peredo, I., Grinaker, H., Sinclair, G., Machinis, T., ... Lippitz, B. (2014). Increased survival using delayed gamma knife radiosurgery for recurrent high-grade glioma: a feasibility study. *World Neurosurgery*, 82(5), e623-632. DOI: <http://dx.doi.org/10.1016/j.wneu.2014.06.011>
- Dong, P., Lee, P., Ruan, D., Long, T., Romeijn, E., Yang, Y., ... Sheng, K. (2013). 4pi non-coplanar liver SBRT: a novel delivery technique. *International Journal of Radiation Oncology, Biology, Physics*, 85(5), 1360-1366. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.09.028>
- Donington, J., Ferguson, M., Mazzone, P., Handy, J., Jr., Schuchert, M., Fernando, H., ... Workforce on Evidence-Based Surgery of Society of Thoracic, S. (2012). American College of Chest Physicians and Society of Thoracic Surgeons consensus statement for evaluation and management for high-risk patients with stage I non-small cell lung cancer. *Chest*, 142(6), 1620-1635. DOI: <http://dx.doi.org/10.1378/chest.12-0790>
- Downs-Canner, S., Zenati, M., Boone, B. A., Varley, P. R., Steve, J., Hogg, M. E., ... Lee, K. K. (2015). The indolent nature of pulmonary metastases from ductal adenocarcinoma of the pancreas. *Journal of Surgical Oncology*, 112(1), 80-85. DOI: <http://dx.doi.org/10.1002/jso.23943>

- Downs-Canner, S., Zenati, M., Boone, B. A., Varley, P. R., Steve, J., Hogg, M. E., ... Lee, K. K. (2015). The indolent nature of pulmonary metastases from ductal adenocarcinoma of the pancreas. *Journal of Surgical Oncology*, 112(1), 80-85. DOI: <http://dx.doi.org/10.1002/jso.23943>
- Drees, C., Chapman, K., Prenger, E., Baxter, L., Maganti, R., Rekate, H., ... Kerrigan, J. F. (2012). Seizure outcome and complications following hypothalamic hamartoma treatment in adults: endoscopic, open, and Gamma Knife procedures. *Journal of Neurosurgery*, 117(2), 255-261. DOI: <http://dx.doi.org/10.3171/2012.5.JNS112256>
- Drozdz, S., Schwedas, M., Salz, H., Foller, S., & Wendt, T. G. (2016). Prostate cancer treated with image-guided helical TomoTherapy and image-guided LINAC-IMRT : Correlation between high-dose bladder volume, margin reduction, and genitourinary toxicity. *Strahlentherapie und Onkologie*, 192(4), 223-231. DOI: <http://dx.doi.org/10.1007/s00066-015-0935-y>
- Drozdz, S., Schwedas, M., Salz, H., Foller, S., & Wendt, T. G. (2016). Prostate cancer treated with image-guided helical TomoTherapy(R) and image-guided LINAC-IMRT : Correlation between high-dose bladder volume, margin reduction, and genitourinary toxicity. *Strahlentherapie und Onkologie : Organ der Deutschen Rontgengesellschaft ... [et al.]*, 192(4), 223-231.
- Drzymala, R. E., Alvarez, P. E., Bednarz, G., Bourland, J. D., DeWerd, L. A., Ma, L., ... Goetsch, S. J. (2015). A round-robin gamma stereotactic radiosurgery dosimetry interinstitution comparison of calibration protocols. *Medical Physics*, 42(11), 6745-6756. DOI: <http://dx.doi.org/10.1118/1.4934376>
- Duan, L., Zeng, R., Yang, K. H., Tian, J. H., Wu, X. L., Dai, Q., ... Ma, D. W. (2014). Whole brain radiotherapy combined with stereotactic radiotherapy versus stereotactic radiotherapy alone for brain metastases: a meta-analysis. *Asian Pacific Journal of Cancer Prevention: Apjcp*, 15(2), 911-915.
- Dunavoelgyi, R., Dieckmann, K., Gleiss, A., Sacu, S., Kircher, K., Georgopoulos, M., ... Poetter, R. (2012). Radiogenic side effects after hypofractionated stereotactic photon radiotherapy of choroidal melanoma in 212 patients treated between 1997 and 2007. *International Journal of Radiation Oncology, Biology, Physics*, 83(1), 121-128. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.06.1957>
- Dunavoelgyi, R., Georg, D., Zehetmayer, M., Schmidt-Erfurth, U., Potter, R., Dorr, W., & Dieckmann, K. (2013). Dose-response of critical structures in the posterior eye segment to hypofractionated stereotactic photon radiotherapy of choroidal melanoma. *Radiotherapy & Oncology*, 108(2), 348-353. DOI: <http://dx.doi.org/10.1016/j.radonc.2013.08.018>
- Dunavoelgyi, R., Zehetmayer, M., Gleiss, A., Geitzenauer, W., Kircher, K., Georg, D., ... Dieckmann, K. (2013). Hypofractionated stereotactic photon radiotherapy of posteriorly located choroidal melanoma with five fractions at ten Gy--clinical results after six years of experience. *Radiotherapy & Oncology*, 108(2), 342-347. DOI: <http://dx.doi.org/10.1016/j.radonc.2013.08.004>
- Duncker-Rohr, V., Nestle, U., Momm, F., Prokic, V., Heinemann, F., Mix, M., ... Grosu, A. L. (2013). Stereotactic ablative radiotherapy for small lung tumors with a moderate dose. Favorable results and low toxicity. *Strahlentherapie und Onkologie*, 189(1), 33-40. DOI: <http://dx.doi.org/10.1007/s00066-012-0224-y>
- Dunlap, N. E., Yang, W., McIntosh, A., Sheng, K., Benedict, S. H., Read, P. W., & Larner, J. M. (2012). Computed tomography-based anatomic assessment overestimates local tumor recurrence in patients with mass-like consolidation after stereotactic body radiotherapy for early-stage non-small cell lung cancer. *International Journal of Radiation Oncology, Biology, Physics*, 84(5), 1071-1077. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.01.088>

- Dupuy, D. E., Fernando, H. C., Hillman, S., Ng, T., Tan, A. D., Sharma, A., ... Putnam, J. B. (2015). Radiofrequency ablation of stage IA non-small cell lung cancer in medically inoperable patients: Results from the American College of Surgeons Oncology Group Z4033 (Alliance) trial. *Cancer*, 121(19), 3491-3498. DOI: <http://dx.doi.org/10.1002/cncr.29507>
- Dupuy, D. E., Fernando, H. C., Hillman, S., Ng, T., Tan, A. D., Sharma, A., ... Putnam, J. B. (2015). Radiofrequency ablation of stage IA non-small cell lung cancer in medically inoperable patients: Results from the American College of Surgeons Oncology Group Z4033 (Alliance) trial. *Cancer*, 121(19), 3491-3498. DOI: <http://dx.doi.org/10.1002/cncr.29507>
- Dutta, D., Balaji Subramanian, S., Murli, V., Sudahar, H., Gopalakrishna Kurup, P. G., & Potharaju, M. (2012). Dosimetric comparison of Linac-based (BrainLAB) and robotic radiosurgery (CyberKnife) stereotactic system plans for acoustic schwannoma. *Journal of Neuro-Oncology*, 106(3), 637-642. DOI: <http://dx.doi.org/10.1007/s11060-011-0703-5>
- Dworzecki, T., Idasiak, A., Sygula, D., Dworzecka, U., & Suwinski, R. (2012). Stereotactic radiotherapy (SBRT) as a sole or salvage therapy in non-small cell lung cancer patients. *Neoplasma*, 59(1), 114-120.
- Dyer, M. A., Kelly, P. J., Chen, Y. H., Pinnell, N. E., Claus, E. B., Lee, E. Q., ... Alexander, B. M. (2012). Importance of extracranial disease status and tumor subtype for patients undergoing radiosurgery for breast cancer brain metastases. *International Journal of Radiation Oncology, Biology, Physics*, 83(4), e479-486. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.01.054>
- Dyk, P., Weiner, A., Badiyan, S., Myerson, R., Parikh, P., & Olsen, J. (2015). Effect of high-dose stereotactic body radiation therapy on liver function in the treatment of primary and metastatic liver malignancies using the Child-Pugh score classification system. *Practical Radiation Oncology*, 5(3), 176-182. DOI: <http://dx.doi.org/10.1016/j.prro.2014.09.007>
- Dyk, P., Weiner, A., Badiyan, S., Myerson, R., Parikh, P., & Olsen, J. (2015). Effect of high-dose stereotactic body radiation therapy on liver function in the treatment of primary and metastatic liver malignancies using the Child-Pugh score classification system. *Practical Radiation Oncology*, 5(3), 176-182. DOI: <http://dx.doi.org/10.1016/j.prro.2014.09.007>
- Dziggel, L., Dahlke, M., Janssen, S., Hornung, D., Blanck, O., Khoa, M. T., ... Rades, D. (2015). Predicting the Risk of New Cerebral Lesions After Stereotactic Radiosurgery (SRS) for Brain Metastases from Breast Cancer. *Anticancer Research*, 35(12), 6793-6797.
- Eaton, B. R., Gebhardt, B., Prabhu, R., Shu, H. K., Curran, W. J., Jr., & Crocker, I. (2013). Hypofractionated radiosurgery for intact or resected brain metastases: defining the optimal dose and fractionation. *Radiation Oncology*, 8, 135. DOI: <http://dx.doi.org/10.1186/1748-717X-8-135>
- Eaton, B. R., La Riviere, M. J., Kim, S., Prabhu, R. S., Patel, K., Kandula, S., ... Crocker, I. (2015). Hypofractionated radiosurgery has a better safety profile than single fraction radiosurgery for large resected brain metastases. *Journal of Neuro-Oncology*, 123(1), 103-111.
- Eaton, B. R., LaRiviere, M. J., Kim, S., Prabhu, R. S., Patel, K., Kandula, S., ... Crocker, I. (2015). Hypofractionated radiosurgery has a better safety profile than single fraction radiosurgery for large resected brain metastases.[Erratum appears in J Neurooncol. 2015 May;123(1):113 Note: La Riviere, Michael J [corrected to LaRiviere, Michael J]; PMID: 25903656]. *Journal of Neuro-Oncology*, 123(1), 103-111. DOI: <http://dx.doi.org/10.1007/s11060-015-1767-4>
- Ebinu, J. O., Lwu, S., Monsalves, E., Arayee, M., Chung, C., Laperriere, N. J., ... Zadeh, G. (2013). Gamma knife radiosurgery for the treatment of cystic cerebral metastases. *International Journal of Radiation Oncology, Biology, Physics*, 85(3), 667-671. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.06.043>

- Ebner, D., Rava, P., Gorovets, D., Cielo, D., & Hepel, J. T. (2015). Stereotactic radiosurgery for large brain metastases. *Journal of Clinical Neuroscience*, 22(10), 1650-1654. DOI: <http://dx.doi.org/10.1016/j.jocn.2015.05.019>
- Ebright, M. I., Russo, G. A., Gupta, A., Subramaniam, R. M., Fernando, H. C., & Kachnic, L. A. (2013). Positron emission tomography combined with diagnostic chest computed tomography enhances detection of regional recurrence after stereotactic body radiation therapy for early stage non-small cell lung cancer. *Journal of Thoracic & Cardiovascular Surgery*, 145(3), 709-715. DOI: <http://dx.doi.org/10.1016/j.jtcvs.2012.12.024>
- Eibl-Lindner, K., Furweger, C., Nentwich, M., Foerster, P., Wowra, B., Schaller, U., & Muacevic, A. (2016). Robotic radiosurgery for the treatment of medium and large uveal melanoma. *Melanoma Research*, 26(1), 51-57.
- Einstein, D. B., Wessels, B., Bangert, B., Fu, P., Nelson, A. D., Cohen, M., ... Maciunas, R. (2012). Phase II trial of radiosurgery to magnetic resonance spectroscopy-defined high-risk tumor volumes in patients with glioblastoma multiforme. *International Journal of Radiation Oncology, Biology, Physics*, 84(3), 668-674. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.01.020>
- Einstein, D. B., Wessels, B., Bangert, B., Fu, P., Nelson, A. D., Cohen, M., ... Maciunas, R. (2012). Phase II trial of radiosurgery to magnetic resonance spectroscopy-defined high-risk tumor volumes in patients with glioblastoma multiforme. *International Journal of Radiation Oncology, Biology, Physics*, 84(3), 668-674. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.01.020>
- El Gantery, M. M., Abd El Baky, H. M., El Hossieny, H. A., Mahmoud, M., & Youssef, O. (2014). Management of brain metastases with stereotactic radiosurgery alone versus whole brain irradiation alone versus both. *Radiation Oncology*, 9, 116. DOI: <http://dx.doi.org/10.1186/1748-717X-9-116>
- El Gantery, M. M., Abd El Baky, H. M., El Hossieny, H. A., Mahmoud, M., & Youssef, O. (2014). Management of brain metastases with stereotactic radiosurgery alone versus whole brain irradiation alone versus both. *Radiation Oncology*, 9(116).
- El Gantery, M. M., El Baky, H. M. A., El Hossieny, H. A., Mahmoud, M., & Youssef, O. (2014). Management of brain metastases with stereotactic radiosurgery alone versus whole brain irradiation alone versus both. *Radiation Oncology*, 9(1).
- El Majdoub, F., Elawady, M., Buhrlie, C., El-Khatib, M., Hoevels, M., Treuer, H., ... Maarouf, M. (2012). muMLC-LINAC radiosurgery for intracranial meningiomas of complex shape. *Acta Neurochirurgica*, 154(4), 599-604. DOI: <http://dx.doi.org/10.1007/s00701-012-1278-4>
- El Majdoub, F., Hunsche, S., Igressa, A., Kocher, M., Sturm, V., & Maarouf, M. (2015). Stereotactic LINAC-Radiosurgery for Glomus Jugulare Tumors: A Long-Term Follow-Up of 27 Patients. *PLoS ONE [Electronic Resource]*, 10(6), e0129057. DOI: <http://dx.doi.org/10.1371/journal.pone.0129057>
- El Majdoub, F., Rezk, E., Hunsche, S., Buhrlie, C., Sturm, V., & Maarouf, M. (2014). Intracranial ganglioglioma WHO I: results in a series of eight patients treated with stereotactic interstitial brachytherapy. *Journal of Neuro-Oncology*, 118(2), 345-350. DOI: <http://dx.doi.org/10.1007/s11060-014-1438-x>
- Elaimy, A. L., Mackay, A. R., Lamoreaux, W. T., Demakas, J. J., Fairbanks, R. K., Cooke, B. S., ... Lee, C. M. (2013). Clinical outcomes of gamma knife radiosurgery in the salvage treatment of patients with recurrent high-grade glioma. *World Neurosurgery*, 80(6), 872-878. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.02.030>
- Elaimy, A. L., Mackay, A. R., Lamoreaux, W. T., Demakas, J. J., Fairbanks, R. K., Cooke, B. S., ... Lee, C. M. (2013). Clinical outcomes of gamma knife radiosurgery in the salvage treatment of patients with

- recurrent high-grade glioma. *World Neurosurgery*, 80(6), 872-878. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.02.030>
- Eldebawy, E., Mousa, A., Reda, W., & Elgantiry, M. (2011). Stereotactic radiosurgery and radiotherapy in benign intracranial meningioma. *Journal of Egyptian National Cancer Institute*, 23(3), 89-93. DOI: <http://dx.doi.org/10.1016/j.jnci.2011.09.006>
- Eleje, G. U., Eke, A. C., Igberase, G. O., Igwegbe, A. O., & Eleje, L. I. (2016). Palliative interventions for controlling vaginal bleeding in advanced cervical cancer. *Cochrane Database of Systematic Reviews*(9).
- El-Khatib, M., El Majdoub, F., Hoevels, M., Kocher, M., Muller, R. P., Steiger, H. J., ... Maarouf, M. (2011). Stereotactic LINAC radiosurgery for incompletely resected or recurrent atypical and anaplastic meningiomas. *Acta Neurochirurgica*, 153(9), 1761-1767. DOI: <http://dx.doi.org/10.1007/s00701-011-1073-7>
- El-Khatib, M., El Majdoub, F., Hunsche, S., Hoevels, M., Kocher, M., Sturm, V., & Maarouf, M. (2015). Stereotactic LINAC radiosurgery for the treatment of typical intracranial meningiomas. Efficacy and safety after a follow-up of over 12 years. *Strahlentherapie und Onkologie*, 191(12), 921-927. DOI: <http://dx.doi.org/10.1007/s00066-015-0880-9>
- Ellenbogen, J. R., Waqar, M., Kinshuck, A. J., Jenkinson, M. D., Lesser, T. H., Husband, D., & Javadpour, M. (2015). Linear accelerator radiosurgery for vestibular schwannomas: Results of medium-term follow-up. *British Journal of Neurosurgery*, 29(5), 678-684. DOI: <http://dx.doi.org/10.3109/02688697.2015.1036837>
- Elliott, A., Hebb, A. L., Walling, S., Morris, D. P., & Bance, M. (2015). Hearing preservation in vestibular schwannoma management. *American Journal of Otolaryngology*, 36(4), 526-534. DOI: <http://dx.doi.org/10.1016/j.amjoto.2015.02.016>
- Elliott, R. E., Rush, S. C., Morsi, A., Mehta, N., Spiro, J., Narayana, A., ... Golfinos, J. G. (2011). Local control of newly diagnosed and distally recurrent, low-volume brain metastases with fixed-dose (20 gy) gamma knife radiosurgery. *Neurosurgery*, 68(4), 921-931; discussion 931. DOI: <http://dx.doi.org/10.1227/NEU.0b013e318208f58e>
- Ellis, M. J., Rutka, J. T., Kulkarni, A. V., Dirks, P. B., & Widjaja, E. (2012). Corticospinal tract mapping in children with ruptured arteriovenous malformations using functionally guided diffusion-tensor imaging. *Journal of Neurosurgery. Pediatrics.*, 9(5), 505-510. DOI: <http://dx.doi.org/10.3171/2012.1.PEDS11363>
- El-Shehaby, A. M., Reda, W. A., Tawadros, S. R., & Abdel Karim, K. M. (2012). Low-dose Gamma Knife surgery for nonfunctioning pituitary adenomas. *Journal of Neurosurgery*, 117 Suppl, 84-88. DOI: <http://dx.doi.org/10.3171/2012.6.GKS12986>
- Erdur, F. M., Kilic, T., Peker, S., Celik, O., & Kadioglu, P. (2011). Gammaknife radiosurgery in patients with acromegaly. *Journal of Clinical Neuroscience*, 18(12), 1616-1620. DOI: <http://dx.doi.org/10.1016/j.jocn.2011.03.023>
- Eriguchi, T., Takeda, A., Oku, Y., Ishikura, S., Kimura, T., Ozawa, S., ... Ito, Y. (2013). Multi-institutional comparison of treatment planning using stereotactic ablative body radiotherapy for hepatocellular carcinoma - benchmark for a prospective multi-institutional study. *Radiation Oncology*, 8, 113. DOI: <http://dx.doi.org/10.1186/1748-717X-8-113>
- Eriguchi, T., Takeda, A., Sanuki, N., Oku, Y., Aoki, Y., Shigematsu, N., & Kunieda, E. (2013). Acceptable toxicity after stereotactic body radiation therapy for liver tumors adjacent to the central biliary

system. *International Journal of Radiation Oncology, Biology, Physics*, 85(4), 1006-1011. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.09.012>

Erler, D., Korol, R., Chu, W., Deegan, N., Schultz, B., & Chung, H. (2016). A quality improvement evaluation of evolving technologies in liver SBRT. *Journal of Medical Imaging and Radiation Sciences, Conference: 12th Annual Radiation Therapy Conference, RTi3. 2016 Toronto, ON United States. Conference Start: 20160304 Conference End: 20160305. Conference Publication:(var.pagings) 47 (1 SUPPL. 1), S11.*

Ernst, F., Bruder, R., Schlaefer, A., & Schweikard, A. (2012). Correlation between external and internal respiratory motion: a validation study. *International Journal of Computer Assisted Radiology & Surgery*, 7(3), 483-492. DOI: <http://dx.doi.org/10.1007/s11548-011-0653-6>

Ernst, F., Durichen, R., Schlaefer, A., & Schweikard, A. (2013). Evaluating and comparing algorithms for respiratory motion prediction. *Physics in Medicine & Biology*, 58(11), 3911-3929. DOI: <http://dx.doi.org/10.1088/0031-9155/58/11/3911>

Esparza-Moreno, K. P., Garcia-Garduno, O. A., Ballesteros-Zebadua, P., Larraga-Gutierrez, J. M., Moreno-Jimenez, S., & Celis-Lopez, M. A. (2013). Comparison of trigeminal neuralgia radiosurgery plans using two film detectors for the commissioning of small photon beams. *Journal of Applied Clinical Medical Physics*, 14(6), 3824. DOI: <http://dx.doi.org/10.1120/jacmp.v14i6.3824>

Esparza-Moreno, K. P., Garcia-Garduno, O. A., Ballesteros-Zebadua, P., Larraga-Gutierrez, J. M., Moreno-Jimenez, S., & Celis-Lopez, M. A. (2013). Comparison of trigeminal neuralgia radiosurgery plans using two film detectors for the commissioning of small photon beams. *Journal of Applied Clinical Medical Physics*, 14(6), 3824. DOI: <http://dx.doi.org/10.1120/jacmp.v14i6.3824>

Esposito, M., Maggi, G., Marino, C., Bottalico, L., Cagni, E., Carbonini, C., ... Mancosu, P. (2016). Multicentre treatment planning inter-comparison in a national context: The liver stereotactic ablative radiotherapy case. *Physica Medica*, 32(1), 277-283. DOI: <http://dx.doi.org/10.1016/j.ejmp.2015.09.009>

Essler, M., Wantke, J., Mayer, B., Scheidhauer, K., Bundschuh, R. A., Haller, B., ... Andratschke, N. (2013). Positron-emission tomography CT to identify local recurrence in stage I lung cancer patients 1 year after stereotactic body radiation therapy. *Strahlentherapie und Onkologie*, 189(6), 495-501. DOI: <http://dx.doi.org/10.1007/s00066-013-0310-9>

Evans, J. D., Gomez, D. R., Chang, J. Y., Gladish, G. W., Erasmus, J. J., Rebueno, N., ... Welsh, J. W. (2013). Cardiac 18F-fluorodeoxyglucose uptake on positron emission tomography after thoracic stereotactic body radiation therapy. *Radiotherapy & Oncology*, 109(1), 82-88. DOI: <http://dx.doi.org/10.1016/j.radonc.2013.07.021>

Evans, J. D., Gomez, D. R., Chang, J. Y., Gladish, G. W., Erasmus, J. J., Rebueno, N., ... Welsh, J. W. (2013). Cardiac 18F-fluorodeoxyglucose uptake on positron emission tomography after thoracic stereotactic body radiation therapy. *Radiotherapy & Oncology*, 109(1), 82-88. DOI: <http://dx.doi.org/10.1016/j.radonc.2013.07.021>

Evans, J. R., Zhao, S., Daignault, S., Sanda, M. G., Michalski, J., Sandler, H. M., ... Consortium, P. S. (2015). Patient-reported quality of life after stereotactic body radiotherapy (SBRT), intensity modulated radiotherapy (IMRT), and brachytherapy. *Radiotherapy & Oncology*, 116(2), 179-184. DOI: <http://dx.doi.org/10.1016/j.radonc.2015.07.016>

- Evran, M., Sert, M., & Tetiker, T. (2014). Clinical experiences and success rates of acromegaly treatment: the single center results of 62 patients. *BMC Endocrine Disorders*, 14, 97. DOI: <http://dx.doi.org/10.1186/1472-6823-14-97>
- Ezer, N., Veluswamy, R. R., Mhango, G., Rosenzweig, K. E., Powell, C. A., & Wisnivesky, J. P. (2015). Outcomes after stereotactic body radiotherapy versus limited resection in older patients with early-stage lung cancer. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 10(8), 1201-1206. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000600>
- Ezer, N., Veluswamy, R. R., Mhango, G., Rosenzweig, K. E., Powell, C. A., & Wisnivesky, J. P. (2015). Outcomes after Stereotactic Body Radiotherapy versus Limited Resection in Older Patients with Early-Stage Lung Cancer. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 10(8), 1201-1206. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000600>
- Faivre-Finn, C. (2012). Brain metastases. *Journal of thoracic oncology*, 7(6 SUPPL. 1), S14.
- Faivre-Finn, C. (2015). Case of a patient with EGFR mutation positive disease and two small brain metastases. *Journal of thoracic oncology*, 10(9 SUPPL. 2), S166.
- Falk, S., & Faivre-Finn, C. (2015). LungTech stereotactic body radiotherapy (SBRT) of inoperable centrally located NSCLC: A phase II study in preparation for a randomised phase III trial. *Lung Cancer*, 87(28).
- Fan, C. Y., Chao, H. L., Huang, W. Y., Lin, C. S., Chen, C. M., & Lo, C. H. (2015). Stereotactic ablative radiotherapy with CyberKnife in the treatment of locally advanced prostate cancer: preliminary results. *Tumori*, 101(6), 684-691. DOI: <http://dx.doi.org/10.5301/tj.5000355>
- Farkas, E. A., Stoeckel, D. A., Nassif, A. S., Lim, M. J., & Naunheim, K. S. (2012). Intracoronary fiducial embolization after percutaneous placement for stereotactic radiosurgery. *Annals of Thoracic Surgery*, 93(5), 1715-1717. DOI: <http://dx.doi.org/10.1016/j.athoracsur.2011.08.057>
- Farnia, B., Voong, K. R., Brown, P. D., Allen, P. K., Guha-Thakurta, N., Prabhu, S. S., ... Mahajan, A. (2014). Stereotactic radiosurgery for intraventricular brain metastases. *Journal of Neurosurgery*, 121 Suppl, 26-34. DOI: <http://dx.doi.org/10.3171/2014.8.GKS141354>
- Fauchon, F., Hasselblatt, M., Jouvet, A., Champier, J., Popovic, M., Kirolos, R., ... Vasiljevic, A. (2013). Role of surgery, radiotherapy and chemotherapy in papillary tumors of the pineal region: A multicenter study. *Journal of Neuro-Oncology*, 112(2), 223-231. DOI: <http://dx.doi.org/10.1007/s11060-013-1050-5>
- Feddock, J., Arnold, S. M., Shelton, B. J., Sinha, P., Conrad, G., Chen, L., ... McGarry, R. C. (2013). Stereotactic body radiation therapy can be used safely to boost residual disease in locally advanced non-small cell lung cancer: a prospective study. *International Journal of Radiation Oncology, Biology, Physics*, 85(5), 1325-1331. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.11.011>
- Fernando, H. C., & Timmerman, R. (2012). American College of Surgeons Oncology Group Z4099/Radiation Therapy Oncology Group 1021: a randomized study of sublobar resection compared with stereotactic body radiotherapy for high-risk stage I non-small cell lung cancer. *Journal of Thoracic & Cardiovascular Surgery*, 144(3), S35-38. DOI: <http://dx.doi.org/10.1016/j.jtcvs.2012.06.003>
- Fernando, H. C., & Timmerman, R. (2012). American College of Surgeons Oncology Group Z4099/Radiation Therapy Oncology Group 1021: a randomized study of sublobar resection

compared with stereotactic body radiotherapy for high-risk stage I non-small cell lung cancer. *The Journal of thoracic and cardiovascular surgery*, 144(3), S35-38.

Fernando, H. C., & Timmerman, R. (2012). American College of Surgeons Oncology Group Z4099/Radiation Therapy Oncology Group 1021: A randomized study of sublobar resection compared with stereotactic body radiotherapy for high-risk stage i non-small cell lung cancer. *Journal of thoracic and cardiovascular surgery*, 144(3), S35-S38.

Ferraro, D. J., Funk, R. K., Blackett, J. W., Ju, M. R., DeWees, T. A., Chicoine, M. R., ... Jaboin, J. J. (2014). A retrospective analysis of survival and prognostic factors after stereotactic radiosurgery for aggressive meningiomas. *Radiation Oncology*, 9, 38. DOI: <http://dx.doi.org/10.1186/1748-717X-9-38>

Ferraro, D. J., Funk, R. K., Blackett, J. W., Ju, M. R., DeWees, T. A., Chicoine, M. R., ... Jaboin, J. J. (2014). A retrospective analysis of survival and prognostic factors after stereotactic radiosurgery for aggressive meningiomas. *Radiation Oncology*, 9, 38. DOI: <http://dx.doi.org/10.1186/1748-717X-9-38>

Ferrero, C., Badellino, S., Filippi, A. R., Focaraccio, L., Gajj Levra, M., Levis, M., ... Novello, S. (2015). Pulmonary function and quality of life after VMAT-based stereotactic ablative radiotherapy for early stage inoperable NSCLC: a prospective study. *Lung Cancer*, 89(3), 350-356. DOI: <http://dx.doi.org/10.1016/j.lungcan.2015.06.019>

Fetzner, L., Aynsley, E., Beck, S., Schubert, K., Habl, G., Krause, S., ... Sterzing, F. (2014). Lung and liver SBRT using helical tomotherapy--a dosimetric comparison of fixed jaw and dynamic jaw delivery. *Journal of Applied Clinical Medical Physics*, 15(3), 4664. DOI: <http://dx.doi.org/10.1120/jacmp.v15i3.4664>

Fetzner, L., Aynsley, E., Beck, S., Schubert, K., Habl, G., Krause, S., ... Sterzing, F. (2014). Lung and liver SBRT using helical tomotherapy--a dosimetric comparison of fixed jaw and dynamic jaw delivery. *Journal of Applied Clinical Medical Physics*, 15(3), 4664. DOI: <http://dx.doi.org/10.1120/jacmp.v15i3.4664>

Fetzner, L., Aynsley, E., Beck, S., Schubert, K., Habl, G., Krause, S., ... Sterzing, F. (2014). Lung and liver SBRT using helical tomotherapy--a dosimetric comparison of fixed jaw and dynamic jaw delivery. *Journal of Applied Clinical Medical Physics*, 15(3), 4664.

Feuvret, L., Vinchon, S., Martin, V., Lamproglou, I., Halley, A., Calugaru, V., ... Mazeron, J. J. (2014). Stereotactic radiotherapy for large solitary brain metastases. *Cancer Radiotherapie*, 18(2), 97-106. DOI: <http://dx.doi.org/10.1016/j.canrad.2013.12.003>

Fiandra, C., Fusella, M., Giglioli, F. R., Filippi, A. R., Mantovani, C., Ricardi, U., & Ragona, R. (2013). Comparison of Gafchromic EBT2 and EBT3 for patient-specific quality assurance: cranial stereotactic radiosurgery using volumetric modulated arc therapy with multiple noncoplanar arcs. *Medical Physics*, 40(8), 082105. DOI: <http://dx.doi.org/10.1118/1.4816300>

Finnigan, R., Burmeister, B., Barry, T., Jones, K., Boyd, J., Pullar, A., ... Foote, M. (2015). Technique and early clinical outcomes for spinal and paraspinal tumours treated with stereotactic body radiotherapy. *Journal of Clinical Neuroscience*, 22(8), 1258-1263. DOI: <http://dx.doi.org/10.1016/j.jocn.2015.01.030>

Fischer-Valuck, B. W., Boggs, H., Katz, S., Durci, M., Acharya, S., & Rosen, L. R. (2015). Comparison of stereotactic body radiation therapy for biopsy-proven versus radiographically diagnosed early-

stage non-small lung cancer: a single-institution experience. *Tumori*, 101(3), 287-293. DOI: <http://dx.doi.org/10.5301/tj.5000279>

- Flickinger, J. C., Jr., Kim, H., Kano, H., Greenberger, J. S., Arai, Y., Niranjan, A., ... Flickinger, J. C., Sr. (2012). Do carbamazepine, gabapentin, or other anticonvulsants exert sufficient radioprotective effects to alter responses from trigeminal neuralgia radiosurgery? *International Journal of Radiation Oncology, Biology, Physics*, 83(4), e501-506. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.01.016>
- Flickinger, J. C., Kondziolka, D., Niranjan, A., & Lunsford, L. D. (2013). Results of acoustic neuroma radiosurgery: an analysis of 5 years' experience using current methods. *Journal of Neurosurgery*, 119 Suppl, 1-6.
- Flores, B. C., Patel, A. R., Timmerman, R. D., & Barnett, S. L. (2016). From Patchell to Brown: An Evidence-Based Evolution of the Role of Radiotherapy on the Management of Brain Metastases. *World Neurosurgery*, 85, 10-14. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.12.003>
- Flores, B. C., Patel, A. R., Timmerman, R. D., & Barnett, S. L. (2016). From Patchell to Brown: An Evidence-Based Evolution of the Role of Radiotherapy on the Management of Brain Metastases. *World Neurosurgery*, 85, 10-14.
- Flores, G. L., Sallabanda, K., dos Santos, M. A., Gutierrez, J., Salcedo, J. C., Beltran, C., ... Samblas, J. (2011). Linac stereotactic radiosurgery for the treatment of small arteriovenous malformations: lower doses can be equally effective. *Stereotactic & Functional Neurosurgery*, 89(6), 338-345. DOI: <http://dx.doi.org/10.1159/000330837>
- Floriano, A., Santa-Olalla, I., & Sanchez-Reyes, A. (2014). Experience with the CyberKnife for intracranial stereotactic radiosurgery: analysis of dosimetry indices. *Medical Dosimetry*, 39(1), 1-6. DOI: <http://dx.doi.org/10.1016/j.meddos.2013.08.005>
- Fode, M. M., & Hoyer, M. (2015). Survival and prognostic factors in 321 patients treated with stereotactic body radiotherapy for oligo-metastases. *Radiotherapy & Oncology*, 114(2), 155-160. DOI: <http://dx.doi.org/10.1016/j.radonc.2014.12.003>
- Fokas, E., Henzel, M., Hamm, K., Grund, S., & Engenhart-Cabillic, R. (2012). Brain metastases in breast cancer: analysis of the role of HER2 status and treatment in the outcome of 94 patients. *Tumori*, 98(6), 768-774. DOI: <http://dx.doi.org/10.1700/1217.13502>
- Fokas, E., Henzel, M., Surber, G., Hamm, K., & Engenhart-Cabillic, R. (2014). Stereotactic radiation therapy for benign meningioma: long-term outcome in 318 patients. *International Journal of Radiation Oncology, Biology, Physics*, 89(3), 569-575. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.02.042>
- Fokas, E., Henzel, M., Surber, G., Hamm, K., & Engenhart-Cabillic, R. (2014). Stereotactic radiotherapy of benign meningioma in the elderly: clinical outcome and toxicity in 121 patients. *Radiotherapy & Oncology*, 111(3), 457-462. DOI: <http://dx.doi.org/10.1016/j.radonc.2014.04.003>
- Fokas, E., Henzel, M., Surber, G., Kleinert, G., Hamm, K., & Engenhart-Cabillic, R. (2012). Stereotactic radiosurgery and fractionated stereotactic radiotherapy: comparison of efficacy and toxicity in 260 patients with brain metastases. *Journal of Neuro-Oncology*, 109(1), 91-98. DOI: <http://dx.doi.org/10.1007/s11060-012-0868-6>
- Fokas, E., Henzel, M., Wittig, A., Grund, S., & Engenhart-Cabillic, R. (2013). Stereotactic radiosurgery of cerebral arteriovenous malformations: long-term follow-up in 164 patients of a single institution. *Journal of Neurology*, 260(8), 2156-2162. DOI: <http://dx.doi.org/10.1007/s00415-013-6936-9>

- Folkert, M. R., Bilsky, M. H., Cohen, G. N., Zaider, M., Lis, E., Krol, G., ... Yamada, Y. (2013). Intraoperative and percutaneous iridium-192 high-dose-rate brachytherapy for previously irradiated lesions of the spine. *Brachytherapy*, 12(5), 449-456. DOI: <http://dx.doi.org/10.1016/j.brachy.2013.01.162>
- Folkert, M. R., Bilsky, M. H., Tom, A. K., Oh, J. H., Alektiar, K. M., Laufer, I., ... Yamada, Y. (2014). Outcomes and toxicity for hypofractionated and single-fraction image-guided stereotactic radiosurgery for sarcomas metastasizing to the spine. *International Journal of Radiation Oncology, Biology, Physics*, 88(5), 1085-1091. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.12.042>
- Follwell, M. J., Khu, K. J., Cheng, L., Xu, W., Mikulis, D. J., Millar, B. A., ... Sahgal, A. (2012). Volume specific response criteria for brain metastases following salvage stereotactic radiosurgery and associated predictors of response. *Acta Oncologica*, 51(5), 629-635. DOI: <http://dx.doi.org/10.3109/0284186X.2012.681066>
- Fraioli, M. F., Strigari, L., Fraioli, C., Lecce, M., & Lisciani, D. (2012). Preliminary results of 45 patients with trigeminal neuralgia treated with radiosurgery compared to hypofractionated stereotactic radiotherapy, using a dedicated linear accelerator. *Journal of Clinical Neuroscience*, 19(10), 1401-1403. DOI: <http://dx.doi.org/10.1016/j.jocn.2011.11.036>
- Frakes, J. M., Figura, N. B., Ahmed, K. A., Juan, T. H., Patel, N., Latifi, K., ... Etame, A. B. (2015). Potential role for LINAC-based stereotactic radiosurgery for the treatment of 5 or more radioresistant melanoma brain metastases. *Journal of Neurosurgery*, 123(5), 1261-1267. DOI: <http://dx.doi.org/10.3171/2014.12.JNS141919>
- Frakulli, R., Salvi, F., Balestrini, D., Parisi, A., Palombarini, M., Cammelli, S., ... Frezza, G. (2015). Stereotactic Radiotherapy in the Treatment of Lung Metastases from Bone and Soft-tissue Sarcomas. *Anticancer Research*, 35(10), 5581-5586.
- Franco, P., De Bari, B., Ciambella, P., Fiorentino, A., Chiesa, S., Amelio, D., ... Airo Giovani Italian Association of Radiation Oncology, Y. M. W. G. (2014). The role of stereotactic ablative radiotherapy in oncological and non-oncological clinical settings: highlights from the 7th Meeting of AIRO--Young Members Working Group (AIRO Giovani). *Tumori*, 100(6), e214-219. DOI: <http://dx.doi.org/10.1700/1778.19280>
- Franks, K. N., Jain, P., & Snee, M. P. (2015). Stereotactic ablative body radiotherapy for lung cancer. *Clinical Oncology*, 27(5), 280-289. DOI: [10.1016/j.clon.2015.01.006](http://dx.doi.org/10.1016/j.clon.2015.01.006)
- Frischer, J. M., Gatterbauer, B., Holzer, S., Stavrou, I., Gruber, A., Novak, K., ... Knosp, E. (2014). Microsurgery and radiosurgery for brainstem cavernomas: effective and complementary treatment options. *World Neurosurgery*, 81(3-4), 520-528. DOI: <http://dx.doi.org/10.1016/j.wneu.2014.01.004>
- Frischer, J. M., Gatterbauer, B., Holzer, S., Stavrou, I., Gruber, A., Novak, K., ... Knosp, E. (2014). Microsurgery and radiosurgery for brainstem cavernomas: effective and complementary treatment options. *World Neurosurgery*, 81(3-4), 520-528. DOI: <http://dx.doi.org/10.1016/j.wneu.2014.01.004>
- Fritsch, V. A., Gerry, D. R., & Lentsch, E. J. (2014). Basaloid squamous cell carcinoma of the oral cavity: an analysis of 92 cases. *Laryngoscope*, 124(7), 1573-1578. DOI: <http://dx.doi.org/10.1002/lary.24384>
- Frostell, A., Hakim, R., Dodoo, E., Sinclair, G., Ohlsson, M., Forander, P., ... Svensson, M. (2016). Adjuvant Stereotactic Radiosurgery Reduces Need for Retreatments in Patients with Meningioma Residuals. *World Neurosurgery*, 88, 475-482. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.10.062>
- Fuentes, R., Osorio, D., Exposito Hernandez, J., SimancasRacines, D., & Bonfill Cosp, X. (2016). Surgery versus radiosurgery for people with single or solitary brain metastases. *Cochrane Database of Systematic Reviews*(9).

- Fuetsch, M., El Majdoub, F., Hoevels, M., Muller, R. P., Sturm, V., & Maarouf, M. (2012). Stereotactic LINAC radiosurgery for the treatment of brainstem cavernomas. *Strahlentherapie und Onkologie*, 188(4), 311-316. DOI: <http://dx.doi.org/10.1007/s00066-011-0050-7>
- Fujii, O., Demizu, Y., Hashimoto, N., Takagi, M., Terashima, K., Mima, M., ... Fuwa, N. (2015). Particle therapy for clinically diagnosed stage I lung cancer: comparison with pathologically proven non-small cell lung cancer. *Acta Oncologica*, 54(3), 315-321. DOI: <http://dx.doi.org/10.3109/0284186X.2014.974828>
- Fukuda, S., Seo, Y., Shiomi, H., Yamada, Y., Ogata, T., Morimoto, M., ... Ogawa, K. (2014). Dosimetry analyses comparing high-dose-rate brachytherapy, administered as monotherapy for localized prostate cancer, with stereotactic body radiation therapy simulated using CyberKnife. *Journal of Radiation Research*, 55(6), 1114-1121. DOI: <http://dx.doi.org/10.1093/jrr/rru048>
- Fukushima, M., Katayama, Y., Shigemori, Y., Miyake, H., Hirayama, T., & Kotani, A. (2012). Clivus metastasis from gastric signet ring cell carcinoma after a 10-year disease-free interval--case report. *Neurologia Medico-Chirurgica*, 52(10), 751-753.
- Fukushima, Y., Oya, S., Nakatomi, H., Shibahara, J., Hanakita, S., Tanaka, S., ... Saito, N. (2013). Effect of dural detachment on long-term tumor control for meningiomas treated using Simpson grade IV resection. *Journal of Neurosurgery*, 119(6), 1373-1379. DOI: <http://dx.doi.org/10.3171/2013.8.JNS13832>
- Fumagalli, I., Bibault, J. E., Dewas, S., Kramar, A., Mirabel, X., Prevost, B., ... Lartigau, E. (2012). A single-institution study of stereotactic body radiotherapy for patients with unresectable visceral pulmonary or hepatic oligometastases. *Radiation Oncology*, 7, 164. DOI: <http://dx.doi.org/10.1186/1748-717X-7-164>
- Furdova, A., Sramka, M., Chorvath, M., Kralik, G., Krasnik, V., Krcova, I., & Waczulikova, I. (2014). Stereotactic radiosurgery in intraocular malignant melanoma--retrospective study. *Neuroendocrinology Letters*, 35(1), 28-36.
- Furdova, A., Strmen, P., Waczulikova, I., Chorvath, M., Sramka, M., & Slezak, P. (2012). One-day session LINAC-based stereotactic radiosurgery of posterior uveal melanoma. *European Journal of Ophthalmology*, 22(2), 226-235. DOI: <http://dx.doi.org/10.5301/EJO.2011.7733>
- Furtado, H., Steiner, E., Stock, M., Georg, D., & Birkfellner, W. (2013). Real-time 2D/3D registration using kV-MV image pairs for tumor motion tracking in image guided radiotherapy. *Acta Oncologica*, 52(7), 1464-1471. DOI: <http://dx.doi.org/10.3109/0284186X.2013.814152>
- Galvan De la Cruz, O. O., Ballesteros-Zebadua, P., Moreno-Jimenez, S., Celis, M. A., & Garcia-Garduno, O. A. (2015). Stereotactic radiosurgery for pediatric patients with intracranial arteriovenous malformations: variables that may affect obliteration time and probability. *Clinical Neurology & Neurosurgery*, 129, 62-66. DOI: <http://dx.doi.org/10.1016/j.clineuro.2014.11.019>
- Gamsiz, H., Beyzadeoglu, M., Sager, O., Demiral, S., Dincoglan, F., Uysal, B., ... Dirican, B. (2015). Evaluation of stereotactic body radiation therapy in the management of adrenal metastases from non-small cell lung cancer. *Tumori*, 101(1), 98-103. DOI: <http://dx.doi.org/10.5301/tj.5000222>
- Gamsiz, H., Beyzadeoglu, M., Sager, O., Dincoglan, F., Demiral, S., Uysal, B., ... Dirican, B. (2014). Management of pulmonary oligometastases by stereotactic body radiotherapy. *Tumori*, 100(2), 179-183. DOI: <http://dx.doi.org/10.1700/1491.16407>
- Gande, A., Kano, H., Bowden, G., Mousavi, S. H., Nirajan, A., Flickinger, J. C., & Lunsford, L. D. (2014). Gamma Knife radiosurgery of olfactory groove meningiomas provides a method to preserve

- subjective olfactory function. *Journal of Neuro-Oncology*, 116(3), 577-583. DOI: <http://dx.doi.org/10.1007/s11060-013-1335-8>
- Gandia-Gonzalez, M. L., Kusak, M. E., Moreno, N. M., Sarraga, J. G., Rey, G., & Alvarez, R. M. (2014). Jugulotympanic paragangliomas treated with Gamma Knife radiosurgery: a single-center review of 58 cases. *Journal of Neurosurgery*, 121(5), 1158-1165. DOI: <http://dx.doi.org/10.3171/2014.5.JNS131880>
- Gans, J. H., Raper, D. M., Shah, A. H., Bregy, A., Heros, D., Lally, B. E., ... Komotor, R. J. (2013). The role of radiosurgery to the tumor bed after resection of brain metastases. *Neurosurgery*, 72(3), 317-325; discussion 325-316. DOI: <http://dx.doi.org/10.1227/NEU.0b013e31827fcd60>
- Garcia, R. M., Ivan, M. E., Oh, T., Barani, I., & Parsa, A. T. (2014). Intraventricular neurocytomas: a systematic review of stereotactic radiosurgery and fractionated conventional radiotherapy for residual or recurrent tumors. *Clinical Neurology & Neurosurgery*, 117, 55-64. DOI: <http://dx.doi.org/10.1016/j.clineuro.2013.11.028>
- Garcia-Cabezas, S., Bueno, C., Rivin, E., Roldan, J. M., & Palacios-Eito, A. (2015). Lung metastases in oligometastatic patients: outcome with stereotactic body radiation therapy (SBRT). *Clinical & Translational Oncology: Official Publication of the Federation of Spanish Oncology Societies & of the National Cancer Institute of Mexico*, 17(8), 668-672. DOI: <http://dx.doi.org/10.1007/s12094-015-1291-1>
- Garcia-Garduno, O. A., Rodriguez-Ponce, M., Gamboa-deBuen, I., Rodriguez-Villafuerte, M., Galvan de la Cruz, O. O., & Rivera-Montalvo, T. (2014). Effect of dosimeter type for commissioning small photon beams on calculated dose distribution in stereotactic radiosurgery. *Medical Physics*, 41(9), 092101. DOI: <http://dx.doi.org/10.1118/1.4892176>
- Gates, M., Alsaidi, M., & Kalkanis, S. (2012). Surgical treatment of solitary brain metastases. *Progress in Neurological Surgery*, 25, 74-81. DOI: <http://dx.doi.org/10.1159/000331178>
- Ge, H., Cai, J., Kelsey, C. R., & Yin, F. F. (2013). Quantification and minimization of uncertainties of internal target volume for stereotactic body radiation therapy of lung cancer. *International Journal of Radiation Oncology, Biology, Physics*, 85(2), 438-443. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.04.032>
- George, R., Jeba, J., Ramkumar, G., Chacko, A. G., & Tharyan, P. (2015). Interventions for the treatment of metastatic extradural spinal cord compression in adults. *Cochrane Database of Systematic Reviews*(9).
- Gerber, N. K., Yamada, Y., Rimner, A., Shi, W., Riely, G. J., Beal, K., ... Wu, A. J. (2014). Erlotinib versus radiation therapy for brain metastases in patients with EGFR-mutant lung adenocarcinoma. *International Journal of Radiation Oncology, Biology, Physics*, 89(2), 322-329. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.02.022>
- Gerganov, V. M., Giordano, M., Elolf, E., Osamah, A., Amir, S., & Madjid, S. (2014). Operative management of patients with radiosurgery-related trigeminal neuralgia: analysis of the surgical morbidity and pain outcome. *Clinical Neurology & Neurosurgery*, 122, 23-28. DOI: <http://dx.doi.org/10.1016/j.clineuro.2014.04.016>
- Gerganov, V. M., Giordano, M., Samii, A., & Samii, M. (2012). Surgical treatment of patients with vestibular schwannomas after failed previous radiosurgery. *Journal of Neurosurgery*, 116(4), 713-720. DOI: <http://dx.doi.org/10.3171/2011.12.JNS111682>

- Germano, I. M., Carai, A., Pawha, P., Blacksburg, S., Lo, Y. C., & Green, S. (2016). Clinical outcome of vertebral compression fracture after single fraction spine radiosurgery for spinal metastases. *Clinical & Experimental Metastasis*, 33(2), 143-149. DOI: <http://dx.doi.org/10.1007/s10585-015-9764-8>
- Gersh, J. A., Best, R. C., & Watts, R. J. (2014). The clinical impact of detector choice for beam scanning. *Journal of Applied Clinical Medical Physics*, 15(4), 4801. DOI: <http://dx.doi.org/10.1120/jacmp.v15i4.4801>
- Gersh, J. A., Best, R. C., & Watts, R. J. (2014). The clinical impact of detector choice for beam scanning. *Journal of Applied Clinical Medical Physics*, 15(4), 4801. DOI: <http://dx.doi.org/10.1120/jacmp.v15i4.4801>
- Gerszten, P. C., Quader, M., Novotny, J., Jr., & Flickinger, J. C. (2012). Radiosurgery for benign tumors of the spine: clinical experience and current trends. *Technology in Cancer Research & Treatment*, 11(2), 133-139.
- Gevaert, T., Levivier, M., Lacornerie, T., Verellen, D., Engels, B., Reynaert, N., ... De Ridder, M. (2013). Dosimetric comparison of different treatment modalities for stereotactic radiosurgery of arteriovenous malformations and acoustic neuromas. *Radiotherapy & Oncology*, 106(2), 192-197. DOI: <http://dx.doi.org/10.1016/j.radonc.2012.07.002>
- Giaj Levra, N., Filippi, A. R., Guarneri, A., Badellino, S., Mantovani, C., Ruffini, E., & Ricardi, U. (2015). Efficacy and safety of stereotactic ablative radiotherapy in patients with previous pneumonectomy. *Tumori*, 101(2), 148-153. DOI: <http://dx.doi.org/10.5301/tj.5000227>
- Gill, B. S., Lin, J. F., Krivak, T. C., Sukumvanich, P., Laskey, R. A., Ross, M. S., ... Beriwal, S. (2014). National Cancer Data Base analysis of radiation therapy consolidation modality for cervical cancer: The impact of new technological advancements. *International Journal of Radiation Oncology, Biology, Physics*, 90(5), 1083-1090. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.07.017>
- Gill, B. S., Rivandi, A. H., Sandhu, S. P., Jensen, L. G., Nobiansky, P. D., Hoh, C. K., & Sandhu, A. P. (2012). The role of positron emission tomography following radiosurgical treatment of malignant lung lesions. *Nuclear Medicine Communications*, 33(6), 607-612. DOI: <http://dx.doi.org/10.1097/MNM.0b013e3283512b08>
- Gomez, C. L., Xu, X., Qi, X. S., Wang, P. C., Kupelian, P., Steinberg, M., & King, C. R. (2015). Dosimetric parameters predict short-term quality-of-life outcomes for patients receiving stereotactic body radiation therapy for prostate cancer. *Practical Radiation Oncology*, 5(4), 257-262. DOI: <http://dx.doi.org/10.1016/j.prro.2015.01.006>
- Gomez, C. L., Xu, X., Qi, X. S., Wang, P. C., Kupelian, P., Steinberg, M., & King, C. R. (2015). Dosimetric parameters predict short-term quality-of-life outcomes for patients receiving stereotactic body radiation therapy for prostate cancer. *Practical Radiation Oncology*, 5(4), 257-262. DOI: <http://dx.doi.org/10.1016/j.prro.2015.01.006>
- Gonda, D. D., Kim, T. E., Goetsch, S. J., Kawabe, T., Watanabe, S., Alksne, J. F., ... Chen, C. C. (2014). Prognostic factors for stereotactic radiosurgery-treated patients with cerebral metastasis: implications on randomised control trial design and inter-institutional collaboration. *European Journal of Cancer*, 50(6), 1148-1158. DOI: <http://dx.doi.org/10.1016/j.ejca.2014.01.001>
- Gondi, V., Hermann, B. P., Mehta, M. P., & Tome, W. A. (2012). Hippocampal dosimetry predicts neurocognitive function impairment after fractionated stereotactic radiotherapy for benign or

low-grade adult brain tumors. *International Journal of Radiation Oncology, Biology, Physics*, 83(4), e487-493. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.10.021>

Gondi, V., Hermann, B. P., Mehta, M. P., & Tome, W. A. (2012). Hippocampal dosimetry predicts neurocognitive function impairment after fractionated stereotactic radiotherapy for benign or low-grade adult brain tumors. *International Journal of Radiation Oncology, Biology, Physics*, 83(4), e487-493. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.10.021>

Gondi, V., Hermann, B. P., Mehta, M. P., & Tome, W. A. (2013). Hippocampal dosimetry predicts neurocognitive function impairment after fractionated stereotactic radiotherapy for benign or low-grade adult brain tumors. *International Journal of Radiation Oncology, Biology, Physics*, 85(2), 348-354. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.11.031>

Gootjes, E. C., Buffart, T. E., Tol, M. P., Burger, J., Grunhagen, D. J., Van Der Stok, E. P., ... Verheul, H. M. W. (2015). The ORCHESTRA trial: A phase III trial of adding tumor debulking to systemic therapy versus systemic therapy alone in (mCRC) multi-organ metastatic colorectal cancer. *Journal of Clinical Oncology*, 33(15 SUPPL. 1), CONFERENCE START: 2015 May 2029 CONFERENCE END: 2015 Jun 2012.

Gorantla, V., Kirkwood, J. M., & Tawbi, H. A. (2013). Melanoma brain metastases: an unmet challenge in the era of active therapy. *Current Oncology Reports*, 15(5), 483-491. DOI: <http://dx.doi.org/10.1007/s11912-013-0335-3>

Gorantla, V., Kirkwood, J. M., & Tawbi, H. A. (2013). Melanoma brain metastases: an unmet challenge in the era of active therapy. *Current Oncology Reports*, 15(5), 483-491. DOI: <http://dx.doi.org/10.1007/s11912-013-0335-3>

Gottschalk, A. (2014). Commentary on "A systematic review of stereotactic radiotherapy ablation for primary renal cell carcinoma." Siva S, Pham D, Gill S, Corcoran NM, Foroudi F. Division of Radiation Oncology and Cancer Imaging, Peter MacCallum Cancer Centre, Victoria, Australia.: BJU Int 2012;110(11 Pt B):E737-43. doi: 10.1111/j.1464-410X.2012.11550.x. *Urologic Oncology*, 32(3), 374-375. DOI: <http://dx.doi.org/10.1016/j.jurolnc.2013.09.020>

Goyal, S., Silk, A. W., Tian, S., Mehnert, J., Danish, S., Ranjan, S., & Kaufman, H. L. (2015). Clinical management of multiple melanoma brain metastases: A systematic review. *JAMA Oncology*, 1(5), 668-676. DOI: <http://dx.doi.org/10.1001/jamaoncol.2015.1206>

Goyal, S., Silk, A. W., Tian, S., Mehnert, J., Danish, S., Ranjan, S., & Kaufman, H. L. (2015). Clinical Management of Multiple Melanoma Brain Metastases: A Systematic Review. *JAMA Oncology*, 1(5), 668-676. DOI: <http://dx.doi.org/10.1001/jamaoncol.2015.1206>

Graf, R., Nyuyki, F., Steffen, I. G., Michel, R., Fahdt, D., Wust, P., ... Plotkin, M. (2013). Contribution of 68Ga-DOTATOC PET/CT to target volume delineation of skull base meningiomas treated with stereotactic radiation therapy. *International Journal of Radiation Oncology, Biology, Physics*, 85(1), 68-73. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.03.021>

Graf, R., Plotkin, M., Steffen, I. G., Wurm, R., Wust, P., Brenner, W., ... Badakhshi, H. (2012). Magnetic resonance imaging, computed tomography, and 68Ga-DOTATOC positron emission tomography for imaging skull base meningiomas with infracranial extension treated with stereotactic radiotherapy--a case series. *Head & Face Medicine*, 8, 1. DOI: <http://dx.doi.org/10.1186/1746-160X-8-1>

Grandhi, R., Kondziolka, D., Panczykowski, D., Monaco, E. A., 3rd, Kano, H., Nirajan, A., ... Lunsford, L. D. (2012). Stereotactic radiosurgery using the Leksell Gamma Knife Perfexion unit in the

management of patients with 10 or more brain metastases. *Journal of Neurosurgery*, 117(2), 237-245. DOI: <http://dx.doi.org/10.3171/2012.4.JNS11870>

Grant, J. D., & Chang, J. Y. (2014). Proton-based stereotactic ablative radiotherapy in early-stage non-small-cell lung cancer. *BioMed Research International*, 2014, 389048. DOI: <http://dx.doi.org/10.1155/2014/389048>

Grant, J. D., & Chang, J. Y. (2014). Proton-based stereotactic ablative radiotherapy in early-stage non-small-cell lung cancer. *BioMed Research International*, 2014, 389048. DOI: <http://dx.doi.org/10.1155/2014/389048>

Grant, J. D., Jensen, G. L., Tang, C., Pollard, J. M., Kry, S. F., Krishnan, S., ... Rozner, M. A. (2015). Radiotherapy-Induced Malfunction in Contemporary Cardiovascular Implantable Electronic Devices: Clinical Incidence and Predictors. *JAMA Oncology*, 1(5), 624-632. DOI: <http://dx.doi.org/10.1001/jamaoncol.2015.1787>

Grant, J. D., Jensen, G. L., Tang, C., Pollard, J. M., Kry, S. F., Krishnan, S., ... Rozner, M. A. (2015). Radiotherapy-Induced Malfunction in Contemporary Cardiovascular Implantable Electronic Devices: Clinical Incidence and Predictors. *JAMA Oncology*, 1(5), 624-632. DOI: <http://dx.doi.org/10.1001/jamaoncol.2015.1787>

Grant, R. A., Whicker, M., Lleva, R., Knisely, J. P., Inzucchi, S. E., & Chiang, V. L. (2014). Efficacy and safety of higher dose stereotactic radiosurgery for functional pituitary adenomas: a preliminary report. *World Neurosurgery*, 82(1-2), 195-201. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.01.127>

Grant, R. A., Whicker, M., Lleva, R., Knisely, J. P., Inzucchi, S. E., & Chiang, V. L. (2014). Efficacy and safety of higher dose stereotactic radiosurgery for functional pituitary adenomas: a preliminary report. *World Neurosurgery*, 82(1-2), 195-201. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.01.127>

Greenspoon, J. N., Sharieff, W., Whitton, A., Whelan, T. J., Wright, J. R., Sussman, J., & Gafni, A. Robotic radiosurgery for the treatment of one to three brain metastases: A pragmatic application of cost-benefit analysis using willingness to pay. *Journal of Clinical Oncology*, 30(34 SUPPL. 1), CONFERENCE START: 2012 Nov 2030 CONFERENCE END: 2012 Dec 2011.

Greenwood, T. J., Wallace, A., Friedman, M. V., Hillen, T. J., Robinson, C. G., & Jennings, J. W. (2015). Combined Ablation and Radiation Therapy of Spinal Metastases: A Novel Multimodality Treatment Approach. *Pain Physician*, 18(6), 573-581.

Greto, D., Livi, L., Bonomo, P., Masi, L., Detti, B., Meattini, I., ... Biti, G. (2014). Cyberknife stereotactic radiosurgery for the re-irradiation of brain lesions: a single-centre experience. *Radiologia Medica*, 119(9), 721-726. DOI: <http://dx.doi.org/10.1007/s11547-014-0383-2>

Greto, D., Scoccianti, S., Compagnucci, A., Arilli, C., Casati, M., Francolini, G., ... Livi, L. (2016). Gamma Knife Radiosurgery in the management of single and multiple brain metastases. *Clinical Neurology & Neurosurgery*, 141, 43-47. DOI: <http://dx.doi.org/10.1016/j.clineuro.2015.12.009>

Gross, B. A., & Du, R. (2012). Surgical and radiosurgical results of the treatment of cerebral arteriovenous malformations. *Journal of Clinical Neuroscience*, 19(7), 1001-1004. DOI: <http://dx.doi.org/10.1016/j.jocn.2012.01.004>

Gross, B. A., & Du, R. (2013). Spinal glomus (type II) arteriovenous malformations: a pooled analysis of hemorrhage risk and results of intervention. *Neurosurgery*, 72(1), 25-32; discussion 32. DOI: <http://dx.doi.org/10.1227/NEU.0b013e318276b5d3>

- Gross, B. A., Ropper, A. E., & Du, R. (2013). Vascular complications of stereotactic radiosurgery for arteriovenous malformations. *Clinical Neurology & Neurosurgery*, 115(6), 713-717. DOI: <http://dx.doi.org/10.1016/j.clineuro.2012.08.008>
- Gross, B. A., Storey, A., Orbach, D. B., Scott, R. M., & Smith, E. R. (2015). Microsurgical treatment of arteriovenous malformations in pediatric patients: the Boston Children's Hospital experience. *Journal of Neurosurgery. Pediatrics.*, 15(1), 71-77. DOI: <http://dx.doi.org/10.3171/2014.9.PEDS146>
- Gross, B. C., Carlson, M. L., Moore, E. J., Driscoll, C. L., & Olsen, K. D. (2012). The intraparotid facial nerve schwannoma: a diagnostic and management conundrum. *American Journal of Otolaryngology*, 33(5), 497-504. DOI: <http://dx.doi.org/10.1016/j.amjoto.2011.11.002>
- Guckenberger, M. (2015). Stereotactic body radiotherapy in operable patients with stage I NSCLC: where is the evidence? *Expert Review of Anticancer Therapy*, 15(5), 525-530. DOI: <http://dx.doi.org/10.1586/14737140.2015.1023190>
- Guckenberger, M., Allgauer, M., Appold, S., Dieckmann, K., Ernst, I., Ganswindt, U., ... Andratschke, N. (2013). Safety and efficacy of stereotactic body radiotherapy for stage 1 non-small-cell lung cancer in routine clinical practice: a patterns-of-care and outcome analysis. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 8(8), 1050-1058. DOI: <http://dx.doi.org/10.1097/JTO.0b013e318293dc45>
- Guckenberger, M., Andratschke, N., Alheit, H., Holy, R., Moustakis, C., Nestle, U., ... Deutschen Gesellschaft fur, R. (2014). Definition of stereotactic body radiotherapy: principles and practice for the treatment of stage I non-small cell lung cancer. *Strahlentherapie und Onkologie*, 190(1), 26-33. DOI: <http://dx.doi.org/10.1007/s00066-013-0450-y>
- Guckenberger, M., Hawkins, M., Flentje, M., & Sweeney, R. A. (2012). Fractionated radiosurgery for painful spinal metastases: DOSIS - a phase II trial. *BMC Cancer*, 12, 530. DOI: <http://dx.doi.org/10.1186/1471-2407-12-530>
- Guckenberger, M., Kestin, L. L., Hope, A. J., Belderbos, J., Werner-Wasik, M., Yan, D., ... Grills, I. S. (2012). Is there a lower limit of pretreatment pulmonary function for safe and effective stereotactic body radiotherapy for early-stage non-small cell lung cancer? *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 7(3), 542-551. DOI: <http://dx.doi.org/10.1097/JTO.0b013e31824165d7>
- Guckenberger, M., Klement, R. J., Allgauer, M., Andratschke, N., Blanck, O., Boda-Heggemann, J., ... Sterzing, F. (2016). Local tumor control probability modeling of primary and secondary lung tumors in stereotactic body radiotherapy. *Radiotherapy & Oncology*, 118(3), 485-491. DOI: <http://dx.doi.org/10.1016/j.radonc.2015.09.008>
- Guckenberger, M., Klement, R. J., Kestin, L. L., Hope, A. J., Belderbos, J., Werner-Wasik, M., ... Grills, I. S. (2013). Lack of a dose-effect relationship for pulmonary function changes after stereotactic body radiation therapy for early-stage non-small cell lung cancer. *International Journal of Radiation Oncology, Biology, Physics*, 85(4), 1074-1081. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.09.016>
- Guckenberger, M., Mantel, F., Gerszten, P. C., Flickinger, J. C., Sahgal, A., Letourneau, D., ... Kersh, R. (2014). Safety and efficacy of stereotactic body radiotherapy as primary treatment for vertebral metastases: a multi-institutional analysis. *Radiation Oncology*, 9, 226. DOI: <http://dx.doi.org/10.1186/s13014-014-0226-2>

- Guckenberger, M., Roesch, J., Baier, K., Sweeney, R. A., & Flentje, M. (2012). Dosimetric consequences of translational and rotational errors in frame-less image-guided radiosurgery. *Radiation Oncology*, 7, 63. DOI: <http://dx.doi.org/10.1186/1748-717X-7-63>
- Gunjur, A., Duong, C., Ball, D., & Siva, S. (2014). Surgical and ablative therapies for the management of adrenal 'oligometastases'--A systematic review. *Cancer Treatment Reviews*, 40(7), 838-846. DOI: <http://dx.doi.org/10.1016/j.ctrv.2014.04.001>
- Guo, S., Reddy, C. A., Kolar, M., Woody, N., Mahadevan, A., Deibel, F. C., ... Suh, J. H. (2012). Intraoperative radiation therapy with the photon radiosurgery system in locally advanced and recurrent rectal cancer: retrospective review of the Cleveland clinic experience. *Radiation Oncology*, 7, 110. DOI: <http://dx.doi.org/10.1186/1748-717X-7-110>
- Gupta, M., Babaiah, M., Dinesh Kumar, M., Hirapara, P. H., Patidar, A. K., & Walke, R. V. (2012). Comparative dosimetric evaluation of three-dimensional conformal and stereotactic radiotherapy for treatment of intracranial tumors. *Journal of Egyptian National Cancer Institute*, 24(4), 169-173. DOI: <http://dx.doi.org/10.1016/j.jnci.2012.09.001>
- Gurgel, R. K., Theodosopoulos, P. V., & Jackler, R. K. (2012). Subtotal/near-total treatment of vestibular schwannomas. *Current Opinion in Otolaryngology & Head & Neck Surgery*, 20(5), 380-384. DOI: <http://dx.doi.org/10.1097/MOO.0b013e328357b220>
- Gurka, M. K., Chen, L. N., Bhagat, A., Moures, R., Kim, J. S., Yung, T., ... Collins, S. P. (2015). Hematuria following stereotactic body radiation therapy (SBRT) for clinically localized prostate cancer. *Radiation Oncology*, 10, 44. DOI: <http://dx.doi.org/10.1186/s13014-015-0351-6>
- Ha, S. M., Kim, S. H., Yoo, E. H., Han, I. B., Shin, D. A., Cho, K. G., ... Park, Y. S. (2012). Patients with idiopathic trigeminal neuralgia have a sharper-than-normal trigeminal-pontine angle and trigeminal nerve atrophy. *Acta Neurochirurgica*, 154(9), 1627-1633. DOI: <http://dx.doi.org/10.1007/s00701-012-1327-z>
- Haasbeek, C. J., Lagerwaard, F. J., Slotman, B. J., & Senan, S. (2011). Outcomes of stereotactic ablative radiotherapy for centrally located early-stage lung cancer. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 6(12), 2036-2043. DOI: <http://dx.doi.org/10.1097/JTO.0b013e31822e71d8>
- Hadelsberg, U., Nissim, U., Cohen, Z. R., & Spiegelmann, R. (2015). LINAC radiosurgery in the management of parasagittal meningiomas. *Stereotactic & Functional Neurosurgery*, 93(1), 10-16. DOI: <http://dx.doi.org/10.1159/000368440>
- Haertl, P. M., Loeschel, R., Repp, N., Pohl, F., Koelbl, O., & Dobler, B. (2013). Frameless fractionated stereotactic radiation therapy of intracranial lesions: impact of cone beam CT based setup correction on dose distribution. *Radiation Oncology*, 8, 153. DOI: <http://dx.doi.org/10.1186/1748-717X-8-153>
- Hafez, R. F., Morgan, M. S., & Fahmy, O. M. (2016). An intermediate term benefits and complications of gamma knife surgery in management of glomus jugulare tumor. *World Journal of Surgical Oncology*, 14(1), 36. DOI: <http://dx.doi.org/10.1186/s12957-016-0779-7>
- Haghghi, N., Seely, A., Paul, E., & Dally, M. (2015). Hypofractionated stereotactic radiotherapy for benign intracranial tumours of the cavernous sinus. *Journal of Clinical Neuroscience*, 22(9), 1450-1455. DOI: <http://dx.doi.org/10.1016/j.jocn.2015.03.026>
- Haidar, Y. M., Rahn, D. A., 3rd, Nath, S., Song, W., Bazhenova, L., Makani, S., ... Sandhu, A. P. (2014). Comparison of outcomes following stereotactic body radiotherapy for non-small cell lung cancer

in patients with and without pathological confirmation. *Therapeutic Advances in Respiratory Disease*, 8(1), 3-12. DOI: <http://dx.doi.org/10.1177/1753465813512545>

Halasz, L. M., Uno, H., Zornosa, C., D'Amico, T. A., Dexter, E. U., Hayman, J. A., ... Punglia, R. S. Comparative effectiveness of stereotactic radiosurgery (SRS) versus whole brain radiation therapy (WBRT) for patients with brain metastases from non-small cell lung cancer (NSCLC). *International Journal of Radiation Oncology Biology Physics*, 87(2 SUPPL. 1), S41.

Hall, M. D., McGee, J. L., McGee, M. C., Hall, K. A., Neils, D. M., Klopfenstein, J. D., & Elwood, P. W. (2014). Cost-effectiveness of stereotactic radiosurgery with and without whole-brain radiotherapy for the treatment of newly diagnosed brain metastases. *Journal of Neurosurgery*, 121 Suppl, 84-90. DOI: <http://dx.doi.org/10.3171/2014.7.GKS14972>

Hallemeier, C. L., Pollock, B. E., Schomberg, P. J., Link, M. J., Brown, P. D., & Stafford, S. L. (2012). Stereotactic radiosurgery for recurrent or unresectable pilocytic astrocytoma. *International Journal of Radiation Oncology, Biology, Physics*, 83(1), 107-112. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.05.038>

Hamaji, M., Chen, F., Matsuo, Y., Kawaguchi, A., Morita, S., Ueki, N., ... Date, H. (2015). Video-assisted thoracoscopic lobectomy versus stereotactic radiotherapy for stage I lung cancer. *Annals of Thoracic Surgery*, 99(4), 1122-1129. DOI: <http://dx.doi.org/10.1016/j.athoracsur.2014.11.009>

Hamaji, M., Chen, F., Matsuo, Y., Kawaguchi, A., Morita, S., Ueki, N., ... Date, H. (2015). Video-assisted thoracoscopic lobectomy versus stereotactic radiotherapy for stage I lung cancer. *Annals of Thoracic Surgery*, 99(4), 1122-1129. DOI: <http://dx.doi.org/10.1016/j.athoracsur.2014.11.009>

Hamamoto, Y., Kataoka, M., Yamashita, M., Nogami, N., Sugawara, Y., Kozuki, T., ... Shinkai, T. (2012). Lung cancer related chest events detected by periodical follow-up CT after stereotactic body radiotherapy for stage I primary lung cancer: retrospective analysis of incidence of lung-cancer related chest events and outcomes of salvage treatment. *Japanese Journal of Radiology*, 30(8), 671-675. DOI: <http://dx.doi.org/10.1007/s11604-012-0107-2>

Han, E. Y., Zhang, X., Yan, Y., Sharma, S., Penagaricano, J., Moros, E., & Corry, P. (2012). Static jaw collimation settings to minimize radiation dose to normal brain tissue during stereotactic radiosurgery. *Medical Dosimetry*, 37(4), 391-395. DOI: <http://dx.doi.org/10.1016/j.meddos.2012.02.005>

Han, J., Girvigian, M. R., Chen, J. C., Miller, M. J., Lodin, K., Rahimian, J., ... Kaptein, J. S. (2014). A comparative study of stereotactic radiosurgery, hypofractionated, and fractionated stereotactic radiotherapy in the treatment of skull base meningioma. *American Journal of Clinical Oncology*, 37(3), 255-260. DOI: <http://dx.doi.org/10.1097/COC.0b013e318271b36a>

Han, J. H., Kim, D. G., Chung, H. T., Paek, S. H., Park, C. K., & Jung, H. W. (2012). Radiosurgery for large brain metastases. *International Journal of Radiation Oncology, Biology, Physics*, 83(1), 113-120. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.06.1965>

Han, J. H., Kim, D. G., Chung, H. T., Paek, S. H., Park, C. K., Kim, C. Y., ... Jung, H. W. (2012). The risk factors of symptomatic communicating hydrocephalus after stereotactic radiosurgery for unilateral vestibular schwannoma: the implication of brain atrophy. *International Journal of Radiation Oncology, Biology, Physics*, 84(4), 937-942. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.01.048>

Han, J. H., Kim, D. G., Chung, H. T., Paek, S. H., Park, C. K., Kim, C. Y., ... Jung, H. W. (2013). Stereotactic radiosurgery for brain metastases from hepatocellular carcinoma. *Journal of Neuro-Oncology*, 115(1), 45-51. DOI: <http://dx.doi.org/10.1007/s11060-013-1192-5>

- Han, J. H., Kim, D. G., Kim, C. Y., Chung, H. T., & Jung, H. W. (2012). Stereotactic radiosurgery for large brain metastases. *Progress in Neurological Surgery*, 25, 248-260. DOI: <http://dx.doi.org/10.1159/000331198>
- Han, S. J., Oh, M. C., Sughrue, M. E., Rutkowski, M. J., Aranda, D., Barani, I. J., & Parsa, A. T. (2012). The effect of the 2003 Consensus Reporting Standards on publications describing patients with vestibular schwannoma treated with stereotactic radiosurgery. *Journal of Clinical Neuroscience*, 19(8), 1144-1147. DOI: <http://dx.doi.org/10.1016/j.jocn.2012.01.019>
- Han, S. R., Kim, K. N., Yee, G. T., Choi, C. Y., Lee, D. J., Sohn, M. J., & Lee, C. H. (2013). Fractionated stereotactic radiotherapy using Novalis for confined intra-orbital optic nerve glioma in pediatric patient. *Childs Nervous System*, 29(5), 867-871. DOI: <http://dx.doi.org/10.1007/s00381-013-2031-x>
- Hanagiri, T., Takenaka, M., Oka, S., Shigematsu, Y., Nagata, Y., Shimokawa, H., ... Tanaka, F. (2012). Results of a surgical resection for patients with stage IV non--small-cell lung cancer. *Clinical Lung Cancer*, 13(3), 220-224. DOI: <http://dx.doi.org/10.1016/j.cllc.2011.05.006>
- Hanakita, S., Koga, T., Igaki, H., Murakami, N., Oya, S., Shin, M., & Saito, N. (2013). Role of gamma knife surgery for intracranial atypical (WHO grade II) meningiomas. *Journal of Neurosurgery*, 119(6), 1410-1414. DOI: <http://dx.doi.org/10.3171/2013.8.JNS13343>
- Hanakita, S., Koga, T., Shin, M., Igaki, H., & Saito, N. (2014). Application of single-stage stereotactic radiosurgery for cerebral arteriovenous malformations >10 cm<sup>3</sup>. *Stroke*, 45(12), 3543-3548. DOI: <http://dx.doi.org/10.1161/STROKEAHA.114.007162>
- Hanakita, S., Koga, T., Shin, M., Igaki, H., & Saito, N. (2015). The long-term outcomes of radiosurgery for arteriovenous malformations in pediatric and adolescent populations. *Journal of Neurosurgery. Pediatrics*, 16(2), 222-231. DOI: <http://dx.doi.org/10.3171/2015.1.PEDS14407>
- Hanakita, S., Koga, T., Shin, M., Shojima, M., Igaki, H., & Saito, N. (2012). Role of Gamma Knife surgery in the treatment of intracranial dural arteriovenous fistulas. *Journal of Neurosurgery*, 117 Suppl, 158-163. DOI: <http://dx.doi.org/10.3171/2012.7.GKS12967>
- Hanakita, S., Koga, T., Shin, M., Takayanagi, S., Mukasa, A., Tago, M., ... Saito, N. (2014). The long-term outcomes of radiosurgery for intracranial hemangioblastomas. *Neuro-Oncology*, 16(3), 429-433. DOI: <http://dx.doi.org/10.1093/neuonc/not201>
- Hanakita, S., Shin, M., Koga, T., Igaki, H., & Saito, N. (2016). Outcomes of Volume-Staged Radiosurgery for Cerebral Arteriovenous Malformations Larger Than 20 cm(3) with More Than 3 Years of Follow-Up. *World Neurosurgery*, 87, 242-249. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.12.020>
- Haneder, S., Budjan, J. M., Schoenberg, S. O., Konstandin, S., Schad, L. R., Hofheinz, R. D., ... Boda-Hegemann, J. (2015). Dose-dependent changes in renal (1)H-/(23)Na MRI after adjuvant radiochemotherapy for gastric cancer. *Strahlentherapie und Onkologie : Organ der Deutschen Rontgengesellschaft .. [et al.]*, 191(4), 356-364.
- Hanssens, P., Karlsson, B., Vashu, R., Yeo, T. T., & Beute, G. (2012). Salvage treatment of distant recurrent brain metastases with Gamma Knife surgery. *Acta Neurochirurgica*, 154(2), 285-290. DOI: <http://dx.doi.org/10.1007/s00701-011-1240-x>
- Harder, E. M., Park, H. S., Nath, S. K., Mancini, B. R., & Decker, R. H. (2015). Angiotensin-converting enzyme inhibitors decrease the risk of radiation pneumonitis after stereotactic body radiation therapy. *Practical Radiation Oncology*, 5(6), e643-649. DOI: <http://dx.doi.org/10.1016/j.prro.2015.07.003>

- Hardesty, D. A., Wolf, A. B., Brachman, D. G., McBride, H. L., Youssef, E., Nakaji, P., ... Sanai, N. (2013). The impact of adjuvant stereotactic radiosurgery on atypical meningioma recurrence following aggressive microsurgical resection. *Journal of Neurosurgery*, 119(2), 475-481. DOI: <http://dx.doi.org/10.3171/2012.12.JNS12414>
- Harel, R., Emch, T., Chao, S., Elson, P., Krishnaney, A., Djemil, T., ... Angelov, L. (2016). Quantitative Evaluation of Local Control and Wound Healing Following Surgery and Stereotactic Spine Radiosurgery for Spine Tumors. *World Neurosurgery*, 87, 48-54. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.10.075>
- Harkenrider, M. M., Bertke, M. H., & Dunlap, N. E. (2014). Stereotactic body radiation therapy for unbiopsied early-stage lung cancer: a multi-institutional analysis. *American Journal of Clinical Oncology*, 37(4), 337-342. DOI: <http://dx.doi.org/10.1097/COC.0b013e318277d822>
- Harkenrider, M. M., Bertke, M. H., & Dunlap, N. E. (2014). Stereotactic body radiation therapy for unbiopsied early-stage lung cancer: a multi-institutional analysis. *American Journal of Clinical Oncology*, 37(4), 337-342.
- Harrabi, S. B., Adeberg, S., Welzel, T., Rieken, S., Habermehl, D., Debus, J., & Combs, S. E. (2014). Long term results after fractionated stereotactic radiotherapy (FSRT) in patients with craniopharyngioma: maximal tumor control with minimal side effects. *Radiation Oncology*, 9, 203. DOI: <http://dx.doi.org/10.1186/1748-717X-9-203>
- Harris, S., Chan, M. D., Lovato, J. F., Ellis, T. L., Tatter, S. B., Bourland, J. D., ... McMullen, K. P. (2012). Gamma knife stereotactic radiosurgery as salvage therapy after failure of whole-brain radiotherapy in patients with small-cell lung cancer. *International Journal of Radiation Oncology, Biology, Physics*, 83(1), e53-59. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.11.059>
- Harris, S., Chan, M. D., Lovato, J. F., Ellis, T. L., Tatter, S. B., Bourland, J. D., ... McMullen, K. P. (2012). Gamma knife stereotactic radiosurgery as salvage therapy after failure of whole-brain radiotherapy in patients with small-cell lung cancer. *International Journal of Radiation Oncology, Biology, Physics*, 83(1), e53-59. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.11.059>
- Harrison, G., Kano, H., Lunsford, L. D., Flickinger, J. C., & Kondziolka, D. (2016). Quantitative tumor volumetric responses after Gamma Knife radiosurgery for meningiomas. *Journal of Neurosurgery*, 124(1), 146-154. DOI: <http://dx.doi.org/10.3171/2014.12.JNS141341>
- Hart, M. G., Garside, R., Rogers, G., Stein, K., & Grant, R. (2016). Temozolomide for high grade glioma. *Cochrane Database of Systematic Reviews*(9).
- Hartford, A. C., Paravati, A. J., Spire, W. J., Li, Z., Jarvis, L. A., Fadul, C. E., ... Simmons, N. E. (2013). Postoperative stereotactic radiosurgery without whole-brain radiation therapy for brain metastases: potential role of preoperative tumor size. *International Journal of Radiation Oncology, Biology, Physics*, 85(3), 650-655. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.05.027>
- Hasan, S., Shah, A. H., Bregy, A., Albert, T., Markoe, A., Stoyanova, R., ... Komotor, R. J. (2014). The role of whole-brain radiation therapy after stereotactic radiation surgery for brain metastases. *Practical Radiation Oncology*, 4(5), 306-315. DOI: <http://dx.doi.org/10.1016/j.prro.2013.09.006>
- Hasan, S., Shah, A. H., Bregy, A., Albert, T., Markoe, A., Stoyanova, R., ... Komotor, R. J. (2014). The role of whole-brain radiation therapy after stereotactic radiation surgery for brain metastases. *Practical Radiation Oncology*, 4(5), 306-315. DOI: <http://dx.doi.org/10.1016/j.prro.2013.09.006>

- Hasegawa, T., Kato, T., Iizuka, H., & Kida, Y. (2013). Long-term results for trigeminal schwannomas treated with gamma knife surgery. *International Journal of Radiation Oncology, Biology, Physics*, 87(5), 1115-1121. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.09.010>
- Hasegawa, T., Kato, T., Kida, Y., Hayashi, M., Tsugawa, T., Iwai, Y., ... Nakazaki, K. (2016). Gamma Knife surgery for patients with facial nerve schwannomas: a multiinstitutional retrospective study in Japan. *Journal of Neurosurgery*, 124(2), 403-410. DOI: <http://dx.doi.org/10.3171/2015.3.JNS142677>
- Hasegawa, T., Kida, Y., Kato, T., Iizuka, H., Kuramitsu, S., & Yamamoto, T. (2013). Long-term safety and efficacy of stereotactic radiosurgery for vestibular schwannomas: evaluation of 440 patients more than 10 years after treatment with Gamma Knife surgery. *Journal of Neurosurgery*, 118(3), 557-565. DOI: <http://dx.doi.org/10.3171/2012.10.JNS12523>
- Hasegawa, T., Kida, Y., Kobayashi, T., Yoshimoto, M., Mori, Y., & Yoshida, J. (2013). Long-term outcomes in patients with vestibular schwannomas treated using gamma knife surgery: 10-year follow up. *Journal of Neurosurgery*, 119 Suppl, 10-16.
- Hasegawa, T., Shintai, K., Kato, T., & Iizuka, H. (2015). Stereotactic Radiosurgery as the Initial Treatment for Patients with Nonfunctioning Pituitary Adenomas. *World Neurosurgery*, 83(6), 1173-1179. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.01.054>
- Hasegawa, T., Shintai, K., Kato, T., & Iizuka, H. (2015). Stereotactic Radiosurgery as the Initial Treatment for Patients with Nonfunctioning Pituitary Adenomas. *World Neurosurgery*, 83(6), 1173-1179. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.01.054>
- Hattangadi, J. A., Chapman, P. H., Bussiere, M. R., Niemierko, A., Ogilvy, C. S., Rowell, A., ... Shih, H. A. (2012). Planned two-fraction proton beam stereotactic radiosurgery for high-risk inoperable cerebral arteriovenous malformations. *International Journal of Radiation Oncology, Biology, Physics*, 83(2), 533-541. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.08.003>
- Hattangadi-Gluth, J. A., Chapman, P. H., Kim, D., Niemierko, A., Bussiere, M. R., Stringham, A., ... Shih, H. A. (2014). Single-fraction proton beam stereotactic radiosurgery for cerebral arteriovenous malformations. *International Journal of Radiation Oncology, Biology, Physics*, 89(2), 338-346. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.02.030>
- Hauptman, J. S., Barkoudarian, G., Safaee, M., Gorgulho, A., Tenn, S., Agazaryan, N., ... De Salles, A. A. (2012). Challenges in linear accelerator radiotherapy for chordomas and chondrosarcomas of the skull base: focus on complications. *International Journal of Radiation Oncology, Biology, Physics*, 83(2), 542-551. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.08.004>
- Hauswald, H., Habl, G., Krug, D., Kehle, D., Combs, S. E., Bermejo, J. L., ... Sterzing, F. (2013). Whole brain helical Tomotherapy with integrated boost for brain metastases in patients with malignant melanoma-a randomized trial. *Radiation Oncology*, 8(234).
- Hauswald, H., Stenke, A., Debus, J., & Combs, S. E. (2015). Linear accelerator-based stereotactic radiosurgery in 140 brain metastases from malignant melanoma. *BMC Cancer*, 15, 537. DOI: <http://dx.doi.org/10.1186/s12885-015-1517-1>
- Hayashi, M., Chernov, M., Tamura, N., Tamura, M., Horiba, A., Konishi, Y., ... Takakura, K. (2012). Gamma knife radiosurgery for benign cavernous sinus tumors: treatment concept and outcomes in 120 cases. *Neurologia Medico-Chirurgica*, 52(10), 714-723.
- Hayashi, S., Tanaka, H., Kajiura, Y., Ohno, Y., & Hoshi, H. (2014). Stereotactic body radiotherapy for very elderly patients (age, greater than or equal to 85 years) with stage I non-small cell lung cancer. *Radiation Oncology*, 9, 138. DOI: <http://dx.doi.org/10.1186/1748-717X-9-138>

- Hayden Gephart, M. G., Hansasuta, A., Balise, R. R., Choi, C., Sakamoto, G. T., Venteicher, A. S., ... Chang, S. D. (2013). Cochlea radiation dose correlates with hearing loss after stereotactic radiosurgery of vestibular schwannoma. *World Neurosurgery*, 80(3-4), 359-363. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.04.001>
- Hayden Gephart, M. G., Hansasuta, A., Balise, R. R., Choi, C., Sakamoto, G. T., Venteicher, A. S., ... Chang, S. D. (2013). Cochlea radiation dose correlates with hearing loss after stereotactic radiosurgery of vestibular schwannoma. *World Neurosurgery*, 80(3-4), 359-363. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.04.001>
- Hayes, J. T., David, E. A., Qi, L., Chen, A. M., & Daly, M. E. (2015). Risk of Pneumonitis After Stereotactic Body Radiation Therapy in Patients With Previous Anatomic Lung Resection. *Clinical Lung Cancer*, 16(5), 379-384. DOI: <http://dx.doi.org/10.1016/j.cllc.2015.01.006>
- Hayes, J. T., David, E. A., Qi, L., Chen, A. M., & Daly, M. E. (2015). Risk of Pneumonitis After Stereotactic Body Radiation Therapy in Patients With Previous Anatomic Lung Resection. *Clinical Lung Cancer*, 16(5), 379-384. DOI: <http://dx.doi.org/10.1016/j.cllc.2015.01.006>
- Hayhurst, C., Monsalves, E., Bernstein, M., Gentili, F., Heydarian, M., Tsao, M., ... Zadeh, G. (2012). Predicting nonauditory adverse radiation effects following radiosurgery for vestibular schwannoma: a volume and dosimetric analysis. *International Journal of Radiation Oncology, Biology, Physics*, 82(5), 2041-2046. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.02.017>
- Hayhurst, C., & Zadeh, G. (2012). Tumor pseudoprogression following radiosurgery for vestibular schwannoma. *Neuro-Oncology*, 14(1), 87-92. DOI: <http://dx.doi.org/10.1093/neuonc/nor171>
- He, J., Huang, Y., Shi, S., Hu, Y., & Zeng, Z. (2015). Comparison of Effects Between Central and Peripheral Stage I Lung Cancer Using Image-Guided Stereotactic Body Radiotherapy via Helical Tomotherapy. *Technology in Cancer Research & Treatment*, 14(6), 701-707. DOI: <http://dx.doi.org/10.1177/1533034615583206>
- Hecht, M., Zimmer, L., Loquai, C., Weishaupt, C., Gutzmer, R., Schuster, B., ... Heinzerling, L. (2015). Radiosensitization by BRAF inhibitor therapy-mechanism and frequency of toxicity in melanoma patients. *Annals of Oncology*, 26(6), 1238-1244. DOI: <http://dx.doi.org/10.1093/annonc/mdv139>
- Hecht, M., Zimmer, L., Loquai, C., Weishaupt, C., Gutzmer, R., Schuster, B., ... Heinzerling, L. (2015). Radiosensitization by BRAF inhibitor therapy-mechanism and frequency of toxicity in melanoma patients. *Annals of Oncology*, 26(6), 1238-1244. DOI: <http://dx.doi.org/10.1093/annonc/mdv139>
- Heinskou, T., Maarbjerg, S., Rochat, P., Wolfram, F., Jensen, R. H., & Bendtsen, L. (2015). Trigeminal neuralgia--a coherent cross-specialty management program. *Journal of Headache & Pain*, 16, 66. DOI: <http://dx.doi.org/10.1186/s10194-015-0550-4>
- Helis, C. A., Lucas, J. T., Jr., Bourland, J. D., Chan, M. D., Tatter, S. B., & Laxton, A. W. (2015). Repeat Radiosurgery for Trigeminal Neuralgia. *Neurosurgery*, 77(5), 755-761; discussion 761. DOI: <http://dx.doi.org/10.1227/NEU.00000000000000915>
- Helou, J., Morton, G., Zhang, L., Deabreu, A., D'Alimonte, L., Elias, E., ... Loblaw, A. (2014). A comparative study of quality of life in patients with localized prostate cancer treated at a single institution: Stereotactic ablative radiotherapy or external beam+high dose rate brachytherapy boost. *Radiotherapy & Oncology*, 113(3), 404-409. DOI: <http://dx.doi.org/10.1016/j.radonc.2014.10.013>
- Henriques de Figueiredo, B., Godbert, Y., Soubeyran, I., Carrat, X., Lagarde, P., Cazeau, A. L., ... Bonichon, F. (2014). Brain metastases from thyroid carcinoma: a retrospective study of 21 patients. *Thyroid*, 24(2), 270-276. DOI: <http://dx.doi.org/10.1089/thy.2013.0061>

- Hensley-Judge, H., Quigg, M., Barbaro, N. M., Newman, S. A., Ward, M. M., Chang, E. F., ... Goodman, R. (2013). Visual field defects after radiosurgery for mesial temporal lobe epilepsy. *Epilepsia*, 54(8), 1376-1380. DOI: <http://dx.doi.org/10.1111/epi.12215>
- Hensley-Judge, H., Quigg, M., Barbaro, N. M., Newman, S. A., Ward, M. M., Chang, E. F., ... Goodman, R. (2013). Visual field defects after radiosurgery for mesial temporal lobe epilepsy. *Epilepsia*, 54(8), 1376-1380.
- Herbert, C., Kwa, W., Nakano, S., James, K., Moiseenko, V., Wu, J., ... Liu, M. (2013). Stereotactic body radiotherapy: volumetric modulated arc therapy versus 3D non-coplanar conformal radiotherapy for the treatment of early stage lung cancer. *Technology in Cancer Research & Treatment*, 12(6), 511-516. DOI: <http://dx.doi.org/10.7785/tcrt.2012.500338>
- Herman, J. M., Chang, D. T., Goodman, K. A., Dholakia, A. S., Raman, S. P., Hacker-Prietz, A., ... Koong, A. C. (2015). Phase 2 multi-institutional trial evaluating gemcitabine and stereotactic body radiotherapy for patients with locally advanced unresectable pancreatic adenocarcinoma. *Cancer*, 121(7), 1128-1137. DOI: <http://dx.doi.org/10.1002/cncr.29161>
- Herman, J. M., Chang, D. T., Goodman, K. A., Dholakia, A. S., Raman, S. P., Hacker-Prietz, A., ... Koong, A. C. (2015). Phase 2 multi-institutional trial evaluating gemcitabine and stereotactic body radiotherapy for patients with locally advanced unresectable pancreatic adenocarcinoma. *Cancer*, 121(7), 1128-1137. DOI: <http://dx.doi.org/10.1002/cncr.29161>
- Herman, J. M., Chang, D. T., Goodman, K. A., Dholakia, A. S., Raman, S. P., Hacker-Prietz, A., ... Koong, A. C. (2015). Phase 2 multi-institutional trial evaluating gemcitabine and stereotactic body radiotherapy for patients with locally advanced unresectable pancreatic adenocarcinoma. *Cancer*, 121(7) // (NCI) \*National Cancer Institute\*), 1128-1137.
- Heron, D. E., Rajagopalan, M. S., Stone, B., Burton, S., Gerszten, P. C., Dong, X., ... Henderson, F. (2012). Single-session and multisession CyberKnife radiosurgery for spine metastases-University of Pittsburgh and Georgetown University experience. *Journal of Neurosurgery Spine*, 17(1), 11-18. DOI: <http://dx.doi.org/10.3171/2012.4.SPINE11902>
- Hetts, S. W., Tsai, T., Cooke, D. L., Amans, M. R., Settecase, F., Moftakhar, P., ... Halbach, V. V. (2015). Progressive versus Nonprogressive Intracranial Dural Arteriovenous Fistulas: Characteristics and Outcomes. *Ajnr: American Journal of Neuroradiology*, 36(10), 1912-1919. DOI: <http://dx.doi.org/10.3174/ajnr.A4391>
- Hirabayashi, H., Hariz, M. I., Wardell, K., & Blomstedt, P. (2012). Impact of parameters of radiofrequency coagulation on volume of stereotactic lesion in pallidotomy and thalamotomy. *Stereotactic & Functional Neurosurgery*, 90(5), 307-315. DOI: <http://dx.doi.org/10.1159/000338249>
- Hirono, S., Iwadate, Y., Higuchi, Y., Serizawa, T., Nagano, O., Matsutani, T., & Saeki, N. (2015). Stereotactic radiosurgery in combination with up-front high-dose methotrexate as a first-line treatment for newly diagnosed primary central nervous system lymphoma. *Journal of Neuro-Oncology*, 123(2), 237-244. DOI: <http://dx.doi.org/10.1007/s11060-015-1786-1>
- Ho, A., Lo, A. T., Dieterich, S., Soltys, S. G., Gibbs, I. C., Chang, S. G., & Adler, J. R. (2012). Trigeminal neuralgia treatment dosimetry of the Cyberknife. *Medical Dosimetry*, 37(1), 42-46. DOI: <http://dx.doi.org/10.1016/j.meddos.2010.12.012>
- Ho, A., Lo, A. T., Dieterich, S., Soltys, S. G., Gibbs, I. C., Chang, S. G., & Adler, J. R. (2012). Trigeminal neuralgia treatment dosimetry of the Cyberknife. *Medical dosimetry : official journal of the American Association of Medical Dosimetrists*, 37(1), 42-46.

- Ho, J. C., Tang, C., Deegan, B. J., Allen, P. K., Jonasch, E., Amini, B., ... Ghia, A. J. (2016). The use of spine stereotactic radiosurgery for oligometastatic disease. *Journal of Neurosurgery: Spine*, 25(2), 239-247. DOI: 10.3171/2016.1.SPINE151166
- Hodges, J. C., Lotan, Y., Boike, T. P., Benton, R., Barrier, A., & Timmerman, R. D. (2012). Cost-effectiveness analysis of SBRT versus IMRT: an emerging initial radiation treatment option for organ-confined prostate cancer. *American Journal of Managed Care*, 18(5), e186-193.
- Holden, L., Sahgal, A., Lee, Y., Ruschin, M., & Babic, S. (2016). Moving beyond the framed approach in the treatment of stereotactic radiosurgery. *Journal of Medical Imaging and Radiation Sciences, Conference: 12th Annual Radiation Therapy Conference, RTi3. 2016 Toronto, ON United States. Conference Start: 20160304 Conference End: 20160305. Conference Publication:(var.pagings) 47 (1 SUPPL. 1), S11.*
- Holland, M., Noeller, J., Buatti, J., He, W., Shivapour, E. T., & Hitchon, P. W. (2015). The cost-effectiveness of surgery for trigeminal neuralgia in surgically naive patients: a retrospective study. *Clinical Neurology & Neurosurgery*, 137, 34-37. DOI: <http://dx.doi.org/10.1016/j.clineuro.2015.06.011>
- Holyoake, D. L. P., Ward, E., Grose, D., McIntosh, D., Sebag-Montefiore, D., Radhakrishna, G., ... Hawkins, M. A. (2016). A phase-I trial of preoperative, margin intensive, stereotactic body radiation therapy for pancreatic cancer: The 'SPARC' trial protocol. *BMC Cancer*, 16(1).
- Honda, Y., Kimura, T., Aikata, H., Kobayashi, T., Fukuvara, T., Masaki, K., ... Chayama, K. (2013). Stereotactic body radiation therapy combined with transcatheter arterial chemoembolization for small hepatocellular carcinoma. *Journal of Gastroenterology & Hepatology*, 28(3), 530-536. DOI: <http://dx.doi.org/10.1111/jgh.12087>
- Honda, Y., Kimura, T., Aikata, H., Nakahara, T., Naeshiro, N., Tanaka, M., ... Chayama, K. (2014). Pilot study of stereotactic body radiation therapy combined with transcatheter arterial chemoembolization for small hepatocellular carcinoma. *Hepato-Gastroenterology*, 61(129), 31-36.
- Hong, A., Hallock, H., Valenzuela, M., Lo, S., Steel, V., Paton, E., ... Fogarty, G. B. Change in the hippocampal volume after whole-brain radiation therapy with or without hippocampal avoidance technique. *International Journal of Radiation Oncology Biology Physics*(var.pagings). 93 (3 SUPPL. 1), E82.
- Hong, B., Krauss, J. K., Bremer, M., Karstens, J. H., Heissler, H. E., & Nakamura, M. (2014). Vestibular schwannoma microsurgery for recurrent tumors after radiation therapy or previous surgical resection. *Otology & Neurotology*, 35(1), 171-181. DOI: <http://dx.doi.org/10.1097/MAO.0000000000000174>
- Hong, C. S., Peterson, E. C., Ding, D., Sur, S., Hasan, D., Dumont, A. S., ... Starke, R. M. (2016). Intervention for A randomized trial of unruptured brain arteriovenous malformations (ARUBA) - Eligible patients: An evidence-based review. *Clinical neurology and neurosurgery*, 150, 133-138.
- Hong, J. C., Eclov, N. C., Yu, Y., Rao, A. K., Dieterich, S., Le, Q. T., ... Maxim, P. G. (2013). Migration of implanted markers for image-guided lung tumor stereotactic ablative radiotherapy. *Journal of Applied Clinical Medical Physics*, 14(2), 4046. DOI: <http://dx.doi.org/10.1120/jacmp.v14i2.4046>
- Hong, J. C., Eclov, N. C., Yu, Y., Rao, A. K., Dieterich, S., Le, Q. T., ... Maxim, P. G. (2013). Migration of implanted markers for image-guided lung tumor stereotactic ablative radiotherapy. *Journal of Applied Clinical Medical Physics*, 14(2), 4046. DOI: <http://dx.doi.org/10.1120/jacmp.v14i2.4046>
- Hong, L. X., Shankar, V., Shen, J., Kuo, H. C., Mynampati, D., Yaparpalvi, R., ... Tome, W. A. (2015). Spine stereotactic body radiation therapy plans: Achieving dose coverage, conformity, and dose falloff. *Medical Dosimetry*, 40(3), 181-185. DOI: <http://dx.doi.org/10.1016/j.meddos.2014.11.002>

- Hong, L. X., Shankar, V., Shen, J., Kuo, H. C., Mynampati, D., Yaparpalvi, R., ... Tome, W. A. (2015). Spine stereotactic body radiation therapy plans: Achieving dose coverage, conformity, and dose falloff. *Medical Dosimetry*, 40(3), 181-185. DOI: <http://dx.doi.org/10.1016/j.meddos.2014.11.002>
- Hong, L. X., Shankar, V., Shen, J., Kuo, H. C., Mynampati, D., Yaparpalvi, R., ... Tome, W. A. (2015). Spine stereotactic body radiation therapy plans: Achieving dose coverage, conformity, and dose falloff. *Medical dosimetry : official journal of the American Association of Medical Dosimetrists*, 40(3), 181-185.
- Hopmans, W., Damman, O. C., Senan, S., Hartemink, K. J., Smit, E. F., & Timmermans, D. R. (2015). A patient perspective on shared decision making in stage I non-small cell lung cancer: a mixed methods study. *BMC Cancer*, 15, 959. DOI: <http://dx.doi.org/10.1186/s12885-015-1974-6>
- Hori, T., & Maruyama, T. (2013). Whether gamma knife radiosurgery is really necessary for treatment of patients with vestibular schwannomas. *Acta Neurochirurgica - Supplement*, 116, 19-23. DOI: [http://dx.doi.org/10.1007/978-3-7091-1376-9\\_4](http://dx.doi.org/10.1007/978-3-7091-1376-9_4)
- Hornbeck, A., Garcia, T., Cuttai, M., & Jenny, C. (2014). Absolute calibration of the Gamma Knife PerfexionTM and delivered dose verification using EPR/alanine dosimetry. *Medical Physics*, 41(6), 061708. DOI: <http://dx.doi.org/10.1111/1.4873686>
- Hotta, R., Fujimura, T., Shimojima, N., Nakahara, T., Fuchimoto, Y., Hoshino, K., ... Kuroda, T. (2014). Application of nuclear medicine to achieve less invasive surgery for malignant solid tumors in children. *Pediatrics International*, 56(6), 896-901. DOI: <http://dx.doi.org/10.1111/ped.12368>
- Howells, C. C., Stinauer, M. A., Diot, Q., Westerly, D. C., Schefter, T. E., Kavanagh, B. D., & Miften, M. (2012). Normal liver tissue density dose response in patients treated with stereotactic body radiation therapy for liver metastases. *International Journal of Radiation Oncology, Biology, Physics*, 84(3), e441-446. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.04.041>
- Howington, J. A., Blum, M. G., Chang, A. C., Balekian, A. A., & Murthy, S. C. (2013). Treatment of stage I and II non-small cell lung cancer: Diagnosis and management of lung cancer, 3rd ed: American College of Chest Physicians evidence-based clinical practice guidelines. *Chest*, 143(5 Suppl), e278S-313S. DOI: <http://dx.doi.org/10.1378/chest.12-2359>
- Hrbacek, J., Lang, S., Graydon, S. N., Klock, S., & Riesterer, O. (2014). Dosimetric comparison of flattened and unflattened beams for stereotactic ablative radiotherapy of stage I non-small cell lung cancer. *Medical Physics*, 41(3), 031709. DOI: <http://dx.doi.org/10.1118/1.4866231>
- Hsieh, J., Elson, P., Otvos, B., Rose, J., Loftus, C., Rahmathulla, G., ... Vogelbaum, M. A. (2015). Tumor progression in patients receiving adjuvant whole-brain radiotherapy vs localized radiotherapy after surgical resection of brain metastases. *Neurosurgery*, 76(4), 411-420. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000626>
- Hsu, F., Kouhestani, P., Nguyen, S., Cheung, A., McKenzie, M., Ma, R., ... Nichol, A. (2013). Population-based outcomes of boost versus salvage radiosurgery for brain metastases after whole brain radiotherapy. *Radiotherapy & Oncology*, 108(1), 128-131. DOI: <http://dx.doi.org/10.1016/j.radonc.2013.04.025>
- Hsu, F., Nichol, A., Ma, R., Kouhestani, P., Toyota, B., & McKenzie, M. (2015). Stereotactic Radiosurgery for Metastases in Eloquent Central Brain Locations. *Canadian Journal of Neurological Sciences*, 42(5), 333-337. DOI: <http://dx.doi.org/10.1017/cjn.2015.55>

- Hu, G., Zhu, W., Yang, W., Wang, H., Shen, L., & Zhang, H. (2016). The Effectiveness of Radioactive Iodine Remnant Ablation for Papillary Thyroid Microcarcinoma: A Systematic Review and Meta-analysis. *World Journal of Surgery*, 40(1), 100-109. DOI: <http://dx.doi.org/10.1007/s00268-015-3346-4>
- Hu, Y. W., Huang, P. I., Wong, T. T., Ho, D. M., Chang, K. P., Guo, W. Y., ... Chen, Y. W. (2012). Salvage treatment for recurrent intracranial germinoma after reduced-volume radiotherapy: a single-institution experience and review of the literature. *International Journal of Radiation Oncology, Biology, Physics*, 84(3), 639-647. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.12.052>
- Huang, A. J., Huang, K. E., Page, B. R., Ayala-Peacock, D. N., Lucas, J. T., Jr., Lesser, G. J., ... Chan, M. D. (2014). Risk factors for leptomeningeal carcinomatosis in patients with brain metastases who have previously undergone stereotactic radiosurgery. *Journal of Neuro-Oncology*, 120(1), 163-169. DOI: <http://dx.doi.org/10.1007/s11060-014-1539-6>
- Huang, B., Wu, L., Lin, P., & Chen, C. (2015). Dose calculation of Acuros XB and Anisotropic Analytical Algorithm in lung stereotactic body radiotherapy treatment with flattening filter free beams and the potential role of calculation grid size. *Radiation Oncology*, 10, 53. DOI: <http://dx.doi.org/10.1186/s13014-015-0357-0>
- Huang, B. T., Lin, Z., Lin, P. X., Lu, J. Y., & Chen, C. Z. (2015). Monitor unit optimization in stereotactic body radiotherapy for small peripheral non-small cell lung cancer patients. *Scientific Reports*, 5, 18453. DOI: <http://dx.doi.org/10.1038/srep18453>
- Huang, K., Dahele, M., Senan, S., Guckenberger, M., Rodrigues, G. B., Ward, A., ... Palma, D. A. (2012). Radiographic changes after lung stereotactic ablative radiotherapy (SABR)--can we distinguish recurrence from fibrosis? A systematic review of the literature. *Radiotherapy & Oncology*, 102(3), 335-342. DOI: <http://dx.doi.org/10.1016/j.radonc.2011.12.018>
- Huang, K., Palma, D. A., & Committee, I. A. R. T. (2015). Follow-up of patients after stereotactic radiation for lung cancer: a primer for the nonradiation oncologist. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 10(3), 412-419. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000435>
- Huang, P. P., Rush, S. C., Donahue, B., Narayana, A., Becske, T., Nelson, P. K., ... Jafar, J. J. (2012). Long-term outcomes after staged-volume stereotactic radiosurgery for large arteriovenous malformations. *Neurosurgery*, 71(3), 632-643; discussion 643-634. DOI: <http://dx.doi.org/10.1227/NEU.0b013e31825fd247>
- Huang, W. Y., Jen, Y. M., Lee, M. S., Chang, L. P., Chen, C. M., Ko, K. H., ... Chang, Y. W. (2012). Stereotactic body radiation therapy in recurrent hepatocellular carcinoma. *International Journal of Radiation Oncology, Biology, Physics*, 84(2), 355-361. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.11.058>
- Huang, Y., Chin, K., Robbins, J. R., Kim, J., Li, H., Amro, H., ... Ryu, S. (2014). Radiosurgery of multiple brain metastases with single-isocenter dynamic conformal arcs (SIDCA). *Radiotherapy & Oncology*, 112(1), 128-132. DOI: <http://dx.doi.org/10.1016/j.radonc.2014.05.009>
- Huang, Y., Ni, J., Wu, B., He, M., Yang, L., & Wang, Q. (2010). Percutaneous radiofrequency thermocoagulation for the treatment of different types of trigeminal neuralgia: evaluation of quality of life and outcomes. *Journal of Huazhong University of Science and Technology. Medical Sciences*, 30(3), 403-407. DOI: <http://dx.doi.org/10.1007/s11596-010-0365-0>
- Huertas, A., Baumann, A. S., Saunier-Kubs, F., Salleron, J., Oldrini, G., Croise-Laurent, V., ... Peiffert, D. (2015). Stereotactic body radiation therapy as an ablative treatment for inoperable hepatocellular

- carcinoma. *Radiotherapy & Oncology*, 115(2), 211-216. DOI: <http://dx.doi.org/10.1016/j.radonc.2015.04.006>
- Hung, Y. C., Lee, C. C., Liu, K. D., Chung, W. Y., Pan, D. H., & Yang, H. C. (2014). Radiosurgery target location and individual anatomical variation in trigeminal nerves. *Journal of Neurosurgery*, 121 Suppl, 203-209. DOI: <http://dx.doi.org/10.3171/2014.7.GKS141432>
- Huo, X., Jiang, Y., Lv, X., Yang, H., Zhao, Y., & Li, Y. (2016). Gamma Knife surgical treatment for partially embolized cerebral arteriovenous malformations. *Journal of Neurosurgery*, 124(3), 767-776. DOI: <http://dx.doi.org/10.3171/2015.1.JNS142711>
- Huo, X., Li, Y., Wu, Z., Jiang, Y., Yang, H., & Zhao, Y. (2015). Combined treatment of brain AVMs by Onyx embolization and gamma knife radiosurgery decreased hemorrhage risk despite low obliteration rate. *Turkish Neurosurgery*, 25(1), 100-110. DOI: <http://dx.doi.org/10.5137/1019-5149.JTN.10708-14.1>
- Hurmuz, P., Cengiz, M., Ozyigit, G., Yazici, G., Akyol, F., Yildiz, F., ... Zorlu, F. (2013). Robotic stereotactic radiosurgery in patients with unresectable glomus jugulare tumors. *Technology in Cancer Research & Treatment*, 12(2), 109-113. DOI: <http://dx.doi.org/10.7785/t crt.2012.500303>
- Huss, M., Barsoum, P., Dodoo, E., Sinclair, G., & Toma-Dasu, I. (2015). Fractionated SRT using VMAT and Gamma Knife for brain metastases and gliomas--a planning study. *Journal of Applied Clinical Medical Physics*, 16(6), 5255.
- Huss, M., Barsoum, P., Dodoo, E., Sinclair, G., & Toma-Dasu, I. (2015). Fractionated SRT using VMAT and Gamma Knife for brain metastases and gliomas--a planning study. *Journal of Applied Clinical Medical Physics*, 16(6), 5255.
- Huttenlocher, S., Sehmisch, L., Schild, S. E., Blank, O., Hornung, D., & Rades, D. (2014). Identifying melanoma patients with 1-3 brain metastases who may benefit from whole-brain irradiation in addition to radiosurgery. *Anticancer Research*, 34(10), 5589-5592.
- Hwang, Y. J. (2012). Follow-up CT and MR findings of osteoblastic spinal metastatic lesions after stereotactic radiotherapy. *Japanese Journal of Radiology*, 30(6), 492-498. DOI: <http://dx.doi.org/10.1007/s11604-012-0078-3>
- Hwang, Y. J., Sohn, M. J., Lee, B. H., Kim, S. Y., Seo, J. W., Han, Y. H., ... Kim, Y. H. (2012). Radiosurgery for metastatic spinal tumors: follow-up MR findings.[Erratum appears in AJNR Am J Neuroradiol. 2012 May;33(5):E81]. *Ajnr: American Journal of Neuroradiology*, 33(2), 382-387. DOI: <http://dx.doi.org/10.3174/ajnr.A2760>
- Hyun, M. K., Hwang, J. S., Kim, J. H., Choi, J. E., Jung, S. Y., & Bae, J. M. (2013). Survival outcomes after whole brain radiation therapy and/or stereotactic radiosurgery for cancer patients with metastatic brain tumors in Korea: a systematic review. *Asian Pacific Journal of Cancer Prevention: Apjcp*, 14(12), 7401-7407.
- Ibarra, R. A., Rojas, D., Snyder, L., Yao, M., Fabien, J., Milano, M., ... Sanabria, J. R. (2012). Multicenter results of stereotactic body radiotherapy (SBRT) for non-resectable primary liver tumors. *Acta Oncologica*, 51(5), 575-583. DOI: <http://dx.doi.org/10.3109/0284186X.2011.652736>
- Ikonomidis, C., Pica, A., Bloch, J., & Maire, R. (2015). Vestibular Schwannoma: The Evolution of Hearing and Tumor Size in Natural Course and after Treatment by LINAC Stereotactic Radiosurgery. *Audiology & Neuro-Otology*, 20(6), 406-415. DOI: <http://dx.doi.org/10.1159/000441119>

- Ingrosso, G., Miceli, R., Fedele, D., Ponti, E., Benassi, M., Barbarino, R., ... Santoni, R. (2012). Cone-beam computed tomography in hypofractionated stereotactic radiotherapy for brain metastases. *Radiation Oncology*, 7, 54. DOI: <http://dx.doi.org/10.1186/1748-717X-7-54>
- Inoue, T., Katoh, N., Onimaru, R., Shimizu, S., Tsuchiya, K., Suzuki, R., ... Shirato, H. (2013). Stereotactic body radiotherapy using gated radiotherapy with real-time tumor-tracking for stage I non-small cell lung cancer. *Radiation Oncology*, 8, 69. DOI: <http://dx.doi.org/10.1186/1748-717X-8-69>
- Inoue, T., Oh, R. J., Shiomi, H., Masai, N., & Miura, H. (2013). Stereotactic body radiotherapy for pulmonary metastases. Prognostic factors and adverse respiratory events. *Strahlentherapie und Onkologie*, 189(4), 285-292. DOI: <http://dx.doi.org/10.1007/s00066-012-0290-1>
- Inoue, T., Shiomi, H., & Oh, R. J. (2015). Stereotactic body radiotherapy for Stage I lung cancer with chronic obstructive pulmonary disease: special reference to survival and radiation-induced pneumonitis. *Journal of Radiation Research*, 56(4), 727-734. DOI: <http://dx.doi.org/10.1093/jrr/rrv019>
- Iorio-Morin, C., AlSubaie, F., & Mathieu, D. (2016). Safety and Efficacy of Gamma Knife Radiosurgery for the Management of Koos Grade 4 Vestibular Schwannomas. *Neurosurgery*, 78(4), 521-530. DOI: <http://dx.doi.org/10.1227/NEU.0000000000001154>
- Iorio-Morin, C., Masson-Cote, L., Ezahr, Y., Blanchard, J., Ebacher, A., & Mathieu, D. (2014). Early Gamma Knife stereotactic radiosurgery to the tumor bed of resected brain metastasis for improved local control. *Journal of Neurosurgery*, 121 Suppl, 69-74. DOI: <http://dx.doi.org/10.3171/2014.7.GKS141488>
- Ipsen, S., Blanck, O., Oborn, B., Bode, F., Liney, G., Hunold, P., ... Keall, P. J. (2014). Radiotherapy beyond cancer: target localization in real-time MRI and treatment planning for cardiac radiosurgery. *Medical Physics*, 41(12), 120702. DOI: <http://dx.doi.org/10.1118/1.4901414>
- Ishijima, M., Nakayama, H., Itonaga, T., Tajima, Y., Shiraishi, S., Okubo, M., ... Tokuuye, K. (2015). Patients with severe emphysema have a low risk of radiation pneumonitis following stereotactic body radiotherapy. *British Journal of Radiology*, 88(1046), 20140596. DOI: <http://dx.doi.org/10.1259/bjr.20140596>
- Ishijima, M., Nakayama, H., Itonaga, T., Tajima, Y., Shiraishi, S., Okubo, M., ... Tokuuye, K. (2015). Patients with severe emphysema have a low risk of radiation pneumonitis following stereotactic body radiotherapy. *British Journal of Radiology*, 88(1046), 20140596. DOI: <http://dx.doi.org/10.1259/bjr.20140596>
- Ishikura, S. (2012). Optimal radiotherapy for non-small-cell lung cancer: current progress and future challenges. *General Thoracic & Cardiovascular Surgery*, 60(3), 127-131. DOI: <http://dx.doi.org/10.1007/s11748-011-0832-y>
- Isik, S., Eksi, M. S., Yilmaz, B., Toktas, Z. O., Akakin, A., & Kilic, T. (2016). Trigeminal Neuralgia Caused by Cerebellopontine Angle Arteriovenous Malformation Treated With Gamma Knife Radiosurgery. *Journal of Craniofacial Surgery*, 27(1), e55-57. DOI: <http://dx.doi.org/10.1097/SCS.0000000000002310>
- Ito, Y., Okumura, T., Suzuki, K., Matsumura, A., Tokue, K., & Tsuboi, K. (2011). Long-term outcome of proton beam radiosurgery for arteriovenous malformations larger than 30 mm in diameter. *Neurologia Medico-Chirurgica*, 51(9), 624-629.
- Itshayek, E., Cohen, J. E., Yamada, Y., Gokaslan, Z., Polly, D. W., Rhines, L. D., ... Fisher, C. G. (2014). Timing of stereotactic radiosurgery and surgery and wound healing in patients with spinal tumors: a

systematic review and expert opinions. *Neurological Research*, 36(6), 510-523. DOI: <http://dx.doi.org/10.1179/1743132814Y.0000000380>

Ivanov, A. A., Alaraj, A., Charbel, F. T., Aletich, V., & Amin-Hanjani, S. (2016). Recurrence of Cerebral Arteriovenous Malformations Following Resection in Adults: Does Preoperative Embolization Increase the Risk? *Neurosurgery*, 78(4), 562-571. DOI: <http://dx.doi.org/10.1227/NEU.0000000000001191>

Iwai, Y., Ishibashi, K., Watanabe, Y., Uemura, G., & Yamanaka, K. (2015). Functional Preservation After Planned Partial Resection Followed by Gamma Knife Radiosurgery for Large Vestibular Schwannomas. *World Neurosurgery*, 84(2), 292-300. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.03.012>

Iwai, Y., Ishibashi, K., Watanabe, Y., Uemura, G., & Yamanaka, K. (2015). Functional Preservation After Planned Partial Resection Followed by Gamma Knife Radiosurgery for Large Vestibular Schwannomas. *World Neurosurgery*, 84(2), 292-300. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.03.012>

Iwata, H., Shibamoto, Y., Baba, F., Sugie, C., Ogino, H., Murata, R., ... Miyakawa, A. (2011). Correlation between the serum KL-6 level and the grade of radiation pneumonitis after stereotactic body radiotherapy for stage I lung cancer or small lung metastasis. *Radiotherapy & Oncology*, 101(2), 267-270. DOI: <http://dx.doi.org/10.1016/j.radonc.2011.05.031>

Iwata, H., Tatewaki, K., Inoue, M., Yokota, N., Baba, Y., Nomura, R., ... Sato, K. (2012). Single and hypofractionated stereotactic radiotherapy with CyberKnife for craniopharyngioma. *Journal of Neuro-Oncology*, 106(3), 571-577. DOI: <http://dx.doi.org/10.1007/s11060-011-0693-3>

Iyengar, P., & Timmerman, R. D. (2012). Stereotactic ablative radiotherapy for non-small cell lung cancer: rationale and outcomes. *Journal of the National Comprehensive Cancer Network*, 10(12), 1514-1520.

Iyer, A., Harrison, G., Kano, H., Weiner, G. M., Luther, N., Niranjan, A., ... Kondziolka, D. (2014). Volumetric response to radiosurgery for brain metastasis varies by cell of origin. *Journal of Neurosurgery*, 121(3), 564-569. DOI: <http://dx.doi.org/10.3171/2014.4.JNS131502>

Iyer, A., Kano, H., Kondziolka, D., Liu, X., Niranjan, A., Flickinger, J. C., & Lunsford, L. D. (2012). Stereotactic radiosurgery for intracranial chondrosarcoma. *Journal of Neuro-Oncology*, 108(3), 535-542. DOI: <http://dx.doi.org/10.1007/s11060-012-0858-8>

Jaboin, J. J., Ferraro, D. J., DeWees, T. A., Rich, K. M., Chicoine, M. R., Dowling, J. L., ... Zoberi, I. (2013). Survival following gamma knife radiosurgery for brain metastasis from breast cancer. *Radiation Oncology*, 8, 131. DOI: <http://dx.doi.org/10.1186/1748-717X-8-131>

Jaboin, J. J., Ferraro, D. J., DeWees, T. A., Rich, K. M., Chicoine, M. R., Dowling, J. L., ... Zoberi, I. (2013). Survival following gamma knife radiosurgery for brain metastasis from breast cancer. *Radiation Oncology*, 8, 131. DOI: <http://dx.doi.org/10.1186/1748-717X-8-131>

Jackson, T. L., Chakravarthy, U., Kaiser, P. K., Slakter, J. S., Jan, E., Bandello, F., ... Group, I. S. (2013). Stereotactic radiotherapy for neovascular age-related macular degeneration: 52-week safety and efficacy results of the INTREPID study. *Ophthalmology*, 120(9), 1893-1900. DOI: <http://dx.doi.org/10.1016/j.ophtha.2013.02.016>

Jackson, T. L., Chakravarthy, U., Kaiser, P. K., Slakter, J. S., Jan, E., Bandello, F., ... Group, I. S. (2013). Stereotactic radiotherapy for neovascular age-related macular degeneration: 52-week safety and efficacy results of the INTREPID study. *Ophthalmology*, 120(9), 1893-1900.

- Jackson, T. L., Chakravarthy, U., Slakter, J. S., Muldrew, A., Shusterman, E. M., O'Shaughnessy, D., ... Group, I. S. (2015). Stereotactic radiotherapy for neovascular age-related macular degeneration: year 2 results of the INTREPID study. *Ophthalmology*, 122(1), 138-145. DOI: <http://dx.doi.org/10.1016/j.ophtha.2014.07.043>
- Jackson, T. L., Chakravarthy, U., Slakter, J. S., Muldrew, A., Shusterman, E. M., O'Shaughnessy, D., ... Group, I. S. (2015). Stereotactic radiotherapy for neovascular age-related macular degeneration: year 2 results of the INTREPID study. *Ophthalmology*, 122(1), 138-145.
- Jackson, T. L., Shusterman, E. M., Arnoldussen, M., Chell, E., Wang, K., Moshfeghi, D. M., & Group, I. S. (2015). Stereotactic radiotherapy for wet age-related macular degeneration (INTREPID): influence of baseline characteristics on clinical response. *Retina*, 35(2), 194-204. DOI: <http://dx.doi.org/10.1097/IAE.0000000000000283>
- Jackson, T. L., Shusterman, E. M., Arnoldussen, M., Chell, E., Wang, K., Moshfeghi, D. M., & Group, I. S. (2015). Stereotactic radiotherapy for wet age-related macular degeneration (INTREPID): influence of baseline characteristics on clinical response. *Retina (Philadelphia, Pa.)*, 35(2), 194-204.
- Jacob, J. T., Carlson, M. L., Schiefer, T. K., Pollock, B. E., Driscoll, C. L., & Link, M. J. (2014). Significance of cochlear dose in the radiosurgical treatment of vestibular schwannoma: controversies and unanswered questions. *Neurosurgery*, 74(5), 466-474; discussion 474. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000299>
- Jacob, J. T., Pollock, B. E., Carlson, M. L., Driscoll, C. L., & Link, M. J. (2015). Stereotactic radiosurgery in the management of vestibular schwannoma and glomus jugulare: indications, techniques, and results. *Otolaryngologic Clinics of North America*, 48(3), 515-526. DOI: <http://dx.doi.org/10.1016/j.otc.2015.02.010>
- Jacob, R., Turley, F., Redden, D. T., Saddekni, S., Aal, A. K., Keene, K., ... DuBay, D. A. (2015). Adjuvant stereotactic body radiotherapy following transarterial chemoembolization in patients with non-resectable hepatocellular carcinoma tumours of > 3 cm. *HPB*, 17(2), 140-149. DOI: <http://dx.doi.org/10.1111/hpb.12331>
- Jacob, R., Turley, F., Redden, D. T., Saddekni, S., Aal, A. K., Keene, K., ... DuBay, D. A. (2015). Adjuvant stereotactic body radiotherapy following transarterial chemoembolization in patients with non-resectable hepatocellular carcinoma tumours of > 3 cm. *HPB*, 17(2), 140-149. DOI: <http://dx.doi.org/10.1111/hpb.12331>
- Jain, P., Baker, A., Distefano, G., Scott, A. J., Webster, G. J., & Hatton, M. Q. (2013). Stereotactic ablative radiotherapy in the UK: current status and developments. *British Journal of Radiology*, 86(1029), 20130331. DOI: <http://dx.doi.org/10.1259/bjr.20130331>
- Jain, P., Baker, A., Distefano, G., Scott, A. J., Webster, G. J., & Hatton, M. Q. (2013). Stereotactic ablative radiotherapy in the UK: current status and developments. *British Journal of Radiology*, 86(1029), 20130331. DOI: <http://dx.doi.org/10.1259/bjr.20130331>
- Jain, S., Poon, I., Soliman, H., Keller, B., Kim, A., Lochray, F., ... Cheung, P. (2013). Lung stereotactic body radiation therapy (SBRT) delivered over 4 or 11 days: a comparison of acute toxicity and quality of life. *Radiotherapy & Oncology*, 108(2), 320-325. DOI: <http://dx.doi.org/10.1016/j.radonc.2013.06.045>
- Jain, S., Poon, I., Soliman, H., Keller, B., Kim, A., Lochray, F., ... Cheung, P. (2013). Lung stereotactic body radiation therapy (SBRT) delivered over 4 or 11 days: a comparison of acute toxicity and quality of

life. *Radiotherapy and oncology : journal of the European Society for Therapeutic Radiology and Oncology*, 108(2), 320-325.

Jakubovic, R., Sahgal, A., Soliman, H., Milwid, R., Zhang, L., Eilaghi, A., & Aviv, R. I. (2014). Magnetic resonance imaging-based tumour perfusion parameters are biomarkers predicting response after radiation to brain metastases. *Clinical Oncology (Royal College of Radiologists)*, 26(11), 704-712. DOI: <http://dx.doi.org/10.1016/j.clon.2014.06.010>

James, J., Swanson, C., Lynch, B., Wang, B., & Dunlap, N. E. (2015). Quantification of planning target volume margin when using a robotic radiosurgery system to treat lung tumors with spine tracking. *Practical Radiation Oncology*, 5(4), e337-343. DOI: <http://dx.doi.org/10.1016/j.prro.2014.11.001>

James, J., Swanson, C., Lynch, B., Wang, B., & Dunlap, N. E. (2015). Quantification of planning target volume margin when using a robotic radiosurgery system to treat lung tumors with spine tracking. *Practical Radiation Oncology*, 5(4), e337-343. DOI: <http://dx.doi.org/10.1016/j.prro.2014.11.001>

Jang, S. S., Huh, G. J., Park, S. Y., Yang, P. S., Chung, H. N., Seo, J. H., ... Cho, E. Y. (2014). Reconstitution of internal target volumes by combining four-dimensional computed tomography and a modified slow computed tomography scan in stereotactic body radiotherapy planning for lung cancer. *Radiation Oncology*, 9, 106. DOI: <http://dx.doi.org/10.1186/1748-717X-9-106>

Jang, W. I., Kim, M. S., Bae, S. H., Cho, C. K., Yoo, H. J., Seo, Y. S., ... Kim, Y. H. (2013). High-dose stereotactic body radiotherapy correlates increased local control and overall survival in patients with inoperable hepatocellular carcinoma. *Radiation Oncology*, 8, 250. DOI: <http://dx.doi.org/10.1186/1748-717X-8-250>

Jani, A., Rozenblat, T., Yaeh, A. M., Nanda, T., Saad, S., Qureshi, Y. H., ... Wang, T. J. (2015). The Energy Index Does Not Affect Local Control of Brain Metastases Treated by Gamma Knife Stereotactic Radiosurgery. *Neurosurgery*, 77(1), 119-125; discussion 125. DOI: <http://dx.doi.org/10.1227/NEU.00000000000000750>

Janoray, G., Chapet, S., Ruffier-Loubiere, A., Bernadou, G., Pointreau, Y., & Calais, G. (2014). Robotic stereotactic body radiation therapy for tumors of the liver: radiation-induced liver disease, incidence and predictive factors. *Cancer Radiotherapy*, 18(3), 191-197. DOI: <http://dx.doi.org/10.1016/j.canrad.2014.03.009>

Janowski, E., Chen, L. N., Kim, J. S., Lei, S., Suy, S., Collins, B., ... Collins, S. (2014). Stereotactic body radiation therapy (SBRT) for prostate cancer in men with large prostates (>50 cm(3)). *Radiation Oncology*, 9, 241. DOI: <http://dx.doi.org/10.1186/s13014-014-0241-3>

Janowski, E., Chen, L. N., Kim, J. S., Lei, S., Suy, S., Collins, B., ... Collins, S. (2014). Stereotactic body radiation therapy (SBRT) for prostate cancer in men with large prostates (>50 cm(3)). *Radiation Oncology*, 9, 241. DOI: <http://dx.doi.org/10.1186/s13014-014-0241-3>

Janssen, S., Dahlke, M., Trang, N. T., Khoa, M. T., & Rades, D. (2015). Estimation of the Six-month Survival Probability After Radiosurgery for Brain Metastases from Kidney Cancer. *Anticancer Research*, 35(7), 4215-4217.

Janssen, S., Kasemann, L., Rudat, V., & Rades, D. (2016). Stereotactic Body Radiation Therapy (SBRT) for Recurrent Non-small Cell Lung Cancer (NSCLC). *Anticancer Research*, 36(2), 825-828.

Jarraya, H., Borde, P., Mirabel, X., Ernst, O., Boulanger, T., Lartigau, E., ... Taieb, S. (2015). Lobulated enhancement evaluation in the follow-up of liver metastases treated by stereotactic body

radiation therapy. *International Journal of Radiation Oncology, Biology, Physics*, 92(2), 292-298.  
DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.01.028>

Jarvis, L. A., Simmons, N. E., Bellerive, M., Erkmen, K., Eskey, C. J., Gladstone, D. J., ... Hartford, A. C. (2012). Tumor bed dynamics after surgical resection of brain metastases: implications for postoperative radiosurgery. *International Journal of Radiation Oncology, Biology, Physics*, 84(4), 943-948. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.01.067>

Jay, S. M., Chandran, H., & Blackburn, T. P. (2012). Gamma knife stereotactic radiosurgery for thalamic & brainstem cavernous angiomas. *British Journal of Neurosurgery*, 26(3), 367-370. DOI: <http://dx.doi.org/10.3109/02688697.2011.635819>

Jeltema, H. R., Bakker, N. A., Bijl, H. P., Wagemakers, M., Metzemaekers, J. D., & van Dijk, J. M. (2015). Near total extirpation of vestibular schwannoma with salvage radiosurgery. *Laryngoscope*, 125(7), 1703-1707. DOI: <http://dx.doi.org/10.1002/lary.25115>

Jeon, C., Kim, S., Shin, H. J., Nam, D. H., Lee, J. I., Park, K., ... Kong, D. S. (2011). The therapeutic efficacy of fractionated radiotherapy and gamma-knife radiosurgery for craniopharyngiomas. *Journal of Clinical Neuroscience*, 18(12), 1621-1625. DOI: <http://dx.doi.org/10.1016/j.jocn.2011.03.028>

Jeon, J. P., Kim, J. E., Ahn, J. H., Cho, W. S., Cho, Y. D., Son, Y. J., ... Kim, D. G. (2016). Long-term treatment outcome of venous-predominant arteriovenous malformation. *Journal of Neurosurgery*, 124(4), 1100-1106. DOI: <http://dx.doi.org/10.3171/2015.4.JNS142475>

Jeppesen, S. S., Schytte, T., Jensen, H. R., Brink, C., & Hansen, O. (2013). Stereotactic body radiation therapy versus conventional radiation therapy in patients with early stage non-small cell lung cancer: an updated retrospective study on local failure and survival rates. *Acta Oncologica*, 52(7), 1552-1558. DOI: <http://dx.doi.org/10.3109/0284186X.2013.813635>

Jereczek-Fossa, B. A., Bossi-Zanetti, I., Mauro, R., Beltramo, G., Fariselli, L., Bianchi, L. C., ... Orecchia, R. (2013). CyberKnife robotic image-guided stereotactic radiotherapy for oligometastatic cancer : A prospective evaluation of 95 patients/118 lesions. *Strahlentherapie und Onkologie*, 189(6), 448-455. DOI: <http://dx.doi.org/10.1007/s00066-013-0345-y>

Jereczek-Fossa, B. A., Piperno, G., Ronchi, S., Catalano, G., Fodor, C., Cambria, R., ... Orecchia, R. (2014). Linac-based stereotactic body radiotherapy for oligometastatic patients with single abdominal lymph node recurrent cancer. *American Journal of Clinical Oncology*, 37(3), 227-233. DOI: <http://dx.doi.org/10.1097/COC.0b013e3182610878>

Jhaveri, P. M., Teh, B. S., Paulino, A. C., Blanco, A. I., Lo, S. S., Butler, E. B., & Amato, R. J. (2012). A dose-response relationship for time to bone pain resolution after stereotactic body radiotherapy (SBRT) for renal cell carcinoma (RCC) bony metastases. *Acta Oncologica*, 51(5), 584-588. DOI: <http://dx.doi.org/10.3109/0284186X.2011.652741>

Ji, G., Qian, Y., Zhou, R. Z., Tan, W., & Ye, X. (2014). Chemotherapy for newly diagnosed inoperable brain metastases from non-small cell lung cancer. *Cochrane Database of Systematic Reviews*(6).

Jiang, B., Veeravagu, A., Feroze, A. H., Lee, M., Harsh, G. R., Soltys, S. G., ... Chang, S. D. (2013). CyberKnife radiosurgery for the management of skull base and spinal chondrosarcomas. *Journal of Neuro-Oncology*, 114(2), 209-218. DOI: <http://dx.doi.org/10.1007/s11060-013-1172-9>

Jiang, B., Veeravagu, A., Lee, M., Harsh, G. R., Lieberson, R. E., Bhatti, I., ... Chang, S. D. (2012). Management of intracranial and extracranial chordomas with CyberKnife stereotactic radiosurgery. *Journal of Clinical Neuroscience*, 19(8), 1101-1106. DOI: <http://dx.doi.org/10.1016/j.jocn.2012.01.005>

- Jie, H., Xuanchen, Z., Deheng, L., Kun, G., Fengyang, X., Xiang, C., ... Yiqing, L. (2013). The long-term outcome of nerve combing for trigeminal neuralgia. *Acta Neurochirurgica*, 155(9), 1703-1708; discussion 1707. DOI: <http://dx.doi.org/10.1007/s00701-013-1804-z>
- Jin, J. Y., Ajlouni, M., Ryu, S., Chen, Q., Li, S., & Movsas, B. (2007). A technique of quantitatively monitoring both respiratory and nonrespiratory motion in patients using external body markers. *Medical Physics*, 34(7), 2875-2881.
- Jo, K. I., Im, Y. S., Kong, D. S., Seol, H. J., Nam, D. H., Kim, Y. D., & Lee, J. I. (2012). Multisession Gamma Knife surgery for benign orbital tumors. *Journal of Neurosurgery*, 117 Suppl, 102-107. DOI: <http://dx.doi.org/10.3171/2012.7.GKS12780>
- Jo, K. I., Kim, J. S., Hong, S. C., & Lee, J. I. (2012). Hemodynamic changes in arteriovenous malformations after radiosurgery: transcranial Doppler evaluation. *World Neurosurgery*, 77(2), 316-321. DOI: <http://dx.doi.org/10.1016/j.wneu.2011.06.061>
- Jo, K. I., Kim, J. S., Hong, S. C., & Lee, J. I. (2012). Hemodynamic changes in arteriovenous malformations after radiosurgery: transcranial Doppler evaluation. *World Neurosurgery*, 77(2), 316-321. DOI: <http://dx.doi.org/10.1016/j.wneu.2011.06.061>
- Jo, K. I., Lim, D. H., Kim, S. T., Im, Y. S., Kong, D. S., Seol, H. J., ... Lee, J. I. (2012). Leptomeningeal seeding in patients with brain metastases treated by gamma knife radiosurgery. *Journal of Neuro-Oncology*, 109(2), 293-299. DOI: <http://dx.doi.org/10.1007/s11060-012-0892-6>
- Jobst, B. C. (2015). Equal but different? MRI-guided stereotactic laser amygdalohippocampectomy and traditional temporal lobe surgery. *Epilepsy Currents*, 15(5), 250-252.
- Jochems, A. T. C., Deist, T. M., Van Soest, J., Eble, M., Bulens, P., Coucke, P., ... Dekker, A. (2016). Distributed learning: Predictive models based on data from multiple hospitals without data leaving the hospital. *Radiotherapy and Oncology. Conference: International Conference on Translational Research in Radiation Oncology/Physics for Health in Europe, ICTR PHE*, 118, S53-S54.
- Johnson, A. C., Do, P., Richard, N., Dubos, C., Michels, J. J., Bonneau, J., & Gervais, R. (2016). Identification of I1171N resistance mutation in ALK-positive non-small-cell lung cancer tumor sample and circulating tumor DNA. *Lung Cancer*, 99, 38-40.
- Johnson, A. G., Ruiz, J., Hughes, R., Page, B. R., Isom, S., Lucas, J. T., ... Chan, M. D. (2015). Impact of systemic targeted agents on the clinical outcomes of patients with brain metastases. *Oncotarget*, 6(22), 18945-18955.
- Johnson, M. D., Avkshtol, V., Baschnagel, A. M., Meyer, K., Ye, H., Grills, I. S., ... Krauss, D. J. (2016). Surgical Resection of Brain Metastases and the Risk of Leptomeningeal Recurrence in Patients Treated With Stereotactic Radiosurgery. *International Journal of Radiation Oncology, Biology, Physics*, 94(3), 537-543. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.11.022>
- Johung, K. L., Yeh, N., Desai, N. B., Williams, T. M., Lautenschlaeger, T., Arvold, N. D., ... Contessa, J. N. (2016). Extended Survival and Prognostic Factors for Patients With ALK-Rearranged Non-Small-Cell Lung Cancer and Brain Metastasis. *Journal of Clinical Oncology*, 34(2), 123-129. DOI: <http://dx.doi.org/10.1200/JCO.2015.62.0138>
- Johung, K. L., Yeh, N., Desai, N. B., Williams, T. M., Lautenschlaeger, T., Arvold, N. D., ... Contessa, J. N. (2016). Extended Survival and Prognostic Factors for Patients With ALK-Rearranged Non-Small-Cell Lung Cancer and Brain Metastasis. *Journal of Clinical Oncology*, 34(2), 123-129. DOI: <http://dx.doi.org/10.1200/JCO.2015.62.0138>

- Jones, G. C., Kehrer, J. D., Kahn, J., Koneru, B. N., Narayan, R., Thomas, T. O., ... Kaushal, A. (2015). Primary treatment options for high-risk/medically inoperable early stage NSCLC patients. *Clinical Lung Cancer*, 16(6), 413-430. DOI: <http://dx.doi.org/10.1016/j.cllc.2015.04.001>
- Jones, G. C., Kehrer, J. D., Kahn, J., Koneru, B. N., Narayan, R., Thomas, T. O., ... Kaushal, A. (2015). Primary Treatment Options for High-Risk/Medically Inoperable Early Stage NSCLC Patients. *Clinical Lung Cancer*, 16(6), 413-430. DOI: <http://dx.doi.org/10.1016/j.cllc.2015.04.001>
- Jones, R., Chen, Q., Best, R., Libby, B., Crandley, E. F., & Showalter, T. N. (2014). Dosimetric feasibility of stereotactic body radiation therapy as an alternative to brachytherapy for definitive treatment of medically inoperable early stage endometrial cancer. *Radiation Oncology*, 9, 164. DOI: <http://dx.doi.org/10.1186/1748-717X-9-164>
- Josephson, C. B., Sauro, K., Wiebe, S., Clement, F., & Jette, N. (2016). Medical vs. invasive therapy in AVM-related epilepsy: Systematic review and meta-analysis. *Neurology*, 86(1), 64-71. DOI: <http://dx.doi.org/10.1212/WNL.0000000000002240>
- Josephson, C. B., White, P. M., Krishan, A., & AlShahi Salman, R. (2014). Computed tomography angiography or magnetic resonance angiography for detection of intracranial vascular malformations in patients with intracerebral haemorrhage. *Cochrane Database of Systematic Reviews*(9).
- Josipovic, M., Persson, G. F., Logadottir, A., Smulders, B., Westmann, G., & Bangsgaard, J. P. (2012). Translational and rotational intra- and inter-fractional errors in patient and target position during a short course of frameless stereotactic body radiotherapy. *Acta Oncologica*, 51(5), 610-617. DOI: <http://dx.doi.org/10.3109/0284186X.2011.626448>
- Joye, R. P., Williams, L. B., Chan, M. D., Witkin, A. J., Schirmer, C. M., Mignano, J. E., ... Duker, J. S. (2014). Local control and results of Leksell Gamma Knife therapy for the treatment of uveal melanoma. *Ophthalmic Surgery, Lasers & Imaging Retina*, 45(2), 125-131. DOI: <http://dx.doi.org/10.3928/23258160-20140306-05>
- Jozwiak, S., Nabbout, R., Curatolo, P., participants of the, T. S. C. C. M. f. S., & Epilepsy, M. (2013). Management of subependymal giant cell astrocytoma (SEGA) associated with tuberous sclerosis complex (TSC): Clinical recommendations. *European Journal of Paediatric Neurology*, 17(4), 348-352. DOI: <http://dx.doi.org/10.1016/j.ejpn.2012.12.008>
- Ju, A. W., Wang, H., Oermann, E. K., Sherer, B. A., Uhm, S., Chen, V. J., ... Collins, S. P. (2013). Hypofractionated stereotactic body radiation therapy as monotherapy for intermediate-risk prostate cancer. *Radiation Oncology*, 8, 30. DOI: <http://dx.doi.org/10.1186/1748-717X-8-30>
- Jung, E. W., Rakowski, J. T., Delly, F., Jagannathan, J., Konski, A. A., Guthikonda, M., ... Mittal, S. (2013). Gamma Knife radiosurgery in the management of brainstem metastases. *Clinical Neurology & Neurosurgery*, 115(10), 2023-2028. DOI: <http://dx.doi.org/10.1016/j.clineuro.2013.06.012>
- Jung, J., Song, S. Y., Kim, J. H., Yu, C. S., Kim, J. C., Kim, T. W., ... Choi, E. K. (2015). Clinical efficacy of stereotactic ablative radiotherapy for lung metastases arising from colorectal cancer. *Radiation Oncology*, 10, 238. DOI: <http://dx.doi.org/10.1186/s13014-015-0546-x>
- Jung, J., Yoon, S. M., Kim, S. Y., Cho, B., Park, J. H., Kim, S. S., ... Kim, J. H. (2013). Radiation-induced liver disease after stereotactic body radiotherapy for small hepatocellular carcinoma: clinical and dose-volumetric parameters. *Radiation Oncology*, 8, 249. DOI: <http://dx.doi.org/10.1186/1748-717X-8-249>

- Jutley, G., Shona, O. A., Leen, R. C., Lee, N., Olver, J. M., & George, S. M. (2012). Response to ranibizumab following tachyphylaxis to bevacizumab in a patient with radiation maculopathy following stereotactic fractionated radiotherapy for optic nerve meningioma. *Archives of Ophthalmology*, 130(11), 1466-1470. DOI: <http://dx.doi.org/10.1001/archophthalmol.2012.1542>
- Kajiwara, K., Saito, K., Yoshikawa, K., Ideguchi, M., Nomura, S., Fujii, M., & Suzuki, M. (2010). Stereotactic radiosurgery/radiotherapy for pituitary adenomas: a review of recent literature. *Neurologia Medico-Chirurgica*, 50(9), 749-755.
- Kaloostian, P. E., Yurter, A., Zadnik, P. L., Sciubba, D. M., & Gokaslan, Z. L. (2014). Current paradigms for metastatic spinal disease: an evidence-based review. *Annals of Surgical Oncology*, 21(1), 248-262. DOI: <http://dx.doi.org/10.1245/s10434-013-3324-8>
- Kanemoto, A., Matsumoto, Y., & Sugita, T. (2015). Timing and characteristics of radiation pneumonitis after stereotactic body radiotherapy for peripherally located stage I lung cancer. *International Journal of Clinical Oncology*, 20(4), 680-685. DOI: <http://dx.doi.org/10.1007/s10147-014-0766-3>
- Kang, D. W., Lee, S. C., Park, Y. G., & Chang, J. H. (2012). Long-term results of Gamma Knife surgery for uveal melanomas. *Journal of Neurosurgery*, 117 Suppl, 108-114. DOI: <http://dx.doi.org/10.3171/2012.8.GKS121002>
- Kang, H. J., Hwang, Y. J., Kim, Y. H., Kim, S. Y., Lee, B. H., & Sohn, M. J. (2013). Follow-up MR findings of spinal foraminal nerve sheath tumors after stereotactic irradiation. *Japanese Journal of Radiology*, 31(3), 192-196. DOI: <http://dx.doi.org/10.1007/s11604-012-0169-1>
- Kang, J., Huang, J., Gailloud, P., Rigamonti, D., Lim, M., Bernard, V., ... Ford, E. C. (2014). Planning evaluation of C-arm cone beam CT angiography for target delineation in stereotactic radiation surgery of brain arteriovenous malformations. *International Journal of Radiation Oncology, Biology, Physics*, 90(2), 430-437. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.05.035>
- Kang, J., Huang, J., Gailloud, P., Rigamonti, D., Lim, M., Bernard, V., ... Ford, E. C. (2014). Planning evaluation of C-arm cone beam CT angiography for target delineation in stereotactic radiation surgery of brain arteriovenous malformations. *International Journal of Radiation Oncology, Biology, Physics*, 90(2), 430-437. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.05.035>
- Kang, J., Nie, Q., Du, R., Zhang, L., Zhang, J., Li, Q., ... Qi, W. (2014). Stereotactic body radiotherapy combined with transarterial chemoembolization for hepatocellular carcinoma with portal vein tumor thrombosis. *Molecular and Clinical Oncology*, 2(1), 43-50.
- Kano, H., Kondziolka, D., Flickinger, J. C., Park, K. J., Iyer, A., Yang, H. C., ... Lunsford, L. D. (2012). Stereotactic radiosurgery for arteriovenous malformations after embolization: a case-control study. *Journal of Neurosurgery*, 117(2), 265-275. DOI: <http://dx.doi.org/10.3171/2012.4.JNS111935>
- Kano, H., Kondziolka, D., Flickinger, J. C., Park, K. J., Parry, P. V., Yang, H. C., ... Lunsford, L. D. (2013). Multistaged volumetric management of large arteriovenous malformations. *Progress in Neurological Surgery*, 27, 73-80. DOI: <http://dx.doi.org/10.1159/000341629>
- Kano, H., Kondziolka, D., Flickinger, J. C., Yang, H. C., Park, K. J., Flannery, T. J., ... Lunsford, L. D. (2012). Aneurysms increase the risk of rebleeding after stereotactic radiosurgery for hemorrhagic arteriovenous malformations. *Stroke*, 43(10), 2586-2591.
- Kano, H., Kondziolka, D., Khan, A., Flickinger, J. C., & Lunsford, L. D. (2013). Predictors of hearing preservation after stereotactic radiosurgery for acoustic neuroma: clinical article. *Journal of Neurosurgery*, 119 Suppl, 863-873.

- Kano, H., Park, K. J., Kondziolka, D., Iyer, A., Liu, X., Tonetti, D., ... Lunsford, L. D. (2013). Does prior microsurgery improve or worsen the outcomes of stereotactic radiosurgery for cavernous sinus meningiomas? *Neurosurgery*, 73(3), 401-410. DOI: <http://dx.doi.org/10.1227/01.neu.0000431471.64289.3d>
- Kano, H., Sheehan, J., Sneed, P. K., McBride, H. L., Young, B., Duma, C., ... Lunsford, L. D. (2015). Skull base chondrosarcoma radiosurgery: report of the North American Gamma Knife Consortium. *Journal of Neurosurgery*, 123(5), 1268-1275. DOI: <http://dx.doi.org/10.3171/2014.12.JNS132580>
- Kano, H., Shuto, T., Iwai, Y., Sheehan, J., Yamamoto, M., McBride, H. L., ... Lunsford, L. D. (2015). Stereotactic radiosurgery for intracranial hemangioblastomas: a retrospective international outcome study. *Journal of Neurosurgery*, 122(6), 1469-1478. DOI: <http://dx.doi.org/10.3171/2014.10.JNS131602>
- Kao, J., Timmins, J., Ozao-Choy, J., & Packer, S. (2016). Effects of combined sunitinib and extracranial stereotactic radiotherapy on bone marrow hematopoiesis. *Oncology Letters*, 12(3), 2139-2144.
- Karam, S. D., Tai, A., Snider, J. W., Bhatia, S., Bedrick, E. J., Rashid, A., ... Jean, W. (2014). Refractory trigeminal neuralgia treatment outcomes following CyberKnife radiosurgery. *Radiation Oncology*, 9, 257. DOI: <http://dx.doi.org/10.1186/s13014-014-0257-8>
- Karaman, K., Dokdok, A. M., Karadeniz, O., Ceylan, C., & Engin, K. (2015). Intravascular Placement of Metallic Coils as Lung Tumor Markers for CyberKnife Stereotactic Radiation Therapy. *Korean Journal of Radiology*, 16(3), 626-631. DOI: <http://dx.doi.org/10.3348/kjr.2015.16.3.626>
- Karbach, J., Gnjatic, S., Biskamp, M., Atmaca, A., Weidmann, E., Brandt, K., ... Jager, E. (2014). Long-term complete remission following radiosurgery and immunotherapy in a melanoma patient with brain metastasis: immunologic correlates. *Cancer Immunology Research*, 2(5), 404-409. DOI: <http://dx.doi.org/10.1158/2326-6066.CIR-13-0200>
- Karlsson, B., Guo, W. Y., Kejia, T., Dinesh, N., Pan, D. H., Jokura, H., ... Yamamoto, M. (2012). Gamma Knife surgery for central neurocytomas. *Journal of Neurosurgery*, 117 Suppl, 96-101. DOI: <http://dx.doi.org/10.3171/2012.6.GKS12214>
- Karlsson, K., Nyman, J., Baumann, P., Wersäll, P., Drugge, N., Gagliardi, G., ... Lax, I. (2013). Retrospective cohort study of bronchial doses and radiation-induced atelectasis after stereotactic body radiation therapy of lung tumors located close to the bronchial tree. *International Journal of Radiation Oncology, Biology, Physics*, 87(3), 590-595. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.06.2055>
- Kastelijn, E. A., El Sharouni, S. Y., Hofman, F. N., Van Putte, B. P., Monninkhof, E. M., Van Vulpen, M., & Schramel, F. M. (2015). Clinical outcomes in early-stage NSCLC treated with stereotactic body radiotherapy versus surgical resection. *Anticancer Research*, 35(10), 5607-5614.
- Kataria, T., Gupta, D., Karrthick, K. P., Bisht, S. S., Goyal, S., Abhishek, A., ... Gupta, A. (2013). Frame-based radiosurgery: Is it relevant in the era of IGRT? *Neurology India*, 61(3), 277-281. DOI: <http://dx.doi.org/10.4103/0028-3886.115068>
- Kato, H., Yoshida, H., Taniguchi, H., Nomura, R., Sato, K., Suzuki, I., & Nakata, R. (2015). Cyberknife treatment for advanced or terminal stage hepatocellular carcinoma. *World Journal of Gastroenterology*, 21(46), 13101-13112. DOI: <http://dx.doi.org/10.3748/wjg.v21.i46.13101>
- Katz, A., Ferrer, M., Suarez, J. F., & Multicentric Spanish Group of Clinically Localized Prostate, C. (2012). Comparison of quality of life after stereotactic body radiotherapy and surgery for early-stage prostate cancer. *Radiation Oncology*, 7, 194. DOI: <http://dx.doi.org/10.1186/1748-717X-7-194>

- Katz, A., & Kang, J. (2014). Stereotactic body radiotherapy with or without external beam radiation as treatment for organ confined high-risk prostate carcinoma: a six year study. *Radiation Oncology*, 9, 1. DOI: <http://dx.doi.org/10.1186/1748-717X-9-1>
- Katz, A. J., Santoro, M., Diblasio, F., & Ashley, R. (2013). Stereotactic body radiotherapy for localized prostate cancer: disease control and quality of life at 6 years. *Radiation Oncology*, 8, 118. DOI: <http://dx.doi.org/10.1186/1748-717X-8-118>
- Katz, A. W., Chawla, S., Qu, Z., Kashyap, R., Milano, M. T., & Hezel, A. F. (2012). Stereotactic hypofractionated radiation therapy as a bridge to transplantation for hepatocellular carcinoma: clinical outcome and pathologic correlation. *International Journal of Radiation Oncology, Biology, Physics*, 83(3), 895-900. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.08.032>
- Kaul, D., Angelidis, A., Budach, V., Ghadjar, P., Kufeld, M., & Badakhshi, H. (2015). Prognostic indices in stereotactic radiotherapy of brain metastases of non-small cell lung cancer. *Radiation Oncology*, 10, 244. DOI: <http://dx.doi.org/10.1186/s13014-015-0550-1>
- Kaul, D., Badakhshi, H., Gevaert, T., Pasemann, D., Budach, V., Tuleasca, C., ... Kufeld, M. (2015). Dosimetric comparison of different treatment modalities for stereotactic radiosurgery of meningioma.[Erratum appears in Acta Neurochir (Wien). 2015 Apr;157(4):565; PMID: 25530173]. *Acta Neurochirurgica*, 157(4), 559-563; discussion 563-554. DOI: <http://dx.doi.org/10.1007/s00701-014-2272-9>
- Kaul, D., Budach, V., Misch, M., Wiener, E., Exner, S., & Badakhshi, H. (2014). Meningioma of the skull base: long-term outcome after image-guided stereotactic radiotherapy. *Cancer Radiotherapie*, 18(8), 730-735. DOI: <http://dx.doi.org/10.1016/j.canrad.2014.07.159>
- Kaul, D., Budach, V., Wurm, R., Gruen, A., Graaf, L., Habbel, P., & Badakhshi, H. (2014). Linac-based stereotactic radiotherapy and radiosurgery in patients with meningioma. *Radiation Oncology*, 9, 78. DOI: <http://dx.doi.org/10.1186/1748-717X-9-78>
- Kaur, G., Sayegh, E. T., Larson, A., Bloch, O., Madden, M., Sun, M. Z., ... Parsa, A. T. (2014). Adjuvant radiotherapy for atypical and malignant meningiomas: a systematic review. *Neuro-Oncology*, 16(5), 628-636. DOI: <http://dx.doi.org/10.1093/neuonc/nou025>
- Kaur, G., Sayegh, E. T., Larson, A., Bloch, O., Madden, M., Sun, M. Z., ... Parsa, A. T. (2014). Adjuvant radiotherapy for atypical and malignant meningiomas: a systematic review. *Neuro-Oncology*, 16(5), 628-636. DOI: <http://dx.doi.org/10.1093/neuonc/nou025>
- Kawabe, T., Yamamoto, M., Sato, Y., Barfod, B. E., Urakawa, Y., Kasuya, H., & Mineura, K. (2012). Gamma Knife surgery for patients with brainstem metastases. *Journal of Neurosurgery*, 117 Suppl, 23-30. DOI: <http://dx.doi.org/10.3171/2012.7.GKS12977>
- Kawaguchi, K., Sato, K., Yamada, H., Horie, A., Nomura, T., Iketani, S., ... Hamada, Y. (2012). Stereotactic radiosurgery in combination with chemotherapy as primary treatment for head and neck cancer. *Journal of Oral & Maxillofacial Surgery*, 70(2), 461-472. DOI: <http://dx.doi.org/10.1016/j.joms.2011.02.063>
- Kawamura, T., Onishi, H., Kohda, Y., & Hirose, G. (2012). Serious adverse effects of gamma knife radiosurgery for mesial temporal lobe epilepsy. *Neurologia Medico-Chirurgica*, 52(12), 892-898.
- Kelley, K. D., Benninghoff, D. L., Stein, J. S., Li, J. Z., Byrnes, R. T., Potters, L., ... Zinkin, H. D. (2015). Medically inoperable peripheral lung cancer treated with stereotactic body radiation therapy. *Radiation Oncology*, 10, 120. DOI: <http://dx.doi.org/10.1186/s13014-015-0423-7>

- Kelly, P. J., Lin, N. U., Claus, E. B., Quant, E. C., Weiss, S. E., & Alexander, B. M. (2012). Salvage stereotactic radiosurgery for breast cancer brain metastases: outcomes and prognostic factors. *Cancer*, 118(8), 2014-2020. DOI: <http://dx.doi.org/10.1002/cncr.26343>
- Kemmerer, E., Hernandez, E., Ferriss, J. S., Valakh, V., Miyamoto, C., Li, S., & Micaily, B. (2013). Use of image-guided stereotactic body radiation therapy in lieu of intracavitary brachytherapy for the treatment of inoperable endometrial neoplasia. *International Journal of Radiation Oncology, Biology, Physics*, 85(1), 129-135. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.02.058>
- Kerrigan, J. F., Parsons, A., Rice, S. G., Simeone, K., Shetter, A. G., Abla, A. A., ... Coons, S. W. (2013). Hypothalamic hamartomas: neuropathological features with and without prior gamma knife radiosurgery. *Stereotactic & Functional Neurosurgery*, 91(1), 45-55. DOI: <http://dx.doi.org/10.1159/000341076>
- Khan, L., Chiang, A., Zhang, L., Thibault, I., Bedard, G., Wong, E., ... Sahgal, A. (2015). Prophylactic dexamethasone effectively reduces the incidence of pain flare following spine stereotactic body radiotherapy (SBRT): a prospective observational study. *Supportive Care in Cancer*, 23(10), 2937-2943. DOI: <http://dx.doi.org/10.1007/s00520-015-2659-z>
- Khan, L., Chiang, A., Zhang, L., Thibault, I., Bedard, G., Wong, E., ... Sahgal, A. (2015). Prophylactic dexamethasone effectively reduces the incidence of pain flare following spine stereotactic body radiotherapy (SBRT): a prospective observational study. *Supportive Care in Cancer*, 23(10), 2937-2943.
- Khan, L., Soliman, H., Sahgal, A., Perry, J., Xu, W., & Tsao, M. N. (2016). External beam radiation dose escalation for high grade glioma. *Cochrane Database of Systematic Reviews*(8).
- Khan, L., Tjong, M., Raziee, H., Lee, J., Erler, D., Chin, L., & Poon, I. (2015). Role of stereotactic body radiotherapy for symptom control in head and neck cancer patients. *Supportive Care in Cancer*, 23(4), 1099-1103. DOI: <http://dx.doi.org/10.1007/s00520-014-2421-y>
- Khan, R. F., Villarreal-Barajas, E., Lau, H., & Liu, H. W. (2014). Effect of Acuros XB algorithm on monitor units for stereotactic body radiotherapy planning of lung cancer. *Medical Dosimetry*, 39(1), 83-87. DOI: <http://dx.doi.org/10.1016/j.meddos.2013.10.003>
- Khandanpour, N., Griffiths, P., Warren, D., & Hoggard, N. (2013). Prospective comparison of late 3T MRI with conventional angiography in evaluating the patency of cerebral arteriovenous malformations treated with stereotactic radiosurgery. *Neuroradiology*, 55(6), 683-687. DOI: <http://dx.doi.org/10.1007/s00234-013-1153-x>
- Khandanpour, N., Griffiths, P., Warren, D., & Hoggard, N. (2013). Prospective comparison of late 3T MRI with conventional angiography in evaluating the patency of cerebral arteriovenous malformations treated with stereotactic radiosurgery. *Neuroradiology*, 55(6), 683-687.
- Khashab, M. A., Kim, K. J., Tryggestad, E. J., Wild, A. T., Roland, T., Singh, V. K., ... Herman, J. M. (2012). Comparative analysis of traditional and coiled fiducials implanted during EUS for pancreatic cancer patients receiving stereotactic body radiation therapy. *Gastrointestinal Endoscopy*, 76(5), 962-971. DOI: <http://dx.doi.org/10.1016/j.gie.2012.07.006>
- Khashab, M. A., Kim, K. J., Tryggestad, E. J., Wild, A. T., Roland, T., Singh, V. K., ... Herman, J. M. (2012). Comparative analysis of traditional and coiled fiducials implanted during EUS for pancreatic cancer patients receiving stereotactic body radiation therapy. *Gastrointestinal Endoscopy*, 76(5), 962-971. DOI: <http://dx.doi.org/10.1016/j.gie.2012.07.006>

- Kiess, A. P., Wolchok, J. D., Barker, C. A., Postow, M. A., Tabar, V., Huse, J. T., ... Beal, K. (2015). Stereotactic radiosurgery for melanoma brain metastases in patients receiving ipilimumab: safety profile and efficacy of combined treatment. *International Journal of Radiation Oncology, Biology, Physics*, 92(2), 368-375. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.01.004>
- Kiess, A. P., Wolchok, J. D., Barker, C. A., Postow, M. A., Tabar, V., Huse, J. T., ... Beal, K. (2015). Stereotactic radiosurgery for melanoma brain metastases in patients receiving ipilimumab: safety profile and efficacy of combined treatment. *International Journal of Radiation Oncology, Biology, Physics*, 92(2), 368-375. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.01.004>
- Kilburn, J. M., Ellis, T. L., Lovato, J. F., Urbanic, J. J., Bourland, J. D., Munley, M. T., ... Chan, M. D. (2014). Local control and toxicity outcomes in brainstem metastases treated with single fraction radiosurgery: is there a volume threshold for toxicity?. [Erratum appears in J Neurooncol. 2014 Oct;120(1):223]. Note: Daniel Bourland, J [corrected to Bourland, J Daniel]]. *Journal of Neuro-Oncology*, 117(1), 167-174. DOI: <http://dx.doi.org/10.1007/s11060-014-1373-x>
- Kilburn, J. M., Ellis, T. L., Lovato, J. F., Urbanic, J. J., Bourland, J. D., Munley, M. T., ... Chan, M. D. (2014). Local control and toxicity outcomes in brainstem metastases treated with single fraction radiosurgery: is there a volume threshold for toxicity?. [Erratum appears in J Neurooncol. 2014 Oct;120(1):223]. Note: Daniel Bourland, J [corrected to Bourland, J Daniel]]. *Journal of Neuro-Oncology*, 117(1), 167-174. DOI: <http://dx.doi.org/10.1007/s11060-014-1373-x>
- Kilburn, J. M., Lester, S. C., Lucas, J. T., Jr., Soike, M. H., Blackstock, A. W., Kearns, W. T., ... Urbanic, J. J. (2014). Management of mediastinal relapse after treatment with stereotactic body radiotherapy or accelerated hypofractionated radiotherapy for stage I/II non-small-cell lung cancer. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 9(4), 572-576. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000086>
- Kilburn, J. M., Lester, S. C., Lucas, J. T., Jr., Soike, M. H., Blackstock, A. W., Kearns, W. T., ... Urbanic, J. J. (2014). Management of mediastinal relapse after treatment with stereotactic body radiotherapy or accelerated hypofractionated radiotherapy for stage I/II non-small-cell lung cancer. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 9(4), 572-576. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000086>
- Kim, B. S., Im, Y. S., Woo, K. I., Kim, Y. D., & Lee, J. I. (2015). Multisession Gamma Knife Radiosurgery for Orbital Apex Tumors. *World Neurosurgery*, 84(4), 1005-1013. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.04.042>
- Kim, B. S., Im, Y. S., Woo, K. I., Kim, Y. D., & Lee, J. I. (2015). Multisession Gamma Knife Radiosurgery for Orbital Apex Tumors. *World Neurosurgery*, 84(4), 1005-1013. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.04.042>
- Kim, C. H., Ling, D. C., Wegner, R. E., Flickinger, J. C., Heron, D. E., Zeh, H., ... Burton, S. A. (2013). Stereotactic body radiotherapy in the treatment of pancreatic adenocarcinoma in elderly patients. *Radiation Oncology*, 8, 240. DOI: <http://dx.doi.org/10.1186/1748-717X-8-240>
- Kim, D. H., Schultheiss, T. E., Radany, E. H., Badie, B., & Pezner, R. D. (2013). Clinical outcomes of patients treated with a second course of stereotactic radiosurgery for locally or regionally recurrent brain metastases after prior stereotactic radiosurgery. *Journal of Neuro-Oncology*, 115(1), 37-43. DOI: <http://dx.doi.org/10.1007/s11060-013-1191-6>
- Kim, E. Y., Yechieli, R., Kim, J. K., Mikkelsen, T., Kalkanis, S. N., Rock, J., ... Ryu, S. (2014). Patterns of failure after radiosurgery to two different target volumes of enhancing lesions with and without FLAIR

abnormalities in recurrent glioblastoma multiforme. *Journal of Neuro-Oncology*, 116(2), 291-297. DOI: <http://dx.doi.org/10.1007/s11060-013-1290-4>

Kim, H., Rajagopalan, M. S., Beriwal, S., Huq, M. S., & Smith, K. J. (2015). Cost-effectiveness analysis of single fraction of stereotactic body radiation therapy compared with single fraction of external beam radiation therapy for palliation of vertebral bone metastases. *International Journal of Radiation Oncology, Biology, Physics*, 91(3), 556-563. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.10.055>

Kim, H. J., Chang, A. R., Park, Y. K., & Ye, S. J. (2013). Dosimetric effect of CT contrast agent in CyberKnife treatment plans. *Radiation Oncology*, 8, 244. DOI: <http://dx.doi.org/10.1186/1748-717X-8-244>

Kim, H. J., Huh, J. W., Jung, T. Y., Kim, I. Y., Kim, H. R., Jung, S., & Kim, Y. J. (2013). Clinical outcome with gamma-knife surgery or surgery for brain metastases from colorectal cancer. *Journal of Clinical Neuroscience*, 20(10), 1417-1421. DOI: <http://dx.doi.org/10.1016/j.jocn.2012.12.020>

Kim, H. J., Jin Roh, K., Oh, H. S., Chang, W. S., & Moon, I. S. (2015). Quality of Life in Patients With Vestibular Schwannomas According to Management Strategy. *Otology & Neurotology*, 36(10), 1725-1729. DOI: <http://dx.doi.org/10.1097/MAO.0000000000000885>

Kim, H. R., Kim, K. H., Kong, D. S., Seol, H. J., Nam, D. H., Lim do, H., & Lee, J. I. (2015). Outcome of salvage treatment for recurrent glioblastoma. *Journal of Clinical Neuroscience*, 22(3), 468-473. DOI: <http://dx.doi.org/10.1016/j.jocn.2014.09.018>

Kim, H. R., Kim, S. H., Lee, J. I., Seol, H. J., Nam, D. H., Kim, S. T., ... Kong, D. S. (2015). Outcome of radiosurgery for recurrent malignant gliomas: assessment of treatment response using relative cerebral blood volume. *Journal of Neuro-Oncology*, 121(2), 311-318. DOI: <http://dx.doi.org/10.1007/s11060-014-1634-8>

Kim, J. H., Hong, S. S., Kim, J. H., Park, H. J., Chang, Y. W., Chang, A. R., & Kwon, S. B. (2012). Safety and efficacy of ultrasound-guided fiducial marker implantation for CyberKnife radiation therapy. *Korean Journal of Radiology*, 13(3), 307-313. DOI: <http://dx.doi.org/10.3348/kjr.2012.13.3.307>

Kim, J. H., Jung, H. H., Chang, J. H., Chang, J. W., Park, Y. G., & Chang, W. S. (2014). Gamma Knife surgery for intracranial chordoma and chondrosarcoma: radiosurgical perspectives and treatment outcomes. *Journal of Neurosurgery*, 121 Suppl, 188-197. DOI: <http://dx.doi.org/10.3171/2014.7.GKS141213>

Kim, J. O., Ma, R., Akagami, R., McKenzie, M., Johnson, M., Gete, E., & Nichol, A. (2013). Long-term outcomes of fractionated stereotactic radiation therapy for pituitary adenomas at the BC Cancer Agency. *International Journal of Radiation Oncology, Biology, Physics*, 87(3), 528-533. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.06.2057>

Kim, J. P., Chang, W. S., Park, Y. S., & Chang, J. W. (2012). Impact of ventralis caudalis deep brain stimulation combined with stereotactic bilateral cingulotomy for treatment of post-stroke pain. *Stereotactic & Functional Neurosurgery*, 90(1), 9-15. DOI: <http://dx.doi.org/10.1159/000330382>

Kim, J. W., Kim, D. G., Chung, H. T., Choi, S. H., Han, J. H., Park, C. K., ... Jung, H. W. (2013). Radiosurgery for central neurocytoma: long-term outcome and failure pattern. *Journal of Neuro-Oncology*, 115(3), 505-511. DOI: <http://dx.doi.org/10.1007/s11060-013-1253-9>

Kim, J. W., Kim, D. G., Kim, I. K., Kim, Y. H., Choi, S. H., Han, J. H., ... Jung, H. W. (2013). Central neurocytoma: long-term outcomes of multimodal treatments and management strategies based on 30 years' experience in a single institute. *Neurosurgery*, 72(3), 407-413; discussion 413-404. DOI: <http://dx.doi.org/10.1227/NEU.0b013e3182804662>

- Kim, J. W., Kim, D. G., Paek, S. H., Chung, H. T., Myung, J. K., Park, S. H., ... Jung, H. W. (2012). Radiosurgery for atypical and anaplastic meningiomas: histopathological predictors of local tumor control. *Stereotactic & Functional Neurosurgery*, 90(5), 316-324. DOI: <http://dx.doi.org/10.1159/000338253>
- Kim, J. W., Seong, J., Lee, I. J., Woo, J. Y., & Han, K. H. (2016). Phase I dose-escalation study of helical intensity-modulated radiotherapy-based stereotactic body radiotherapy for hepatocellular carcinoma. *Oncotarget*, 7(26), 40756-40766. DOI: 10.18632/oncotarget.9450
- Kim, K., Ibrahim, A. M., Koolen, P. G., Seyidova, N., & Lin, S. J. (2015). Analysis of morbidity and mortality in patients undergoing skull base reconstruction. *Journal of Craniofacial Surgery*, 26(1), 135-140. DOI: <http://dx.doi.org/10.1097/SCS.0000000000001399>
- Kim, M. S., Kim, Y. S., Lee, H. K., Lee, G. J., Choi, C. Y., & Lee, C. H. (2014). Primary intracranial ectopic craniopharyngioma in a patient with probable Gardner's syndrome. *Journal of Neurosurgery*, 120(2), 337-341. DOI: <http://dx.doi.org/10.3171/2013.10.JNS131401>
- Kim, S. S., Song, S. Y., Kwak, J., Ahn, S. D., Kim, J. H., Lee, J. S., ... Choi, E. K. (2013). Clinical prognostic factors and grading system for rib fracture following stereotactic body radiation therapy (SBRT) in patients with peripheral lung tumors. *Lung Cancer*, 79(2), 161-166. DOI: <http://dx.doi.org/10.1016/j.lungcan.2012.10.011>
- Kim, W. H., Kim, D. G., Han, J. H., Paek, S. H., Chung, H. T., Park, C. K., ... Jung, H. W. (2012). Early significant tumor volume reduction after radiosurgery in brain metastases from renal cell carcinoma results in long-term survival. *International Journal of Radiation Oncology, Biology, Physics*, 82(5), 1749-1755. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.03.044>
- Kim, Y. H., Kim, D. G., Han, J. H., Chung, H. T., Kim, I. K., Song, S. W., ... Jung, H. W. (2012). Radiosurgery for para-IAC meningiomas: the effect of radiation dose to the cochlea on hearing outcome. *International Journal of Radiation Oncology, Biology, Physics*, 84(3), 675-680. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.12.078>
- Kim, Y. H., Kim, D. G., Han, J. H., Chung, H. T., Kim, I. K., Song, S. W., ... Jung, H. W. (2013). Hearing outcomes after stereotactic radiosurgery for unilateral intracanalicular vestibular schwannomas: implication of transient volume expansion. *International Journal of Radiation Oncology, Biology, Physics*, 85(1), 61-67. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.03.036>
- Kimball, M. M., Foote, K. D., Bova, F. J., Chi, Y. Y., & Friedman, W. A. (2011). Linear accelerator radiosurgery for nonvestibular schwannomas. *Neurosurgery*, 68(4), 974-984; discussion 984. DOI: <http://dx.doi.org/10.1227/NEU.0b013e318208f3a1>
- Kimmell, K. T., LaSota, E., Weil, R. J., & Marko, N. F. (2015). Comparative effectiveness analysis of treatment options for single brain metastasis. *World Neurosurgery*, 84(5), 1316-1332. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.06.021>
- Kimmell, K. T., LaSota, E., Weil, R. J., & Marko, N. F. (2015). Comparative Effectiveness Analysis of Treatment Options for Single Brain Metastasis. *World Neurosurgery*, 84(5), 1316-1332. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.06.021>
- Kimmell, K. T., Weil, R. J., & Marko, N. F. (2015). Multi-modal management of acromegaly: a value perspective. *Pituitary*, 18(5), 658-665. DOI: <http://dx.doi.org/10.1007/s11102-014-0626-1>
- Kimura, T., Takahashi, S., Takahashi, I., Nishibuchi, I., Doi, Y., Kenjo, M., ... Nagata, Y. (2015). The Time Course of Dynamic Computed Tomographic Appearance of Radiation Injury to the Cirrhotic Liver Following Stereotactic Body Radiation Therapy for Hepatocellular Carcinoma. *PLoS ONE [Electronic Resource]*, 10(6), e0125231. DOI: <http://dx.doi.org/10.1371/journal.pone.0125231>

- King, C. R., Collins, S., Fuller, D., Wang, P. C., Kupelian, P., Steinberg, M., & Katz, A. (2013). Health-related quality of life after stereotactic body radiation therapy for localized prostate cancer: results from a multi-institutional consortium of prospective trials. *International Journal of Radiation Oncology, Biology, Physics*, 87(5), 939-945. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.08.019>
- King, C. R., Freeman, D., Kaplan, I., Fuller, D., Bolzicco, G., Collins, S., ... Katz, A. (2013). Stereotactic body radiotherapy for localized prostate cancer: pooled analysis from a multi-institutional consortium of prospective phase II trials. *Radiotherapy & Oncology*, 109(2), 217-221. DOI: <http://dx.doi.org/10.1016/j.radonc.2013.08.030>
- Kirichenko, A., Gayou, O., Parda, D., Kudithipudi, V., Tom, K., Khan, A., ... Thai, N. (2016). Stereotactic body radiotherapy (SBRT) with or without surgery for primary and metastatic liver tumors. *HPB*, 18(1), 88-97. DOI: <http://dx.doi.org/10.1016/j.hpb.2015.07.007>
- Kirichenko, V., Thai, N., Morris, W., Heenan, A., & Parda, D. S. (2016). Cost-effectiveness analysis of radiofrequency ablation (RFA) and stereotactic body radiotherapy (SBRT) in patients with isolated hepatic metastases from colorectal cancer (CRC). *Journal of Clinical Oncology*, 34(4 SUPPL. 1) (no pagination), CONFERENCE START: 2016 Jan 2021 CONFERENCE END: 2016 Jan 2023.
- Kirkpatrick, J. P., & Sampson, J. H. (2014). Recurrent malignant gliomas. *Seminars in Radiation Oncology*, 24(4), 289-298. DOI: <http://dx.doi.org/10.1016/j.semradonc.2014.06.006>
- Kirkpatrick, J. P., & Sampson, J. H. (2014). Recurrent malignant gliomas. *Seminars in Radiation Oncology*, 24(4), 289-298. DOI: <http://dx.doi.org/10.1016/j.semradonc.2014.06.006>
- Kirkpatrick, J. P., Wang, Z., Sampson, J., Kelsey, C., Allen, K., Duffy, E., ... Yin, F. Early results of a randomized trial to identify an optimal PTV in stereotactic radiosurgery of brain metastases. *International Journal of Radiation Oncology Biology Physics*, 87(2 SUPPL. 1), S50.
- Kirkpatrick, J. P., Wang, Z., Sampson, J. H., McSherry, F., Herndon, J. E., 2nd, Allen, K. J., ... Yin, F. F. (2015). Defining the optimal planning target volume in image-guided stereotactic radiosurgery of brain metastases: results of a randomized trial. *International Journal of Radiation Oncology, Biology, Physics*, 91(1), 100-108. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.09.004>
- Kirkpatrick, J. P., Wang, Z., Sampson, J. H., McSherry, F., Herndon, J. E., Allen, K. J., ... Yin, F. F. (2015). Defining the optimal planning target volume in image-guided stereotactic radiosurgery of brain metastases: results of a randomized trial. *International Journal of Radiation Oncology, Biology, Physics*, 91(1), 100-108.
- Kishi, T., Matsuo, Y., Ueki, N., Iizuka, Y., Nakamura, A., Sakanaka, K., ... Hiraoka, M. (2015). Pretreatment Modified Glasgow Prognostic Score Predicts Clinical Outcomes After Stereotactic Body Radiation Therapy for Early-Stage Non-Small Cell Lung Cancer. *International Journal of Radiation Oncology, Biology, Physics*, 92(3), 619-626. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.02.018>
- Klein, J., Dawson, L. A., Jiang, H., Kim, J., Dinniwell, R., Brierley, J., ... Ringash, J. (2015). Prospective Longitudinal Assessment of Quality of Life for Liver Cancer Patients Treated With Stereotactic Body Radiation Therapy. *International Journal of Radiation Oncology, Biology, Physics*, 93(1), 16-25. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.04.016>
- Klein, J., Korol, R., Lo, S. S., Chu, W., Lock, M., Dorth, J. A., ... Chung, H. T. (2014). Stereotactic body radiotherapy: an effective local treatment modality for hepatocellular carcinoma. *Future Oncology*, 10(14), 2227-2241. DOI: <http://dx.doi.org/10.2217/fon.14.167>
- Klement, R. J., Allgauer, M., Andratschke, N., Blanck, O., Boda-Heggemann, J., Dieckmann, K., ... Guckenberger, M. (2016). Bayesian Cure Rate Modeling of Local Tumor Control: Evaluation in

Stereotactic Body Radiation Therapy for Pulmonary Metastases. *International Journal of Radiation Oncology, Biology, Physics*, 94(4), 841-849. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.12.004>

Klingenstein, A., Furweger, C., Nentwich, M. M., Schaller, U. C., Foerster, P. I., Wowra, B., ... Eibl, K. H. (2013). Quality of life in the follow-up of uveal melanoma patients after CyberKnife treatment. *Melanoma Research*, 23(6), 481-488. DOI: <http://dx.doi.org/10.1097/CMR.0000000000000023>

Klingenstein, A., Kufeld, M., Wowra, B., Muacevic, A., Furweger, C., & Schaller, U. C. (2012). CyberKnife radiosurgery for the treatment of orbital metastases. *Technology in Cancer Research & Treatment*, 11(5), 433-439.

Klinger, D. R., Flores, B. C., Lewis, J. J., Hatanpaa, K., Choe, K., Mickey, B., & Barnett, S. (2015). Atypical Meningiomas: Recurrence, Reoperation, and Radiotherapy. *World Neurosurgery*, 84(3), 839-845. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.04.033>

Klinger, D. R., Flores, B. C., Lewis, J. J., Hatanpaa, K., Choe, K., Mickey, B., & Barnett, S. (2015). Atypical Meningiomas: Recurrence, Reoperation, and Radiotherapy. *World Neurosurgery*, 84(3), 839-845. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.04.033>

Knisely, J. P., Yu, J. B., Flanigan, J., Sznol, M., Kluger, H. M., & Chiang, V. L. (2012). Radiosurgery for melanoma brain metastases in the ipilimumab era and the possibility of longer survival. *Journal of Neurosurgery*, 117(2), 227-233. DOI: <http://dx.doi.org/10.3171/2012.5.JNS111929>

Knybel, L., Cvek, J., Otahal, B., Jonszta, T., Molenda, L., Czerny, D., ... Feltl, D. (2014). The analysis of respiration-induced pancreatic tumor motion based on reference measurement. *Radiation Oncology*, 9, 192. DOI: <http://dx.doi.org/10.1186/1748-717X-9-192>

Kocher, M., Wittig, A., Piroth, M. D., Treuer, H., Seegenschmiedt, H., Ruge, M., ... Guckenberger, M. (2014). Stereotactic radiosurgery for treatment of brain metastases. A report of the DEGRO Working Group on Stereotactic Radiotherapy. *Strahlentherapie und Onkologie*, 190(6), 521-532. DOI: <http://dx.doi.org/10.1007/s00066-014-0648-7>

Koga, T., Maruyama, K., Tanaka, M., Ino, Y., Saito, N., Nakagawa, K., ... Todo, T. (2012). Extended field stereotactic radiosurgery for recurrent glioblastoma. *Cancer*, 118(17), 4193-4200. DOI: <http://dx.doi.org/10.1002/cncr.27372>

Koga, T., Shin, M., Maruyama, K., Kamada, K., Ota, T., Itoh, D., ... Saito, N. (2012). Integration of corticospinal tractography reduces motor complications after radiosurgery. *International Journal of Radiation Oncology, Biology, Physics*, 83(1), 129-133. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.05.036>

Koga, T., Shin, M., Terahara, A., & Saito, N. (2011). Outcomes of radiosurgery for brainstem arteriovenous malformations. *Neurosurgery*, 69(1), 45-51; discussion 51-42. DOI: <http://dx.doi.org/10.1227/NEU.0b013e31821421d1>

Kohutek, Z. A., Wu, A. J., Zhang, Z., Foster, A., Din, S. U., Yorke, E. D., ... Rimner, A. (2015). FDG-PET maximum standardized uptake value is prognostic for recurrence and survival after stereotactic body radiotherapy for non-small cell lung cancer. *Lung Cancer*, 89(2), 115-120. DOI: <http://dx.doi.org/10.1016/j.lungcan.2015.05.019>

Kohutek, Z. A., Wu, A. J., Zhang, Z., Foster, A., Din, S. U., Yorke, E. D., ... Rimner, A. (2015). FDG-PET maximum standardized uptake value is prognostic for recurrence and survival after stereotactic body radiotherapy for non-small cell lung cancer. *Lung Cancer*, 89(2), 115-120. DOI: <http://dx.doi.org/10.1016/j.lungcan.2015.05.019>

- Kohutek, Z. A., Yamada, Y., Chan, T. A., Brennan, C. W., Tabar, V., Gutin, P. H., ... Beal, K. (2015). Long-term risk of radionecrosis and imaging changes after stereotactic radiosurgery for brain metastases. *Journal of Neuro-Oncology*, 125(1), 149-156. DOI: <http://dx.doi.org/10.1007/s11060-015-1881-3>
- Kohutek, Z. A., Yamada, Y., Chan, T. A., Brennan, C. W., Tabar, V., Gutin, P. H., ... Beal, K. (2015). Long-term risk of radionecrosis and imaging changes after stereotactic radiosurgery for brain metastases. *Journal of Neuro-Oncology*, 125(1), 149-156. DOI: <http://dx.doi.org/10.1007/s11060-015-1881-3>
- Kole, T. P., Chen, L. N., Obayomi-Davies, O., Kim, J. S., Lei, S., Suy, S., ... Collins, S. P. (2015). Prostate specific antigen kinetics following robotic stereotactic body radiotherapy for localized prostate cancer. *Acta Oncologica*, 54(6), 832-838. DOI: <http://dx.doi.org/10.3109/0284186X.2014.983656>
- Kole, T. P., Nichols, R. C., Lei, S., Wu, B., Huh, S. N., Morris, C. G., ... Collins, S. P. (2015). A dosimetric comparison of ultra-hypofractionated passively scattered proton radiotherapy and stereotactic body radiotherapy (SBRT) in the definitive treatment of localized prostate cancer. *Acta Oncologica*, 54(6), 825-831. DOI: <http://dx.doi.org/10.3109/0284186X.2014.953260>
- Kolokythas, A., Weiskopf, S., Singh, M., & Cabay, R. J. (2015). Renal Cell Carcinoma: Delayed Metachronous Metastases to Parotid and Cerebellum. *Journal of Oral & Maxillofacial Surgery*, 73(7), 1296-1303. DOI: <http://dx.doi.org/10.1016/j.joms.2015.01.017>
- Koltz, M. T., Polifka, A. J., Saltos, A., Slawson, R. G., Kwok, Y., Aldrich, E. F., & Simard, J. M. (2013). Long-term outcome of Gamma Knife stereotactic radiosurgery for arteriovenous malformations graded by the Spetzler-Martin classification. *Journal of Neurosurgery*, 118(1), 74-83. DOI: <http://dx.doi.org/10.3171/2012.9.JNS112329>
- Komaki, R. (2016). Targeted treatment for the non-small cell lung cancer. *Radiotherapy and Oncology. Conference: International Conference on Translational Research in Radiation Oncology/Physics for Health in Europe, ICTR PHE*, 118, S59-S60.
- Kondziolka, D., Flickinger, J. C., & Lunsford, L. D. (2012). Radiosurgery for brain metastases. *Progress in Neurological Surgery*, 25, 115-122. DOI: <http://dx.doi.org/10.1159/000331184>
- Kondziolka, D., Mousavi, S. H., Kano, H., Flickinger, J. C., & Lunsford, L. D. (2012). The newly diagnosed vestibular schwannoma: radiosurgery, resection, or observation? *Neurosurgical Focus*, 33(3), E8. DOI: <http://dx.doi.org/10.3171/2012.6.FOCUS12192>
- Kong, L., Hu, J., Guan, X., Gao, J., Lu, R., & Lu, J. J. (2016). Phase I/II trial evaluating carbon ion radiotherapy for salvaging treatment of locally recurrent nasopharyngeal carcinoma. *Journal of Cancer*, 7(7), 774-783. DOI: [10.7150/jca.14399](http://dx.doi.org/10.7150/jca.14399)
- Kooshkabadi, A., Lunsford, L. D., Tonetti, D., Flickinger, J. C., & Kondziolka, D. (2013). Gamma Knife thalamotomy for tremor in the magnetic resonance imaging era. *Journal of Neurosurgery*, 118(4), 713-718. DOI: <http://dx.doi.org/10.3171/2013.1.JNS121111>
- Kosaki, K., Shibamoto, Y., Hirai, T., Hatano, M., Tomita, N., Kobayashi, T., & Mori, Y. (2012). Regression curves of brain metastases after gamma knife irradiation: Difference by tumor and patient characteristics. *Cancer Science*, 103(11), 1967-1973. DOI: <http://dx.doi.org/10.1111/j.1349-7006.2012.02392.x>
- Koshy, M., Malik, R., Mahmood, U., Husain, Z., & Sher, D. J. (2015). Stereotactic body radiotherapy and treatment at a high volume facility is associated with improved survival in patients with inoperable stage I non-small cell lung cancer. *Radiotherapy & Oncology*, 114(2), 148-154. DOI: <http://dx.doi.org/10.1016/j.radonc.2014.12.004>

- Kotb, S., Lux, F., Claire Rodriguez, L., Tillement, O., & Sancey, L. (2016). Nanoparticle enhanced MRI-guided radiation therapy: Final proof of concept before phase i trial. *Radiotherapy and Oncology*. Conference: International Conference on Translational Research in Radiation Oncology/Physics for Health in Europe, ICTR PHE, 118, S61-S62.
- Kotecha, R., Angelov, L., Barnett, G. H., Reddy, C. A., Suh, J. H., Murphy, E. S., ... Chao, S. T. (2014). Calvarial and skull base metastases: expanding the clinical utility of Gamma Knife surgery. *Journal of Neurosurgery*, 121 Suppl, 91-101. DOI: <http://dx.doi.org/10.3171/2014.7.GKS141272>
- Kothari, G., Foroudi, F., Gill, S., Corcoran, N. M., & Siva, S. (2015). Outcomes of stereotactic radiotherapy for cranial and extracranial metastatic renal cell carcinoma: a systematic review. *Acta Oncologica*, 54(2), 148-157. DOI: <http://dx.doi.org/10.3109/0284186X.2014.939298>
- Koutourousiou, M., Gardner, P. A., Fernandez-Miranda, J. C., Tyler-Kabara, E. C., Wang, E. W., & Snyderman, C. H. (2013). Endoscopic endonasal surgery for craniopharyngiomas: surgical outcome in 64 patients. *Journal of Neurosurgery*, 119(5), 1194-1207. DOI: <http://dx.doi.org/10.3171/2013.6.JNS122259>
- Kovac, S., Diehl, B., Wehner, T., Fois, C., Toms, N., Walker, M. C., & Duncan, J. S. (2015). Gelastic seizures: incidence, clinical and EEG features in adult patients undergoing video-EEG telemetry. *Epilepsia*, 56(1), e1-5. DOI: <http://dx.doi.org/10.1111/epi.12868>
- Koyfman, S. A., Djemil, T., Burdick, M. J., Woody, N., Balagamwala, E. H., Reddy, C. A., ... Chao, S. T. (2012). Marginal recurrence requiring salvage radiotherapy after stereotactic body radiotherapy for spinal metastases. *International Journal of Radiation Oncology, Biology, Physics*, 83(1), 297-302. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.05.067>
- Kralik, M., Solc, J., Vondracek, V., Smoldasova, J., Farkasova, E., & Ticha, I. (2015). Spectral fluence of neutrons generated by radiotherapeutic linacs. *Radiation Protection Dosimetry*, 163(3), 373-380. DOI: <http://dx.doi.org/10.1093/rpd/ncu192>
- Kranzinger, M., Zehentmayr, F., Fastner, G., Oberascher, G., Merz, F., Nairz, O., ... Sedlmayer, F. (2014). Hypofractionated stereotactic radiotherapy of acoustic neuroma: volume changes and hearing results after 89-month median follow-up. *Strahlentherapie und Onkologie*, 190(9), 798-805. DOI: <http://dx.doi.org/10.1007/s00066-014-0630-4>
- Krause, S., Beck, S., Schramm, O., Schubert, K., Hauswald, H., Zabel-du Bois, A., ... Sterzing, F. (2013). Tomotherapy radiosurgery for arteriovenous malformations--current possibilities and future options with helical tomotherapy dynamic jaws? *Technology in Cancer Research & Treatment*, 12(5), 421-428. DOI: <http://dx.doi.org/10.7785/tcr.2012.500335>
- Krause, S., Beck, S., Schramm, O., Schubert, K., Hauswald, H., Zabel-du Bois, A., ... Sterzing, F. (2013). Tomotherapy radiosurgery for arteriovenous malformations--current possibilities and future options with helical tomotherapy dynamic jaws? *Technology in Cancer Research & Treatment*, 12(5), 421-428. DOI: <http://dx.doi.org/10.7785/tcr.2012.500335>
- Krema, H., Heydarian, M., Beiki-Ardakani, A., Weisbrod, D., Xu, W., Lapierre, N. J., & Sahgal, A. (2013). Dosimetric and late radiation toxicity comparison between iodine-125 brachytherapy and stereotactic radiation therapy for juxtapapillary choroidal melanoma. *International Journal of Radiation Oncology, Biology, Physics*, 86(3), 510-515. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.02.005>
- Krema, H., Heydarian, M., Beiki-Ardakani, A., Weisbrod, D., Xu, W., Simpson, E. R., & Sahgal, A. (2013). A comparison between 125 Iodine brachytherapy and stereotactic radiotherapy in the management

of juxtapapillary choroidal melanoma. *British Journal of Ophthalmology*, 97(3), 327-332. DOI: <http://dx.doi.org/10.1136/bjophthalmol-2012-302808>

- Kress, M. A., Collins, B. T., Collins, S. P., Dritschilo, A., Gagnon, G., & Unger, K. (2012). Scoring system predictive of survival for patients undergoing stereotactic body radiation therapy for liver tumors. *Radiation Oncology*, 7, 148. DOI: <http://dx.doi.org/10.1186/1748-717X-7-148>
- Kress, M. A., Oermann, E., Ewend, M. G., Hoffman, R. B., Chaudhry, H., & Collins, B. (2013). Stereotactic radiosurgery for single brain metastases from non-small cell lung cancer: progression of extracranial disease correlates with distant intracranial failure. *Radiation Oncology*, 8, 64. DOI: <http://dx.doi.org/10.1186/1748-717X-8-64>

- Kress, M. A., Sen, N., Unger, K. R., Lominska, C. E., Deeken, J. F., Davidson, B. J., ... Harter, K. W. (2015). Safety and efficacy of hypofractionated stereotactic body reirradiation in head and neck cancer: Long-term follow-up of a large series. *Head & Neck*, 37(10), 1403-1409. DOI: <http://dx.doi.org/10.1002/hed.23763>

- Krishna, U., Shah, N., Pathak, R., Gupta, T., Lila, A., Menon, P., ... Jalali, R. (2013). Prospective long-term neuroendocrine assessment in children and young adults with progressive benign/low-grade brain tumors treated with conventional or stereotactic conformal radiotherapy (SCRT)-results of a randomised controlled trial. *Neuro oncology*, 15(21).

- Kuba, S., Ishida, M., Nakamura, Y., Yamanouchi, K., Minami, S., Taguchi, K., ... Ohno, S. (2014). Treatment and prognosis of breast cancer patients with brain metastases according to intrinsic subtype. *Japanese Journal of Clinical Oncology*, 44(11), 1025-1031. DOI: <http://dx.doi.org/10.1093/jjco/hyu126>

- Kubicek, G. J., Xue, J., Xu, Q., Asbell, S. O., Hughes, L., Kramer, N., ... LaCouture, T. (2013). Stereotactic body radiotherapy as an alternative to brachytherapy in gynecologic cancer. *BioMed Research International*, 2013, 898953. DOI: <http://dx.doi.org/10.1155/2013/898953>

- Kuhn, E. N., Chan, M. D., Tatter, S. B., & Ellis, T. L. (2012). Gamma knife stereotactic radiosurgery for radiation-induced meningiomas. *Stereotactic & Functional Neurosurgery*, 90(6), 365-369. DOI: <http://dx.doi.org/10.1159/000339636>

- Kuhn, E. N., Taksler, G. B., Dayton, O., Loganathan, A., Bourland, D., Tatter, S. B., ... Chan, M. D. (2014). Is there a tumor volume threshold for postradiosurgical symptoms? A single-institution analysis. *Neurosurgery*, 75(5), 536-545; discussion 544-535; quiz 545. DOI: <http://dx.doi.org/10.1227/NEU.00000000000000519>

- Kuhn, E. N., Taksler, G. B., Dayton, O., Loganathan, A. G., Vern-Gross, T. Z., Bourland, J. D., ... Tatter, S. B. (2013). Patterns of recurrence after stereotactic radiosurgery for treatment of meningiomas. *Neurosurgical Focus*, 35(6), E14. DOI: <http://dx.doi.org/10.3171/2013.8.FOCUS13283>

- Kumar, R., Laack, N., Pollock, B. E., Link, M., O'Neill, B. P., & Parney, I. F. (2015). Stereotactic Radiosurgery in the Treatment of Recurrent CNS Lymphoma. *World Neurosurgery*, 84(2), 390-397. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.03.062>

- Kumar, R., Laack, N., Pollock, B. E., Link, M., O'Neill, B. P., & Parney, I. F. (2015). Stereotactic Radiosurgery in the Treatment of Recurrent CNS Lymphoma. *World Neurosurgery*, 84(2), 390-397. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.03.062>

- Kumar, R., Wild, A. T., Ziegler, M. A., Hooker, T. K., Dah, S. D., Tran, P. T., ... Herman, J. M. (2013). Stereotactic body radiation therapy planning with duodenal sparing using volumetric-modulated arc therapy vs intensity-modulated radiation therapy in locally advanced pancreatic cancer: a

- dosimetric analysis. *Medical Dosimetry*, 38(3), 243-250. DOI: <http://dx.doi.org/10.1016/j.meddos.2013.02.003>
- Kumar, R., Wild, A. T., Ziegler, M. A., Hooker, T. K., Dah, S. D., Tran, P. T., ... Herman, J. M. (2013). Stereotactic body radiation therapy planning with duodenal sparing using volumetric-modulated arc therapy vs intensity-modulated radiation therapy in locally advanced pancreatic cancer: a dosimetric analysis. *Medical Dosimetry*, 38(3), 243-250. DOI: <http://dx.doi.org/10.1016/j.meddos.2013.02.003>
- Kumar, S., Arbab, A. S., Jain, R., Kim, J., deCarvalho, A. C., Shankar, A., ... Brown, S. L. (2012). Development of a novel animal model to differentiate radiation necrosis from tumor recurrence.[Erratum appears in J Neurooncol. 2012 Jul;108(3):421]. *Journal of Neuro-Oncology*, 108(3), 411-420. DOI: <http://dx.doi.org/10.1007/s11060-012-0846-z>
- Kumar, S., Arbab, A. S., Jain, R., Kim, J., deCarvalho, A. C., Shankar, A., ... Brown, S. L. (2012). Development of a novel animal model to differentiate radiation necrosis from tumor recurrence.[Erratum appears in J Neurooncol. 2012 Jul;108(3):421]. *Journal of Neuro-Oncology*, 108(3), 411-420. DOI: <http://dx.doi.org/10.1007/s11060-012-0846-z>
- Kunishima, K., Shin, M., Kunimatsu, A., Aoki, S., Sasaki, H., Koga, T., ... Saito, N. (2010). Contrast-enhanced magnetic resonance characteristics of arteriovenous malformations after gamma knife radiosurgery: predictors of post-angiographic obliteration hemorrhage. *Neurosurgery*, 67(1), 100-109; discussion 109. DOI: <http://dx.doi.org/10.1227/01.NEU.0000370601.17570.4>
- Kunkler, I. H., Audisio, R., Belkacemi, Y., Betz, M., Gore, E., Hoffe, S., ... Force, S. R. T. (2014). Review of current best practice and priorities for research in radiation oncology for elderly patients with cancer: the International Society of Geriatric Oncology (SIOG) task force. *Annals of Oncology*, 25(11), 2134-2146. DOI: <http://dx.doi.org/10.1093/annonc/mdu104>
- Kunkler, I. H., Audisio, R., Belkacemi, Y., Betz, M., Gore, E., Hoffe, S., ... Force, S. R. T. (2014). Review of current best practice and priorities for research in radiation oncology for elderly patients with cancer: the International Society of Geriatric Oncology (SIOG) task force. *Annals of Oncology*, 25(11), 2134-2146. DOI: <http://dx.doi.org/10.1093/annonc/mdu104>
- Kunos, C. A., Debernardo, R., Radivoyevitch, T., Fabien, J., Dobbins, D. C., Zhang, Y., & Brindle, J. (2012). Hematological toxicity after robotic stereotactic body radiosurgery for treatment of metastatic gynecologic malignancies. *International Journal of Radiation Oncology, Biology, Physics*, 84(1), e35-41. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.02.027>
- Kunzel, J., de Tristan, J., Mantsopoulos, K., Koch, M., Baussmerth, M., Zenk, J., & Iro, H. (2014). Experiences in the treatment of patients with multiple head and neck paragangliomas. *American Journal of Otolaryngology*, 35(3), 294-299. DOI: <http://dx.doi.org/10.1016/j.amjoto.2014.02.012>
- Kunzel, J., Koch, M., Brase, C., Fietkau, R., Iro, H., & Zenk, J. (2014). Treatment of cervical paragangliomas: is surgery the only way? *American Journal of Otolaryngology*, 35(2), 186-191. DOI: <http://dx.doi.org/10.1016/j.amjoto.2013.08.020>
- Kuremsky, J. G., Urbanic, J. J., Petty, W. J., Lovato, J. F., Bourland, J. D., Tatter, S. B., ... Chan, M. D. (2013). Tumor histology predicts patterns of failure and survival in patients with brain metastases from lung cancer treated with gamma knife radiosurgery. *Neurosurgery*, 73(4), 641-647; discussion 647. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000072>
- Kuremsky, J. G., Urbanic, J. J., Petty, W. J., Lovato, J. F., Bourland, J. D., Tatter, S. B., ... Chan, M. D. (2013). Tumor histology predicts patterns of failure and survival in patients with brain metastases from

lung cancer treated with gamma knife radiosurgery. *Neurosurgery*, 73(4), 641-647; discussion 647. DOI: <http://dx.doi.org/10.1227/NEU.00000000000000072>

Kurtz, G., Zadeh, G., Gingras-Hill, G., Millar, B. A., Laperriere, N. J., Bernstein, M., ... Chung, C. (2014). Salvage radiosurgery for brain metastases: prognostic factors to consider in patient selection. *International Journal of Radiation Oncology, Biology, Physics*, 88(1), 137-142. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.10.003>

Kushnirsky, M., Katz, J., Knisely, J., Schulder, M., Steinklein, J., Rosen, L., ... Nguyen, V. (2013). Time delayed contrast enhanced MRI improves detection of brain metastases and apparent treatment volumes. *Neuro oncology*, 15(21).

Kwint, M., Conijn, S., Schaake, E., Knegjens, J., Rossi, M., Remeijer, P., ... Belderbos, J. (2014). Intra thoracic anatomical changes in lung cancer patients during the course of radiotherapy. *Radiotherapy & Oncology*, 113(3), 392-397. DOI: <http://dx.doi.org/10.1016/j.radonc.2014.10.009>

Kwon, H. J., Ko, J. S., Kim, M., Lee, C. S., & Lee, S. C. (2013). Prognosis of choroidal melanoma and the result of ruthenium brachytherapy combined with transpupillary thermotherapy in Korean patients. *British Journal of Ophthalmology*, 97(5), 653-658. DOI: <http://dx.doi.org/10.1136/bjophthalmol-2012-302584>

Kymionis, G. D., Tsoulharas, K. I., Liakopoulos, D. A., Skatharoudi, C. A., Grentzelos, M. A., & Tsakalis, N. G. (2016). Corneal stromal demarcation line depth following standard and a modified high intensity corneal cross-linking protocol. *Journal of refractive surgery (Thorofare, N.J. : 1995)* 32(4), 218-222.

Lagerwaard, F. J., Aaronson, N. K., Gundy, C. M., Haasbeek, C. J., Slotman, B. J., & Senan, S. (2012). Patient-reported quality of life after stereotactic ablative radiotherapy for early-stage lung cancer. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 7(7), 1148-1154. DOI: <http://dx.doi.org/10.1097/JTO.0b013e318252cef>

Lai, G., Mahadevan, A., Hackney, D., Warnke, P. C., Nigim, F., Kasper, E., ... Chen, C. C. (2015). Diagnostic Accuracy of PET, SPECT, and Arterial Spin-Labeling in Differentiating Tumor Recurrence from Necrosis in Cerebral Metastasis after Stereotactic Radiosurgery. *Ajnr: American Journal of Neuroradiology*, 36(12), 2250-2255. DOI: <http://dx.doi.org/10.3174/ajnr.A4475>

Lal, L. S., Byfield, S. D., Chang, E. L., Franzini, L., Miller, L. A., Arbuckle, R., ... Swint, J. M. (2012). Cost-effectiveness analysis of a randomized study comparing radiosurgery with radiosurgery and whole brain radiation therapy in patients with 1 to 3 brain metastases. *American Journal of Clinical Oncology*, 35(1), 45-50.

Lalondrelle, S., & Khoo, V. (2009). Brain metastases. *Clinical Evidence*.

Lambrecht, M., Melidis, C., Sonke, J. J., Adebahr, S., Boellaard, R., Verheij, M., ... Hurkmans, C. (2016). Lungtech, a phase II EORTC trial of SBRT for centrally located lung tumours - a clinical physics perspective. *Radiation Oncology*, 11, 7. DOI: <http://dx.doi.org/10.1186/s13014-015-0567-5>

Landoni, V., Borzi, G. R., Strolin, S., Bruzzaniti, V., Soriani, A., D'Alessio, D., ... Strigari, L. (2015). Clinical evaluation of X-ray voxel Monte Carlo versus pencil beam-based dose calculation in stereotactic body radiotherapy of lung cancer under normal and deep inspiration breath hold. *Technology in Cancer Research & Treatment*, 14(3), 334-342.

Lao, L., Hope, A. J., Maganti, M., Brade, A., Bezjak, A., Saibishkumar, E. P., ... Cho, B. C. (2014). Incidental prophylactic nodal irradiation and patterns of nodal relapse in inoperable early stage NSCLC patients treated with SBRT: a case-matched analysis. *International Journal of Radiation Oncology, Biology, Physics*, 90(1), 209-215. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.05.006>

- Larjani, S., Monsalves, E., Pebdani, H., Krischek, B., Gentili, F., Cusimano, M., ... Zadeh, G. (2014). Identifying predictors of early growth response and adverse radiation effects of vestibular schwannomas to radiosurgery. *PLoS ONE [Electronic Resource]*, 9(10), e110823. DOI: <http://dx.doi.org/10.1371/journal.pone.0110823>
- Latifi, K., Oliver, J., Baker, R., Dilling, T. J., Stevens, C. W., Kim, J., ... Feygelman, V. (2014). Study of 201 non-small cell lung cancer patients given stereotactic ablative radiation therapy shows local control dependence on dose calculation algorithm. *International Journal of Radiation Oncology, Biology, Physics*, 88(5), 1108-1113. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.12.047>
- Lau, S. K., Zakeri, K., Zhao, X., Carmona, R., Knipprath, E., Simpson, D. R., ... Murphy, K. T. (2015). Single-Isocenter Frameless Volumetric Modulated Arc Radiosurgery for Multiple Intracranial Metastases. *Neurosurgery*, 77(2), 233-240; discussion 240. DOI: <http://dx.doi.org/10.1227/NEU.00000000000000763>
- Lau, S. K., Zakeri, K., Zhao, X., Carmona, R., Knipprath, E., Simpson, D. R., ... Murphy, K. T. (2015). Single-Isocenter Frameless Volumetric Modulated Arc Radiosurgery for Multiple Intracranial Metastases. *Neurosurgery*, 77(2), 233-240; discussion 240. DOI: <http://dx.doi.org/10.1227/NEU.00000000000000763>
- Laufer, I., Iorgulescu, J. B., Chapman, T., Lis, E., Shi, W., Zhang, Z., ... Bilsky, M. H. (2013). Local disease control for spinal metastases following "separation surgery" and adjuvant hypofractionated or high-dose single-fraction stereotactic radiosurgery: outcome analysis in 186 patients. *Journal of Neurosurgery Spine*, 18(3), 207-214. DOI: <http://dx.doi.org/10.3171/2012.11.SPINE12111>
- Laufer, I., Rubin, D. G., Lis, E., Cox, B. W., Stubblefield, M. D., Yamada, Y., & Bilsky, M. H. (2013). The NOMS framework: approach to the treatment of spinal metastatic tumors. *Oncologist*, 18(6), 744-751. DOI: <http://dx.doi.org/10.1634/theoncologist.2012-0293>
- Lawton, M. T. (2015). The role of AVM microsurgery in the aftermath of a randomized trial of unruptured brain arteriovenous malformations. *American Journal of Neuroradiology*, 36(4), 617-619.
- Lazzara, B. M., Ortiz, O., Bordia, R., Witten, M. R., Haas, J. A., Katz, A. J., & Brown, J. A. (2013). Cyberknife radiosurgery in treating trigeminal neuralgia. *Journal of Neurointerventional Surgery*, 5(1), 81-85. DOI: <http://dx.doi.org/10.1136/neurintsurg-2011-010125>
- Le Reste, P. J., Henaux, P. L., Morandi, X., Carsin-Nicol, B., Brassier, G., & Riffaud, L. (2013). Sporadic intracranial haemangioblastomas: surgical outcome in a single institution series. *Acta Neurochirurgica*, 155(6), 1003-1009; discussion 1009. DOI: <http://dx.doi.org/10.1007/s00701-013-1681-5>
- Leavitt, J. A., Stafford, S. L., Link, M. J., & Pollock, B. E. (2013). Long-term evaluation of radiation-induced optic neuropathy after single-fraction stereotactic radiosurgery. *International Journal of Radiation Oncology, Biology, Physics*, 87(3), 524-527. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.06.2047>
- Lecavalier-Barsoum, M., Roy, D., Doucet, R., Fortin, B., Lambert, C., Moumdjian, R., & Bahary, J. P. (2013). Long-term results of radiosurgery for cerebral arteriovenous malformations. *Canadian Journal of Neurological Sciences*, 40(2), 182-186.
- Lee, C. C., Chen, C. J., Ball, B., Schlesinger, D., Xu, Z., Yen, C. P., & Sheehan, J. (2015). Stereotactic radiosurgery for arteriovenous malformations after Onyx embolization: a case-control study. *Journal of Neurosurgery*, 123(1), 126-135. DOI: <http://dx.doi.org/10.3171/2014.12.JNS141437>

- Lee, C. C., Chen, C. J., Ball, B., Schlesinger, D., Xu, Z., Yen, C. P., & Sheehan, J. (2015). Stereotactic radiosurgery for arteriovenous malformations after Onyx embolization: a case-control study. *Journal of Neurosurgery*, 123(1), 126-135. DOI: <http://dx.doi.org/10.3171/2014.12.JNS141437>
- Lee, C. C., Chen, C. J., Yen, C. P., Xu, Z., Schlesinger, D., Fezeu, F., & Sheehan, J. P. (2014). Whole-sellar stereotactic radiosurgery for functioning pituitary adenomas. *Neurosurgery*, 75(3), 227-237; discussion 237. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000425>
- Lee, C. C., Kano, H., Yang, H. C., Xu, Z., Yen, C. P., Chung, W. Y., ... Sheehan, J. P. (2014). Initial Gamma Knife radiosurgery for nonfunctioning pituitary adenomas. *Journal of Neurosurgery*, 120(3), 647-654. DOI: <http://dx.doi.org/10.3171/2013.11.JNS131757>
- Lee, C. C., Pan, D. H., Chung, W. Y., Liu, K. D., Yang, H. C., Wu, H. M., ... Shih, Y. H. (2012). Brainstem cavernous malformations: the role of Gamma Knife surgery.[Erratum appears in J Neurosurg. 2013 Jun;118(6):1387-8]. *Journal of Neurosurgery*, 117 Suppl, 164-169. DOI: <http://dx.doi.org/10.3171/2012.8.GKS121066>
- Lee, C. C., Pan, D. H., Wu, J. C., Chung, W. Y., Wu, H. M., Yang, H. C., ... Shih, Y. H. (2011). Gamma knife radiosurgery for glomus jugulare and tympanicum. *Stereotactic & Functional Neurosurgery*, 89(5), 291-298. DOI: <http://dx.doi.org/10.1159/000328890>
- Lee, C. C., Reardon, M. A., Ball, B. Z., Chen, C. J., Yen, C. P., Xu, Z., ... Sheehan, J. (2015). The predictive value of magnetic resonance imaging in evaluating intracranial arteriovenous malformation obliteration after stereotactic radiosurgery. *Journal of Neurosurgery*, 123(1), 136-144. DOI: <http://dx.doi.org/10.3171/2014.10.JNS141565>
- Lee, C. C., Vance, M. L., Lopes, M. B., Xu, Z., Chen, C. J., & Sheehan, J. (2015). Stereotactic radiosurgery for acromegaly: outcomes by adenoma subtype. *Pituitary*, 18(3), 326-334. DOI: <http://dx.doi.org/10.1007/s11102-014-0578-5>
- Lee, C. C., Vance, M. L., Xu, Z., Yen, C. P., Schlesinger, D., Dodson, B., & Sheehan, J. (2014). Stereotactic radiosurgery for acromegaly. *Journal of Clinical Endocrinology & Metabolism*, 99(4), 1273-1281. DOI: <http://dx.doi.org/10.1210/jc.2013-3743>
- Lee, C. C., Wintermark, M., Xu, Z., Yen, C. P., Schlesinger, D., & Sheehan, J. P. (2014). Application of diffusion-weighted magnetic resonance imaging to predict the intracranial metastatic tumor response to gamma knife radiosurgery. *Journal of Neuro-Oncology*, 118(2), 351-361. DOI: <http://dx.doi.org/10.1007/s11060-014-1439-9>
- Lee, C. C., Wu, H. M., Chung, W. Y., Chen, C. J., Pan, D. H., & Hsu, S. P. (2014). Microsurgery for vestibular schwannoma after Gamma Knife surgery: challenges and treatment strategies. *Journal of Neurosurgery*, 121 Suppl, 150-159. DOI: <http://dx.doi.org/10.3171/2014.8.GKS141312>
- Lee, C. C., Yang, H. C., Chen, C. J., Hung, Y. C., Wu, H. M., Shiau, C. Y., ... Liu, K. D. (2014). Gamma Knife surgery for craniopharyngioma: report on a 20-year experience. *Journal of Neurosurgery*, 121 Suppl, 167-178. DOI: <http://dx.doi.org/10.3171/2014.8.GKS141411>
- Lee, C. C., Yen, C. P., Xu, Z., Schlesinger, D., & Sheehan, J. (2014). Large intracranial metastatic tumors treated by Gamma Knife surgery: outcomes and prognostic factors. *Journal of Neurosurgery*, 120(1), 52-59. DOI: <http://dx.doi.org/10.3171/2013.9.JNS131163>
- Lee, C. H., Kim, D. G., Kim, J. W., Han, J. H., Kim, Y. H., Park, C. K., ... Jung, H. W. (2013). The role of surgical resection in the management of brain metastasis: a 17-year longitudinal study. *Acta Neurochirurgica*, 155(3), 389-397. DOI: <http://dx.doi.org/10.1007/s00701-013-1619-y>

- Lee, E. M., Kang, J. K., Kim, S. J., Hong, S. H., Ko, T. S., Lee, S. A., ... Lee, J. K. (2015). Gamma Knife radiosurgery for recurrent or residual seizures after anterior temporal lobectomy in mesial temporal lobe epilepsy patients with hippocampal sclerosis: long-term follow-up results of more than 4 years. *Journal of Neurosurgery*, 123(6), 1375-1382. DOI: <http://dx.doi.org/10.3171/2014.12.JNS141280>
- Lee, E. M., Kang, J. K., Kim, S. J., Hong, S. H., Ko, T. S., Lee, S. A., ... Lee, J. K. (2015). Gamma Knife radiosurgery for recurrent or residual seizures after anterior temporal lobectomy in mesial temporal lobe epilepsy patients with hippocampal sclerosis: long-term follow-up results of more than 4 years. *Journal of Neurosurgery*, 123(6), 1375-1382. DOI: <http://dx.doi.org/10.3171/2014.12.JNS141280>
- Lee, J. K., Kim, D. R., Huh, Y. H., Kim, J. K., Namgung, W. C., & Hong, S. H. (2013). Long-term outcome of gamma knife surgery using a retrogasserian petrous bone target for classic trigeminal neuralgia. *Acta Neurochirurgica - Supplement*, 116, 127-135. DOI: [http://dx.doi.org/10.1007/978-3-7091-1376-9\\_20](http://dx.doi.org/10.1007/978-3-7091-1376-9_20)
- Lee, J. Y., Sandhu, S., Miller, D., Solberg, T., Dorsey, J. F., & Alonso-Basanta, M. (2015). Higher dose rate Gamma Knife radiosurgery may provide earlier and longer-lasting pain relief for patients with trigeminal neuralgia. *Journal of Neurosurgery*, 123(4), 961-968. DOI: <http://dx.doi.org/10.3171/2014.12.JNS142013>
- Lee, K. D., DePowell, J. J., Air, E. L., Dwivedi, A. K., Kendler, A., & McPherson, C. M. (2013). Atypical meningiomas: is postoperative radiotherapy indicated? *Neurosurgical Focus*, 35(6), E15. DOI: <http://dx.doi.org/10.3171/2013.9.FOCUS13325>
- Lee, K. D., DePowell, J. J., Air, E. L., Dwivedi, A. K., Kendler, A., & McPherson, C. M. (2013). Atypical meningiomas: is postoperative radiotherapy indicated? *Neurosurgical Focus*, 35(6), E15. DOI: <http://dx.doi.org/10.3171/2013.9.FOCUS13325>
- Lee, L., Sitoh, Y. Y., Ng, I., & Ng, W. H. (2013). Cortical reorganization of motor functional areas in cerebral arteriovenous malformations. *Journal of Clinical Neuroscience*, 20(5), 649-653. DOI: <http://dx.doi.org/10.1016/j.jocn.2012.07.007>
- Lee, M. E., Hwang, Y. J., Sohn, M. J., Lee, B. H., & Kim, S. Y. (2015). Assessment of the treatment response of spinal meningiomas after radiosurgery focusing on serial MRI findings. *Japanese Journal of Radiology*, 33(9), 547-558. DOI: <http://dx.doi.org/10.1007/s11604-015-0455-9>
- Lee, M. H., Kim, S. H., Seoul, H. J., Nam, D. H., Lee, J. I., Park, K., ... Kong, D. S. (2012). Impact of maximal safe resection on the clinical outcome of adults with craniopharyngiomas. *Journal of Clinical Neuroscience*, 19(7), 1005-1008. DOI: <http://dx.doi.org/10.1016/j.jocn.2011.09.033>
- Lee, M. H., Kong, D. S., Seol, H. J., Nam, D. H., & Lee, J. I. (2013). Risk of seizure and its clinical implication in the patients with cerebral metastasis from lung cancer. *Acta Neurochirurgica*, 155(10), 1833-1837. DOI: <http://dx.doi.org/10.1007/s00701-013-1826-6>
- Lee, M. K., Javadpour, M., & Jenkinson, M. D. (2013). Is stereotactic radiosurgery under-utilised in the treatment of surgically excisable cerebral metastases? *British Journal of Neurosurgery*, 27(5), 658-661. DOI: <http://dx.doi.org/10.3109/02688697.2013.791666>
- Lee, S., & Chun, M. (2012). Pain relief by Cyberknife radiosurgery for spinal metastasis. *Tumori*, 98(2), 238-242. DOI: <http://dx.doi.org/10.1700/1088.11936>

- Lee, S. H., Choi, H. J., Shin, H. S., Choi, S. K., Oh, I. H., & Lim, Y. J. (2014). Gamma Knife radiosurgery for brainstem cavernous malformations: should a patient wait for the rebleed? *Acta Neurochirurgica*, 156(10), 1937-1946. DOI: <http://dx.doi.org/10.1007/s00701-014-2155-0>
- Lee, S. H., Seol, H. J., Kong, D. S., Nam, D. H., Park, K., Kim, J. H., & Lee, J. I. (2012). Risk factors and tumor response associated with hydrocephalus after gamma knife radiosurgery for vestibular schwannoma. *Acta Neurochirurgica*, 154(9), 1679-1684. DOI: <http://dx.doi.org/10.1007/s00701-012-1350-0>
- Lee, S. H., Tatsui, C. E., Ghia, A. J., Amini, B., Li, J., Zavarella, S. M., ... Rhines, L. D. (2016). Can the spinal instability neoplastic score prior to spinal radiosurgery predict compression fractures following stereotactic spinal radiosurgery for metastatic spinal tumor?: a post hoc analysis of prospective phase II single-institution trials. *Journal of Neuro-Oncology*, 126(3), 509-517. DOI: <http://dx.doi.org/10.1007/s11060-015-1990-z>
- Lee, S. W., Jang, H. S., Lee, J. H., Kim, S. H., & Yoon, S. C. (2014). Stereotactic body radiation therapy for prostate cancer patients with old age or medical comorbidity: a 5-year follow-up of an investigational study. *Medicine*, 93(28), e290. DOI: <http://dx.doi.org/10.1097/MD.0000000000000290>
- Lee, Y. F., Lee, C. C., Wang, M. C., Liu, K. D., Wu, H. M., Guo, W. Y., ... Hsu, S. P. (2015). Cervical vestibular-evoked myogenic potential in vestibular schwannoma after gamma-knife surgery. *Auris, Nasus, Larynx*, 42(4), 265-270. DOI: <http://dx.doi.org/10.1016/j.anl.2015.01.004>
- Lee, Y. H., Son, S. H., Yoon, S. C., Yu, M., Choi, B. O., Kim, Y. S., ... Hwang, T. K. (2014). Stereotactic body radiotherapy for prostate cancer: a preliminary report. *Asia-Pacific Journal of Clinical Oncology*, 10(2), e46-53. DOI: <http://dx.doi.org/10.1111/j.1743-7563.2012.01589.x>
- Leeman, J. E., Clump, D. A., Flickinger, J. C., Mintz, A. H., Burton, S. A., & Heron, D. E. (2013). Extent of perilesional edema differentiates radionecrosis from tumor recurrence following stereotactic radiosurgery for brain metastases. *Neuro-Oncology*, 15(12), 1732-1738. DOI: <http://dx.doi.org/10.1093/neuonc/not130>
- Leeman, J. E., Clump, D. A., Wegner, R. E., Heron, D. E., Burton, S. A., & Mintz, A. H. (2012). Prescription dose and fractionation predict improved survival after stereotactic radiotherapy for brainstem metastases. *Radiation Oncology*, 7, 107. DOI: <http://dx.doi.org/10.1186/1748-717X-7-107>
- Leenstra, J. L., Tanaka, S., Kline, R. W., Brown, P. D., Link, M. J., Nippoldt, T. B., ... Pollock, B. E. (2010). Factors associated with endocrine deficits after stereotactic radiosurgery of pituitary adenomas. *Neurosurgery*, 67(1), 27-32; discussion 32-23. DOI: <http://dx.doi.org/10.1227/01.NEU.0000370978.31405.A9>
- Lefranc, M., Capel, C., Pruvot, A. S., Fichten, A., Desenclos, C., Toussaint, P., ... Peltier, J. (2014). The impact of the reference imaging modality, registration method and intraoperative flat-panel computed tomography on the accuracy of the ROSA stereotactic robot. *Stereotactic & Functional Neurosurgery*, 92(4), 242-250. DOI: <http://dx.doi.org/10.1159/000362936>
- Lei, J., Wang, W., & Yan, L. (2013). Downstaging advanced hepatocellular carcinoma to the Milan criteria may provide a comparable outcome to conventional Milan criteria. *Journal of Gastrointestinal Surgery*, 17(8), 1440-1446. DOI: <http://dx.doi.org/10.1007/s11605-013-2229-y>
- Leinders, S. M., Breedveld, S., Mendez Romero, A., Schaart, D., Seppenwoolde, Y., & Heijmen, B. J. (2013). Adaptive liver stereotactic body radiation therapy: automated daily plan reoptimization prevents

- dose delivery degradation caused by anatomy deformations. *International Journal of Radiation Oncology, Biology, Physics*, 87(5), 1016-1021. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.08.009>
- Lester-Coll, N. H., Dosoretz, A. P., & Yu, J. B. (2014). Decision analysis of stereotactic radiation surgery versus stereotactic radiation surgery and whole-brain radiation therapy for 1 to 3 brain metastases. *International Journal of Radiation Oncology, Biology, Physics*, 89(3), 563-568. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.03.001>
- Leth, T., von Oettingen, G., Lassen-Ramshad, Y. A., Lukacova, S., & Hoyer, M. (2015). Survival and prognostic factors in patients treated with stereotactic radiotherapy for brain metastases. *Acta Oncologica*, 54(1), 107-114. DOI: <http://dx.doi.org/10.3109/0284186X.2014.921724>
- Leung, H. W. C., Chan, A. L. F., & Muo, C. H. (2016). Cost-effectiveness of Gemcitabine Plus Modern Radiotherapy in Locally Advanced Pancreatic Cancer. *Clinical therapeutics*, 38(5), 1174-1183.
- Levegrün, S., Pottgen, C., Wittig, A., Lubcke, W., Abu Jawad, J., & Stuschke, M. (2013). Helical tomotherapy for whole-brain irradiation with integrated boost to multiple brain metastases: evaluation of dose distribution characteristics and comparison with alternative techniques. *International Journal of Radiation Oncology, Biology, Physics*, 86(4), 734-742. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.03.031>
- Levegrün, S., Pottgen, C., Wittig, A., Lubcke, W., Abu Jawad, J., & Stuschke, M. (2013). Helical tomotherapy for whole-brain irradiation with integrated boost to multiple brain metastases: evaluation of dose distribution characteristics and comparison with alternative techniques. *International Journal of Radiation Oncology, Biology, Physics*, 86(4), 734-742.
- Leveque, M., Carron, R., Bartolomei, F., & Regis, J. (2013). Radiosurgical treatment for epilepsy associated with cavernomas. *Progress in Neurological Surgery*, 27, 157-165. DOI: <http://dx.doi.org/10.1159/000341785>
- Leveque, M., Carron, R., & Regis, J. (2013). Radiosurgery for the treatment of psychiatric disorders: a review. *World Neurosurgery*, 80(3-4), S32.e31-39. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.07.004>
- Leveque, M., Carron, R., & Regis, J. (2013). Radiosurgery for the treatment of psychiatric disorders: a review. *World Neurosurgery*, 80(3-4), S32.e31-39. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.07.004>
- Li, C., Xiong, Y., Zhou, Z., Peng, Y., Huang, H., Xu, M., ... Yang, X. (2014). Stereotactic body radiotherapy with concurrent chemotherapy extends survival of patients with limited stage small cell lung cancer: a single-center prospective phase II study. *Medical Oncology*, 31(12), 369. DOI: <http://dx.doi.org/10.1007/s12032-014-0369-x>
- Li, C. D., Luo, S. Q., Gong, J., Ma, Z. Y., Jia, G., Zhang, Y. Q., & Li, J. F. (2013). Surgical treatment of hypothalamic hamartoma causing central precocious puberty: long-term follow-up. *Journal of Neurosurgery. Pediatrics*, 12(2), 151-154. DOI: <http://dx.doi.org/10.3171/2013.4.PEDS12617>
- Li, D., Tsimpas, A., & Germanwala, A. V. (2015). Analysis of vestibular schwannoma size: A literature review on consistency with measurement techniques. *Clinical Neurology & Neurosurgery*, 138, 72-77. DOI: <http://dx.doi.org/10.1016/j.clineuro.2015.08.003>
- Li, D., Zhang, J., Hao, S., Tang, J., Xiao, X., Wu, Z., & Zhang, L. (2013). Surgical treatment and long-term outcomes of thalamic cavernous malformations. *World Neurosurgery*, 79(5-6), 704-713. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.01.037>

- Li, D., Zhang, J., Hao, S., Tang, J., Xiao, X., Wu, Z., & Zhang, L. (2013). Surgical treatment and long-term outcomes of thalamic cavernous malformations. *World Neurosurgery*, 79(5-6), 704-713. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.01.037>
- Li, G., Yang, T. J., Furtado, H., Birkfellner, W., Ballangrud, A., Powell, S. N., & Mechakos, J. (2015). Clinical Assessment of 2D/3D Registration Accuracy in 4 Major Anatomic Sites Using On-Board 2D Kilovoltage Images for 6D Patient Setup. *Technology in Cancer Research & Treatment*, 14(3), 305-314. DOI: <http://dx.doi.org/10.1177/1533034614547454>
- Li, G., Yang, T. J., Furtado, H., Birkfellner, W., Ballangrud, A., Powell, S. N., & Mechakos, J. (2015). Clinical Assessment of 2D/3D Registration Accuracy in 4 Major Anatomic Sites Using On-Board 2D Kilovoltage Images for 6D Patient Setup. *Technology in Cancer Research & Treatment*, 14(3), 305-314. DOI: <http://dx.doi.org/10.1177/1533034614547454>
- Li, H. S., Zhong, H., Kim, J., Glide-Hurst, C., Gulam, M., Nurushev, T. S., & Chetty, I. J. (2014). Direct dose mapping versus energy/mass transfer mapping for 4D dose accumulation: fundamental differences and dosimetric consequences. *Physics in Medicine & Biology*, 59(1), 173-188. DOI: <http://dx.doi.org/10.1088/0031-9155/59/1/173>
- Li, H. S., Zhong, H., Kim, J., Glide-Hurst, C., Gulam, M., Nurushev, T. S., & Chetty, I. J. (2014). Direct dose mapping versus energy/mass transfer mapping for 4D dose accumulation: fundamental differences and dosimetric consequences. *Physics in Medicine & Biology*, 59(1), 173-188. DOI: <http://dx.doi.org/10.1088/0031-9155/59/1/173>
- Li, J., Galvin, J., Harrison, A., Timmerman, R., Yu, Y., & Xiao, Y. (2012). Dosimetric verification using monte carlo calculations for tissue heterogeneity-corrected conformal treatment plans following RTOG 0813 dosimetric criteria for lung cancer stereotactic body radiotherapy. *International Journal of Radiation Oncology, Biology, Physics*, 84(2), 508-513. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.12.005>
- Li, J., Galvin, J., Harrison, A., Timmerman, R., Yu, Y., & Xiao, Y. (2012). Dosimetric verification using monte carlo calculations for tissue heterogeneity-corrected conformal treatment plans following RTOG 0813 dosimetric criteria for lung cancer stereotactic body radiotherapy. *International Journal of Radiation Oncology, Biology, Physics*, 84(2), 508-513. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.12.005>
- Li, P., Ren, H., Zhang, S., & Wang, W. (2012). Clinical results of Gamma Knife surgery for cavernous sinus hemangiomas. *Journal of Neurosurgery*, 117 Suppl, 89-95. DOI: <http://dx.doi.org/10.3171/2012.7.GKS12992>
- Li, P., & Wang, W. (2013). A preliminary result of the prospective control study of gamma knife radiosurgery for trigeminal neuralgia with one or two isocenters [abstract]. *Stereotactic and functional neurosurgery*, 91(55), 27-30.
- Li, P., Wang, W., Liu, Y., Zhong, Q., & Mao, B. (2012). Clinical outcomes of 114 patients who underwent gamma-knife radiosurgery for medically refractory idiopathic trigeminal neuralgia. *Journal of Clinical Neuroscience*, 19(1), 71-74. DOI: <http://dx.doi.org/10.1016/j.jocn.2011.03.020>
- Li, S., Wang, Y., Hu, L., Liang, Y., & Cai, J. (2014). The application of micro-vacuo-certo-contacting ophthalmophanto in X-ray radiosurgery for tumors in an eyeball. *Tumour Biology*, 35(11), 11455-11460. DOI: <http://dx.doi.org/10.1007/s13277-014-2415-x>
- Li, T., Ozhasoglu, C., Burton, S., Flickinger, J., Heron, D. E., & Huq, M. S. (2015). A method to improve dose gradient for robotic radiosurgery. *Journal of Applied Clinical Medical Physics*, 16(6), 5748.

- Li, T., Ozhasoglu, C., Burton, S., Flickinger, J., Heron, D. E., & Huq, M. S. (2015). A method to improve dose gradient for robotic radiosurgery. *Journal of Applied Clinical Medical Physics*, 16(6), 5748.
- Li, W., Sahgal, A., Foote, M., Millar, B. A., Jaffray, D. A., & Letourneau, D. (2012). Impact of immobilization on intrafraction motion for spine stereotactic body radiotherapy using cone beam computed tomography. *International Journal of Radiation Oncology, Biology, Physics*, 84(2), 520-526. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.12.039>
- Li, W., Zhang, B., Kang, W., Dong, B., Ma, X., Song, J., ... Liang, Z. (2015). Gamma knife radiosurgery (GKRS) for pineal region tumors: a study of 147 cases. *World Journal of Surgical Oncology*, 13, 304. DOI: <http://dx.doi.org/10.1186/s12957-015-0720-5>
- Li, X., Yang, Y., Li, T., Fallon, K., Heron, D. E., & Huq, M. S. (2013). Dosimetric effect of respiratory motion on volumetric-modulated arc therapy-based lung SBRT treatment delivered by TrueBeam machine with flattening filter-free beam. *Journal of Applied Clinical Medical Physics*, 14(6), 4370. DOI: <http://dx.doi.org/10.1120/jacmp.v14i6.4370>
- Li, X., Yang, Y., Li, T., Fallon, K., Heron, D. E., & Huq, M. S. (2013). Dosimetric effect of respiratory motion on volumetric-modulated arc therapy-based lung SBRT treatment delivered by TrueBeam machine with flattening filter-free beam. *Journal of Applied Clinical Medical Physics*, 14(6), 4370. DOI: <http://dx.doi.org/10.1120/jacmp.v14i6.4370>
- Li, X. P., Xiao, J. P., Chen, X. J., Jiang, X. S., Zhang, Y., & Xu, Y. J. (2014). Fractionated stereotactic radiotherapy for small-cell lung cancer patients with brain metastases. *Journal of Cancer Research & Therapeutics*, 10(3), 597-602. DOI: <http://dx.doi.org/10.4103/0973-1482.137964>
- Li, Y., Hoisak, J. D., Li, N., Jiang, C., Tian, Z., Gautier, Q., ... Murphy, J. D. (2015). Dosimetric benefit of adaptive re-planning in pancreatic cancer stereotactic body radiotherapy. *Medical Dosimetry*, 40(4), 318-324. DOI: <http://dx.doi.org/10.1016/j.meddos.2015.04.002>
- Lieberson, R. E., Adler, J. R., Soltys, S. G., Choi, C., Gibbs, I. C., & Chang, S. D. (2012). Stereotactic radiosurgery as the primary treatment for new and recurrent paragangliomas: is open surgical resection still the treatment of choice? *World Neurosurgery*, 77(5-6), 745-761. DOI: <http://dx.doi.org/10.1016/j.wneu.2011.03.026>
- Lieberson, R. E., Adler, J. R., Soltys, S. G., Choi, C., Gibbs, I. C., & Chang, S. D. (2012). Stereotactic radiosurgery as the primary treatment for new and recurrent paragangliomas: is open surgical resection still the treatment of choice? *World Neurosurgery*, 77(5-6), 745-761. DOI: <http://dx.doi.org/10.1016/j.wneu.2011.03.026>
- Liepa, Z., Auslands, K., Apskalne, D., & Ozols, R. (2012). Initial experience with using frameless image-guided radiosurgery for the treatment of brain metastases. *Experimental Oncology*, 34(2), 125-128.
- Liepe, K. (2012). Efficacy of radiosynovectomy in rheumatoid arthritis. *Rheumatology International*, 32(10), 3219-3224.
- Lievens, Y., Obyn, C., Mertens, A. S., Van Halewyck, D., & Hulstaert, F. (2015). Stereotactic body radiotherapy for lung cancer: how much does it really cost? *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 10(3), 454-461. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000421>
- Likhacheva, A., Pinnix, C. C., Parikh, N., Allen, P. K., Guha-Thakurta, N., McAleer, M., ... Chang, E. L. (2012). Validation of Recursive Partitioning Analysis and Diagnosis-Specific Graded Prognostic Assessment in patients treated initially with radiosurgery alone. *Journal of Neurosurgery*, 117 Suppl, 38-44. DOI: <http://dx.doi.org/10.3171/2012.3.GKS1289>

- Likhacheva, A., Pinnix, C. C., Parikh, N., Allen, P. K., Guha-Thakurta, N., McAleer, M., ... Chang, E. L. (2012). Validation of Recursive Partitioning Analysis and Diagnosis-Specific Graded Prognostic Assessment in patients treated initially with radiosurgery alone. *Journal of Neurosurgery*, 117 Suppl, 38-44. DOI: <http://dx.doi.org/10.3171/2012.3.GKS1289>
- Lim, H. K., Choi, C. G., Kim, S. M., Kim, J. L., Lee, D. H., Kim, S. J., & Suh, D. C. (2012). Detection of residual brain arteriovenous malformations after radiosurgery: diagnostic accuracy of contrast-enhanced four-dimensional MR angiography at 3.0 T. *British Journal of Radiology*, 85(1016), 1064-1069. DOI: <http://dx.doi.org/10.1259/bjr/30618275>
- Lim, H. W., Shim, B. S., Yang, C. J., Kim, J. H., Cho, Y. H., Cho, Y. S., ... Chung, J. W. (2014). Hearing loss following ventriculoperitoneal shunt in communicating hydrocephalus patients: A pilot study. *Laryngoscope*, 124(8), 1923-1927.
- Lim, S. H., Lee, J. Y., Lee, M. Y., Han, D., Kim, S., Jung, H. A., ... Ahn, M. J. (2014). Randomized phase III trial of stereotactic radiosurgery (SRS) versus observation for patients with asymptomatic cerebral oligo-metastases in non-small cell lung cancer (NSCLC). *Journal of Clinical Oncology*, 32(15 SUPPL. 1).
- Lim, S. H., Lee, J. Y., Lee, M. Y., Kim, H. S., Lee, J., Sun, J. M., ... Ahn, M. J. (2015). A randomized phase III trial of stereotactic radiosurgery (SRS) versus observation for patients with asymptomatic cerebral oligo-metastases in non-small-cell lung cancer. *Annals of Oncology*, 26(4), 762-768. DOI: <http://dx.doi.org/10.1093/annonc/mdu584>
- Lim, S. H., Lee, J. Y., Lee, M. Y., Kim, H. S., Lee, J., Sun, J. M., ... Ahn, M. J. (2015). A randomized phase III trial of stereotactic radiosurgery (SRS) versus observation for patients with asymptomatic cerebral oligo-metastases in non-small-cell lung cancer. *Annals of Oncology*, 26(4), 762-768. DOI: <http://dx.doi.org/10.1093/annonc/mdu584>
- Lim, S. H., Lee, J. Y., Lee, M. Y., Kim, H. S., Lee, J., Sun, J. M., ... Ahn, M. J. (2015). A randomized phase III trial of stereotactic radiosurgery (SRS) versus observation for patients with asymptomatic cerebral oligo-metastases in non-small-cell lung cancer. *Annals of oncology : official journal of the European Society for Medical Oncology*, 26(4), 762-768.
- Lin, C. H., Hsu, K. H., Chang, S. N., Tsou, H. K., Sheehan, J., Sheu, M. L., & Pan, H. C. (2015). Increased survival with the combination of stereotactic radiosurgery and gefitinib for non-small cell lung cancer brain metastasis patients: A nationwide study in Taiwan. *Radiation Oncology*, 10, 127. DOI: <http://dx.doi.org/10.1186/s13014-015-0431-7>
- Lin, C. S., Selch, M. T., Lee, S. P., Wu, J. K., Xiao, F., Hong, D. S., ... De Salles, A. A. (2012). Accelerator-based stereotactic radiosurgery for brainstem metastases. *Neurosurgery*, 70(4), 953-958; discussion 958. DOI: <http://dx.doi.org/10.1227/NEU.0b013e31823c40fe>
- Lin, J. C., Jen, Y. M., Li, M. H., Chao, H. L., & Tsai, J. T. (2015). Comparing outcomes of stereotactic body radiotherapy with intensity-modulated radiotherapy for patients with locally advanced unresectable pancreatic cancer. *European Journal of Gastroenterology & Hepatology*, 27(3), 259-264. DOI: <http://dx.doi.org/10.1097/MED.0000000000000283>
- Lin, L., Zhao, C. H., Ge, F. J., Wang, Y., Chen, Y. L., Liu, R. R., ... Xu, J. M. (2016). Patients with brain metastases derived from gastrointestinal cancer: Clinical characteristics and prognostic factors. *Clinical & Translational Oncology: Official Publication of the Federation of Spanish Oncology Societies & of the National Cancer Institute of Mexico*, 18(1), 93-98. DOI: <http://dx.doi.org/10.1007/s12094-015-1341-8>

- Lin, Y. W., Lin, K. H., Ho, H. W., Lin, H. M., Lin, L. C., Lee, S. P., & Chui, C. S. (2014). Treatment plan comparison between stereotactic body radiation therapy techniques for prostate cancer: non-isocentric CyberKnife versus isocentric RapidArc. *Physica Medica*, 30(6), 654-661. DOI: <http://dx.doi.org/10.1016/j.ejmp.2014.03.008>
- Lindberg, K., Nyman, J., Riesenfeld Kallskog, V., Hoyer, M., Lund, J. A., Lax, I., ... Lewensohn, R. (2015). Long-term results of a prospective phase II trial of medically inoperable stage I NSCLC treated with SBRT - the Nordic experience. *Acta Oncologica*, 54(8), 1096-1104. DOI: <http://dx.doi.org/10.3109/0284186X.2015.1020966>
- Lindblom, E., Dasu, A., Lax, I., & Toma-Dasu, I. (2014). Survival and tumour control probability in tumours with heterogeneous oxygenation: a comparison between the linear-quadratic and the universal survival curve models for high doses. *Acta Oncologica*, 53(8), 1035-1040. DOI: <http://dx.doi.org/10.3109/0284186X.2014.925582>
- Lindvall, P., Grayson, D., Bergstrom, P., & Bergenheim, A. T. (2015). Hypofractionated stereotactic radiotherapy in medium-sized to large arteriovenous malformations. *Journal of Clinical Neuroscience*, 22(6), 955-958. DOI: <http://dx.doi.org/10.1016/j.jocn.2014.12.015>
- Ling, D. C., Vargo, J. A., Wegner, R. E., Flickinger, J. C., Burton, S. A., Engh, J., ... Heron, D. E. (2015). Postoperative stereotactic radiosurgery to the resection cavity for large brain metastases: clinical outcomes, predictors of intracranial failure, and implications for optimal patient selection. *Neurosurgery*, 76(2), 150-156; discussion 156-157; quiz 157. DOI: <http://dx.doi.org/10.1227/NEU.00000000000000584>
- Link, M. J., Driscoll, C. L., Foote, R. L., & Pollock, B. E. (2012). Radiation therapy and radiosurgery for vestibular schwannomas: indications, techniques, and results. *Otolaryngologic Clinics of North America*, 45(2), 353-366, viii-ix. DOI: <http://dx.doi.org/10.1016/j.otc.2011.12.006>
- Linskey, M. E. (2013). Stereotactic radiosurgery versus stereotactic radiotherapy for patients with vestibular schwannoma: a Leksell Gamma Knife Society 2000 debate. *Journal of Neurosurgery*, 119 Suppl, 90-92.
- Linskey, M. E., Johnstone, P. A., O'Leary, M., & Goetsch, S. (2013). Radiation exposure of normal temporal bone structures during stereotactically guided gamma knife surgery for vestibular schwannomas. *Journal of Neurosurgery*, 119 Suppl, 800-806.
- Lippitz, B. (2013). Treatment of cavernoma: an evidence-based dilemma? *Acta Neurochirurgica - Supplement*, 116, 99-101. DOI: [http://dx.doi.org/10.1007/978-3-7091-1376-9\\_15](http://dx.doi.org/10.1007/978-3-7091-1376-9_15)
- Lipski, S. M., Hayashi, M., Chernov, M., Levivier, M., & Okada, Y. (2015). Modern Gamma Knife radiosurgery of vestibular schwannomas: treatment concept, volumetric tumor response, and functional results. *Neurosurgical Review*, 38(2), 309-318; discussion 318. DOI: <http://dx.doi.org/10.1007/s10143-014-0601-3>
- Liscak, R. (2013). Radiosurgery of brain cavernomas--long-term results. *Progress in Neurological Surgery*, 27, 147-156. DOI: <http://dx.doi.org/10.1159/000341781>
- Liscak, R., Urgosik, D., Chytka, T., Simonova, G., Novotny, J., Jr., Vymazal, J., ... Vladýka, V. (2014). Leksell Gamma Knife radiosurgery of the jugulotympanic glomus tumor: long-term results. *Journal of Neurosurgery*, 121 Suppl, 198-202. DOI: <http://dx.doi.org/10.3171/2014.7.GKS14923>
- Liscak, R., Urgosik, D., Simonova, G., Vymazal, J., & Semnicka, J. (2013). Gamma knife radiosurgery of brain cavernomas. *Acta Neurochirurgica - Supplement*, 116, 107-111. DOI: [http://dx.doi.org/10.1007/978-3-7091-1376-9\\_17](http://dx.doi.org/10.1007/978-3-7091-1376-9_17)

- Lischalk, J. W., Malik, R. M., Collins, S. P., Collins, B. T., Matus, I. A., & Anderson, E. D. (2016). Stereotactic body radiotherapy (SBRT) for high-risk central pulmonary metastases. *Radiation Oncology*, 11, 28. DOI: <http://dx.doi.org/10.1186/s13014-016-0608-8>
- Lischalk, J. W., Oermann, E., Collins, S. P., Nair, M. N., Nayar, V. V., Bhasin, R., ... Collins, B. T. (2015). Five-fraction stereotactic radiosurgery (SRS) for single inoperable high-risk non-small cell lung cancer (NSCLC) brain metastases. *Radiation Oncology*, 10, 216. DOI: <http://dx.doi.org/10.1186/s13014-015-0525-2>
- Litre, F., Rousseaux, P., Jovenin, N., Bazin, A., Peruzzi, P., Wdowczyk, D., & Colin, P. (2013). Fractionated stereotactic radiotherapy for acoustic neuromas: a prospective monocenter study of about 158 cases. *Radiotherapy & Oncology*, 106(2), 169-174. DOI: <http://dx.doi.org/10.1016/j.radonc.2012.10.013>
- Liu, A., Kuhn, E. N., Lucas, J. T., Jr., Laxton, A. W., Tatter, S. B., & Chan, M. D. (2015). Gamma Knife radiosurgery for meningiomas in patients with neurofibromatosis Type 2. *Journal of Neurosurgery*, 122(3), 536-542. DOI: <http://dx.doi.org/10.3171/2014.10.JNS132593>
- Liu, A., Wang, J. M., Li, G. L., Sun, Y. L., Sun, S. B., Luo, B., & Wang, M. H. (2014). Clinical and pathological analysis of benign brain tumors resected after Gamma Knife surgery. *Journal of Neurosurgery*, 121 Suppl, 179-187. DOI: <http://dx.doi.org/10.3171/2014.8.GKS141439>
- Liu, H., Ye, J., Kim, J. J., Deng, J., Kaur, M. S., & Chen, Z. J. (2015). Dosimetric comparison of two arc-based stereotactic body radiotherapy techniques for early-stage lung cancer. *Medical Dosimetry*, 40(1), 76-81. DOI: <http://dx.doi.org/10.1016/j.meddos.2014.10.004>
- Liu, H., Zhang, X., Vinogradskiy, Y. Y., Swisher, S. G., Komaki, R., & Chang, J. Y. (2012). Predicting radiation pneumonitis after stereotactic ablative radiation therapy in patients previously treated with conventional thoracic radiation therapy. *International Journal of Radiation Oncology, Biology, Physics*, 84(4), 1017-1023. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.02.020>
- Liu, H., Zhang, X., Vinogradskiy, Y. Y., Swisher, S. G., Komaki, R., & Chang, J. Y. (2012). Predicting radiation pneumonitis after stereotactic ablative radiation therapy in patients previously treated with conventional thoracic radiation therapy. *International Journal of Radiation Oncology, Biology, Physics*, 84(4), 1017-1023. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.02.020>
- Liu, H., Zhuang, T., Stephans, K., Videtic, G., Raithel, S., Djemil, T., & Xia, P. (2015). Dose differences in intensity-modulated radiotherapy plans calculated with pencil beam and Monte Carlo for lung SBRT. *Journal of Applied Clinical Medical Physics*, 16(6), 5514.
- Liu, H., Zhuang, T., Stephans, K., Videtic, G., Raithel, S., Djemil, T., & Xia, P. (2015). Dose differences in intensity-modulated radiotherapy plans calculated with pencil beam and Monte Carlo for lung SBRT. *Journal of Applied Clinical Medical Physics*, 16(6), 5514.
- Liu, H. G., Yang, A. C., Chen, N., Yang, J., Qiu, X. G., & Zhang, J. G. (2013). Hemangiopericytomas in the spine: clinical features, classification, treatment, and long-term follow-up in 26 patients. *Neurosurgery*, 72(1), 16-24; discussion 24. DOI: <http://dx.doi.org/10.1227/NEU.0b013e3182752f50>
- Liu, S. H., Murovic, J., Wallach, J., Cui, G., Soltys, S. G., Gibbs, I. C., & Chang, S. D. (2016). CyberKnife radiosurgery for brainstem metastases: Management and outcomes and a review of the literature. *Journal of Clinical Neuroscience*, 25, 105-110. DOI: <http://dx.doi.org/10.1016/j.jocn.2015.10.013>
- Liu, W., Ni, M., Jia, W., Zhou, D., Zhang, Q., Jiang, Y., & Jia, G. (2015). How to Address Small- and Medium-Sized Acoustic Neuromas with Hearing: A Systematic Review and Decision Analysis. *World Neurosurgery*, 84(2), 283-291.e281. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.03.013>

- Liu, W., Ni, M., Jia, W., Zhou, D., Zhang, Q., Jiang, Y., & Jia, G. (2015). How to Address Small- and Medium-Sized Acoustic Neuromas with Hearing: A Systematic Review and Decision Analysis. *World Neurosurgery*, 84(2), 283-291.e281. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.03.013>
- Liu, X., Kano, H., Kondziolka, D., Park, K. J., Iyer, A., Nirajan, A., ... Lunsford, L. D. (2012). Gamma knife radiosurgery for clinically persistent acromegaly. *Journal of Neuro-Oncology*, 109(1), 71-79. DOI: <http://dx.doi.org/10.1007/s11060-012-0862-z>
- Liu, Y., Alexander, B. M., Chen, Y. H., Horvath, M. C., Aizer, A. A., Claus, E. B., ... Arvold, N. D. (2015). Salvage whole brain radiotherapy or stereotactic radiosurgery after initial stereotactic radiosurgery for 1-4 brain metastases. *Journal of Neuro-Oncology*, 124(3), 429-437. DOI: <http://dx.doi.org/10.1007/s11060-015-1855-5>
- Lizarraga, K. J., Gorgulho, A., Lee, S. P., Rauscher, G., Selch, M. T., & DeSalles, A. A. (2012). Stereotactic radiation therapy for progressive residual pilocytic astrocytomas. *Journal of Neuro-Oncology*, 109(1), 129-135. DOI: <http://dx.doi.org/10.1007/s11060-012-0877-5>
- Llopez Carratala, I., Escorihuela Garcia, V., Orts Alborch, M., de Paula Vernetta, C., & Marco Algarra, J. (2014). Radiosurgery as treatment for acoustic neuroma. Ten years' experience. *Acta Otorrinolaringologica Espanola*, 65(6), 327-331. DOI: <http://dx.doi.org/10.1016/j.otorri.2014.03.003>
- Lo, A. C., Liu, M., Chan, E., Lund, C., Truong, P. T., Loewen, S., ... Olson, R. (2014). The impact of peer review of volume delineation in stereotactic body radiation therapy planning for primary lung cancer: a multicenter quality assurance study. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 9(4), 527-533. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000119>
- Lo, C. H., Huang, W. Y., Lee, M. S., Lin, K. T., Lin, T. P., Chang, P. Y., ... Jen, Y. M. (2014). Stereotactic ablative radiotherapy for unresectable hepatocellular carcinoma patients who failed or were unsuitable for transarterial chemoembolization. *European Journal of Gastroenterology & Hepatology*, 26(3), 345-352. DOI: <http://dx.doi.org/10.1097/MEG.0000000000000032>
- Lo, S. S., Clarke, J. W., Grecula, J. C., McGregor, J. M., Mayr, N. A., Cavaliere, R., ... Olencki, T. E. (2011). Stereotactic radiosurgery alone for patients with 1-4 radioresistant brain metastases. *Medical Oncology*, 28 Suppl 1, S439-444. DOI: <http://dx.doi.org/10.1007/s12032-010-9670-5>
- Lo, W. L., Yang, K. Y., Huang, Y. J., Chen, W. F., Liao, C. C., & Huang, Y. H. (2014). Experience with Novalis stereotactic radiosurgery for vestibular schwannomas. *Clinical Neurology & Neurosurgery*, 121, 30-34. DOI: <http://dx.doi.org/10.1016/j.clineuro.2014.03.012>
- Loblaw, A., Cheung, P., D'Alimonte, L., Deabreu, A., Mamedov, A., Zhang, L., ... Nam, R. (2013). Prostate stereotactic ablative body radiotherapy using a standard linear accelerator: toxicity, biochemical, and pathological outcomes. *Radiotherapy & Oncology*, 107(2), 153-158. DOI: <http://dx.doi.org/10.1016/j.radonc.2013.03.022>
- Loganathan, A. G., Chan, M. D., Alphonse, N., Peiffer, A. M., Johnson, A. J., McMullen, K. P., ... Ellis, T. L. (2012). Clinical outcomes of brain metastases treated with Gamma Knife radiosurgery with 3.0 T versus 1.5 T MRI-based treatment planning: have we finally optimised detection of occult brain metastases? *Journal of medical imaging and radiation oncology*, 56(5), 554-560.
- Loganathan, A. G., Chan, M. D., Alphonse, N., Peiffer, A. M., Johnson, A. J., McMullen, K. P., ... Ellis, T. L. (2012). Clinical outcomes of brain metastases treated with Gamma Knife radiosurgery with 3.0T versus 1.5T MRI-based treatment planning: have we finally optimised detection of occult brain

metastases? *Journal of Medical Imaging & Radiation Oncology*, 56(5), 554-560. DOI: <http://dx.doi.org/10.1111/j.1754-9485.2012.02429.x>

Lominska, C. E., Unger, K., Nasr, N. M., Haddad, N., & Gagnon, G. (2012). Stereotactic body radiation therapy for reirradiation of localized adenocarcinoma of the pancreas. *Radiation Oncology*, 7, 74. DOI: <http://dx.doi.org/10.1186/1748-717X-7-74>

Lopes, A. C., Batistuzzo, M. C., Canteras, M. M., Joaquim, M. A., De Mathis, M. E., Hoexter, M. Q., ... Miguel, E. C. Gamma ventral capsulotomy for obsessive compulsive disorder: A placebo-controlled, double-blind clinical trial. *Biological psychiatry*, 73(9 SUPPL. 1), 33S.

Lopes, A. C., Batistuzzo, M. C., Taub, A., Canteras, M. M., Hoexter, M. Q., Joaquim, M. A., ... Miguel, E. C. Visuospatial memory improvement secondary to gamma ventral capsulotomy in refractory obsessive-compulsive disorder patients. *Biological psychiatry*, 75(9 SUPPL. 1), 118S.

Lopes, A. C., Greenberg, B. D., Canteras, M. M., Batistuzzo, M. C., Hoexter, M. Q., Gentil, A. F., ... Miguel, E. C. (2014). Gamma ventral capsulotomy for obsessive-compulsive disorder: a randomized clinical trial. *JAMA Psychiatry*, 71(9), 1066-1076. DOI: <http://dx.doi.org/10.1001/jamapsychiatry.2014.1193>

Lopes, A. C., Greenberg, B. D., Canteras, M. M., Batistuzzo, M. C., Hoexter, M. Q., Gentil, A. F., ... Miguel, E. C. (2014). Gamma ventral capsulotomy for obsessive-compulsive disorder: a randomized clinical trial. *JAMA Psychiatry*, 71(9), 1066-1076.

Lopes, A. C., Greenberg, B. D., Canteras, M. M., Batistuzzo, M. C., Hoexter, M. Q., Gentil, A. F., ... Miguel, E. C. (2014). Gamma ventral capsulotomy for obsessive-compulsive disorder: a randomized clinical trial.[Erratum appears in JAMA Psychiatry. 2016 Mar;73(3):303; PMID: 26746478], [Erratum appears in JAMA Psychiatry. 2015 Dec;72(12):1258; PMID: 26509602]. *JAMA Psychiatry*, 71(9), 1066-1076. DOI: <http://dx.doi.org/10.1001/jamapsychiatry.2014.1193>

Lopez, W. O. C., Trippel, M., Doostkam, S., & Reithmeier, T. (2014). Interstitial brachytherapy with iodine-125 seeds for low grade brain stem gliomas in adults: Diagnostic and therapeutic intervention in a one-step procedure. *Stereotactic and Functional Neurosurgery. Conference: 21st Congress of the European Society for Stereotactic and Functional Neurosurgery: Implementing Research in Clinical Applications Maastricht Netherlands. Conference Start*, 92.

Louie, A. V., Haasbeek, C. J., Mokhles, S., Rodrigues, G. B., Stephans, K. L., Lagerwaard, F. J., ... Senan, S. (2015). Predicting Overall Survival After Stereotactic Ablative Radiation Therapy in Early-Stage Lung Cancer: Development and External Validation of the Amsterdam Prognostic Model. *International Journal of Radiation Oncology, Biology, Physics*, 93(1), 82-90. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.05.003>

Louie, A. V., Haasbeek, C. J., Mokhles, S., Rodrigues, G. B., Stephans, K. L., Lagerwaard, F. J., ... Senan, S. (2015). Predicting Overall Survival After Stereotactic Ablative Radiation Therapy in Early-Stage Lung Cancer: Development and External Validation of the Amsterdam Prognostic Model. *International Journal of Radiation Oncology, Biology, Physics*, 93(1), 82-90.

Louie, A. V., Senan, S., Dahele, M., Slotman, B. J., & Verbakel, W. F. (2014). Stereotactic ablative radiation therapy for subcentimeter lung tumors: clinical, dosimetric, and image guidance considerations. *International Journal of Radiation Oncology, Biology, Physics*, 90(4), 843-849. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.06.064>

Louie, A. V., van Werkhoven, E., Chen, H., Smit, E. F., Paul, M. A., Widder, J., ... Senan, S. (2015). Patient reported outcomes following stereotactic ablative radiotherapy or surgery for stage IA non-small-

- cell lung cancer: Results from the ROSEL multicenter randomized trial. *Radiotherapy & Oncology*, 117(1), 44-48. DOI: <http://dx.doi.org/10.1016/j.radonc.2015.08.011>
- Louie, A. V., van Werkhoven, E., Chen, H., Smit, E. F., Paul, M. A., Widder, J., ... Senan, S. (2015). Patient reported outcomes following stereotactic ablative radiotherapy or surgery for stage IA non-small-cell lung cancer: Results from the ROSEL multicenter randomized trial. *Radiotherapy and oncology : journal of the European Society for Therapeutic Radiology and Oncology*, 117(1), 44-48.
- Lovelock, D. M., Messineo, A. P., Cox, B. W., Kollmeier, M. A., & Zelefsky, M. J. (2015). Continuous monitoring and intrafraction target position correction during treatment improves target coverage for patients undergoing SBRT prostate therapy. *International Journal of Radiation Oncology, Biology, Physics*, 91(3), 588-594. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.10.049>
- Lovelock, D. M., Zatcky, J., Goodman, K., & Yamada, Y. (2014). The effectiveness of a pneumatic compression belt in reducing respiratory motion of abdominal tumors in patients undergoing stereotactic body radiotherapy. *Technology in Cancer Research & Treatment*, 13(3), 259-267. DOI: <http://dx.doi.org/10.7785/tcrc.2012.500379>
- Lu, B., Chen, Y., Park, J. C., Fan, Q., Kahler, D., & Liu, C. (2015). A method of surface marker location optimization for tumor motion estimation in lung stereotactic body radiation therapy. *Medical Physics*, 42(1), 244-253. DOI: <http://dx.doi.org/10.1118/1.4903888>
- Lu, X. Y., Sun, H., Xu, J. G., & Li, Q. Y. (2014). Stereotactic radiosurgery of brainstem cavernous malformations: a systematic review and meta-analysis. *Journal of Neurosurgery*, 120(4), 982-987. DOI: <http://dx.doi.org/10.3171/2013.12.JNS13990>
- Lubgan, D., Ziegaus, A., Semrau, S., Lambrecht, U., Lettmaier, S., & Fietkau, R. (2015). Effective local control of vertebral metastases by simultaneous integrated boost radiotherapy: preliminary results. *Strahlentherapie und Onkologie*, 191(3), 264-271. DOI: <http://dx.doi.org/10.1007/s00066-014-0780-4>
- Lucas, J. T., Jr., Kuremsky, J. G., Soike, M., Hinson, W. W., Kearns, W. T., Hampton, C. J., ... Urbanic, J. (2014). Comparison of accelerated hypofractionation and stereotactic body radiotherapy for Stage 1 and node negative Stage 2 non-small cell lung cancer (NSCLC). *Lung Cancer*, 85(1), 59-65. DOI: <http://dx.doi.org/10.1016/j.lungcan.2014.04.003>
- Lucas, J. T., Jr., Nida, A. M., Isom, S., Marshall, K., Bourland, J. D., Laxton, A. W., ... Chan, M. D. (2014). Predictive nomogram for the durability of pain relief from gamma knife radiation surgery in the treatment of trigeminal neuralgia. *International Journal of Radiation Oncology, Biology, Physics*, 89(1), 120-126. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.01.023>
- Lucas, J. T., Jr., Nida, A. M., Isom, S., Marshall, K., Bourland, J. D., Laxton, A. W., ... Chan, M. D. (2014). Predictive nomogram for the durability of pain relief from gamma knife radiation surgery in the treatment of trigeminal neuralgia. *International Journal of Radiation Oncology, Biology, Physics*, 89(1), 120-126. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.01.023>
- Luksanapruksa, P., Buchowski, J. M., Singhapanadigge, W., Rose, P. C., & Bumpass, D. B. (2016). Management of spinal giant cell tumors. *Spine Journal: Official Journal of the North American Spine Society*, 16(2), 259-269. DOI: <http://dx.doi.org/10.1016/j.spinee.2015.10.045>
- Lunsford, L. D., Nirajan, A., Flickinger, J. C., Maitz, A., & Kondziolka, D. (2013). Radiosurgery of vestibular schwannomas: summary of experience in 829 cases. *Journal of Neurosurgery*, 119 Suppl, 195-199.
- Luo, C. B., Guo, W. Y., Teng, M. M., Chang, F. C., Lin, C. J., Wu, H. M., ... Chung, W. Y. (2013). Fistula components of brain arteriovenous malformations: angioarchitecture analysis and embolization

prior to gamma-knife surgery. *Journal of the Chinese Medical Association: JCMA*, 76(5), 277-281. DOI: <http://dx.doi.org/10.1016/j.jcma.2013.01.011>

Luo, W. R., Yip, H. Y., Fan, M. M., Chan, K. C., Mui, W. L., Chiu, G., & et al. (2013). A dosimetric comparison of helical tomotherapy versus volumetric modulated arc therapy in radiosurgery for multiple intracranial lesions. *International Journal of Radiation Oncology, Biology, Physics, Conference: 55th Annual Meeting of the American Society for Radiation Oncology, ASTRO 2013 Atlanta, GA United States. Conference Start: 20130922 Conference End: 20130925. Conference Publication*: (var.pagings), S728-S729.

Luther, N., Kondziolka, D., Kano, H., Mousavi, S. H., Engh, J. A., Niranjan, A., ... Lunsford, L. D. (2013). Predicting tumor control after resection bed radiosurgery of brain metastases. *Neurosurgery*, 73(6), 1001-1006; discussion 1006. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000148>

Luther, N., Kondziolka, D., Kano, H., Mousavi, S. H., Flickinger, J. C., & Lunsford, L. D. (2013). Motor function after stereotactic radiosurgery for brain metastases in the region of the motor cortex. *Journal of Neurosurgery*, 119(3), 683-688. DOI: <http://dx.doi.org/10.3171/2013.6.JNS122081>

Lwu, S., Goetz, P., Monsalves, E., Aryaee, M., Ebinu, J., Laperriere, N., ... Zadeh, G. (2013). Stereotactic radiosurgery for the treatment of melanoma and renal cell carcinoma brain metastases. *Oncology Reports*, 29(2), 407-412. DOI: <http://dx.doi.org/10.3892/or.2012.2139>

Ly, D., Bagshaw, H. P., Anker, C. J., Tward, J. D., Grossmann, K. F., Jensen, R. L., & Shrieve, D. C. (2015). Local control after stereotactic radiosurgery for brain metastases in patients with melanoma with and without BRAF mutation and treatment. *Journal of Neurosurgery*, 123(2), 395-401. DOI: <http://dx.doi.org/10.3171/2014.9.JNS141425>

Maarouf, M., El Majdoub, F., Fuetsch, M., Hoevels, M., Lehrke, R., Berthold, F., ... Sturm, V. (2016). Stereotactic intracavitary brachytherapy with P-32 for cystic craniopharyngiomas in children. *Strahlentherapie und Onkologie*, 192(3), 157-165. DOI: <http://dx.doi.org/10.1007/s00066-015-0910-7>

Machnowska, M., Taeshineetanakul, P., Geibprasert, S., Menezes, R., Agid, R., Terbrugge, K. G., ... Krings, T. (2013). Factors Determining the Clinical Complications of Radiosurgery for AVM. *Canadian Journal of Neurological Sciences*, 40(6), 807-813.

Macias, V. A., & Perez-Romasanta, L. A. (2014). A clinical review on extreme hypofractionated stereotactic body radiation therapy for localized prostate cancer using nonrobotic linear accelerators. *Cancer Investigation*, 32(5), 191-196. DOI: <http://dx.doi.org/10.3109/07357907.2014.896015>

Maducdoc, M. M., Ghavami, Y., Linskey, M. E., & Djalilian, H. R. (2015). Evaluation of Reported Malignant Transformation of Vestibular Schwannoma: De Novo and After Stereotactic Radiosurgery or Surgery. *Otology & Neurotology*, 36(8), 1301-1308. DOI: <http://dx.doi.org/10.1097/MAO.0000000000000801>

Magnuson, W. J., Yeung, J. T., Guillod, P. D., Gettinger, S. N., Yu, J. B., & Chiang, V. L. (2016). Impact of deferring radiation therapy in patients with epidermal growth factor receptor-mutant non-small cell lung cancer who develop brain metastases. *International Journal of Radiation Oncology Biology Physics*, 95(2), 673-679.

Mahmood, S., Bilal, H., Faivre-Finn, C., & Shah, R. (2013). Is stereotactic ablative radiotherapy equivalent to sublobar resection in high-risk surgical patients with stage I non-small-cell lung cancer? *Interactive Cardiovascular & Thoracic Surgery*, 17(5), 845-853. DOI: <http://dx.doi.org/10.1093/icvts/ivt262>

- Majumder, S., Berzin, T. M., Mahadevan, A., Pawa, R., Ellsmere, J., Sepe, P. S., ... Sawhney, M. S. (2013). Endoscopic ultrasound-guided pancreatic fiducial placement: how important is ideal fiducial geometry? *Pancreas*, 42(4), 692-695. DOI: <http://dx.doi.org/10.1097/MPA.0b013e3182864559>
- Mak, H. K., Lai, S. W., Qian, W., Xu, S., Tong, E., Vance, M. L., ... Wintermark, M. (2015). Effective time window in reducing pituitary adenoma size by gamma knife radiosurgery. *Pituitary*, 18(4), 509-517. DOI: <http://dx.doi.org/10.1007/s11102-014-0603-8>
- Mak, R. H., Hermann, G., Lewis, J. H., Aerts, H. J., Baldini, E. H., Chen, A. B., ... Sher, D. J. (2015). Outcomes by tumor histology and KRAS mutation status after lung stereotactic body radiation therapy for early-stage non-small-cell lung cancer. *Clinical Lung Cancer*, 16(1), 24-32. DOI: <http://dx.doi.org/10.1016/j.cllc.2014.09.005>
- Mak, R. H., Hermann, G., Lewis, J. H., Aerts, H. J., Baldini, E. H., Chen, A. B., ... Sher, D. J. (2015). Outcomes by tumor histology and KRAS mutation status after lung stereotactic body radiation therapy for early-stage non-small-cell lung cancer. *Clinical Lung Cancer*, 16(1), 24-32. DOI: <http://dx.doi.org/10.1016/j.cllc.2014.09.005>
- Malikova, H., Kramská, L., Liscák, R., Vojtech, Z., Prochazka, T., Marecková, I., ... Druga, R. (2012). Stereotactic radiofrequency amygdalohippocampectomy for the treatment of temporal lobe epilepsy: do good neuropsychological and seizure outcomes correlate with hippocampal volume reduction? *Epilepsy Research*, 102(1-2), 34-44. DOI: <http://dx.doi.org/10.1016/j.eplepsyres.2012.04.017>
- Malikova, H., Kramská, L., Vojtech, Z., Lukavský, J., & Liscák, R. (2013). Stereotactic radiofrequency amygdalohippocampectomy: two years of good neuropsychological outcomes. *Epilepsy Research*, 106(3), 423-432. DOI: <http://dx.doi.org/10.1016/j.eplepsyres.2013.07.009>
- Malikova, H., Kramská, L., Vojtech, Z., Sroubek, J., Lukavský, J., & Liscák, R. (2015). Relationship between remnant hippocampus and amygdala and memory outcomes after stereotactic surgery for mesial temporal lobe epilepsy. *Neuropsychiatric disease and treatment*, 11(33).
- Malinowski, K., McAvoy, T. J., George, R., Dietrich, S., & D'Souza, W. D. (2012). Incidence of changes in respiration-induced tumor motion and its relationship with respiratory surrogates during individual treatment fractions. *International Journal of Radiation Oncology, Biology, Physics*, 82(5), 1665-1673. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.02.048>
- Malinowski, K., McAvoy, T. J., George, R., Dietrich, S., & D'Souza, W. D. (2012). Incidence of changes in respiration-induced tumor motion and its relationship with respiratory surrogates during individual treatment fractions. *International Journal of Radiation Oncology, Biology, Physics*, 82(5), 1665-1673. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.02.048>
- Malinowski, K. T., McAvoy, T. J., George, R., Dieterich, S., & D'Souza, W. D. (2012). Mitigating errors in external respiratory surrogate-based models of tumor position. *International Journal of Radiation Oncology, Biology, Physics*, 82(5), e709-716. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.05.042>
- Malinowski, K. T., McAvoy, T. J., George, R., Dieterich, S., & D'Souza, W. D. (2012). Mitigating errors in external respiratory surrogate-based models of tumor position. *International Journal of Radiation Oncology, Biology, Physics*, 82(5), e709-716. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.05.042>
- Mallory, G. W., Pollock, B. E., Foote, R. L., Carlson, M. L., Driscoll, C. L., & Link, M. J. (2014). Stereotactic radiosurgery for neurofibromatosis 2-associated vestibular schwannomas: toward dose optimization for tumor control and functional outcomes. *Neurosurgery*, 74(3), 292-300; discussion 300-291. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000264>

- Mampuya, W. A., Matsuo, Y., Nakamura, A., Nakamura, M., Mukumoto, N., Miyabe, Y., ... Hiraoka, M. (2013). Differences in dose-volumetric data between the analytical anisotropic algorithm and the x-ray voxel Monte Carlo algorithm in stereotactic body radiation therapy for lung cancer. *Medical Dosimetry*, 38(1), 95-99. DOI: <http://dx.doi.org/10.1016/j.meddos.2012.07.007>
- Mampuya, W. A., Matsuo, Y., Ueki, N., Nakamura, M., Mukumoto, N., Nakamura, A., ... Hiraoka, M. (2014). The impact of abdominal compression on outcome in patients treated with stereotactic body radiotherapy for primary lung cancer. *Journal of Radiation Research*, 55(5), 934-939. DOI: <http://dx.doi.org/10.1093/jrr/rru028>
- Mancosu, P., Castiglioni, S., Reggiori, G., Catalano, M., Alongi, F., Pellegrini, C., ... Scorsetti, M. (2012). Stereotactic body radiation therapy for liver tumours using flattening filter free beam: dosimetric and technical considerations. *Radiation Oncology*, 7, 16. DOI: <http://dx.doi.org/10.1186/1748-717X-7-16>
- Mangona, V. S., Aneese, A. M., Marina, O., Hymas, R. V., Ionascu, D., Robertson, J. M., ... Grills, I. S. (2015). Toxicity after central versus peripheral lung stereotactic body radiation therapy: a propensity score matched-pair analysis. *International Journal of Radiation Oncology, Biology, Physics*, 91(1), 124-132. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.08.345>
- Maniakas, A., & Saliba, I. (2012). Conservative management versus stereotactic radiation for vestibular schwannomas: a meta-analysis of patients with more than 5 years' follow-up. *Otology & Neurotology*, 33(2), 230-238. DOI: <http://dx.doi.org/10.1097/MAO.0b013e318241c086>
- Maniakas, A., & Saliba, I. (2012). Microsurgery versus stereotactic radiation for small vestibular schwannomas: a meta-analysis of patients with more than 5 years' follow-up. *Otology & Neurotology*, 33(9), 1611-1620. DOI: <http://dx.doi.org/10.1097/MAO.0b013e31826dbd02>
- Mansouri, A., Larjani, S., Kliironomos, G., Laperriere, N., Cusimano, M., Gentili, F., ... Zadeh, G. (2015). Predictors of response to Gamma Knife radiosurgery for intracranial meningiomas. *Journal of Neurosurgery*, 123(5), 1294-1300. DOI: <http://dx.doi.org/10.3171/2014.12.JNS141687>
- Mantel, F., Glatz, S., Toussaint, A., Flentje, M., & Guckenberger, M. (2014). Long-term safety and efficacy of fractionated stereotactic body radiation therapy for spinal metastases. *Strahlentherapie und Onkologie*, 190(12), 1141-1148. DOI: <http://dx.doi.org/10.1007/s00066-014-0706-1>
- Maranzano, E., Draghini, L., Casale, M., Arcidiacono, F., Anselmo, P., Trippa, F., & Giorgi, C. (2015). Long-term outcome of moderate hypofractionated stereotactic radiotherapy for meningiomas. *Strahlentherapie und Onkologie*, 191(12), 953-960. DOI: <http://dx.doi.org/10.1007/s00066-015-0915-2>
- Maranzano, E., Trippa, F., Casale, M., Costantini, S., Anselmo, P., Carletti, S., ... Giorgi, C. (2012). Reirradiation of brain metastases with radiosurgery. *Radiotherapy & Oncology*, 102(2), 192-197. DOI: <http://dx.doi.org/10.1016/j.radonc.2011.07.018>
- Marchetti, M., Bianchi, S., Milanesi, I., Bergantin, A., Bianchi, L., Broggi, G., & Fariselli, L. (2011). Multisession radiosurgery for optic nerve sheath meningiomas--an effective option: preliminary results of a single-center experience.[Erratum appears in Neurosurgery. 2011 Dec;69(6):1321]. *Neurosurgery*, 69(5), 1116-1122; discussion 1122-1113. DOI: <http://dx.doi.org/10.1227/NEU.0b013e31822932fe>
- Marchetti, M., Bianchi, S., Pinzi, V., Milanesi, I., Fumagalli, L., Bergantin, A., ... Fariselli, L. (2014). Long term visual outcome after radiosurgery in 97 patients affected by anterior skull base benign meningiomas. *Stereotactic and Functional Neurosurgery. Conference: 21st Congress of the*

*European Society for Stereotactic and Functional Neurosurgery: Implementing Research in Clinical Applications Maastricht Netherlands. Conference Start, 92.*

- Marchetti, M., Milanesi, I., Falcone, C., De Santis, M., Fumagalli, L., Brait, L., ... Fariselli, L. (2011). Hypofractionated stereotactic radiotherapy for oligometastases in the brain: a single-institution experience. *Neurological Sciences*, 32(3), 393-399. DOI: <http://dx.doi.org/10.1007/s10072-010-0473-4>
- Marcus, D. M., Lowe, M., Khan, M. K., Lawson, D. H., Crocker, I. R., Shelton, J. W., ... Rizzo, M. (2014). Prognostic factors for overall survival after radiosurgery for brain metastases from melanoma. *American Journal of Clinical Oncology*, 37(6), 580-584. DOI: <http://dx.doi.org/10.1097/COC.0b013e318280d7be>
- Marek, J., Jezkova, J., Hana, V., Krsek, M., Liscak, R., Vladyska, V., & Pecen, L. (2015). Gamma knife radiosurgery for Cushing's disease and Nelson's syndrome. *Pituitary*, 18(3), 376-384. DOI: <http://dx.doi.org/10.1007/s11102-014-0584-7>
- Marino, C., Villaggi, E., Maggi, G., Esposito, M., Strigari, L., Bonanno, E., ... Mancosu, P. (2015). A feasibility dosimetric study on prostate cancer : are we ready for a multicenter clinical trial on SBRT? *Strahlentherapie und Onkologie*, 191(7), 573-581. DOI: <http://dx.doi.org/10.1007/s00066-015-0822-6>
- Marino, C., Villaggi, E., Maggi, G., Esposito, M., Strigari, L., Bonanno, E., ... Mancosu, P. (2015). A feasibility dosimetric study on prostate cancer : are we ready for a multicenter clinical trial on SBRT? *Strahlentherapie und Onkologie : Organ der Deutschen Rontgengesellschaft .. [et al.]*, 191(7), 573-581.
- Marshall, K., Chan, M. D., McCoy, T. P., Aubuchon, A. C., Bourland, J. D., McMullen, K. P., ... Ellis, T. L. (2012). Predictive variables for the successful treatment of trigeminal neuralgia with gamma knife radiosurgery. *Neurosurgery*, 70(3), 566-572; discussion 572-563. DOI: <http://dx.doi.org/10.1227/NEU.0b013e3182320d36>
- Marsico, M., Gabbani, T., Cipressi, S., Bonucci, I., Iermann, C., Masi, L., ... Biagini, M. R. (2015). A prospective pilot study on safety and efficacy of percutaneous US-guided placement of intrahepatic gold markers for robotic radiosurgery of nodular lesions. *Digestive and liver disease*, 47(25).
- Martens, K., Meyners, T., Rades, D., Tronnier, V., Bonsanto, M. M., Petersen, D., ... Dellas, K. (2013). The prognostic value of tumor necrosis in patients undergoing stereotactic radiosurgery of brain metastases. *Radiation Oncology*, 8, 162. DOI: <http://dx.doi.org/10.1186/1748-717X-8-162>
- Martin, A. G., Thomas, S. J., Harden, S. V., & Burnet, N. G. (2015). Evaluating competing and emerging technologies for stereotactic body radiotherapy and other advanced radiotherapy techniques. *Clinical Oncology*, 27(5), 251-259. DOI: [10.1016/j.clon.2015.01.034](https://doi.org/10.1016/j.clon.2015.01.034)
- Martinez-Alvarez, R., Martinez-Moreno, N., Kusak, M. E., & Rey-Portoles, G. (2014). Glossopharyngeal neuralgia and radiosurgery. *Journal of Neurosurgery*, 121 Suppl, 222-225. DOI: <http://dx.doi.org/10.3171/2014.8.GKS141273>
- Marwaha, G., Stephans, K. L., Woody, N. M., Reddy, C. A., & Videtic, G. M. (2014). Lung stereotactic body radiation therapy: regional nodal failure is not predicted by tumor size. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 9(11), 1693-1697. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000313>

- Masch, W. R., Wang, P. I., Chenevert, T. L., Junck, L., Tsien, C., Heth, J. A., & Sundgren, P. C. (2016). Comparison of Diffusion Tensor Imaging and Magnetic Resonance Perfusion Imaging in Differentiating Recurrent Brain Neoplasm From Radiation Necrosis. *Academic radiology*, 23(5), 569-576.
- Massager, N., De Smedt, F., & Devriendt, D. (2013). Long-term tumor control of benign intracranial tumors after Gamma Knife radiosurgery in 280 patients followed more than 5 years. *Acta Neurologica Belgica*, 113(4), 463-467. DOI: <http://dx.doi.org/10.1007/s13760-013-0211-9>
- Massager, N., Delbrouck, C., Masudi, J., De Smedt, F., & Devriendt, D. (2013). Hearing preservation and tumour control after radiosurgery for NF2-related vestibular schwannomas. *B-ENT*, 9(1), 29-36.
- Massager, N., Nissim, O., Delbrouck, C., Delpierre, I., Devriendt, D., Desmedt, F., ... Levivier, M. (2013). Irradiation of cochlear structures during vestibular schwannoma radiosurgery and associated hearing outcome. *Journal of Neurosurgery*, 119 Suppl, 733-739.
- Massicotte, E., Foote, M., Reddy, R., & Sahgal, A. (2012). Minimal access spine surgery (MASS) for decompression and stabilization performed as an out-patient procedure for metastatic spinal tumours followed by spine stereotactic body radiotherapy (SBRT): first report of technique and preliminary outcomes. *Technology in Cancer Research & Treatment*, 11(1), 15-25.
- Mathew, M., Tam, M., Ott, P. A., Pavlick, A. C., Rush, S. C., Donahue, B. R., ... Narayana, A. (2013). Ipilimumab in melanoma with limited brain metastases treated with stereotactic radiosurgery. *Melanoma Research*, 23(3), 191-195. DOI: <http://dx.doi.org/10.1097/CMR.0b013e32835f3d90>
- Mathiesen, T., Pettersson-Segerlind, J., Kihlstrom, L., & Ulfarsson, E. (2014). Meningiomas engaging major venous sinuses. *World Neurosurgery*, 81(1), 116-124. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.01.095>
- Mathiesen, T., Pettersson-Segerlind, J., Kihlstrom, L., & Ulfarsson, E. (2014). Meningiomas engaging major venous sinuses. *World Neurosurgery*, 81(1), 116-124. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.01.095>
- Mathieu, D., Effendi, K., Blanchard, J., & Seguin, M. (2012). Comparative study of Gamma Knife surgery and percutaneous retrogasserian glycerol rhizotomy for trigeminal neuralgia in patients with multiple sclerosis. *Journal of Neurosurgery*, 117 Suppl, 175-180. DOI: <http://dx.doi.org/10.3171/2012.6.GKS12987>
- Matsui, T. (2012). Therapeutic strategy and long-term outcome of meningiomas located in the posterior cranial fossa. *Neurologia Medico-Chirurgica*, 52(10), 704-713.
- Matsunaga, S., & Shuto, T. (2014). Long-term outcomes of gamma knife surgery for posterior fossa arteriovenous malformations. *Neurologia Medico-Chirurgica*, 54(10), 799-805.
- Matsuo, T., Kamada, K., Izumo, T., Hayashi, N., & Nagata, I. (2014). Cyst formation after linac-based radiosurgery for arteriovenous malformation: examination of predictive factors using magnetic resonance imaging. *Clinical Neurology & Neurosurgery*, 121, 10-16. DOI: <http://dx.doi.org/10.1016/j.clineuro.2014.03.006>
- Matsuo, T., Kamada, K., Izumo, T., Hayashi, N., & Nagata, I. (2014). Linear accelerator-based radiosurgery alone for arteriovenous malformation: more than 12 years of observation. *International Journal of Radiation Oncology, Biology, Physics*, 89(3), 576-583. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.03.017>

- Matsuo, T., Okunaga, T., Kamada, K., Izumo, T., Hayashi, N., & Nagata, I. (2015). Long-term follow-up results of linear accelerator-based radiosurgery for vestibular schwannoma using serial three-dimensional spoiled gradient-echo MRI. *Journal of Clinical Neuroscience*, 22(2), 320-325. DOI: <http://dx.doi.org/10.1016/j.jocn.2014.06.100>
- Matsuo, Y., Chen, F., Hamaji, M., Kawaguchi, A., Ueki, N., Nagata, Y., ... Hiraoka, M. (2014). Comparison of long-term survival outcomes between stereotactic body radiotherapy and sublobar resection for stage I non-small-cell lung cancer in patients at high risk for lobectomy: A propensity score matching analysis. *European Journal of Cancer*, 50(17), 2932-2938. DOI: <http://dx.doi.org/10.1016/j.ejca.2014.09.006>
- Matsuo, Y., Shibuya, K., Nagata, Y., Norihisa, Y., Narabayashi, M., Sakanaka, K., ... Hiraoka, M. (2012). Preliminary report of late recurrences, at 5 years or more, after stereotactic body radiation therapy for non-small cell lung cancer. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 7(2), 453-456. DOI: <http://dx.doi.org/10.1097/JTO.0b013e31823c5b29>
- Matsuo, Y., Ueki, N., Takayama, K., Nakamura, M., Miyabe, Y., Ishihara, Y., ... Hiraoka, M. (2014). Evaluation of dynamic tumour tracking radiotherapy with real-time monitoring for lung tumours using a gimbal mounted linac. *Radiotherapy & Oncology*, 112(3), 360-364. DOI: <http://dx.doi.org/10.1016/j.radonc.2014.08.003>
- Matsuyama, T., Kogo, K., & Oya, N. (2013). Clinical outcomes of biological effective dose-based fractionated stereotactic radiation therapy for metastatic brain tumors from non-small cell lung cancer. *International Journal of Radiation Oncology, Biology, Physics*, 85(4), 984-990. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.09.008>
- Mattonen, S. A., Palma, D. A., Johnson, C., Louie, A. V., Landis, M., Rodrigues, G., ... Ward, A. D. (2016). Detection of Local Cancer Recurrence After Stereotactic Ablative Radiation Therapy for Lung Cancer: Physician Performance Versus Radiomic Assessment. *International Journal of Radiation Oncology, Biology, Physics*, 94(5), 1121-1128. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.12.369>
- Mau, C. Y., Sabourin, V. M., Gandhi, C. D., & Prestigiacomo, C. J. (2016). SLAM: Stereotactic Radiosurgery of Large Arteriovenous Malformations: Meta-analysis of Hemorrhage in High-Grade Pollock-Flickinger Arteriovenous Malformations. *World Neurosurgery*, 85, 32-41. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.08.022>
- Mazza, E., Brandes, A., Zanon, S., Eoli, M., Lombardi, G., Faedi, M., ... Reni, M. (2016). Hydroxyurea with or without imatinib in the treatment of recurrent or progressive meningiomas: a randomized phase II trial by Gruppo Italiano Cooperativo di Neuro-Oncologia (GICNO). *Cancer chemotherapy and pharmacology*, 77(1), 115-120.
- Mazza, E., Reni, M., Lombardi, G., Eoli, M., Franceschi, E., Faedi, M., ... Brandes, A. (2013). A randomized phase II trial of hydroxyurea + imatinib in the treatment of recurrent or progressive meningiomas. *European Journal of Cancer*, 49(27).
- McAuley, G. A., Teran, A. V., Slater, J. D., Slater, J. M., & Wroe, A. J. (2015). Evaluation of the dosimetric properties of a diode detector for small field proton radiosurgery. *Journal of Applied Clinical Medical Physics*, 16(6), 5391.
- McAuley, G. A., Teran, A. V., Slater, J. D., Slater, J. M., & Wroe, A. J. (2015). Evaluation of the dosimetric properties of a diode detector for small field proton radiosurgery. *Journal of Applied Clinical Medical Physics*, 16(6), 5391.

- McBride, S. M., Wong, D. S., Dombrowski, J. J., Harkins, B., Tapella, P., Hanscom, H. N., & et al. (2012). Hypofractionated stereotactic body radiotherapy in low-risk prostate adenocarcinoma: preliminary results of a multi-institutional phase 1 feasibility trial. *Cancer*, 118(15), 3681-3690.
- McCormick, P. J., Osborn, I. P., Germano, I. M., Green, S., & Deiner, S. G. (2013). Scalp nerve blockade reduces pain after headframe placement in radiosurgery: a double blind, randomized clinical trial. *Middle East Journal of Anesthesiology*, 22(1), 79-85.
- McCormick, P. J., Osborn, I. P., Germano, I. M., Green, S., & Deiner, S. G. (2013). Scalp nerve blockade reduces pain after headframe placement in radiosurgery: a double blind, randomized clinical trial. *Middle East journal of anaesthesia*, 22(1), 79-85.
- McDonald, D., Schuler, J., Takacs, I., Peng, J., Jenrette, J., & Vanek, K. (2014). Comparison of radiation dose spillage from the Gamma Knife Perfexion with that from volumetric modulated arc radiosurgery during treatment of multiple brain metastases in a single fraction. *Journal of Neurosurgery*, 121 Suppl, 51-59. DOI: <http://dx.doi.org/10.3171/2014.7.GKS141358>
- McDonald, R., Probyn, L., Poon, I., Erler, D., Brotherston, D., Soliman, H., ... Sahgal, A. (2015). Tumor Response After Stereotactic Body Radiation Therapy to Nonspine Bone Metastases: An Evaluation of Response Criteria. *International Journal of Radiation Oncology, Biology, Physics*, 93(4), 879-881. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.07.2288>
- McKenzie, J. T., Guarnaschelli, J. N., Vagal, A. S., Warnick, R. E., & Breneman, J. C. (2013). Hypofractionated stereotactic radiotherapy for unifocal and multifocal recurrence of malignant gliomas. *Journal of Neuro-Oncology*, 113(3), 403-409. DOI: <http://dx.doi.org/10.1007/s11060-013-1126-2>
- McKenzie, J. T., Guarnaschelli, J. N., Vagal, A. S., Warnick, R. E., & Breneman, J. C. (2013). Hypofractionated stereotactic radiotherapy for unifocal and multifocal recurrence of malignant gliomas. *Journal of Neuro-Oncology*, 113(3), 403-409. DOI: <http://dx.doi.org/10.1007/s11060-013-1126-2>
- McLaughlin, E. J., Bigelow, D. C., Lee, J. Y., & Ruckenstein, M. J. (2015). Quality of life in acoustic neuroma patients. *Otology & Neurotology*, 36(4), 653-656. DOI: <http://dx.doi.org/10.1097/MAO.0000000000000674>
- McRackan, T. R., Rivas, A., Wanna, G. B., Yoo, M. J., Bennett, M. L., Dietrich, M. S., ... Haynes, D. S. (2012). Facial nerve outcomes in facial nerve schwannomas.[Erratum appears in Otol Neurotol. 2012 Apr;33(3):472 Note: Deitrich, Mary S [corrected to Dietrich, Mary S]]. *Otology & Neurotology*, 33(1), 78-82. DOI: <http://dx.doi.org/10.1097/MAO.0b013e31823c8ef1>
- McRackan, T. R., Wilkinson, E. P., Brackmann, D. E., & Slattery, W. H. (2015). Stereotactic radiosurgery for facial nerve schwannomas: meta-analysis and clinical review. *Otology & Neurotology*, 36(3), 393-398. DOI: <http://dx.doi.org/10.1097/MAO.0000000000000708>
- Mehta, G. U., Sheehan, J. P., & Vance, M. L. (2013). Effect of stereotactic radiosurgery before bilateral adrenalectomy for Cushing's disease on the incidence of Nelson's syndrome. *Journal of Neurosurgery*, 119(6), 1493-1497. DOI: <http://dx.doi.org/10.3171/2013.7.JNS13389>
- Meinel, F. G., Fischer, J., Pomschar, A., Wohrle, N., Koerte, I. K., Steffinger, D., ... Ertl-Wagner, B. (2014). MRI evidence for preserved regulation of intracranial pressure in patients with cerebral arteriovenous malformations. *European Journal of Radiology*, 83(8), 1442-1447. DOI: <http://dx.doi.org/10.1016/j.ejrad.2014.05.011>
- Melone, A. G., D'Elia, A., Santoro, F., Salvati, M., Delfini, R., Cantore, G., & Santoro, A. (2014). Intracranial hemangiopericytoma--our experience in 30 years: a series of 43 cases and review of the literature. *World Neurosurgery*, 81(3-4), 556-562. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.11.009>

- Melone, A. G., D'Elia, A., Santoro, F., Salvati, M., Delfini, R., Cantore, G., & Santoro, A. (2014). Intracranial hemangiopericytoma--our experience in 30 years: a series of 43 cases and review of the literature. *World Neurosurgery*, 81(3-4), 556-562. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.11.009>
- Mendes, G. A. C., Silveira, E. P., Caire, F., Boncoeur Martel, M. P., Saleme, S., Iosif, C., & Mounayer, C. (2015). Endovascular management of deep arteriovenous malformations: Single institution experience in 22 consecutive patients. *Neurosurgery*, 78(1), 34-40.
- Menendez, J. Y., Bauer, D. F., Shannon, C. N., Fiveash, J., & Markert, J. M. (2012). Stereotactic radiosurgical treatment of brain metastasis of primary tumors that rarely metastasize to the central nervous system. *Journal of Neuro-Oncology*, 109(3), 513-519. DOI: <http://dx.doi.org/10.1007/s11060-012-0916-2>
- Meng, M. B., Wang, H. H., Zaorsky, N. G., Zhao, X. Z., Wu, Z. Q., Jiang, B., ... Yuan, Z. Y. (2015). Clinical evaluation of stereotactic radiation therapy for recurrent or second primary mediastinal lymph node metastases originating from non-small cell lung cancer. *Oncotarget*, 6(17), 15690-15703.
- Mikoshiba, A., Uhara, H., Murata, H., & Okuyama, R. (2013). Clinical effects of stereotactic radiation surgery in patients with metastatic melanoma. *Journal of Dermatology*, 40(8), 626-628. DOI: <http://dx.doi.org/10.1111/j.1346-8138.12179>
- Milano, M. T., Katz, A. W., Zhang, H., & Okunieff, P. (2012). Oligometastases treated with stereotactic body radiotherapy: long-term follow-up of prospective study. *International Journal of Radiation Oncology, Biology, Physics*, 83(3), 878-886. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.08.036>
- Milker-Zabel, S., Kopp-Schneider, A., Wiesbauer, H., Schlegel, W., Huber, P., Debus, J., & Zabel-du Bois, A. (2012). Proposal for a new prognostic score for linac-based radiosurgery in cerebral arteriovenous malformations. *International Journal of Radiation Oncology, Biology, Physics*, 83(2), 525-532. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.07.008>
- Millar, W. T., Hopewell, J. W., Paddick, I., Lindquist, C., Nordstron, H., Lidberg, P., & Garding, J. (2015). The role of the concept of biologically effective dose (BED) in treatment planning in radiosurgery. *Physica Medica*, 31(6), 627-633. DOI: <http://dx.doi.org/10.1016/j.ejmp.2015.04.008>
- Miller, A. C., Miettinen, M., Schrump, D. S., & Hassan, R. (2014). Malignant mesothelioma and central nervous system metastases. Report of two cases, pooled analysis, and systematic review. *Annals of the American Thoracic Society*, 11(7), 1075-1081. DOI: <http://dx.doi.org/10.1513/AnnalsATS.201404-165BC>
- Miller, D., Zappala, V., El Hindy, N., Livingstone, E., Schadendorf, D., Sure, U., & Sandalcioglu, I. E. (2013). Intracerebral metastases of malignant melanoma and their recurrences--a clinical analysis. *Clinical Neurology & Neurosurgery*, 115(9), 1721-1728. DOI: <http://dx.doi.org/10.1016/j.clineuro.2013.03.019>
- Miller, T., Lau, T., Vasan, R., Danner, C., Youssef, A. S., van Loveren, H., & Agazzi, S. (2014). Reporting success rates in the treatment of vestibular schwannomas: are we accounting for the natural history? *Journal of Clinical Neuroscience*, 21(6), 914-918. DOI: <http://dx.doi.org/10.1016/j.jocn.2013.11.029>
- Milligan, B. D., Pollock, B. E., Foote, R. L., & Link, M. J. (2012). Long-term tumor control and cranial nerve outcomes following gamma knife surgery for larger-volume vestibular schwannomas. *Journal of Neurosurgery*, 116(3), 598-604. DOI: <http://dx.doi.org/10.3171/2011.11.JNS11811>

- Millin, A. E., Windle, R. S., & Lewis, D. G. (2016). A comparison of electronic portal dosimetry verification methods for use in stereotactic radiotherapy. *Physica Medica*, 32(1), 188-196. DOI: <http://dx.doi.org/10.1016/j.ejmp.2015.12.001>
- Min, H. J., Chung, H. J., & Kim, C. H. (2014). Delayed cerebrospinal fluid rhinorrhea four years after gamma knife surgery for juvenile angiomyxoma. *Journal of Craniofacial Surgery*, 25(6), e565-567. DOI: <http://dx.doi.org/10.1097/SCS.0000000000000164>
- Mindermann, T., & Schlegel, I. (2013). Grading of vestibular schwannomas and corresponding tumor volumes: ramifications for radiosurgery. *Acta Neurochirurgica*, 155(1), 71-74; discussion 74. DOI: <http://dx.doi.org/10.1007/s00701-012-1553-4>
- Mindermann, T., & Schlegel, I. (2014). How to distinguish tumor growth from transient expansion of vestibular schwannomas following Gamma Knife radiosurgery. *Acta Neurochirurgica*, 156(6), 1121-1123. DOI: <http://dx.doi.org/10.1007/s00701-014-2063-3>
- Minnich, D. J., Bryant, A. S., Wei, B., Hinton, B. K., Popple, R. A., Cerfolio, R. J., & Dobelbower, M. C. (2015). Retention Rate of Electromagnetic Navigation Bronchoscopic Placed Fiducial Markers for Lung Radiosurgery. *Annals of Thoracic Surgery*, 100(4), 1163-1165; discussion 1165-1166. DOI: <http://dx.doi.org/10.1016/j.athoracsur.2015.04.060>
- Minniti, G. (2012). Treating brain metastases: Current approaches and controversies. *Radiotherapy and oncology*, 103(9).
- Minniti, G., Agolli, L., Falco, T., Scaringi, C., Lanzetta, G., Caporello, P., ... Enrici, R. M. (2015). Hypofractionated stereotactic radiotherapy in combination with bevacizumab or fotemustine for patients with progressive malignant gliomas. *Journal of Neuro-Oncology*, 122(3), 559-566. DOI: <http://dx.doi.org/10.1007/s11060-015-1745-x>
- Minniti, G., Esposito, V., Clarke, E., Scaringi, C., Bozzao, A., Falco, T., ... Enrici, R. M. (2014). Fractionated stereotactic radiosurgery for patients with skull base metastases from systemic cancer involving the anterior visual pathway. *Radiation Oncology*, 9, 110. DOI: <http://dx.doi.org/10.1186/1748-717X-9-110>
- Minniti, G., Esposito, V., Clarke, E., Scaringi, C., Bozzao, A., Lanzetta, G., ... Enrici, R. M. (2013). Stereotactic radiosurgery in elderly patients with brain metastases. *Journal of Neuro-Oncology*, 111(3), 319-325. DOI: <http://dx.doi.org/10.1007/s11060-012-1016-z>
- Minniti, G., Scaringi, C., De Sanctis, V., Lanzetta, G., Falco, T., Di Stefano, D., ... Enrici, R. M. (2013). Hypofractionated stereotactic radiotherapy and continuous low-dose temozolamide in patients with recurrent or progressive malignant gliomas. *Journal of Neuro-Oncology*, 111(2), 187-194. DOI: <http://dx.doi.org/10.1007/s11060-012-0999-9>
- Minniti, G., Scaringi, C., Paolini, S., Clarke, E., Ciccone, F., Esposito, V., ... Enrici, R. M. (2016). Repeated stereotactic radiosurgery for patients with progressive brain metastases. *Journal of Neuro-Oncology*, 126(1), 91-97. DOI: <http://dx.doi.org/10.1007/s11060-015-1937-4>
- Minniti, G., Scaringi, C., Poggi, M., Jaffrain Rea, M. L., Trillo, G., Esposito, V., ... Enrici, R. M. (2015). Fractionated stereotactic radiotherapy for large and invasive non-functioning pituitary adenomas: long-term clinical outcomes and volumetric MRI assessment of tumor response. *European Journal of Endocrinology*, 172(4), 433-441. DOI: <http://dx.doi.org/10.1530/EJE-14-0872>
- Minniti, G., Scaringi, C., Poggi, M., Jaffrain Rea, M. L., Trillo, G., Esposito, V., ... Enrici, R. M. (2015). Fractionated stereotactic radiotherapy for large and invasive non-functioning pituitary adenomas:

- long-term clinical outcomes and volumetric MRI assessment of tumor response. *European Journal of Endocrinology*, 172(4), 433-441. DOI: <http://dx.doi.org/10.1530/EJE-14-0872>
- Mislmani, M., Frasure, H., Suppiah, S., Fabien, J., Lo, S. S., Debernardo, R., & Kunos, C. A. (2014). Acute gastrointestinal toxicity after robotic stereotactic ablative radiotherapy for treatment of metastatic gynecological malignancies. *Future Oncology*, 10(2), 241-248. DOI: <http://dx.doi.org/10.2217/fon.13.215>
- Missios, S., Bekelis, K., Al-Shyal, G., Rasmussen, P. A., & Barnett, G. H. (2014). Stereotactic radiosurgery of intracranial arteriovenous malformations and the use of the K index in determining treatment dose. *Neurosurgical Focus*, 37(3), E15. DOI: <http://dx.doi.org/10.3171/2014.7.FOCUS14157>
- Miszczuk, L., Tukiendorf, A., & Jochymek, B. (2013). Linac based radical radioablation of liver tumors. *Technology in Cancer Research & Treatment*, 12(3), 225-232. DOI: <http://dx.doi.org/10.7785/tcrt.2012.500311>
- Miura, H., Inoue, T., Shiomi, H., & Oh, R. J. (2015). Differences in rates of radiation-induced true and false rib fractures after stereotactic body radiation therapy for Stage I primary lung cancer. *Journal of Radiation Research*, 56(2), 332-337. DOI: <http://dx.doi.org/10.1093/jrr/rru107>
- Miura, H., Masai, N., Oh, R. J., Shiomi, H., Yamada, K., Sasaki, J., & Inoue, T. (2014). Clinical introduction of Monte Carlo treatment planning for lung stereotactic body radiotherapy. *Journal of Applied Clinical Medical Physics*, 15(1), 4202. DOI: <http://dx.doi.org/10.1120/jacmp.v15i1.4202>
- Miura, H., Masai, N., Oh, R. J., Shiomi, H., Yamada, K., Sasaki, J., & Inoue, T. (2014). Clinical introduction of Monte Carlo treatment planning for lung stereotactic body radiotherapy. *Journal of Applied Clinical Medical Physics*, 15(1), 4202. DOI: <http://dx.doi.org/10.1120/jacmp.v15i1.4202>
- Miwa, K., Matsuo, M., Shinoda, J., Aki, T., Yonezawa, S., Ito, T., ... Iwama, T. (2012). Clinical value of [11C]methionine PET for stereotactic radiation therapy with intensity modulated radiation therapy to metastatic brain tumors. *International Journal of Radiation Oncology, Biology, Physics*, 84(5), 1139-1144. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.02.032>
- Modh, A., Rimner, A., Williams, E., Foster, A., Shah, M., Shi, W., ... Wu, A. J. (2014). Local control and toxicity in a large cohort of central lung tumors treated with stereotactic body radiation therapy. *International Journal of Radiation Oncology, Biology, Physics*, 90(5), 1168-1176. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.08.008>
- Modh, A., Rimner, A., Williams, E., Foster, A., Shah, M., Shi, W., ... Wu, A. J. (2014). Local control and toxicity in a large cohort of central lung tumors treated with stereotactic body radiation therapy. *International Journal of Radiation Oncology, Biology, Physics*, 90(5), 1168-1176. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.08.008>
- Moffat, D. A., Lloyd, S. K., Macfarlane, R., Mannion, R., King, A., Rutherford, S., ... Ramsden, R. T. (2013). Outcome of translabyrinthine surgery for vestibular schwannoma in neurofibromatosis type 2. *British Journal of Neurosurgery*, 27(4), 446-453. DOI: <http://dx.doi.org/10.3109/02688697.2013.771143>
- Mohammadi, A. M., Recinos, P. F., Barnett, G. H., Weil, R. J., Vogelbaum, M. A., Chao, S. T., ... Angelov, L. (2012). Role of Gamma Knife surgery in patients with 5 or more brain metastases. *Journal of Neurosurgery*, 117 Suppl, 5-12. DOI: <http://dx.doi.org/10.3171/2012.8.GKS12983>
- Mohammadi, A. M., Recinos, P. F., Barnett, G. H., Weil, R. J., Vogelbaum, M. A., Chao, S. T., ... Angelov, L. (2012). Role of Gamma Knife surgery in patients with 5 or more brain metastases. *Journal of Neurosurgery*, 117 Suppl, 5-12. DOI: <http://dx.doi.org/10.3171/2012.8.GKS12983>

- Mohammed-Ali, R. I., Robbins, A. E., Hussain, O., Fitzgerald, A., Carroll, T., Smith, A. T., & Yousefpour, A. (2013). Six-year retrospective study of reconstructive options for defects of the skull base after resection of tumour. *British Journal of Oral & Maxillofacial Surgery*, 51(8), 719-724. DOI: <http://dx.doi.org/10.1016/j.bjoms.2013.06.007>
- Mohr, J. P., Parides, M. K., Stapf, C., Moquete, E., Moy, C. S., Overbey, J. R., ... international, A. i. (2014). Medical management with or without interventional therapy for unruptured brain arteriovenous malformations (ARUBA): a multicentre, non-blinded, randomised trial. *Lancet*, 383(9917), 614-621. DOI: [http://dx.doi.org/10.1016/S0140-6736\(13\)62302-8](http://dx.doi.org/10.1016/S0140-6736(13)62302-8)
- Mohr, J. P., Parides, M. K., Stapf, C., Moquete, E., Moy, C. S., Overbey, J. R., ... international, A. i. (2014). Medical management with or without interventional therapy for unruptured brain arteriovenous malformations (ARUBA): a multicentre, non-blinded, randomised trial. *Lancet*, 383(9917), 614-621. DOI: [http://dx.doi.org/10.1016/S0140-6736\(13\)62302-8](http://dx.doi.org/10.1016/S0140-6736(13)62302-8)
- Mohr, J. P., Parides, M. K., Stapf, C., Moquete, E., Moy, C. S., Overbey, J. R., ... international, A. i. (2014). Medical management with or without interventional therapy for unruptured brain arteriovenous malformations (ARUBA): a multicentre, non-blinded, randomised trial. *Lancet (London, England)*, 383(9917), 614-621.
- Moiseenko, V., Liu, M., Loewen, S., Kosztyla, R., Vollans, E., Lucido, J., ... Popescu, I. A. (2013). Monte Carlo calculation of dose distributions in oligometastatic patients planned for spine stereotactic ablative radiotherapy. *Physics in Medicine & Biology*, 58(20), 7107-7116. DOI: <http://dx.doi.org/10.1088/0031-9155/58/20/7107>
- Mokhles, S., Nuyttens, J. J., Maat, A. P., Birim, O., Aerts, J. G., Bogers, A. J., & Takkenberg, J. J. (2015). Survival and treatment of non-small cell lung cancer stage I-II treated surgically or with stereotactic body radiotherapy: Patient and tumor-specific factors affect the prognosis. *Annals of Surgical Oncology*, 22(1), 316-323. DOI: <http://dx.doi.org/10.1245/s10434-014-3860-x>
- Mokhles, S., Verstegen, N., Maat, A. P., Birim, O., Bogers, A. J., Mokhles, M. M., ... Takkenberg, J. J. (2015). Comparison of clinical outcome of stage I non-small cell lung cancer treated surgically or with stereotactic radiotherapy: Results from propensity score analysis. *Lung Cancer*, 87(3), 283-289. DOI: <http://dx.doi.org/10.1016/j.lungcan.2015.01.005>
- Mokhles, S., Verstegen, N., Maat, A. P., Birim, O., Bogers, A. J., Mokhles, M. M., ... Takkenberg, J. J. (2015). Comparison of clinical outcome of stage I non-small cell lung cancer treated surgically or with stereotactic radiotherapy: results from propensity score analysis. *Lung Cancer*, 87(3), 283-289. DOI: <http://dx.doi.org/10.1016/j.lungcan.2015.01.005>
- Momose, T., Nariai, T., Kawabe, T., Inaji, M., Tanaka, Y., Watanabe, S., ... Yamamoto, M. (2014). Clinical benefit of <sup>11</sup>C methionine PET imaging as a planning modality for radiosurgery of previously irradiated recurrent brain metastases. *Clinical Nuclear Medicine*, 39(11), 939-943. DOI: <http://dx.doi.org/10.1097/RNU.0000000000000561>
- Monaco, E. A., 3rd, Faraji, A. H., Berkowitz, O., Parry, P. V., Hadelsberg, U., Kano, H., ... Lunsford, L. D. (2013). Leukoencephalopathy after whole-brain radiation therapy plus radiosurgery versus radiosurgery alone for metastatic lung cancer. *Cancer*, 119(1), 226-232. DOI: <http://dx.doi.org/10.1002/cncr.27504>
- Monaco, E. A., 3rd, Parry, P. V., Grandhi, R., Niranjan, A., Kano, H., & Lunsford, L. D. (2012). Future perspectives on brain metastasis management. *Progress in Neurological Surgery*, 25, 287-308. DOI: <http://dx.doi.org/10.1159/000331201>

- Moningi, S., Dholakia, A. S., Raman, S. P., Blackford, A., Cameron, J. L., Le, D. T., ... Herman, J. M. (2015). The Role of Stereotactic Body Radiation Therapy for Pancreatic Cancer: A Single-Institution Experience. *Annals of Surgical Oncology*, 22(7), 2352-2358. DOI: <http://dx.doi.org/10.1245/s10434-014-4274-5>
- Moningi, S., Dholakia, A. S., Raman, S. P., Blackford, A., Cameron, J. L., Le, D. T., ... Herman, J. M. (2015). The Role of Stereotactic Body Radiation Therapy for Pancreatic Cancer: A Single-Institution Experience. *Annals of Surgical Oncology*, 22(7), 2352-2358. DOI: <http://dx.doi.org/10.1245/s10434-014-4274-5>
- Montano, N., Papacci, F., Cioni, B., Di Bonaventura, R., & Meglio, M. (2013). What is the best treatment of drug-resistant trigeminal neuralgia in patients affected by multiple sclerosis? A literature analysis of surgical procedures. *Clinical Neurology & Neurosurgery*, 115(5), 567-572. DOI: <http://dx.doi.org/10.1016/j.clineuro.2012.07.011>
- Moon, J. H., Chang, W. S., Jung, H. H., Lee, K. S., Park, Y. G., & Chang, J. H. (2014). Gamma Knife surgery for facial nerve schwannomas. *Journal of Neurosurgery*, 121 Suppl, 116-122. DOI: <http://dx.doi.org/10.3171/2014.8.GKS141504>
- Moon, J. Y., Lee, P. B., Kim, Y. C., Choi, S. P., & Sim, W. S. (2013). An alternative distal approach for the lumbar medial branch radiofrequency denervation: a prospective randomized comparative study. *Anesthesia & Analgesia*, 116(5), 1133-1140. DOI: <http://dx.doi.org/10.1213/ANE.0b013e31828b35fe>
- Moon, J. Y., Lee, P. B., Kim, Y. C., Choi, S. P., & Sim, W. S. (2013). An alternative distal approach for the lumbar medial branch radiofrequency denervation: a prospective randomized comparative study. *Anesthesia and analgesia*, 116(5), 1133-1140.
- Moore, W., Chaya, Y., Chaudhry, A., Depasquale, B., Glass, S., Lee, S., ... Bilfinger, T. (2015). Computed Tomography Assessment of Ablation Zone Enhancement in Patients With Early-Stage Lung Cancer After Stereotactic Ablative Radiotherapy. *Journal of Computer Assisted Tomography*, 39(5), 804-809. DOI: <http://dx.doi.org/10.1097/RCT.0000000000000262>
- Moosa, S., Chen, C. J., Ding, D., Lee, C. C., Chivukula, S., Starke, R. M., ... Sheehan, J. P. (2014). Volume-staged versus dose-staged radiosurgery outcomes for large intracranial arteriovenous malformations. *Neurosurgical Focus*, 37(3), E18. DOI: <http://dx.doi.org/10.3171/2014.5.FOCUS14205>
- More, J. M., Eclov, N. C., Chung, M. P., Wynne, J. F., Shorter, J. H., Nelson, D. D., Jr., ... Diehn, M. (2014). Feasibility and potential utility of multicomponent exhaled breath analysis for predicting development of radiation pneumonitis after stereotactic ablative radiotherapy. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 9(7), 957-964. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000182>
- Morgan, M. K., Assaad, N., & Korja, M. (2015). Surgery for Unruptured Spetzler-Martin Grade 3 Brain Arteriovenous Malformations: A Prospective Surgical Cohort. *Neurosurgery*, 77(3), 362-369; discussion 369-370. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000774>
- Mori, Y., Tsugawa, T., Hashizume, C., Kobayashi, T., & Shibamoto, Y. (2013). Gamma knife stereotactic radiosurgery for atypical and malignant meningiomas. *Acta Neurochirurgica - Supplement*, 116, 85-89. DOI: [http://dx.doi.org/10.1007/978-3-7091-1376-9\\_13](http://dx.doi.org/10.1007/978-3-7091-1376-9_13)
- Morimoto, M., Yoshioka, Y., Kotsuma, T., Adachi, K., Shiomi, H., Suzuki, O., ... Ogawa, K. (2013). Hypofractionated stereotactic radiation therapy in three to five fractions for vestibular schwannoma. *Japanese Journal of Clinical Oncology*, 43(8), 805-812. DOI: <http://dx.doi.org/10.1093/jjco/hyt082>

- Morin, J., Beliveau-Nadeau, D., Chung, E., Seuntjens, J., Theriault, D., Archambault, L., ... Beaulieu, L. (2013). A comparative study of small field total scatter factors and dose profiles using plastic scintillation detectors and other stereotactic dosimeters: the case of the CyberKnife. *Medical Physics*, 40(1), 011719. DOI: <http://dx.doi.org/10.1118/1.4772190>
- Mortini, P., Gagliardi, F., Boari, N., & Losa, M. (2013). Surgical strategies and modern therapeutic options in the treatment of craniopharyngiomas. *Critical Reviews in Oncology-Hematology*, 88(3), 514-529. DOI: <http://dx.doi.org/10.1016/j.critrevonc.2013.07.013>
- Mortuaire, G., Boute, O., Hatron, P. Y., & Chevalier, D. (2013). Pilot study of submucosal radiofrequency for epistaxis in hereditary hemorrhagic telangiectasia. *Rhinology*, 51(4), 355-360. DOI: <http://dx.doi.org/10.4193/Rhin13.027>
- Motono, N., Tanaka, M., Machida, Y., Maeda, S., Usuda, K., Toga, H., ... Sagawa, M. (2016). The therapeutic strategy for clinical stage IA non-small cell lung cancer patients who are ineligible for lobectomy. *Japanese Journal of Lung Cancer*, 56(3), 183-188. DOI: <http://doi.org/10.2482/haigan.56.183>
- Mousavi, S. H., Kano, H., Faraji, A. H., Gande, A., Flickinger, J. C., Nirajan, A., ... Lunsford, L. D. (2015). Hearing preservation up to 3 years after gamma knife radiosurgery for Gardner-Robertson class I patients with vestibular Schwannomas. *Neurosurgery*, 76(5), 584-590; discussion 590-581. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000674>
- Mousavi, S. H., Nirajan, A., Huang, M. J., Laghari, F. J., Shin, S. S., Mindlin, J. L., ... Lunsford, L. D. (2015). Early radiosurgery provides superior pain relief for trigeminal neuralgia patients. *Neurology*, 85(24), 2159-2165. DOI: <http://dx.doi.org/10.1212/WNL.0000000000002216>
- Moussazadeh, N., Lis, E., Katsoulakis, E., Kahn, S., Svoboda, M., DiStefano, N. M., ... Laufer, I. (2015). Five-Year Outcomes of High-Dose Single-Fraction Spinal Stereotactic Radiosurgery. *International Journal of Radiation Oncology, Biology, Physics*, 93(2), 361-367. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.05.035>
- Mouttet-Audouard, R., Gras, L., Comet, B., & Lartigau, E. (2012). Evidence based and new developments in re-irradiation for recurrent or second primary head and neck cancers. *Current Opinion in Otolaryngology & Head & Neck Surgery*, 20(2), 137-141. DOI: <http://dx.doi.org/10.1097/MOO.0b013e3283506a52>
- Mu, F., Lucas, J. T., Jr., Watts, J. M., Johnson, A. J., Daniel Bourland, J., Laxton, A. W., ... Tatter, S. B. (2015). Tumor resection with carmustine wafer placement as salvage therapy after local failure of radiosurgery for brain metastasis. *Journal of Clinical Neuroscience*, 22(3), 561-565. DOI: <http://dx.doi.org/10.1016/j.jocn.2014.08.020>
- Muacevic, A., Kufeld, M., Rist, C., Wowra, B., Stief, C., & Staehler, M. (2013). Safety and feasibility of image-guided robotic radiosurgery for patients with limited bone metastases of prostate cancer. *Urologic Oncology*, 31(4), 455-460. DOI: <http://dx.doi.org/10.1016/j.urolonc.2011.02.023>
- Mulder, J. J., Kaanders, J. H., van Overbeeke, J. J., & Cremers, C. W. (2012). Radiation therapy for vestibular schwannomas. *Current Opinion in Otolaryngology & Head & Neck Surgery*, 20(5), 367-371. DOI: <http://dx.doi.org/10.1097/MOO.0b013e328357d337>
- Mulvenna, P. M., Nankivell, M. G., Barton, R., Faivre-Finn, C., Wilson, P., Moore, B., ... Langley, R. E. (2015). Whole brain radiotherapy for brain metastases from non-small lung cancer: Quality of life (QoL) and overall survival (OS) results from the UK Medical Research Council QUARTZ randomised clinical trial (ISRCTN 3826061). *Journal of Clinical Oncology*, 33(15 SUPPL. 1), CONFERENCE START: 2015 May 2029 CONFERENCE END: 2015 Jun 2012.

- Murai, T., Murata, R., Manabe, Y., Sugie, C., Tamura, T., Ito, H., ... Shibamoto, Y. (2014). Intensity modulated stereotactic body radiation therapy for single or multiple vertebral metastases with spinal cord compression. *Practical Radiation Oncology*, 4(6), e231-237. DOI: <http://dx.doi.org/10.1016/j.prro.2014.02.005>
- Murai, T., Murata, R., Manabe, Y., Sugie, C., Tamura, T., Ito, H., ... Shibamoto, Y. (2014). Intensity modulated stereotactic body radiation therapy for single or multiple vertebral metastases with spinal cord compression. *Practical Radiation Oncology*, 4(6), e231-237. DOI: <http://dx.doi.org/10.1016/j.prro.2014.02.005>
- Murai, T., Shibamoto, Y., Nishiyama, T., Baba, F., Miyakawa, A., Ayakawa, S., ... Iwata, H. (2012). Organizing pneumonia after stereotactic ablative radiotherapy of the lung. *Radiation Oncology*, 7, 123. DOI: <http://dx.doi.org/10.1186/1748-717X-7-123>
- Murovic, J. A., & Chang, S. D. (2013). A critical analysis of the literature review in "Stereotactic radiosurgery for trigeminal pain secondary to benign skull base tumors" by Tanaka et al. and presentation of an algorithm for management of these tumors. *World Neurosurgery*, 80(3-4), 287-289. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.04.027>
- Murovic, J. A., & Chang, S. D. (2013). A critical analysis of the literature review in "Stereotactic radiosurgery for trigeminal pain secondary to benign skull base tumors" by Tanaka et al. and presentation of an algorithm for management of these tumors. *World Neurosurgery*, 80(3-4), 287-289. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.04.027>
- Murphy, J. D., Chang, D. T., Abelson, J., Daly, M. E., Yeung, H. N., Nelson, L. M., & Koong, A. C. (2012). Cost-effectiveness of modern radiotherapy techniques in locally advanced pancreatic cancer. *Cancer*, 118(4), 1119-1129. DOI: <http://dx.doi.org/10.1002/cncr.26365>
- Murphy, J. D., Chang, D. T., Abelson, J., Daly, M. E., Yeung, H. N., Nelson, L. M., & Koong, A. C. (2012). Cost-effectiveness of modern radiotherapy techniques in locally advanced pancreatic cancer. *Cancer*, 118(4), 1119-1129.
- Murphy, J. D., Hattangadi-Gluth, J., Song, W. Y., Vollans, E., Camborde, M. L., Kosztyla, R., ... Moiseenko, V. (2014). Liver toxicity prediction with stereotactic body radiation therapy: The impact of accounting for fraction size. *Practical Radiation Oncology*, 4(6), 372-377. DOI: <http://dx.doi.org/10.1016/j.prro.2013.12.004>
- Murphy, J. D., Hattangadi-Gluth, J., Song, W. Y., Vollans, E., Camborde, M. L., Kosztyla, R., ... Moiseenko, V. (2014). Liver toxicity prediction with stereotactic body radiation therapy: The impact of accounting for fraction size. *Practical Radiation Oncology*, 4(6), 372-377. DOI: <http://dx.doi.org/10.1016/j.prro.2013.12.004>
- Murray, A. L., Dally, M., Jeffreys, A., Hwang, P., & Anderson, J. F. (2014). Neuropsychological outcomes of stereotactic radiotherapy for cerebral arteriovenous malformations. *Journal of Clinical Neuroscience*, 21(4), 601-606. DOI: <http://dx.doi.org/10.1016/j.jocn.2013.08.007>
- Murray, L., Karakaya, E., Hinsley, S., Naisbitt, M., Lilley, J., Snee, M., ... Franks, K. (2016). Lung stereotactic ablative radiotherapy (SABR): dosimetric considerations for chest wall toxicity. *British Journal of Radiology*, 89(1058), 20150628. DOI: <http://dx.doi.org/10.1259/bjr.20150628>
- Murray, L., Karakaya, E., Hinsley, S., Naisbitt, M., Lilley, J., Snee, M., ... Franks, K. (2016). Lung stereotactic ablative radiotherapy (SABR): dosimetric considerations for chest wall toxicity. *British Journal of Radiology*, 89(1058), 20150628. DOI: <http://dx.doi.org/10.1259/bjr.20150628>

- Murray, L., Ramasamy, S., Lilley, J., Snee, M., Clarke, K., Musunuru, H. B., ... Franks, K. (2016). Stereotactic Ablative Radiotherapy (SABR) in Patients with Medically Inoperable Peripheral Early Stage Lung Cancer: Outcomes for the First UK SABR Cohort. *Clinical Oncology (Royal College of Radiologists)*, 28(1), 4-12. DOI: <http://dx.doi.org/10.1016/j.clon.2015.09.007>
- Musunuru, H. B., Davidson, M., Cheung, P., Vesprini, D., Liu, S., Chung, H., ... Loblaw, A. (2016). Predictive Parameters of Symptomatic Hematochezia Following 5-Fraction Gantry-Based SABR in Prostate Cancer. *International Journal of Radiation Oncology, Biology, Physics*, 94(5), 1043-1051. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.12.010>
- Musunuru, H. B., Davidson, M., Cheung, P., Vesprini, D., Liu, S., Chung, H., ... Loblaw, A. (2016). Predictive Parameters of Symptomatic Hematochezia Following 5-Fraction Gantry-Based SABR in Prostate Cancer. *International Journal of Radiation Oncology, Biology, Physics*, 94(5), 1043-1051.
- Musunuru, H. B., Quon, H., Davidson, M., Cheung, P., Zhang, L., D'Alimonte, L., ... Loblaw, A. (2016). Dose-escalation of five-fraction SABR in prostate cancer: Toxicity comparison of two prospective trials. *Radiotherapy & Oncology*, 118(1), 112-117. DOI: <http://dx.doi.org/10.1016/j.radonc.2015.12.020>
- Mut, M. (2012). Surgical treatment of brain metastasis: a review. *Clinical Neurology & Neurosurgery*, 114(1), 1-8. DOI: <http://dx.doi.org/10.1016/j.clineuro.2011.10.013>
- Mutter, R. W., Liu, F., Abreu, A., Yorke, E., Jackson, A., & Rosenzweig, K. E. (2012). Dose-volume parameters predict for the development of chest wall pain after stereotactic body radiation for lung cancer. *International Journal of Radiation Oncology, Biology, Physics*, 82(5), 1783-1790. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.03.053>
- Muzevic, D., Legcevic, J., Splavski, B., & CayeThomassen, P. (2014). Stereotactic radiotherapy for vestibular schwannoma. *Cochrane Database of Systematic Reviews*(12).
- Muzevic, D., Legcevic, J., Splavski, B., & Caye-Thomassen, P. (2014). Stereotactic radiotherapy for vestibular schwannoma. *Cochrane Database of Systematic Reviews*, 12, CD009897. DOI: <http://dx.doi.org/10.1002/14651858.CD009897.pub2>
- Muzevic, D., Legcevic, J., Splavski, B., & Caye-Thomassen, P. (2014). Stereotactic radiotherapy for vestibular schwannoma. *Cochrane Database of Systematic Reviews*(12), CD009897. DOI: <http://dx.doi.org/10.1002/14651858.CD009897.pub2>
- Na, F., Wang, J., Li, C., Deng, L., Xue, J., & Lu, Y. (2014). Primary tumor standardized uptake value measured on F18-Fluorodeoxyglucose positron emission tomography is of prediction value for survival and local control in non-small-cell lung cancer receiving radiotherapy: meta-analysis. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 9(6), 834-842. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000185>
- Nagasawa, D. T., Choy, W., Spasic, M., Yew, A., Trang, A., Garcia, H. M., & Yang, I. (2013). An analysis of intracranial epidermoid tumors with malignant transformation: Treatment and outcomes. *Clinical Neurology & Neurosurgery*, 115(7), 1071-1078. DOI: <http://dx.doi.org/10.1016/j.clineuro.2012.10.026>
- Nagata, Y., Hiraoka, M., Shibata, T., Onishi, H., Kokubo, M., Karasawa, K., ... Ishikura, S. (2015). Prospective Trial of Stereotactic Body Radiation Therapy for Both Operable and Inoperable T1N0M0 Non-Small Cell Lung Cancer: Japan Clinical Oncology Group Study JCOG0403. *International Journal of Radiation Oncology, Biology, Physics*, 93(5), 989-996. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.07.2278>

- Nagata, Y., Hiraoka, M., Shibata, T., Onishi, H., Kokubo, M., Karasawa, K., ... Ishikura, S. (2015). Prospective Trial of Stereotactic Body Radiation Therapy for Both Operable and Inoperable T1N0M0 Non-Small Cell Lung Cancer: Japan Clinical Oncology Group Study JCOG0403. *International Journal of Radiation Oncology, Biology, Physics*, 93(5), 989-996. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.07.2278>
- Nagrial, A., Chantrill, L., Chin, V., Sjoquist, K., O'Connor, C. A., & Yip, D. (2013). Pharmacologic and radiotherapeutic interventions for advanced pancreatic cancer. *Cochrane Database of Systematic Reviews*(6).
- Nagy, G., Major, O., Rowe, J. G., Radatz, M. W., Hodgson, T. J., Coley, S. C., & Kemeny, A. A. (2012). Stereotactic radiosurgery for arteriovenous malformations located in deep critical regions. *Neurosurgery*, 70(6), 1458-1469; discussion 1469-1471. DOI: <http://dx.doi.org/10.1227/NEU.0b013e318246a4d0>
- Nagy, G., Rowe, J. G., Radatz, M. W., Hodgson, T. J., Coley, S. C., & Kemeny, A. A. (2012). A historical analysis of single-stage gamma knife radiosurgical treatment for large arteriovenous malformations: evolution and outcomes. *Acta Neurochirurgica*, 154(3), 383-394. DOI: <http://dx.doi.org/10.1007/s00701-011-1245-5>
- Nair, V. J., Szanto, J., Vandervoort, E., Cagiannos, I., Breau, R., Malone, C., ... Malone, S. (2013). CyberKnife for inoperable renal tumors: Canadian pioneering experience. *Canadian Journal of Urology*, 20(5), 6944-6949.
- Nakagawa, T., Negoro, Y., Matsuoka, T., Okumura, N., & Dodo, Y. (2014). Comparison of the outcomes of stereotactic body radiotherapy and surgery in elderly patients with cT1-2N0M0 non-small cell lung cancer. *Respiratory Investigation*, 52(4), 221-226. DOI: <http://dx.doi.org/10.1016/j.resinv.2014.01.002>
- Nakai, Y., Ito, Y., Sato, M., Nakamura, K., Shiigai, M., Takigawa, T., ... Matsumura, A. (2012). Multimodality treatment for cerebral arteriovenous malformations: complementary role of proton beam radiotherapy. *Neurologia Medico-Chirurgica*, 52(12), 859-864.
- Nakamura, Y., Kimura, T., Higaki, T., Honda, Y., Komoto, D., Yamagami, T., ... Awai, K. (2015). Clinical utility of gadoxetate disodium-enhanced hepatic MRI for stereotactic body radiotherapy of hepatocellular carcinoma. *Japanese Journal of Radiology*, 33(10), 627-635. DOI: <http://dx.doi.org/10.1007/s11604-015-0465-7>
- Nakazaki, K., Higuchi, Y., Nagano, O., & Serizawa, T. (2013). Efficacy and limitations of salvage gamma knife radiosurgery for brain metastases of small-cell lung cancer after whole-brain radiotherapy. *Acta Neurochirurgica*, 155(1), 107-113; discussion 113-104. DOI: <http://dx.doi.org/10.1007/s00701-012-1520-0>
- Nakazawa, H., Komori, M., Shibamoto, Y., Takikawa, Y., Mori, Y., & Tsugawa, T. (2014). Geometric accuracy in three-dimensional coordinates of Leksell stereotactic skull frame with wide-bore 1.5-T MRI compared with conventional 1.5-T MRI. *Journal of Medical Imaging & Radiation Oncology*, 58(5), 595-600. DOI: <http://dx.doi.org/10.1111/1754-9485.12225>
- Nakazawa, H., Mori, Y., Komori, M., Tsugawa, T., Shibamoto, Y., Kobayashi, T., ... Hagiwara, M. (2014). Simulational study of a dosimetric comparison between a Gamma Knife treatment plan and an intensity-modulated radiotherapy plan for skull base tumors. *Journal of Radiation Research*, 55(3), 518-526. DOI: <http://dx.doi.org/10.1093/jrr/rrt136>

- Nakazawa, H., Mori, Y., Yamamuro, O., Komori, M., Shibamoto, Y., Uchiyama, Y., ... Hagiwara, M. (2014). Geometric accuracy of 3D coordinates of the Leksell stereotactic skull frame in 1.5 Tesla- and 3.0 Tesla-magnetic resonance imaging: a comparison of three different fixation screw materials. *Journal of Radiation Research*, 55(6), 1184-1191. DOI: <http://dx.doi.org/10.1093/jrr/rru064>
- Nakazawa, H., Shibamoto, Y., Tsugawa, T., Mori, Y., Nishio, M., Takami, T., ... Kobayashi, T. (2014). Efficacy of magnetic resonance imaging at 3 T compared with 1.5 T in small pituitary tumors for stereotactic radiosurgery planning. *Japanese Journal of Radiology*, 32(1), 22-29. DOI: <http://dx.doi.org/10.1007/s11604-013-0262-0>
- Nakazawa, H., Tsugawa, T., Mori, Y., Hagiwara, M., Komori, M., Hashizume, C., ... Kobayashi, T. (2014). Effective usage of a clearance check to avoid a collision in Gamma Knife Perfexion radiosurgery with the Leksell skull frame. *Journal of Radiation Research*, 55(6), 1192-1198. DOI: <http://dx.doi.org/10.1093/jrr/rru057>
- Nanda, A., Javalkar, V., Zhang, S., & Ahmed, O. (2015). Long term efficacy and patient satisfaction of microvascular decompression and gamma knife radiosurgery for trigeminal neuralgia. *Journal of Clinical Neuroscience*, 22(5), 818-822. DOI: <http://dx.doi.org/10.1016/j.jocn.2014.11.028>
- Nanda, R. H., Liu, Y., Gillespie, T. W., Mikell, J. L., Ramalingam, S. S., Fernandez, F. G., ... Higgins, K. A. (2015). Stereotactic body radiation therapy versus no treatment for early stage non-small cell lung cancer in medically inoperable elderly patients: A National Cancer Data Base analysis. *Cancer*, 121(23), 4222-4230. DOI: <http://dx.doi.org/10.1002/cncr.29640>
- Narabayashi, M., Mizowaki, T., Matsuo, Y., Nakamura, M., Takayama, K., Norihisa, Y., ... Hiraoka, M. (2012). Dosimetric evaluation of the impacts of different heterogeneity correction algorithms on target doses in stereotactic body radiation therapy for lung tumors. *Journal of Radiation Research*, 53(5), 777-784. DOI: <http://dx.doi.org/10.1093/jrr/rrs026>
- Narayana, A., Mathew, M., Tam, M., Kannan, R., Madden, K. M., Golfinos, J. G., ... Pavlick, A. C. (2013). Vemurafenib and radiation therapy in melanoma brain metastases. *Journal of Neuro-Oncology*, 113(3), 411-416. DOI: <http://dx.doi.org/10.1007/s11060-013-1127-1>
- Nataraj, A., Mohamed, M. B., Ghokal, A., Vivar, R., Watkins, L., Aspoas, R., ... Mendelow, A. D. (2014). Multimodality treatment of cerebral arteriovenous malformations. *World Neurosurgery*, 82(1-2), 149-159. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.02.064>
- Nataraj, A., Mohamed, M. B., Ghokal, A., Vivar, R., Watkins, L., Aspoas, R., ... Mendelow, A. D. (2014). Multimodality treatment of cerebral arteriovenous malformations. *World Neurosurgery*, 82(1-2), 149-159. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.02.064>
- Nathoo, D., Khojaste, A., Musunuru, H. B., & Ravi, A. (2016). The role of ultrasound imaging of bladder volume as a method to improve patient setup accuracy and reproducibility for prostate stereotactic ablative radiotherapy. *Journal of Medical Imaging and Radiation Sciences, Conference: 12th Annual Radiation Therapy Conference, RTi3. 2016 Toronto, ON United States. Conference Start: 20160304 Conference End: 20160305. Conference Publication:(var.pagings) 47 (1 SUPPL. 1), S10-S11.*
- Navarria, P., Ascolese, A. M., Cozzi, L., Tomatis, S., D'Agostino, G. R., De Rose, F., ... Scorsetti, M. (2015). Stereotactic body radiation therapy for lung metastases from soft tissue sarcoma. *European Journal of Cancer*, 51(5), 668-674. DOI: <http://dx.doi.org/10.1016/j.ejca.2015.01.061>

- Navarria, P., Ascolese, A. M., Tomatis, S., Cozzi, L., De Rose, F., Mancosu, P., ... Scorsetti, M. (2014). Stereotactic body radiotherapy (sbrt) in lung oligometastatic patients: role of local treatments. *Radiation Oncology*, 9(1), 91. DOI: <http://dx.doi.org/10.1186/1748-717X-9-91>
- Navarria, P., Pessina, F., Cozzi, L., Clerici, E., Villa, E., Ascolese, A. M., ... Scorsetti, M. (2015). Hypofractionated stereotactic radiation therapy in skull base meningiomas. *Journal of Neuro-Oncology*, 124(2), 283-289. DOI: <http://dx.doi.org/10.1007/s11060-015-1838-6>
- Navarro-Martin, A., Cacicedo, J., Leaman, O., Sancho, I., Garcia, E., Navarro, V., & Guedea, F. (2015). Comparative analysis of thermoplastic masks versus vacuum cushions in stereotactic body radiotherapy. *Radiation Oncology*, 10, 176. DOI: <http://dx.doi.org/10.1186/s13014-015-0484-7>
- Nct. (2013). Gamma knife radiosurgery vs initial conservative treatment for vestibular schwannoma patients with preserved hearing, a prospective randomized study. *Clinicaltrials.gov* [accessed, 16.
- Nct. (2014). Vestibular Schwannoma - Radiosurgery or Expectation. *Clinicaltrials.gov* [[www.clinicaltrials.gov](http://www.clinicaltrials.gov)].
- Neal, M. T., Chan, M. D., Lucas, J. T., Jr., Loganathan, A., Dillingham, C., Pan, E., ... Ellis, T. L. (2014). Predictors of survival, neurologic death, local failure, and distant failure after gamma knife radiosurgery for melanoma brain metastases. *World Neurosurgery*, 82(6), 1250-1255. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.02.025>
- Neal, M. T., Chan, M. D., Lucas, J. T., Jr., Loganathan, A., Dillingham, C., Pan, E., ... Ellis, T. L. (2014). Predictors of survival, neurologic death, local failure, and distant failure after gamma knife radiosurgery for melanoma brain metastases. *World Neurosurgery*, 82(6), 1250-1255. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.02.025>
- Nerva, J. D., Mantovani, A., Barber, J., Kim, L. J., Rockhill, J. K., Hallam, D. K., ... Sekhar, L. N. (2015). Treatment outcomes of unruptured arteriovenous malformations with a subgroup analysis of ARUBA (A Randomized Trial of Unruptured Brain Arteriovenous Malformations)-eligible patients. *Neurosurgery*, 76(5), 563-570; discussion570; quiz 570. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000663>
- Neubauer, N. L., Latif, N., Kalakota, K., Marymont, M., Small, W., Jr., Schink, J. C., & Lurain, J. R. (2012). Brain metastasis in gestational trophoblastic neoplasia: an update. *Journal of Reproductive Medicine*, 57(7-8), 288-292.
- Neumann, O., Kluge, A., Lyubina, O., Włodarczyk, W., Jahn, U., Kohler, C., ... Marnitz, S. (2014). Robotic radiosurgery as an alternative to brachytherapy for cervical cancer patients. *Strahlentherapie und Onkologie*, 190(6), 538-545. DOI: <http://dx.doi.org/10.1007/s00066-014-0614-4>
- Neumann, P. J., Cohen, J. T., & Weinstein, M. C. (2014). Updating cost-effectiveness-The curious resilience of the \$50,000-per-QALY threshold. *New England Journal of Medicine*, 371(9), 796-797. DOI: [10.1056/NEJMmp1405158](https://doi.org/10.1056/NEJMmp1405158)
- Nguyen, J. H., Chen, C. J., Lee, C. C., Yen, C. P., Xu, Z., Schlesinger, D., & Sheehan, J. P. (2014). Multisession gamma knife radiosurgery: a preliminary experience with a noninvasive, relocatable frame. *World Neurosurgery*, 82(6), 1256-1263. DOI: <http://dx.doi.org/10.1016/j.wneu.2014.07.042>
- Nguyen, J. H., Chen, C. J., Lee, C. C., Yen, C. P., Xu, Z., Schlesinger, D., & Sheehan, J. P. (2014). Multisession gamma knife radiosurgery: a preliminary experience with a noninvasive, relocatable frame. *World Neurosurgery*, 82(6), 1256-1263. DOI: <http://dx.doi.org/10.1016/j.wneu.2014.07.042>

- Nguyen, P. L., Aizer, A., Assimos, D. G., D'Amico, A. V., Frank, S. J., Gottschalk, A. R., ... American College of Radiology, E. P. o. R. O. (2014). ACR Appropriateness Criteria Definitive External-Beam Irradiation in stage T1 and T2 prostate cancer. *American Journal of Clinical Oncology*, 37(3), 278-288. DOI: <http://dx.doi.org/10.1097/COC.0000000000000049>
- Nguyen, P. L., Aizer, A., Assimos, D. G., D'Amico, A. V., Frank, S. J., Gottschalk, A. R., ... American College of Radiology, E. P. o. R. O. (2014). ACR Appropriateness Criteria Definitive External-Beam Irradiation in stage T1 and T2 prostate cancer. *American Journal of Clinical Oncology*, 37(3), 278-288. DOI: <http://dx.doi.org/10.1097/COC.0000000000000049>
- Nicolae, A., Davidson, M., Easton, H., Helou, J., Musunuru, H., Loblaw, A., & Ravi, A. (2015). Clinical evaluation of an endorectal immobilization system for use in prostate hypofractionated Stereotactic Ablative Body Radiotherapy (SABR). *Radiation Oncology*, 10, 122. DOI: <http://dx.doi.org/10.1186/s13014-015-0426-4>
- Nicolato, A., Longhi, M., Tommasi, N., Ricciardi, G. K., Spinelli, R., Foroni, R. I., ... Meglio, M. (2015). Leksell Gamma Knife for pediatric and adolescent cerebral arteriovenous malformations: results of 100 cases followed up for at least 36 months. *Journal of Neurosurgery. Pediatrics.*, 16(6), 736-747. DOI: <http://dx.doi.org/10.3171/2015.4.PEDS158>
- Nieder, C., Andratschke, N. H., Geinitz, H., & Grosu, A. L. (2012). Use of the Graded Prognostic Assessment (GPA) score in patients with brain metastases from primary tumours not represented in the diagnosis-specific GPA studies. *Strahlentherapie und Onkologie*, 188(8), 692-695. DOI: <http://dx.doi.org/10.1007/s00066-012-0107-2>
- Nieder, C., Dalhaug, A., Haukland, E., Mannsaker, B., & Pawinski, A. (2015). Tumor marker analyses in patients with brain metastases: patterns of practice and implications for survival prediction research. *Tumour Biology*, 36(8), 6471-6476. DOI: <http://dx.doi.org/10.1007/s13277-015-3337-y>
- Nieder, C., Grosu, A. L., & Gaspar, L. E. (2014). Stereotactic radiosurgery (SRS) for brain metastases: a systematic review. *Radiation Oncology*, 9, 155. DOI: <http://dx.doi.org/10.1186/1748-717X-9-155>
- Nieder, C., Hintz, M., & Grosu, A. L. (2016). Colorectal cancer metastatic to the brain: analysis of prognostic factors and impact of KRAS mutations on presentation and outcome. *Clinical & Translational Oncology: Official Publication of the Federation of Spanish Oncology Societies & of the National Cancer Institute of Mexico*, 18(1), 88-92. DOI: <http://dx.doi.org/10.1007/s12094-015-1340-9>
- Nieder, C., Norum, J., Dalhaug, A., Aandahl, G., & Englahringer, K. (2013). Best supportive care in patients with brain metastases and adverse prognostic factors: development of improved decision aids. *Supportive Care in Cancer*, 21(10), 2671-2678. DOI: <http://dx.doi.org/10.1007/s00520-013-1840-5>
- Niibe, Y., Yamashita, H., Yamamoto, T., Katsui, K., Nakagawa, K., Kanazawa, S., ... Jingu, K. (2015). Stereotactic body radiotherapy for pulmonary oligometastases with emphasis on the difference in oligometastatic state. *Annals of Oncology. Conference: 13th Annual Meeting of the Japanese Society of Medical Oncology Sapporo Japan. Conference Start*, 26.
- Nishimura, S., Takeda, A., Sanuki, N., Ishikura, S., Oku, Y., Aoki, Y., ... Shigematsu, N. (2014). Toxicities of organs at risk in the mediastinal and hilar regions following stereotactic body radiotherapy for centrally located lung tumors. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 9(9), 1370-1376. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000260>
- Nissim, O., Spiegelmann, R., Zach, L., Lawrence, Y., & Pffefer, R. (2014). Linac radiosurgery for vestibular schwannomas: Fusion optimization with fiesta MRI and high definition CT improves hearing

preservation rate. *Stereotactic and Functional Neurosurgery*. Conference: 21st Congress of the European Society for Stereotactic and Functional Neurosurgery: Implementing Research in Clinical Applications Maastricht Netherlands. Conference Start, 92.

- Niu, N. N., Niemierko, A., Larvie, M., Curtin, H., Loeffler, J. S., McKenna, M. J., & Shih, H. A. (2014). Pretreatment growth rate predicts radiation response in vestibular schwannomas. *International Journal of Radiation Oncology, Biology, Physics*, 89(1), 113-119. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.01.038>
- Niu, X., Rajanbabu, A., Delisle, M., Peng, F., Vijaykumar, D. K., Pavithran, K., ... Press, J. Z. (2013). Brain metastases in women with epithelial ovarian cancer: multimodal treatment including surgery or gamma-knife radiation is associated with prolonged survival. *Journal of Obstetrics & Gynaecology Canada: JOGC*, 35(9), 816-822.
- Nonaka, Y., Fukushima, T., Friedman, A. H., Kolb, L. E., & Bulsara, K. R. (2014). Surgical management of nonvascular lesions around the oculomotor nerve. *World Neurosurgery*, 81(5-6), 798-809. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.11.067>
- Nonaka, Y., Fukushima, T., Friedman, A. H., Kolb, L. E., & Bulsara, K. R. (2014). Surgical management of nonvascular lesions around the oculomotor nerve. *World Neurosurgery*, 81(5-6), 798-809. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.11.067>
- Nowak, A., Dziedzic, T., Czernicki, T., Kunert, P., & Marchel, A. (2014). Surgical treatment of jugular foramen meningiomas. *Neurologia i Neurochirurgia Polska*, 48(6), 391-396. DOI: <http://dx.doi.org/10.1016/j.pjnns.2014.09.008>
- Nyman, J., Hallqvist, A., Lund, J. A., Brustugun, O. T., Bergstrom, P., Friesland, S., ... Lax, I. (2014). SPACE-A randomized study of SBRT vs conventional fractionated radiotherapy in medically inoperable stage I NSCLC. *Radiotherapy and oncology*, 111(4).
- Obayomi-Davies, O., Chen, L. N., Bhagat, A., Wright, H. C., Uhm, S., Kim, J. S., ... Collins, S. P. (2013). Potency preservation following stereotactic body radiation therapy for prostate cancer. *Radiation Oncology*, 8, 256. DOI: <http://dx.doi.org/10.1186/1748-717X-8-256>
- Ochi, T., Taoka, T., Matsuda, R., Sakamoto, M., Akashi, T., Tamamoto, T., ... Kichikawa, K. (2014). Comparison between two separate injections and a single injection of double-dose contrast medium for contrast-enhanced MR imaging of metastatic brain tumors. *Magnetic resonance in medical sciences : MRMS : an official journal of Japan Society of Magnetic Resonance in Medicine*, 13(4), 221-229.
- Ochiai, S., Yamakado, K., Kodama, H., Nomoto, Y., Ii, N., Takaki, H., & Sakuma, H. (2015). Comparison of therapeutic results from radiofrequency ablation and stereotactic body radiotherapy in solitary lung tumors measuring 5 cm or smaller. *International Journal of Clinical Oncology*, 20(3), 499-507. DOI: <http://dx.doi.org/10.1007/s10147-014-0741-z>
- O'Connor, T. E., & Friedman, W. A. (2013). Magnetic resonance imaging assessment of cerebral arteriovenous malformation obliteration after stereotactic radiosurgery. *Neurosurgery*, 73(5), 761-766. DOI: <http://dx.doi.org/10.1227/NEU.00000000000000086>
- Oden, J., Toma-Dasu, I., Yu, C. X., Feigenberg, S. J., Regine, W. F., & Mutaf, Y. D. (2013). Dosimetric comparison between intra-cavitary breast brachytherapy techniques for accelerated partial breast irradiation and a novel stereotactic radiotherapy device for breast cancer: GammaPodTM. *Physics in Medicine & Biology*, 58(13), 4409-4421. DOI: <http://dx.doi.org/10.1088/0031-9155/58/13/4409>

- Oechsner, M., Odersky, L., Berndt, J., Combs, S. E., Wilkens, J. J., & Duma, M. N. (2015). Dosimetric impact of different CT datasets for stereotactic treatment planning using 3D conformal radiotherapy or volumetric modulated arc therapy. *Radiation Oncology*, 10, 249. DOI: <http://dx.doi.org/10.1186/s13014-015-0557-7>
- Oermann, E. K., Ding, D., Yen, C. P., Starke, R. M., Bederson, J. B., Kondziolka, D., & Sheehan, J. P. (2015). Effect of Prior Embolization on Cerebral Arteriovenous Malformation Radiosurgery Outcomes: A Case-Control Study. *Neurosurgery*, 77(3), 406-417; discussion 417. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000772>
- Oermann, E. K., Kress, M. A., Todd, J. V., Collins, B. T., Hoffman, R., Chaudhry, H., ... Ewend, M. G. (2013). The impact of radiosurgery fractionation and tumor radiobiology on the local control of brain metastases. *Journal of Neurosurgery*, 119(5), 1131-1138. DOI: <http://dx.doi.org/10.3171/2013.8.JNS122177>
- Ogino, A., Hirai, T., Fukushima, T., Serizawa, T., Watanabe, T., Yoshino, A., & Katayama, Y. (2012). Gamma knife surgery for brain metastases from ovarian cancer. *Acta Neurochirurgica*, 154(9), 1669-1677. DOI: <http://dx.doi.org/10.1007/s00701-012-1376-3>
- Ogiwara, H., Kalakota, K., Rakhra, S. S., Helenowski, I. B., Marymont, M. H., Kalapurakal, J. A., ... Chandler, J. P. (2012). Intracranial relapse rates and patterns, and survival trends following post-resection cavity radiosurgery for patients with single intracranial metastases. *Journal of Neuro-Oncology*, 108(1), 141-146. DOI: <http://dx.doi.org/10.1007/s11060-012-0808-5>
- Ogura, K., Mizowaki, T., Ogura, M., Sakanaka, K., Arakawa, Y., Miyamoto, S., & Hiraoka, M. (2012). Outcomes of hypofractionated stereotactic radiotherapy for metastatic brain tumors with high risk factors. *Journal of Neuro-Oncology*, 109(2), 425-432. DOI: <http://dx.doi.org/10.1007/s11060-012-0912-6>
- Oh, D., Ahn, Y. C., Seo, J. M., Shin, E. H., Park, H. C., Lim, D. H., & Pyo, H. (2012). Potentially curative stereotactic body radiation therapy (SBRT) for single or oligometastasis to the lung. *Acta Oncologica*, 51(5), 596-602. DOI: <http://dx.doi.org/10.3109/0284186X.2012.681698>
- Oh, D., Ahn, Y. C., Seo, J. M., Shin, E. H., Park, H. C., Lim do, H., & Pyo, H. (2012). Potentially curative stereotactic body radiation therapy (SBRT) for single or oligometastasis to the lung. *Acta Oncologica*, 51(5), 596-602. DOI: <http://dx.doi.org/10.3109/0284186X.2012.681698>
- Ohtakara, K., Hayashi, S., Mizuta, K., Aoki, M., Ando, K., Okada, S., ... Hoshi, H. (2012). Clinical outcomes of single or oligo-fractionated stereotactic radiotherapy for head and neck tumors using micromultileaf collimator-based dynamic conformal arcs. *Journal of Cancer Research & Clinical Oncology*, 138(9), 1511-1522. DOI: <http://dx.doi.org/10.1007/s00432-012-1225-z>
- Ohtakara, K., Hayashi, S., Nakayama, N., Ohe, N., Yano, H., Iwama, T., & Hoshi, H. (2012). Significance of target location relative to the depth from the brain surface and high-dose irradiated volume in the development of brain radionecrosis after micromultileaf collimator-based stereotactic radiosurgery for brain metastases. *Journal of Neuro-Oncology*, 108(1), 201-209. DOI: <http://dx.doi.org/10.1007/s11060-012-0834-3>
- Ohtakara, K., & Hoshi, H. (2014). Cerebral cyst formation following stereotactic ablative irradiation for non-nasopharyngeal head and neck malignancies: imaging findings and relevant dosimetric parameters. *British Journal of Radiology*, 87(1037), 20140071. DOI: <http://dx.doi.org/10.1259/bjr.20140071>

- Ohtakara, K., & Hoshi, H. (2014). Preliminary clinical outcomes of image-guided 3-dimensional conformal radiotherapy for limited brain metastases instead of stereotactic irradiation referral. *Anticancer Research*, 34(6), 2997-3005.
- Ohtakara, K., & Hoshi, H. (2015). Comparison of pencil beam-based homogeneous vs inhomogeneous target dose planning for stereotactic body radiotherapy of peripheral lung tumors through Monte Carlo-based recalculation. *Medical Dosimetry*, 40(3), 248-255. DOI: <http://dx.doi.org/10.1016/j.meddos.2015.02.001>
- Ohye, C., Higuchi, Y., Shibasaki, T., Hashimoto, T., Koyama, T., Hirai, T., ... Yamashiro, K. (2012). Gamma knife thalamotomy for Parkinson disease and essential tremor: a prospective multicenter study. *Neurosurgery*, 70(3), 526-535; discussion 535-526. DOI: <http://dx.doi.org/10.1227/NEU.0b013e3182350893>
- Ojerholm, E., Lee, J. Y., Thawani, J. P., Miller, D., O'Rourke, D. M., Dorsey, J. F., ... Alonso-Basanta, M. (2014). Stereotactic radiosurgery to the resection bed for intracranial metastases and risk of leptomeningeal carcinomatosis. *Journal of Neurosurgery*, 121 Suppl, 75-83. DOI: <http://dx.doi.org/10.3171/2014.6.GKS14708>
- Okoye, C. C., Patel, R. B., Hasan, S., Podder, T., Khouri, A., Fabien, J., ... Lo, S. S. (2016). Comparison of Ray Tracing and Monte Carlo Calculation Algorithms for Thoracic Spine Lesions Treated With CyberKnife-Based Stereotactic Body Radiation Therapy. *Technology in Cancer Research & Treatment*, 15(1), 196-202. DOI: <http://dx.doi.org/10.1177/1533034614568026>
- Oku, Y., Takeda, A., Sanuki, N., Sudo, Y., Oooka, Y., Aoki, Y., ... Kunieda, E. (2014). Stereotactic ablative body radiation therapy with dynamic conformal multiple arc therapy for liver tumors: optimal isodose line fitting to the planning target volume. *Practical Radiation Oncology*, 4(1), e7-e13. DOI: <http://dx.doi.org/10.1016/j.prro.2013.04.001>
- Oku, Y., Takeda, A., Sanuki, N., Sudo, Y., Oooka, Y., Aoki, Y., ... Kunieda, E. (2014). Stereotactic ablative body radiation therapy with dynamic conformal multiple arc therapy for liver tumors: optimal isodose line fitting to the planning target volume. *Practical Radiation Oncology*, 4(1), e7-e13. DOI: <http://dx.doi.org/10.1016/j.prro.2013.04.001>
- Oladeru, O. T., Miccio, J. A., Yang, J., Xue, Y., Ryu, S., & Stessin, A. M. (2016). Conformal external beam radiation or selective internal radiation therapy-A comparison of treatment outcomes for hepatocellular carcinoma. *Journal of gastrointestinal oncology*, 7(3), 433-440.
- Ong, C. L., Verbakel, W. F., Dahele, M., Cuijpers, J. P., Slotman, B. J., & Senan, S. (2012). Fast arc delivery for stereotactic body radiotherapy of vertebral and lung tumors. *International Journal of Radiation Oncology, Biology, Physics*, 83(1), e137-143. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.12.014>
- Onishi, H., & Araki, T. (2013). Stereotactic body radiation therapy for stage I non-small-cell lung cancer: a historical overview of clinical studies. *Japanese Journal of Clinical Oncology*, 43(4), 345-350. DOI: <http://dx.doi.org/10.1093/jjco/hyt014>
- Onishi, H., Kawasaki, T., Zakoji, H., Yoshida, T., Komiya, T., Kuriyama, K., ... Katoh, R. (2014). Renal cell carcinoma treated with stereotactic radiotherapy with histological change confirmed on autopsy: a case report. *BMC Research Notes*, 7, 270. DOI: <http://dx.doi.org/10.1186/1756-0500-7-270>
- Ono, Y., Abe, K., Hayashi, M., Chernov, M. F., Okada, Y., Sakai, S., & Takakura, K. (2013). Optimal visualization of multiple brain metastases for gamma knife radiosurgery. *Acta Neurochirurgica - Supplement*, 116, 159-166. DOI: [http://dx.doi.org/10.1007/978-3-7091-1376-9\\_25](http://dx.doi.org/10.1007/978-3-7091-1376-9_25)

- Onodera, S., Aoyama, H., Tha, K. K., Hashimoto, N., Toyomaki, A., Terae, S., & Shirato, H. (2014). The value of 4-month neurocognitive function as an endpoint in brain metastases trials. *Journal of Neuro-Oncology*, 120(2), 311-319. DOI: <http://dx.doi.org/10.1007/s11060-014-1550-y>
- Oosterhuis, J. W., Verstegen, N., Van Der Elst, A., Mollema, R., Van Tets, W., Joosten, J., ... Senan, S. (2013). Propensity score-matched analysis of stage I-II non-small cell lung cancer treated by video-assisted thoracoscopic lobectomy or stereotactic ablative radiotherapy. *Interactive cardiovascular and thoracic surgery*, 17(26).
- O'Shea, T. P., Garcia, L. J., Rosser, K. E., Harris, E. J., Evans, P. M., & Bamber, J. C. (2014). 4D ultrasound speckle tracking of intra-fraction prostate motion: a phantom-based comparison with x-ray fiducial tracking using CyberKnife. *Physics in Medicine & Biology*, 59(7), 1701-1720. DOI: <http://dx.doi.org/10.1088/0031-9155/59/7/1701>
- O'Shea, T. P., Garcia, L. J., Rosser, K. E., Harris, E. J., Evans, P. M., & Bamber, J. C. (2014). 4D ultrasound speckle tracking of intra-fraction prostate motion: a phantom-based comparison with x-ray fiducial tracking using CyberKnife. *Physics in Medicine & Biology*, 59(7), 1701-1720. DOI: <http://dx.doi.org/10.1088/0031-9155/59/7/1701>
- Osmundson, E. C., Wu, Y., Luxton, G., Bazan, J. G., Koong, A. C., & Chang, D. T. (2015). Predictors of toxicity associated with stereotactic body radiation therapy to the central hepatobiliary tract. *International Journal of Radiation Oncology, Biology, Physics*, 91(5), 986-994. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.11.028>
- Ost, P., Jereczek-Fossa, B. A., As, N. V., Zilli, T., Muacevic, A., Olivier, K., ... De Meerleer, G. (2016). Progression-free Survival Following Stereotactic Body Radiotherapy for Oligometastatic Prostate Cancer Treatment-naive Recurrence: A Multi-institutional Analysis. *European Urology*, 69(1), 9-12. DOI: <http://dx.doi.org/10.1016/j.eururo.2015.07.004>
- Ostheimer, C., Bormann, C., Fiedler, E., Marsch, W., & Vordermark, D. (2015). Malignant melanoma brain metastases: Treatment results and prognostic factors--a single-center retrospective study. *International Journal of Oncology*, 46(6), 2439-2448. DOI: <http://dx.doi.org/10.3892/ijo.2015.2970>
- Osti, M. F., Carnevale, A., Valeriani, M., De Sanctis, V., Minniti, G., Cortesi, E., ... Maurizi Enrici, R. (2013). Clinical outcomes of single dose stereotactic radiotherapy for lung metastases. *Clinical Lung Cancer*, 14(6), 699-703. DOI: <http://dx.doi.org/10.1016/j.clcc.2013.06.006>
- Ouyang, T., Zhang, N., Zhang, Y., Jiao, J., Ren, J., Huang, T., & Chen, J. (2014). Clinical characteristics, immunohistochemistry, and outcomes of 77 patients with skull base chordomas. *World Neurosurgery*, 81(5-6), 790-797. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.01.010>
- Ouyang, T., Zhang, N., Zhang, Y., Jiao, J., Ren, J., Huang, T., & Chen, J. (2014). Clinical characteristics, immunohistochemistry, and outcomes of 77 patients with skull base chordomas. *World Neurosurgery*, 81(5-6), 790-797. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.01.010>
- Owen, D., Iqbal, F., Pollock, B. E., Link, M. J., Stien, K., Garces, Y. I., ... Foote, R. L. (2015). Long-term follow-up of stereotactic radiosurgery for head and neck malignancies. *Head & Neck*, 37(11), 1557-1562. DOI: <http://dx.doi.org/10.1002/hed.23798>
- Owen, D., Laack, N. N., Mayo, C. S., Garces, Y. I., Park, S. S., Bauer, H. J., ... Olivier, K. R. (2014). Outcomes and toxicities of stereotactic body radiation therapy for non-spine bone oligometastases. *Practical Radiation Oncology*, 4(2), e143-149. DOI: <http://dx.doi.org/10.1016/j.prro.2013.05.006>

- Owen, D., Laack, N. N., Mayo, C. S., Garces, Y. I., Park, S. S., Bauer, H. J., ... Olivier, K. R. (2014). Outcomes and toxicities of stereotactic body radiation therapy for non-spine bone oligometastases. *Practical Radiation Oncology*, 4(2), e143-149. DOI: <http://dx.doi.org/10.1016/j.prro.2013.05.006>
- Owen, D., Olivier, K. R., Mayo, C. S., Miller, R. C., Nelson, K., Bauer, H., ... Garces, Y. I. (2015). Outcomes of stereotactic body radiotherapy (SBRT) treatment of multiple synchronous and recurrent lung nodules. *Radiation Oncology*, 10, 43. DOI: <http://dx.doi.org/10.1186/s13014-015-0340-9>
- Ozawa, Y., Omae, M., Fujii, M., Matsui, T., Kato, M., Sagisaka, S., ... Suda, T. (2015). Management of brain metastasis with magnetic resonance imaging and stereotactic irradiation attenuated benefits of prophylactic cranial irradiation in patients with limited-stage small cell lung cancer. *BMC Cancer*, 15, 589. DOI: <http://dx.doi.org/10.1186/s12885-015-1593-2>
- Ozyigit, G., Cengiz, M., Hurmuz, P., Yazici, G., Gultekin, M., Akyol, F., ... Zorlu, F. (2014). Robotic stereotactic radiosurgery in patients with nasal cavity and paranasal sinus tumors. *Technology in Cancer Research & Treatment*, 13(5), 409-413. DOI: <http://dx.doi.org/10.7785/tcrtextpress.2013.600264>
- Ozyigit, G., Cengiz, M., Hurmuz, P., Yazici, G., Gultekin, M., Akyol, F., ... Zorlu, F. (2014). Robotic stereotactic radiosurgery in patients with nasal cavity and paranasal sinus tumors. *Technology in Cancer Research & Treatment*, 13(5), 409-413. DOI: <http://dx.doi.org/10.7785/tcrtextpress.2013.600264>
- Paik, E. K., Kim, M. S., Jang, W. I., Seo, Y. S., Cho, C. K., Yoo, H. J., ... Kim, Y. H. (2016). Benefits of stereotactic ablative radiotherapy combined with incomplete transcatheter arterial chemoembolization in hepatocellular carcinoma. *Radiation Oncology*, 11, 22. DOI: <http://dx.doi.org/10.1186/s13014-016-0597-7>
- Palma, D., Visser, O., Lagerwaard, F. J., Belderbos, J., Slotman, B., & Senan, S. (2011). Treatment of stage I NSCLC in elderly patients: a population-based matched-pair comparison of stereotactic radiotherapy versus surgery. *Radiotherapy & Oncology*, 101(2), 240-244. DOI: <http://dx.doi.org/10.1016/j.radonc.2011.06.029>
- Palma, D. A., Haasbeek, C. J., Rodrigues, G. B., Dahele, M., Lock, M., Yaremko, B., ... Senan, S. (2012). Stereotactic ablative radiotherapy for comprehensive treatment of oligometastatic tumors (SABR-COMET): study protocol for a randomized phase II trial. *BMC Cancer*, 12, 305. DOI: <http://dx.doi.org/10.1186/1471-2407-12-305>
- Palma, D. A., Haasbeek, C. J., Rodrigues, G. B., Dahele, M., Lock, M., Yaremko, B., ... Senan, S. (2012). Stereotactic ablative radiotherapy for comprehensive treatment of oligometastatic tumors (SABR-COMET): study protocol for a randomized phase II trial. *BMC Cancer*, 12(305).
- Pan, D. H., Lee, C. C., Wu, H. M., Chung, W. Y., Yang, H. C., & Lin, C. J. (2013). Gamma Knife radiosurgery for the management of intracranial dural arteriovenous fistulas. *Acta Neurochirurgica - Supplement*, 116, 113-119. DOI: [http://dx.doi.org/10.1007/978-3-7091-1376-9\\_18](http://dx.doi.org/10.1007/978-3-7091-1376-9_18)
- Pan, H., Cervino, L. I., Pawlicki, T., Jiang, S. B., Alksne, J., Detorie, N., ... Lawson, J. D. (2012). Frameless, real-time, surface imaging-guided radiosurgery: clinical outcomes for brain metastases. *Neurosurgery*, 71(4), 844-851.
- Pan, H., Rose, B. S., Simpson, D. R., Mell, L. K., Mundt, A. J., & Lawson, J. D. (2013). Clinical practice patterns of lung stereotactic body radiation therapy in the United States: a secondary analysis. *American Journal of Clinical Oncology*, 36(3), 269-272. DOI: <http://dx.doi.org/10.1097/COC.0b013e3182467db3>
- Pan, H., Rose, B. S., Simpson, D. R., Mell, L. K., Mundt, A. J., & Lawson, J. D. (2013). Clinical practice patterns of lung stereotactic body radiation therapy in the United States: a secondary analysis. *American*

*Journal of Clinical Oncology*, 36(3), 269-272. DOI:  
<http://dx.doi.org/10.1097/COC.0b013e3182467db3>

- Pan, H., Rose, B. S., Simpson, D. R., Mell, L. K., Mundt, A. J., & Lawson, J. D. (2013). Clinical practice patterns of lung stereotactic body radiation therapy in the United States: a secondary analysis. *American Journal of Clinical Oncology*, 36(3), 269-272.
- Pan, H. C., Sheehan, J., Sheu, M. L., Chiu, W. T., & Yang, D. Y. (2012). Intracapsular decompression or radical resection followed by Gamma Knife surgery for patients harboring a large vestibular schwannoma. *Journal of Neurosurgery*, 117, 69-77.
- Pandey, P., Marks, M. P., Harraher, C. D., Westbroek, E. M., Chang, S. D., Do, H. M., ... Steinberg, G. K. (2012). Multimodality management of Spetzler-Martin Grade III arteriovenous malformations. *Journal of Neurosurgery*, 116(6), 1279-1288. DOI: <http://dx.doi.org/10.3171/2012.3.JNS111575>
- Parashar, B., Port, J., Arora, S., Christos, P., Trichter, S., Nori, D., & Wernicke, A. G. (2015). Analysis of stereotactic radiation vs. wedge resection vs. wedge resection plus Cesium-131 brachytherapy in early stage lung cancer. *Brachytherapy*, 14(5), 648-654. DOI: <http://dx.doi.org/10.1016/j.brachy.2015.04.001>
- Pareek, P., Samdariya, S., Sharma, A., Gupta, N., Shekhar, S., & Kirubakaran, R. (2016). Pentoxifylline and vitamin E alone or in combination for preventing and treating side effects of radiation therapy and concomitant chemoradiotherapy. *Cochrane Database of Systematic Reviews*(9).
- Parikh, P. P., Amber, K. T., & Angeli, S. I. (2013). A schwannoma of the greater petrosal nerve located within the petrous apex and treated with stereotactic radiotherapy. *American Journal of Otolaryngology*, 34(5), 596-599. DOI: <http://dx.doi.org/10.1016/j.amjoto.2013.02.003>
- Parikh, R. R., Goodman, R. R., Rhome, R., Sudentas, E., Trichter, F., Harrison, L. B., & Choi, W. (2016). Linear accelerator-based flattening-filter-free stereotactic radiosurgery for trigeminal neuralgia: Feasibility and patient-reported outcomes. *Practical Radiation Oncology*, 6(1), e1-7. DOI: <http://dx.doi.org/10.1016/j.prro.2015.09.001>
- Park, E. S., Kwon, D. H., Park, J. B., Lee, D. H., Cho, Y. H., Kim, J. H., & Kim, C. J. (2014). Gamma Knife surgery for treating brain metastases arising from hepatocellular carcinomas. *Journal of Neurosurgery*, 121 Suppl, 102-109. DOI: <http://dx.doi.org/10.3171/2014.7.GKS141507>
- Park, E. S., Kwon do, H., Park, J. B., Lee do, H., Cho, Y. H., Kim, J. H., & Kim, C. J. (2014). Gamma Knife surgery for treating brain metastases arising from hepatocellular carcinomas. *Journal of Neurosurgery*, 121 Suppl, 102-109. DOI: <http://dx.doi.org/10.3171/2014.7.GKS141507>
- Park, E. S., Lee, E. J., Park, J. B., Cho, Y. H., Hong, S. H., Kim, J. H., & Kim, C. J. (2016). A Single-Institution Retrospective Study of Jugular Foramen Schwannoma Management: Radical Resection Versus Subtotal Intracranial Resection Through a Retrosigmoid Suboccipital Approach Followed by Radiosurgery. *World Neurosurgery*, 88, 552-562. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.10.042>
- Park, H. H., Hong, C. K., Jung, H. H., Chang, W. S., Kim, C. H., Lee, W. S., ... Chang, J. H. (2016). The Role of Radiosurgery in the Management of Benign Head and Neck Tumors. *World Neurosurgery*, 87, 116-123. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.11.053>
- Park, H. J., Kim, H. J., Won, J. H., Lee, S. C., & Chang, A. R. (2015). Stereotactic Body Radiotherapy (SBRT) for Spinal Metastases: Who Will Benefit the Most from SBRT? *Technology in Cancer Research & Treatment*, 14(2), 159-167. DOI: <http://dx.doi.org/10.7785/tcrt.2012.500411>

- Park, H. K., & Steven, D. C. (2012). Stereotactic radiosurgery for central neurocytoma: a quantitative systematic review. *Journal of Neuro-Oncology*, 108(1), 115-121. DOI: <http://dx.doi.org/10.1007/s11060-012-0849-9>
- Park, H. S., Harder, E. M., Mancini, B. R., & Decker, R. H. (2015). Central versus Peripheral Tumor Location: Influence on Survival, Local Control, and Toxicity Following Stereotactic Body Radiotherapy for Primary Non-Small-Cell Lung Cancer. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 10(5), 832-837. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000484>
- Park, H. S., Wang, E. H., Rutter, C. E., Corso, C. D., Chiang, V. L., & Yu, J. B. (2016). Changing practice patterns of Gamma Knife versus linear accelerator-based stereotactic radiosurgery for brain metastases in the US. *Journal of Neurosurgery*, 124(4), 1018-1024. DOI: <http://dx.doi.org/10.3171/2015.4.JNS1573>
- Park, J. H., Yoon, S. M., Lim, Y. S., Kim, S. Y., Shim, J. H., Kim, K. M., ... Kim, J. H. (2013). Two-week schedule of hypofractionated radiotherapy as a local salvage treatment for small hepatocellular carcinoma. *Journal of Gastroenterology & Hepatology*, 28(10), 1638-1642. DOI: <http://dx.doi.org/10.1111/jgh.12249>
- Park, J. I., Ye, S. J., Kim, H. J., & Park, J. M. (2015). Dosimetric effects of immobilization devices on SABR for lung cancer using VMAT technique. *Journal of Applied Clinical Medical Physics*, 16(1), 5217. DOI: <http://dx.doi.org/10.1120/jacmp.v16i1.5217>
- Park, J. I., Ye, S. J., Kim, H. J., & Park, J. M. (2015). Dosimetric effects of immobilization devices on SABR for lung cancer using VMAT technique. *Journal of Applied Clinical Medical Physics*, 16(1), 5217. DOI: <http://dx.doi.org/10.1120/jacmp.v16i1.5217>
- Park, J. I., Ye, S. J., Kim, H. J., & Park, J. M. (2015). Dosimetric effects of immobilization devices on SABR for lung cancer using VMAT technique. *Journal of Applied Clinical Medical Physics*, 16(1), 5217.
- Park, K. J., Kano, H., Berkowitz, O., Awan, N. R., Flickinger, J. C., Lunsford, L. D., & Kondziolka, D. (2011). Computed tomography-guided gamma knife stereotactic radiosurgery for trigeminal neuralgia. *Acta Neurochirurgica*, 153(8), 1601-1609. DOI: <http://dx.doi.org/10.1007/s00701-011-1026-1>
- Park, K. J., Kano, H., Iyer, A., Liu, X., Niranjan, A., Flickinger, J. C., ... Kondziolka, D. (2012). Salvage gamma knife stereotactic radiosurgery followed by bevacizumab for recurrent glioblastoma multiforme: a case-control study. *Journal of Neuro-Oncology*, 107(2), 323-333. DOI: <http://dx.doi.org/10.1007/s11060-011-0744-9>
- Park, K. J., Niranjan, A., Kondziolka, D., Kano, H., Castillo, P., Matchett, J. C., ... Lunsford, L. D. (2011). Combining brain diagnosis and therapy in a single strategy: the safety, reliability, and cost implications using same-day versus separate-day stereotactic procedures. *Stereotactic & Functional Neurosurgery*, 89(6), 346-356. DOI: <http://dx.doi.org/10.1159/000332057>
- Park, K. S., Kang, D. H., Park, S. H., & Kim, Y. S. (2016). The efficacy of gamma knife radiosurgery alone as a primary treatment for intracranial dural arteriovenous fistulas. *Acta Neurochirurgica*, 158(4), 821-828. DOI: <http://dx.doi.org/10.1007/s00701-016-2720-9>
- Park, M. J., Kim, S. Y., Yoon, S. M., Kim, J. H., Park, S. H., Lee, S. S., ... Lee, M. G. (2014). Stereotactic body radiotherapy-induced arterial hypervascularity of non-tumorous hepatic parenchyma in patients with hepatocellular carcinoma: potential pitfalls in tumor response evaluation on multiphase computed tomography. *PLoS ONE [Electronic Resource]*, 9(2), e90327. DOI: <http://dx.doi.org/10.1371/journal.pone.0090327>

- Park, S. C., Kwon do, H., Lee do, H., & Lee, J. K. (2016). Repeat Gamma-Knife Radiosurgery for Refractory or Recurrent Trigeminal Neuralgia with Consideration About the Optimal Second Dose. *World Neurosurgery*, 86, 371-383. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.08.056>
- Park, S. H., & Hwang, S. K. (2013). Gamma knife radiosurgery for symptomatic brainstem intra-axial cavernous malformations. *World Neurosurgery*, 80(6), e261-266. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.09.013>
- Park, S. H., & Hwang, S. K. (2013). Gamma knife radiosurgery for symptomatic brainstem intra-axial cavernous malformations. *World Neurosurgery*, 80(6), e261-266. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.09.013>
- Park, S. H., Kano, H., Niranjan, A., Flickinger, J. C., & Lunsford, L. D. (2014). Stereotactic radiosurgery for cerebellopontine angle meningiomas. *Journal of Neurosurgery*, 120(3), 708-715. DOI: <http://dx.doi.org/10.3171/2013.11.JNS131607>
- Park, S. H., Kano, H., Niranjan, A., Monaco, E., 3rd, Flickinger, J. C., & Lunsford, L. D. (2015). Gamma Knife radiosurgery for meningiomas arising from the tentorium: a 22-year experience. *Journal of Neuro-Oncology*, 121(1), 129-134. DOI: <http://dx.doi.org/10.1007/s11060-014-1605-0>
- Park, S. H., Lee, K. Y., & Hwang, S. K. (2013). Nervus intermedius dysfunction following Gamma Knife surgery for vestibular schwannoma. *Journal of Neurosurgery*, 118(3), 566-570. DOI: <http://dx.doi.org/10.3171/2012.10.JNS12747>
- Park, Y., Kim, K. S., Kim, K., Chie, E. K., Kim, J. H., Kim, J. S., ... Chang, A. R. (2015). Nomogram prediction of survival in patients with brain metastases from hepatocellular carcinoma treated with whole-brain radiotherapy: a multicenter retrospective study. *Journal of Neuro-Oncology*, 125(2), 377-383. DOI: <http://dx.doi.org/10.1007/s11060-015-1926-7>
- Parkhutik, V., Lago, A., Tembl, J. I., Vazquez, J. F., Aparici, F., Mainar, E., & Vazquez, V. (2012). Postradiosurgery hemorrhage rates of arteriovenous malformations of the brain: influencing factors and evolution with time. *Stroke*, 43(5), 1247-1252. DOI: <http://dx.doi.org/10.1161/STROKEAHA.111.635789>
- Parks, J., Kloecker, G., Woo, S., & Dunlap, N. E. (2016). Stereotactic Body Radiation Therapy as Salvage for Intrathoracic Recurrence in Patients With Previously Irradiated Locally Advanced Non-Small Cell Lung Cancer. *American Journal of Clinical Oncology*, 39(2), 147-153. DOI: <http://dx.doi.org/10.1097/COC.0000000000000039>
- Parlak, C., Mertsoylu, H., Guler, O. C., Onal, C., & Topkan, E. (2014). Definitive chemoradiation therapy following surgical resection or radiosurgery plus whole-brain radiation therapy in non-small cell lung cancer patients with synchronous solitary brain metastasis: a curative approach. *International Journal of Radiation Oncology, Biology, Physics*, 88(4), 885-891. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.12.017>
- Pasqualetti, F., Panichi, M., Sainato, A., Matteucci, F., Galli, L., Cocuzza, P., ... Erba, P. A. (2016). [(18)F]Choline PET/CT and stereotactic body radiotherapy on treatment decision making of oligometastatic prostate cancer patients: preliminary results. *Radiation Oncology*, 11, 9. DOI: <http://dx.doi.org/10.1186/s13014-016-0586-x>
- Pastis, N. J., Jr., Greer, T. J., Tanner, N. T., Wahlquist, A. E., Gordon, L. L., Sharma, A. K., ... Silvestri, G. A. (2014). Assessing the usefulness of 18F-fluorodeoxyglucose PET-CT scan after stereotactic body radiotherapy for early-stage non-small cell lung cancer. *Chest*, 146(2), 406-411. DOI: <http://dx.doi.org/10.1378/chest.13-2281>

- Pastis, N. J., Jr., Greer, T. J., Tanner, N. T., Wahlquist, A. E., Gordon, L. L., Sharma, A. K., ... Silvestri, G. A. (2014). Assessing the usefulness of 18F-fluorodeoxyglucose PET-CT scan after stereotactic body radiotherapy for early-stage non-small cell lung cancer. *Chest*, 146(2), 406-411. DOI: <http://dx.doi.org/10.1378/chest.13-2281>
- Patel, K. R., Prabhu, R. S., Kandula, S., Oliver, D. E., Kim, S., Hadjipanayis, C., ... Crocker, I. (2014). Intracranial control and radiographic changes with adjuvant radiation therapy for resected brain metastases: Whole brain radiotherapy versus stereotactic radiosurgery alone. *Journal of Neuro-Oncology*, 120(3), 657-663. DOI: <http://dx.doi.org/10.1007/s11060-014-1601-4>
- Patel, T. R., & Chiang, V. L. (2014). Secondary neoplasms after stereotactic radiosurgery. *World Neurosurgery*, 81(3-4), 594-599. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.10.043>
- Patel, T. R., & Chiang, V. L. (2014). Secondary neoplasms after stereotactic radiosurgery. *World Neurosurgery*, 81(3-4), 594-599. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.10.043>
- Patel, V. B., Wegner, R. E., Heron, D. E., Flickinger, J. C., Gerszten, P., & Burton, S. A. (2012). Comparison of whole versus partial vertebral body stereotactic body radiation therapy for spinal metastases. *Technology in Cancer Research & Treatment*, 11(2), 105-115.
- Patil, C. G., Pricola, K., Sarmiento, J. M., Garg, S. K., Bryant, A., & Black, K. L. (2012). Whole brain radiation therapy (WBRT) alone versus WBRT and radiosurgery for the treatment of brain metastases. *Cochrane Database of Systematic Reviews*, 9, CD006121. DOI: <http://dx.doi.org/10.1002/14651858.CD006121.pub3>
- Patil, C. G., Pricola, K., Sarmiento, J. M., Garg, S. K., Bryant, A., & Black, K. L. (2012). Whole brain radiation therapy (WBRT) alone versus WBRT and radiosurgery for the treatment of brain metastases. *Cochrane Database of Systematic Reviews*(9), CD006121. DOI: <http://dx.doi.org/10.1002/14651858.CD006121.pub3>
- Patil, C. G., Pricola, K., Sarmiento, M. J., Garg, S. K., Bryant, A., & Black, K. L. (2016). Whole brain radiation therapy (WBRT) alone versus WBRT and radiosurgery for the treatment of brain metastases. *Cochrane Database of Systematic Reviews*, 9. DOI: 10.1002/14651858.CD006121.pub3
- Paul, L., Casasco, A., Kusak, M. E., Martinez, N., Rey, G., & Martinez, R. (2014). Results for a series of 697 arteriovenous malformations treated by gamma knife: influence of angiographic features on the obliteration rate. *Neurosurgery*, 75(5), 568-583; dicussion 582-563; quiz 583. DOI: <http://dx.doi.org/10.1227/NEU.00000000000000506>
- Peereboom, D. M., Winter, K. A., Kim, I. A., De Los Santos, J. F., Sperduto, P. W., White, J. R., & Mehta, M. P. (2014). RTOG 1119: Phase II randomized study of whole brain radiotherapy with concurrent lapatinib in patients with brain metastasis from HER2-positive breast cancer-A collaborative study of RTOG and KROG (NCT01622868). *Journal of Clinical Oncology*, 32(15 SUPPL. 1), CONFERENCE START: 2014 May 2030 CONFERENCE END: 2014 Jun 2013.
- Peker, S., Sengoz, M., Kilic, T., & Pamir, M. N. (2012). Gamma knife radiosurgery for jugular foramen schwannomas. *Neurosurgical Review*, 35(4), 549-553; discussion 553. DOI: <http://dx.doi.org/10.1007/s10143-012-0380-7>
- Pennathur, A., Luketich, J. D., Heron, D. E., Schuchert, M. J., Bianco, V., Clump, D., ... Christie, N. A. (2015). Stereotactic Radiosurgery/Stereotactic Body Radiotherapy for Recurrent Lung Neoplasm: An Analysis of Outcomes in 100 Patients. *Annals of Thoracic Surgery*, 100(6), 2019-2024. DOI: <http://dx.doi.org/10.1016/j.jthoracsur.2015.04.113>

- Pennington, J. D., Park, S. J., Abgaryan, N., Banerjee, R., Lee, P. P., Loh, C., ... Kamrava, M. (2015). Dosimetric comparison of brachyablation and stereotactic ablative body radiotherapy in the treatment of liver metastasis. *Brachytherapy*, 14(4), 537-542. DOI: <http://dx.doi.org/10.1016/j.brachy.2015.04.002>
- Pereira, A. M., & Biermasz, N. R. (2012). Treatment of nonfunctioning pituitary adenomas: what were the contributions of the last 10 years? A critical view. *Annales d Endocrinologie*, 73(2), 111-116. DOI: <http://dx.doi.org/10.1016/j.ando.2012.04.002>
- Perera, E., Lindquist, C., Hughes, C., & Thomas, S. (2013). The use of Gamma Knife stereotactic radiosurgery in the treatment of ameloblastic carcinoma. *International Journal of Oral & Maxillofacial Surgery*, 42(8), 934-938. DOI: <http://dx.doi.org/10.1016/j.ijom.2013.04.015>
- Pestalozzi, B., Datta, N., Riesterer, O., De Oliveira, M., Seifert, B., Winder, T., ... Clavien, P. A. (2014). Multimodality treatment approach for locally advanced pancreatic cancer. *Annals of Oncology. Conference: 16th World Congress on Gastrointestinal Cancer, ESMO*, 25.
- Peterson, H. E., Larson, E. W., Fairbanks, R. K., MacKay, A. R., Lamoreaux, W. T., Call, J. A., ... Lee, C. M. (2014). Gamma knife treatment of brainstem metastases. *International Journal of Molecular Sciences*, 15(6), 9748-9761. DOI: <http://dx.doi.org/10.3390/ijms15069748>
- Peulen, H., Belderbos, J., Rossi, M., & Sonke, J. J. (2014). Mid-ventilation based PTV margins in Stereotactic Body Radiotherapy (SBRT): a clinical evaluation. *Radiotherapy & Oncology*, 110(3), 511-516. DOI: <http://dx.doi.org/10.1016/j.radonc.2014.01.010>
- Peulen, H., Karlsson, K., Lindberg, K., Tullgren, O., Baumann, P., Lax, I., ... Wersäll, P. (2011). Toxicity after reirradiation of pulmonary tumours with stereotactic body radiotherapy. *Radiotherapy & Oncology*, 101(2), 260-266. DOI: <http://dx.doi.org/10.1016/j.radonc.2011.09.012>
- Peyre, M., Zanello, M., Mokhtari, K., Boch, A. L., Capelle, L., Carpentier, A., ... Kalamarides, M. (2015). Patterns of relapse and growth kinetics of surgery- and radiation-refractory meningiomas. *Journal of Neuro-Oncology*, 123(1), 151-160. DOI: <http://dx.doi.org/10.1007/s11060-015-1778-1>
- Pham, D., Kron, T., Bressel, M., Foroudi, F., Hardcastle, N., Schneider, M., ... Siva, S. (2015). Image guidance and stabilization for stereotactic ablative body radiation therapy (SABR) treatment of primary kidney cancer. *Practical Radiation Oncology*, 5(6), e597-605. DOI: <http://dx.doi.org/10.1016/j.prro.2015.08.002>
- Pham, D., Kron, T., Foroudi, F., Schneider, M., & Siva, S. (2014). A review of kidney motion under free, deep and forced-shallow breathing conditions: implications for stereotactic ablative body radiotherapy treatment. *Technology in Cancer Research & Treatment*, 13(4), 315-323. DOI: <http://dx.doi.org/10.7785/tcrt.2012.500387>
- Pham, D., Thompson, A., Kron, T., Foroudi, F., Kolsky, M. S., Devereux, T., ... Siva, S. (2014). Stereotactic ablative body radiation therapy for primary kidney cancer: a 3-dimensional conformal technique associated with low rates of early toxicity. *International Journal of Radiation Oncology, Biology, Physics*, 90(5), 1061-1068. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.07.043>
- Phillips, D. B., Del Bigio, M. R., & Kaufmann, A. M. (2014). Gamma Knife rhizotomy-induced histopathology in multiple sclerosis-related trigeminal neuralgia. *Journal of Neurosurgery*, 121(6), 1508-1513. DOI: <http://dx.doi.org/10.3171/2014.8.JNS131545>
- Pierot, L., Kadziolka, K., Litre, F., & Rousseaux, P. (2013). Combined treatment of brain AVMs with use of Onyx embolization followed by radiosurgery. *Ajnr: American Journal of Neuroradiology*, 34(7), 1395-1400. DOI: <http://dx.doi.org/10.3174/ajnr.A3409>

- Piippo, A., Niemela, M., van Popta, J., Kangasniemi, M., Rinne, J., Jaaskelainen, J. E., & Hernesniemi, J. (2013). Characteristics and long-term outcome of 251 patients with dural arteriovenous fistulas in a defined population. *Journal of Neurosurgery*, 118(5), 923-934. DOI: <http://dx.doi.org/10.3171/2012.11.JNS111604>
- Pintea, B., Kinfe, T. M., Baumert, B. G., & Bostrom, J. (2014). Earlier and sustained response with incidental use of cardiovascular drugs among patients with low- to medium-grade meningiomas treated with radiosurgery (SRS) or stereotactic radiotherapy (SRT). *Radiotherapy & Oncology*, 111(3), 446-450. DOI: <http://dx.doi.org/10.1016/j.radonc.2014.05.014>
- Pinzi, V., Orsi, C., Marchetti, M., Milanesi, I. M., Bianchi, L. C., DiMeco, F., ... Fariselli, L. (2015). Radiosurgery reirradiation for high-grade glioma recurrence: a retrospective analysis. *Neurological Sciences*, 36(8), 1431-1440. DOI: <http://dx.doi.org/10.1007/s10072-015-2172-7>
- Pipek, J., Novotny, J., & Kozubikova, P. (2015). Comparison of dose calculation algorithms for Leksell Gamma knife perfexion using monte carlo voxel phantoms. *Lekar a Technika*, 45(3), 75-81.
- Podder, T., Biswas, T., Yao, M., Zhang, Y., Kim, E., Ellis, R. J., ... Machtay, M. (2014). Chest wall and rib irradiation and toxicities of early-stage lung cancer patients treated with CyberKnife stereotactic body radiotherapy. *Future Oncology*, 10(15), 2311-2317. DOI: <http://dx.doi.org/10.2217/fon.14.158>
- Poels, K., Depuydt, T., Verellen, D., Gevaert, T., Dhont, J., Duchateau, M., ... De Ridder, M. (2014). Improving the intra-fraction update efficiency of a correlation model used for internal motion estimation during real-time tumor tracking for SBRT patients: fast update or no update? *Radiotherapy & Oncology*, 112(3), 352-359. DOI: <http://dx.doi.org/10.1016/j.radonc.2014.09.007>
- Pokhrel, D., Badkul, R., Jiang, H., Kumar, P., & Wang, F. (2015). Technical Note: Dosimetric evaluation of Monte Carlo algorithm in iPlan for stereotactic ablative body radiotherapy (SABR) for lung cancer patients using RTOG 0813 parameters. *Journal of Applied Clinical Medical Physics*, 16(1), 5058. DOI: <http://dx.doi.org/10.1120/jacmp.v16i1.5058>
- Pokhrel, D., Badkul, R., Jiang, H., Kumar, P., & Wang, F. (2015). Technical Note: Dosimetric evaluation of Monte Carlo algorithm in iPlan for stereotactic ablative body radiotherapy (SABR) for lung cancer patients using RTOG 0813 parameters. *Journal of Applied Clinical Medical Physics*, 16(1), 5058. DOI: <http://dx.doi.org/10.1120/jacmp.v16i1.5058>
- Pollock, B. E., Link, M. J., & Brown, R. D. (2013). The risk of stroke or clinical impairment after stereotactic radiosurgery for ARUBA-eligible patients. *Stroke*, 44(2), 437-441. DOI: <http://dx.doi.org/10.1161/STROKEAHA.112.670232>
- Pollock, B. E., Link, M. J., & Foote, R. L. (2013). Failure rate of contemporary low-dose radiosurgical technique for vestibular schwannoma. Clinical article. *Journal of Neurosurgery*, 119 Suppl, 840-844.
- Pollock, B. E., Link, M. J., Leavitt, J. A., & Stafford, S. L. (2014). Dose-volume analysis of radiation-induced optic neuropathy after single-fraction stereotactic radiosurgery. *Neurosurgery*, 75(4), 456-460; discussion 460. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000457>
- Pollock, B. E., Link, M. J., Stafford, S. L., Garces, Y. I., & Foote, R. L. (2016). Stereotactic Radiosurgery for Arteriovenous Malformations: The Effect of Treatment Period on Patient Outcomes. *Neurosurgery*, 78(4), 499-509. DOI: <http://dx.doi.org/10.1227/NEU.0000000000001085>
- Pollock, B. E., Lunsford, L. D., Kondziolka, D., Sekula, R., Subach, B. R., Foote, R. L., & Flickinger, J. C. (2013). Vestibular schwannoma management: Part II. Failed radiosurgery and the role of delayed microsurgery. *Journal of Neurosurgery*, 119 Suppl, 949-955.

- Pollock, B. E., Stafford, S. L., Link, M. J., Brown, P. D., Garces, Y. I., & Foote, R. L. (2012). Single-fraction radiosurgery of benign intracranial meningiomas. *Neurosurgery*, 71(3), 604-612; discussion 613. DOI: <http://dx.doi.org/10.1227/NEU.0b013e31825ea557>
- Pollock, B. E., Stafford, S. L., Link, M. J., Garces, Y. I., & Foote, R. L. (2012). Single-fraction radiosurgery for presumed intracranial meningiomas: efficacy and complications from a 22-year experience. *International Journal of Radiation Oncology, Biology, Physics*, 83(5), 1414-1418. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.10.033>
- Pollock, B. E., Stafford, S. L., Link, M. J., Garces, Y. I., & Foote, R. L. (2012). Stereotactic radiosurgery of World Health Organization grade II and III intracranial meningiomas: treatment results on the basis of a 22-year experience. *Cancer*, 118(4), 1048-1054. DOI: <http://dx.doi.org/10.1002/cncr.26362>
- Pollock, B. E., Stafford, S. L., Link, M. J., Garces, Y. I., & Foote, R. L. (2013). Single-fraction radiosurgery of benign cavernous sinus meningiomas. *Journal of Neurosurgery*, 119(3), 675-682. DOI: <http://dx.doi.org/10.3171/2013.5.JNS13206>
- Pollom, E. L., Alagappan, M., von Eyben, R., Kunz, P. L., Fisher, G. A., Ford, J. A., ... Chang, D. T. (2014). Single- versus multifraction stereotactic body radiation therapy for pancreatic adenocarcinoma: outcomes and toxicity. *International Journal of Radiation Oncology, Biology, Physics*, 90(4), 918-925. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.06.066>
- Polovnikov, E. S., Anikeeva, O. Y., Filatov, P. V., Krivoshapkin, A. L., Melidi, E. G., Gavronina, O. A., ... Bedny, I. V. (2013). Stereotactic radiosurgery and hypofractionated stereotactic radiotherapy for management of vestibular schwannomas: initial experience with 17 cases. *Acta Neurochirurgica - Supplement*, 116, 37-44. DOI: [http://dx.doi.org/10.1007/978-3-7091-1376-9\\_6](http://dx.doi.org/10.1007/978-3-7091-1376-9_6)
- Ponsky, L., Lo, S. S., Zhang, Y., Schluchter, M., Liu, Y., Patel, R., ... Ellis, R. J. (2015). Phase I dose-escalation study of stereotactic body radiotherapy (SBRT) for poor surgical candidates with localized renal cell carcinoma. *Radiotherapy & Oncology*, 117(1), 183-187. DOI: <http://dx.doi.org/10.1016/j.radonc.2015.08.030>
- Pontoriero, A., Iati, G., Mondello, S., Midili, F., Siragusa, C., Brogna, A., ... De Renzis, C. (2016). High-Dose Robotic Stereotactic Body Radiotherapy in the Treatment of Patients With Prostate Cancer: Preliminary Results in 26 Patients. *Technology in Cancer Research & Treatment*, 15(1), 179-185. DOI: <http://dx.doi.org/10.1177/1533034614566994>
- Poole, S., Chang, E., & Taghva, A. A rare case of spinal cord stimulator placement resulting in muscle strength improvement (10527). *Neuromodulation*, 19(3), e127.
- Poorthuis, M. H., Klijn, C. J., Algra, A., Rinkel, G. J., & Al-Shahi Salman, R. (2014). Treatment of cerebral cavernous malformations: a systematic review and meta-regression analysis. *Journal of Neurology, Neurosurgery & Psychiatry*, 85(12), 1319-1323. DOI: <http://dx.doi.org/10.1136/jnnp-2013-307349>
- Potharaju, M., John, R., Venkataraman, M., Gopalakrishna, K., & Subramanian, B. (2014). Stereotactic radiosurgery results in three cases of intramedullary spinal cord arteriovenous malformations. *Spine Journal: Official Journal of the North American Spine Society*, 14(11), 2582-2588. DOI: <http://dx.doi.org/10.1016/j.spinee.2014.02.025>
- Potts, M. B., Sheth, S. A., Louie, J., Smyth, M. D., Snead, P. K., McDermott, M. W., ... Gupta, N. (2014). Stereotactic radiosurgery at a low marginal dose for the treatment of pediatric arteriovenous malformations: obliteration, complications, and functional outcomes. *Journal of Neurosurgery. Pediatrics*, 14(1), 1-11. DOI: <http://dx.doi.org/10.3171/2014.3.PEDS13381>

- Poulou, L. S., Ziakas, P. D., Ziogas, D. C., Doxani, C., Xyla, V., Vakrinos, G., ... Thanos, L. (2012). FDG-PET for detecting local tumor recurrence of ablated liver metastases: a diagnostic meta-analysis. *Biomarkers*, 17(6), 532-538. DOI: <http://dx.doi.org/10.3109/1354750X.2012.699553>
- Prabhu, R., Shu, H. K., Hadjipanayis, C., Dhabaan, A., Hall, W., Raore, B., ... Crocker, I. (2012). Current dosing paradigm for stereotactic radiosurgery alone after surgical resection of brain metastases needs to be optimized for improved local control. *International Journal of Radiation Oncology, Biology, Physics*, 83(1), e61-66. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.12.017>
- Prabhu, R. S., Dhabaan, A., Hall, W. A., Ogunleye, T., Crocker, I., Curran, W. J., & Shu, H. K. (2013). Clinical outcomes for a novel 6 degrees of freedom image guided localization method for frameless radiosurgery for intracranial brain metastases. *Journal of Neuro-Oncology*, 113(1), 93-99. DOI: <http://dx.doi.org/10.1007/s11060-013-1093-7>
- Prendergast, B. M., Dobelbower, M. C., Bonner, J. A., Popple, R. A., Baden, C. J., Minnich, D. J., ... Fiveash, J. B. (2013). Stereotactic body radiation therapy (SBRT) for lung malignancies: preliminary toxicity results using a flattening filter-free linear accelerator operating at 2400 monitor units per minute. *Radiation Oncology*, 8, 273. DOI: <http://dx.doi.org/10.1186/1748-717X-8-273>
- Prendergast, B. M., Fiveash, J. B., Popple, R. A., Clark, G. M., Thomas, E. M., Minnich, D. J., ... Dobelbower, M. C. (2013). Flattening filter-free linac improves treatment delivery efficiency in stereotactic body radiation therapy. *Journal of Applied Clinical Medical Physics*, 14(3), 4126. DOI: <http://dx.doi.org/10.1120/jacmp.v14i3.4126>
- Prendergast, B. M., Fiveash, J. B., Popple, R. A., Clark, G. M., Thomas, E. M., Minnich, D. J., ... Dobelbower, M. C. (2013). Flattening filter-free linac improves treatment delivery efficiency in stereotactic body radiation therapy. *Journal of Applied Clinical Medical Physics*, 14(3), 4126. DOI: <http://dx.doi.org/10.1120/jacmp.v14i3.4126>
- Press, R. H., Prabhu, R. S., Nickleach, D. C., Liu, Y., Shu, H. K., Kandula, S., ... Crocker, I. (2015). Novel risk stratification score for predicting early distant brain failure and salvage whole-brain radiotherapy after stereotactic radiosurgery for brain metastases. *Cancer*, 121(21), 3836-3843. DOI: <http://dx.doi.org/10.1002/cncr.29590>
- Press, R. H., Prabhu, R. S., Nickleach, D. C., Liu, Y., Shu, H. K., Kandula, S., ... Crocker, I. (2015). Novel risk stratification score for predicting early distant brain failure and salvage whole-brain radiotherapy after stereotactic radiosurgery for brain metastases. *Cancer*, 121(21), 3836-3843. DOI: <http://dx.doi.org/10.1002/cncr.29590>
- Prieto, R., Pascual, J. M., Subhi-Issa, I., Jorquera, M., Yus, M., & Martinez, R. (2013). Predictive factors for craniopharyngioma recurrence: a systematic review and illustrative case report of a rapid recurrence. *World Neurosurgery*, 79(5-6), 733-749. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.07.033>
- Prieto, R., Pascual, J. M., Subhi-Issa, I., Jorquera, M., Yus, M., & Martinez, R. (2013). Predictive factors for craniopharyngioma recurrence: a systematic review and illustrative case report of a rapid recurrence. *World Neurosurgery*, 79(5-6), 733-749. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.07.033>
- Przybylowski, C. J., Ding, D., Starke, R. M., Yen, C. P., Quigg, M., Dodson, B., ... Sheehan, J. P. (2015). Seizure and anticonvulsant outcomes following stereotactic radiosurgery for intracranial arteriovenous malformations. *Journal of Neurosurgery*, 122(6), 1299-1305. DOI: <http://dx.doi.org/10.3171/2014.11.JNS141388>

- Przybylowski, C. J., Raper, D. M., Starke, R. M., Xu, Z., Liu, K. C., & Sheehan, J. P. (2015). Stereotactic radiosurgery of meningiomas following resection: predictors of progression. *Journal of Clinical Neuroscience*, 22(1), 161-165. DOI: <http://dx.doi.org/10.1016/j.jocn.2014.07.028>
- Puatawepong, P., Dhanachai, M., Dangprasert, S., Narkwong, L., Sitathanee, C., & Junwityanujit, T. (2012). The clinical results of pediatric brain tumors treated with Linac-based stereotactic radiosurgery and radiotherapy. *Journal of the Medical Association of Thailand*, 95(11), 1466-1471.
- Puatawepong, P., Dhanachai, M., Dangprasert, S., Narkwong, L., Sitathanee, C., Sawangsilpa, T., ... Yongvithisatid, P. (2014). Linac-based stereotactic radiosurgery and fractionated stereotactic radiotherapy for vestibular schwannomas: comparative observations of 139 patients treated at a single institution. *Journal of Radiation Research*, 55(2), 351-358. DOI: <http://dx.doi.org/10.1093/jrr/rrt121>
- Puatawepong, P., Dhanachai, M., Dangprasert, S., Narkwong, L., Sitathanee, C., Sawangsilpa, T., ... Yongvithisatid, P. (2014). Linac-based stereotactic radiosurgery and fractionated stereotactic radiotherapy for vestibular schwannomas: comparative observations of 139 patients treated at a single institution. *Journal of Radiation Research*, 55(2), 351-358.
- Puatawepong, P., Dhanachai, M., Hansasuta, A., Dangprasert, S., Sitathanee, C., Swangsilpa, T., ... Yongvithisatid, P. (2015). Outcomes for Pituitary Adenoma Patients Treated with Linac- Based Stereotactic Radiosurgery and Radiotherapy: a Long Term Experience in Thailand. *Asian Pacific Journal of Cancer Prevention: Apjcp*, 16(13), 5279-5284.
- Puri, V., Crabtree, T. D., Bell, J. M., Broderick, S. R., Morgensztern, D., Colditz, G. A., ... Robinson, C. G. (2015). Treatment outcomes in stage I lung cancer: A comparison of surgery and stereotactic body radiation therapy. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 10(12), 1776-1784. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000680>
- Qin, H., Wang, C., Jiang, Y., Zhang, X., Zhang, Y., & Ruan, Z. (2015). Patients with single brain metastasis from non-small cell lung cancer equally benefit from stereotactic radiosurgery and surgery: a systematic review. *Medical Science Monitor*, 21, 144-152. DOI: <http://dx.doi.org/10.12659/MSM.892405>
- Qin, Y., Zhang, F., Yoo, D. S., Kelsey, C. R., Yin, F. F., & Cai, J. (2013). Adaptive stereotactic body radiation therapy planning for lung cancer. *International Journal of Radiation Oncology, Biology, Physics*, 87(1), 209-215. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.05.008>
- Que, J. Y., Lin, L. C., Lin, K. L., Lin, C. H., Lin, Y. W., & Yang, C. C. (2014). The efficacy of stereotactic body radiation therapy on huge hepatocellular carcinoma unsuitable for other local modalities. *Radiation Oncology*, 9, 120. DOI: <http://dx.doi.org/10.1186/1748-717X-9-120>
- Quigg, M., Yen, C. P., Chatman, M., Quigg, A. H., McNeill, I. T., Przybylowski, C. J., ... Sheehan, J. P. (2012). Risks of history of diabetes mellitus, hypertension, and other factors related to radiation-induced changes following Gamma Knife surgery for cerebral arteriovenous malformations.[Erratum appears in J Neurosurg. 2013 May;118(5):1154 Note: Macneill, Ian T [corrected to McNeill, Ian T]]. *Journal of Neurosurgery*, 117 Suppl, 144-149. DOI: <http://dx.doi.org/10.3171/2012.6.GKS1245>
- Quigley, M. R., Bello, N., Jho, D., Fuhrer, R., Karlovits, S., & Buchinsky, F. J. (2015). Estimating the additive benefit of surgical excision to stereotactic radiosurgery in the management of metastatic brain disease. *Neurosurgery*, 76(6), 707-712; discussion 712-703. DOI: <http://dx.doi.org/10.1227/NEU.00000000000000707>

- Quon, H. C., Ong, A., Cheung, P., Chu, W., Chung, H. T., Vesprini, D., ... Loblaw, D. A. (2015). PATRIOT Trial: Randomized phase II study of prostate stereotactic body radiotherapy comparing 11 versus 29 days overall treatment time. *Journal of Clinical Oncology*, 33(7 SUPPL. 1), CONFERENCE START: 2015 Feb 2026 CONFERENCE END: 2015 Feb 2028.
- Rades, D., Dahlke, M., Dziggel, L., Janssen, S., Bajrovic, A., Trang, N. T., ... Schild, S. E. (2015). Defining the Optimal Dose of Stereotactic Radiosurgery for Treating Cerebral Metastases in Elderly Patients. *Anticancer Research*, 35(10), 5701-5704.
- Rades, D., Dahlke, M., Gebauer, N., Bartscht, T., Hornung, D., Trang, N. T., ... Gliemroth, J. (2015). A New Predictive Tool for Optimization of the Treatment of Brain Metastases from Colorectal Cancer After Stereotactic Radiosurgery. *Anticancer Research*, 35(10), 5515-5518.
- Rades, D., Hornung, D., Blanck, O., Martens, K., Khoa, M. T., Trang, N. T., ... Schild, S. E. (2014). Stereotactic radiosurgery for newly diagnosed brain metastases: comparison of three dose levels. *Strahlentherapie und Onkologie*, 190(9), 786-791. DOI: <http://dx.doi.org/10.1007/s00066-014-0625-1>
- Rades, D., Hornung, D., Veninga, T., Schild, S. E., & Gliemroth, J. (2012). Single brain metastasis: radiosurgery alone compared with radiosurgery plus up-front whole-brain radiotherapy. *Cancer*, 118(11), 2980-2985. DOI: <http://dx.doi.org/10.1002/cncr.26612>
- Rades, D., Huttenlocher, S., Dahlke, M., Hornung, D., Blanck, O., Van Thai, P., ... Schild, S. E. (2014). Comparison of two dose levels of stereotactic radiosurgery for 1-3 brain metastases from non-small cell lung cancer. *Anticancer Research*, 34(12), 7309-7313.
- Rades, D., Huttenlocher, S., Dziggel, L., Blanck, O., Hornung, D., Mai, K. T., ... Schild, S. (2015). A new tool to predict survival after radiosurgery alone for newly diagnosed cerebral metastases. *Asian Pacific Journal of Cancer Prevention: Apjcp*, 16(7), 2967-2970.
- Rades, D., Huttenlocher, S., Hornung, D., Blanck, O., Schild, S. E., & Fischer, D. (2014). Do patients with very few brain metastases from breast cancer benefit from whole-brain radiotherapy in addition to radiosurgery? *Radiation Oncology*, 9, 267. DOI: <http://dx.doi.org/10.1186/s13014-014-0267-6>
- Rades, D., Kueter, J. D., Meyners, T., Pluemer, A., Veninga, T., Gliemroth, J., & Schild, S. E. (2012). Single brain metastasis: resection followed by whole-brain irradiation and a boost to the metastatic site compared to whole-brain irradiation plus radiosurgery. *Clinical Neurology & Neurosurgery*, 114(4), 326-330. DOI: <http://dx.doi.org/10.1016/j.clineuro.2011.10.042>
- Rades, D., & Schild, S. E. (2012). Do patients with a limited number of brain metastases need whole-brain radiotherapy in addition to radiosurgery? *Strahlentherapie und Onkologie*, 188(8), 702-706. DOI: <http://dx.doi.org/10.1007/s00066-012-0093-4>
- Rades, D., Sehmisch, L., Huttenlocher, S., Blank, O., Hornung, D., Terheyden, P., ... Schild, S. E. (2014). Radiosurgery alone for 1-3 newly-diagnosed brain metastases from melanoma: impact of dose on treatment outcomes. *Anticancer Research*, 34(9), 5079-5082.
- Rades, D., Veninga, T., Hornung, D., Wittkugel, O., Schild, S. E., & Gliemroth, J. (2012). Single brain metastasis: whole-brain irradiation plus either radiosurgery or neurosurgical resection. *Cancer*, 118(4), 1138-1144. DOI: <http://dx.doi.org/10.1002/cncr.26379>
- Rades, D., Veninga, T., Hornung, D., Wittkugel, O., Schild, S. E., & Gliemroth, J. (2012). Single brain metastasis: Whole-brain irradiation plus either radiosurgery or neurosurgical resection. *Cancer*, 118(4), 1138-1144.

- Rahman, M., Cox, J. B., Chi, Y. Y., Carter, J. H., & Friedman, W. A. (2012). Radiographic response of brain metastasis after linear accelerator radiosurgery. *Stereotactic & Functional Neurosurgery*, 90(2), 69-78. DOI: <http://dx.doi.org/10.1159/000334669>
- Rahman, M., Neal, D., Baruch, W., Bova, F. J., Frentzen, B. H., & Friedman, W. A. (2014). The risk of malignancy anywhere in the body after linear accelerator (LINAC) stereotactic radiosurgery. *Stereotactic & Functional Neurosurgery*, 92(5), 323-333. DOI: <http://dx.doi.org/10.1159/000365225>
- Rahn, D. A., 3rd, Mundt, A. J., Murphy, J. D., Schiff, D., Adams, J., & Murphy, K. T. (2015). Clinical outcomes of palliative radiation therapy for children. *Practical Radiation Oncology*, 5(3), 183-187. DOI: <http://dx.doi.org/10.1016/j.prro.2014.08.015>
- Rahn, D. A., 3rd, Mundt, A. J., Murphy, J. D., Schiff, D., Adams, J., & Murphy, K. T. (2015). Clinical outcomes of palliative radiation therapy for children. *Practical Radiation Oncology*, 5(3), 183-187. DOI: <http://dx.doi.org/10.1016/j.prro.2014.08.015>
- Rajagopalan, M. S., Heron, D. E., Wegner, R. E., Zeh, H. J., Bahary, N., Krasinskas, A. M., ... Burton, S. A. (2013). Pathologic response with neoadjuvant chemotherapy and stereotactic body radiotherapy for borderline resectable and locally-advanced pancreatic cancer. *Radiation Oncology*, 8, 254. DOI: <http://dx.doi.org/10.1186/1748-717X-8-254>
- Rajakesari, S., Arvold, N. D., Jimenez, R. B., Christianson, L. W., Horvath, M. C., Claus, E. B., ... Alexander, B. M. (2014). Local control after fractionated stereotactic radiation therapy for brain metastases. *Journal of Neuro-Oncology*, 120(2), 339-346. DOI: <http://dx.doi.org/10.1007/s11060-014-1556-5>
- Rajappa, P., Margetis, K., Wernicke, G., Ginter, P., Cope, W., Sherr, D. L., ... Pannullo, S. C. (2013). Stereotactic radiosurgery plays a critical role in enhancing long-term survival in a patient with pancreatic cancer metastatic to the brain. *Anticancer Research*, 33(9), 3899-3903.
- Raldow, A. C., Chiang, V. L., Knisely, J. P., & Yu, J. B. (2013). Survival and intracranial control of patients with 5 or more brain metastases treated with gamma knife stereotactic radiosurgery. *American Journal of Clinical Oncology*, 36(5), 486-490. DOI: <http://dx.doi.org/10.1097/COC.0b013e31825494ef>
- Ram, T. S., Badkul, R., Maraboyina, S., & Wang, F. (2011). A comparative study to evaluate the efficacy of on board imaging with cone beam CT using target registration in patients with lung tumors undergoing stereotactic body radiation therapy and comparison with ExacTrac using skeletal registration on Novalis Tx. *Journal of Cancer Research & Therapeutics*, 7(3), 304-307. DOI: <http://dx.doi.org/10.4103/0973-1482.87029>
- Ramakrishna, N., Temin, S., Chandarlapaty, S., Crews, J. R., Davidson, N. E., Esteva, F. J., ... Lin, N. U. (2014). Recommendations on disease management for patients with advanced human epidermal growth factor receptor 2-positive breast cancer and brain metastases: American Society of Clinical Oncology clinical practice guideline. *Journal of Clinical Oncology*, 32(19), 2100-2108. DOI: <http://dx.doi.org/10.1200/JCO.2013.54.0955>
- Rampp, S., Strauss, C., Scheller, C., Rachinger, J., & Prell, J. (2013). A-trains for intraoperative monitoring in patients with recurrent vestibular schwannoma. *Acta Neurochirurgica*, 155(12), 2273-2279; discussion 2279.
- Rana, S., Rogers, K., Pokharel, S., & Cheng, C. (2014). Evaluation of Acuros XB algorithm based on RTOG 0813 dosimetric criteria for SBRT lung treatment with RapidArc. *Journal of Applied Clinical Medical Physics*, 15(1), 4474. DOI: <http://dx.doi.org/10.1120/jacmp.v15i1.4474>

- Rana, S., Rogers, K., Pokharel, S., & Cheng, C. (2014). Evaluation of Acuros XB algorithm based on RTOG 0813 dosimetric criteria for SBRT lung treatment with RapidArc. *Journal of Applied Clinical Medical Physics*, 15(1), 4474. DOI: <http://dx.doi.org/10.1120/jacmp.v15i1.4474>
- Rana, Z., Hong, R. L., Abugideiri, M., McRae, D., Cernica, G., Mordkin, R., ... Nasr, N. M. (2015). Sexual, irritative, and voiding outcomes, following stereotactic body radiation therapy for prostate cancer. *Radiation Oncology*, 10, 182. DOI: <http://dx.doi.org/10.1186/s13014-015-0488-3>
- Ranck, M. C., Golden, D. W., Corbin, K. S., Hasselle, M. D., Liauw, S. L., Stadler, W. M., ... Salama, J. K. (2013). Stereotactic body radiotherapy for the treatment of oligometastatic renal cell carcinoma. *American Journal of Clinical Oncology*, 36(6), 589-595. DOI: <http://dx.doi.org/10.1097/COC.0b013e31825d52b2>
- Rangel-Castilla, L., Russin, J. J., Martinez-Del-Campo, E., Soriano-Baron, H., Spetzler, R. F., & Nakaji, P. (2014). Molecular and cellular biology of cerebral arteriovenous malformations: a review of current concepts and future trends in treatment. *Neurosurgical Focus*, 37(3), E1. DOI: <http://dx.doi.org/10.3171/2014.7.FOCUS14214>
- Rangel-Castilla, L., Russin, J. J., Zaidi, H. A., Martinez-Del-Campo, E., Park, M. S., Albuquerque, F. C., ... Spetzler, R. F. (2014). Contemporary management of spinal AVFs and AVMs: lessons learned from 110 cases. *Neurosurgical Focus*, 37(3), E14. DOI: <http://dx.doi.org/10.3171/2014.7.FOCUS14236>
- Rao, M., Wu, J., Cao, D., Wong, T., Mehta, V., Shepard, D., & Ye, J. (2012). Dosimetric impact of breathing motion in lung stereotactic body radiotherapy treatment using intensity modulated radiotherapy and volumetric modulated arc therapy [corrected].[Erratum appears in Int J Radiat Oncol Biol Phys. 2014 Feb 1;88(2):462], [Erratum appears in Int J Radiat Oncol Biol Phys. 2013 Dec 1;87(5):859]. *International Journal of Radiation Oncology, Biology, Physics*, 83(2), e251-256. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.12.001>
- Rao, M. S., Hargreaves, E. L., Khan, A. J., Haffty, B. G., & Danish, S. F. (2014). Magnetic resonance-guided laser ablation improves local control for postradiosurgery recurrence and/or radiation necrosis. *Neurosurgery*, 74(6), 658-667; discussion 667. DOI: <http://dx.doi.org/10.1227/NEU.00000000000000332>
- Rasmussen, R., Claesson, M., Stangerup, S. E., Roed, H., Christensen, I. J., Caye-Thomasen, P., & Juhler, M. (2012). Fractionated stereotactic radiotherapy of vestibular schwannomas accelerates hearing loss. *International Journal of Radiation Oncology, Biology, Physics*, 83(5), e607-611. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.01.078>
- Rauch, P. J., Park, H. S., Knisely, J. P., Chiang, V. L., & Vortmeyer, A. O. (2012). Delayed radiation-induced vasculitic leukoencephalopathy. *International Journal of Radiation Oncology, Biology, Physics*, 83(1), 369-375. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.06.1982>
- Rault, E., Lacornerie, T., Dang, H. P., Crop, F., Lartigau, E., Reynaert, N., & Pasquier, D. (2016). Accelerated partial breast irradiation using robotic radiotherapy: a dosimetric comparison with tomotherapy and three-dimensional conformal radiotherapy. *Radiation Oncology*, 11, 29. DOI: <http://dx.doi.org/10.1186/s13014-016-0607-9>
- Rava, P., Sioshansi, S., DiPetrillo, T., Cosgrove, R., Melhus, C., Wu, J., ... Hepel, J. T. (2015). Local recurrence and survival following stereotactic radiosurgery for brain metastases from small cell lung cancer. *Practical Radiation Oncology*, 5(1), e37-44. DOI: <http://dx.doi.org/10.1016/j.prro.2014.03.006>

- Rava, P., Sioshansi, S., DiPetrillo, T., Cosgrove, R., Melhus, C., Wu, J., ... Hepel, J. T. (2015). Local recurrence and survival following stereotactic radiosurgery for brain metastases from small cell lung cancer. *Practical Radiation Oncology*, 5(1), e37-44. DOI: <http://dx.doi.org/10.1016/j.prro.2014.03.006>
- Reddy, G. K., Bollam, P., & Caldito, G. (2012). Ventriculoperitoneal shunt surgery and the risk of shunt infection in patients with hydrocephalus: long-term single institution experience. *World Neurosurgery*, 78(1-2), 155-163. DOI: <http://dx.doi.org/10.1016/j.wneu.2011.10.034>
- Reddy, G. K., Bollam, P., & Caldito, G. (2012). Ventriculoperitoneal shunt surgery and the risk of shunt infection in patients with hydrocephalus: long-term single institution experience. *World Neurosurgery*, 78(1-2), 155-163. DOI: <http://dx.doi.org/10.1016/j.wneu.2011.10.034>
- Reddy, V. K., Parker, S. L., Lockney, D. T., Patrawala, S. A., Su, P. F., & Mericle, R. A. (2014). Percutaneous stereotactic radiofrequency lesioning for trigeminal neuralgia: determination of minimum clinically important difference in pain improvement for patient-reported outcomes. *Neurosurgery*, 74(3), 262-266; discussion 266. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000262>
- Reddy, V. K., Parker, S. L., Lockney, D. T., Patrawala, S. A., Su, P. F., & Mericle, R. A. (2014). Percutaneous stereotactic radiofrequency lesioning for trigeminal neuralgia: determination of minimum clinically important difference in pain improvement for patient-reported outcomes. *Neurosurgery*, 74(3), 262-266; discussion 266. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000262>
- Regis, J., Carron, R., Park, M. C., Soumire, O., Delsanti, C., Thomassin, J. M., & Roche, P. H. (2013). Wait-and-see strategy compared with proactive Gamma Knife surgery in patients with intracanalicular vestibular schwannomas: clinical article. *Journal of Neurosurgery*, 119 Suppl, 105-111.
- Regis, J., Pellet, W., Delsanti, C., Dufour, H., Roche, P. H., Thomassin, J. M., ... Peragut, J. C. (2013). Functional outcome after gamma knife surgery or microsurgery for vestibular schwannomas. *Journal of Neurosurgery*, 119 Suppl, 1091-1100.
- Regis, J., Tuleasca, C., Resseguier, N., Carron, R., Donnet, A., Gaudart, J., & Levivier, M. (2016). Long-term safety and efficacy of Gamma Knife surgery in classical trigeminal neuralgia: a 497-patient historical cohort study. *Journal of Neurosurgery*, 124(4), 1079-1087. DOI: <http://dx.doi.org/10.3171/2015.2.JNS142144>
- Regis, J., Tuleasca, C., Resseguier, N., Carron, R., Donnet, A., Gaudart, J., & Levivier, M. (2016). Long-term safety and efficacy of Gamma Knife surgery in classical trigeminal neuralgia: a 497-patient historical cohort study. *Journal of Neurosurgery*, 124(4), 1079-1087. DOI: [10.3171/2015.2.jns142144](http://dx.doi.org/10.3171/2015.2.jns142144)
- Reinard, K. A., Pabaney, A. H., Basheer, A., Phillips, S. B., Kole, M. K., & Malik, G. M. (2015). Surgical Management of Giant Intracranial Arteriovenous Malformations: A Single Center Experience over 32 years. *World Neurosurgery*, 84(6), 1765-1778. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.07.051>
- Reinard, K. A., Pabaney, A. H., Basheer, A., Phillips, S. B., Kole, M. K., & Malik, G. M. (2015). Surgical Management of Giant Intracranial Arteriovenous Malformations: A Single Center Experience over 32 years. *World Neurosurgery*, 84(6), 1765-1778. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.07.051>
- Renaud, S., Falcoz, P. E., Olland, A., & Massard, G. (2013). Is radiofrequency ablation or stereotactic ablative radiotherapy the best treatment for radically treatable primary lung cancer unfit for surgery? *Interactive Cardiovascular & Thoracic Surgery*, 16(1), 68-73. DOI: <http://dx.doi.org/10.1093/icvts/ivs423>

- Reyes, D. K., & Pienta, K. J. (2015). The biology and treatment of oligometastatic cancer. *Oncotarget*, 6(11), 8491-8524.
- Reyngold, M., Wu, A. J., McLane, A., Zhang, Z., Hsu, M., Stein, N. F., ... Rimner, A. (2013). Toxicity and outcomes of thoracic re-irradiation using stereotactic body radiation therapy (SBRT). *Radiation Oncology*, 8, 99. DOI: <http://dx.doi.org/10.1186/1748-717X-8-99>
- Reyngold, M., Wu, A. J., McLane, A., Zhang, Z., Hsu, M., Stein, N. F., ... Rimner, A. (2013). Toxicity and outcomes of thoracic re-irradiation using stereotactic body radiation therapy (SBRT). *Radiation Oncology*, 8, 99. DOI: <http://dx.doi.org/10.1186/1748-717X-8-99>
- Ricardi, U., Filippi, A. R., Guarneri, A., Ragona, R., Mantovani, C., Giglioli, F., ... Scagliotti, G. V. (2012). Stereotactic body radiation therapy for lung metastases. *Lung Cancer*, 75(1), 77-81. DOI: <http://dx.doi.org/10.1016/j.lungcan.2011.04.021>
- Rief, H., Katayama, S., Bruckner, T., Rieken, S., Bostel, T., Forster, R., ... Sterzing, F. (2015). High-dose single-fraction IMRT versus fractionated external beam radiotherapy for patients with spinal bone metastases: study protocol for a randomized controlled trial. *Trials [Electronic Resource]*, 16, 264. DOI: <http://dx.doi.org/10.1186/s13063-015-0761-7>
- Rief, H., Katayama, S., Bruckner, T., Rieken, S., Bostel, T., Forster, R., ... Sterzing, F. (2015). High-dose single-fraction IMRT versus fractionated external beam radiotherapy for patients with spinal bone metastases: Study protocol for a randomized controlled trial. *Trials [Electronic Resource]*, 16(1).
- Riou, O., Serrano, B., Azria, D., Paulmier, B., Villeneuve, R., Fenoglietto, P., ... Thariat, J. (2014). Integrating respiratory-gated PET-based target volume delineation in liver SBRT planning, a pilot study. *Radiation Oncology*, 9, 127. DOI: <http://dx.doi.org/10.1186/1748-717X-9-127>
- Roach, M. C., Rehman, S., DeWees, T. A., Abraham, C. D., Bradley, J. D., & Robinson, C. G. (2016). It's never too late: Smoking cessation after stereotactic body radiation therapy for non-small cell lung carcinoma improves overall survival. *Practical Radiation Oncology*, 6(1), 12-18. DOI: <http://dx.doi.org/10.1016/j.prro.2015.09.005>
- Roach, M. C., Rehman, S., DeWees, T. A., Abraham, C. D., Bradley, J. D., & Robinson, C. G. (2016). It's never too late: Smoking cessation after stereotactic body radiation therapy for non-small cell lung carcinoma improves overall survival. *Practical Radiation Oncology*, 6(1), 12-18. DOI: <http://dx.doi.org/10.1016/j.prro.2015.09.005>
- Robbins, J. R., Ryu, S., Kalkanis, S., Cogan, C., Rock, J., Movsas, B., ... Rosenblum, M. (2012). Radiosurgery to the surgical cavity as adjuvant therapy for resected brain metastasis. *Neurosurgery*, 71(5), 937-943. DOI: <http://dx.doi.org/10.1227/NEU.0b013e31826909f2>
- Robert, T., Blanc, R., Ciccio, G., Gilboa, B., Fahed, R., Boissonnet, H., ... Piotin, M. (2016). Endovascular treatment of posterior fossa arteriovenous malformations. *Journal of Clinical Neuroscience*, 25, 65-68. DOI: <http://dx.doi.org/10.1016/j.jocn.2015.05.051>
- Robinson, C. G., DeWees, T. A., El Naqa, I. M., Creach, K. M., Olsen, J. R., Crabtree, T. D., ... Bradley, J. D. (2013). Patterns of failure after stereotactic body radiation therapy or lobectomy resection for clinical stage I non-small-cell lung cancer. [Erratum appears in J Thorac Oncol. 2013 Oct;8(10):1343]. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 8(2), 192-201. DOI: <http://dx.doi.org/10.1097/JTO.0b013e31827ce361>
- Robson, J. M., Vaidyanathan, S., Cheyne, L., Snee, M., Franks, K., & Callister, M. E. (2014). Occult nodal disease in patients with non-small-cell lung cancer who are suitable for stereotactic ablative body radiation. *Clinical Lung Cancer*, 15(6), 466-469. DOI: <http://dx.doi.org/10.1016/j.cllc.2014.07.006>

- Roche, P. H., Noudel, R., & Regis, J. (2012). Management of radiation/radiosurgical complications and failures. *Otolaryngologic Clinics of North America*, 45(2), 367-374, ix. DOI: <http://dx.doi.org/10.1016/j.otc.2011.12.007>
- Rodrigues, G., Gonzalez-Maldonado, S., Bauman, G., Senan, S., & Lagerwaard, F. (2013). A statistical comparison of prognostic index systems for brain metastases after stereotactic radiosurgery or fractionated stereotactic radiation therapy. *Clinical Oncology (Royal College of Radiologists)*, 25(4), 227-235. DOI: <http://dx.doi.org/10.1016/j.clon.2012.11.006>
- Rodrigues, G., Warner, A., Zindler, J., Slotman, B., & Lagerwaard, F. (2014). A clinical nomogram and recursive partitioning analysis to determine the risk of regional failure after radiosurgery alone for brain metastases. *Radiotherapy & Oncology*, 111(1), 52-58. DOI: <http://dx.doi.org/10.1016/j.radonc.2013.11.015>
- Rodrigues, G., Yartsev, S., Tay, K. Y., Pond, G. R., Lagerwaard, F., & Bauman, G. (2012). A phase II multi-institutional study assessing simultaneous in-field boost helical tomotherapy for 1-3 brain metastases. *Radiation Oncology*, 7(1).
- Rodrigues, G., Zindler, J., Warner, A., Bauman, G., Senan, S., & Lagerwaard, F. (2013). Propensity-score matched pair comparison of whole brain with simultaneous in-field boost radiotherapy and stereotactic radiosurgery. *Radiotherapy & Oncology*, 106(2), 206-209. DOI: <http://dx.doi.org/10.1016/j.radonc.2012.10.014>
- Rodrigues, G., Zindler, J., Warner, A., & Lagerwaard, F. (2013). Recursive partitioning analysis for the prediction of stereotactic radiosurgery brain metastases lesion control. *Oncologist*, 18(3), 330-335. DOI: <http://dx.doi.org/10.1634/theoncologist.2012-0316>
- Rodrigues, T., Willinsky, R., Agid, R., TerBrugge, K., & Krings, T. (2014). Management of dural carotid cavernous fistulas: a single-centre experience. *European Radiology*, 24(12), 3051-3058. DOI: <http://dx.doi.org/10.1007/s00330-014-3339-y>
- Rodriguez-Merchan, E. C., De La Corte-Rodriguez, H., & Jimenez-Yuste, V. (2014). Is radiosynovectomy (RS) effective for joints damaged by haemophilia with articular degeneration in simple radiography (ADSR)? *Thrombosis Research*, 133(5), 875-879. DOI: <http://dx.doi.org/10.1016/j.thromres.2014.01.030>
- Rogers, L., Barani, I., Chamberlain, M., Kaley, T. J., McDermott, M., Raizer, J., ... Vogelbaum, M. A. (2015). Meningiomas: Knowledge base, treatment outcomes, and uncertainties. A RANO review. *Journal of Neurosurgery*, 122(1), 4-23. DOI: 10.3171/2014.7.JNS131644
- Rombouts, S. J., Vogel, J. A., van Santvoort, H. C., van Lienden, K. P., van Hillegersberg, R., Busch, O. R., ... Molenaar, I. Q. (2015). Systematic review of innovative ablative therapies for the treatment of locally advanced pancreatic cancer. *British Journal of Surgery*, 102(3), 182-193. DOI: <http://dx.doi.org/10.1002/bjs.9716>
- Rong, Y., Bazan, J. G., Sekhon, A., Haglund, K., Xu-Welliver, M., & Williams, T. (2015). Minimal Inter-Fractional Fiducial Migration during Image-Guided Lung Stereotactic Body Radiotherapy Using SuperLock Nitinol Coil Fiducial Markers. *PLoS ONE [Electronic Resource]*, 10(7), e0131945. DOI: <http://dx.doi.org/10.1371/journal.pone.0131945>
- Roos, D. E., Potter, A. E., & Brophy, B. P. (2012). Stereotactic radiosurgery for acoustic neuromas: what happens long term? *International Journal of Radiation Oncology, Biology, Physics*, 82(4), 1352-1355. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.04.068>

- Roos, D. E., Smith, J. G., & Stephens, S. W. (2011). Radiosurgery versus surgery, both with adjuvant whole brain radiotherapy, for solitary brain metastases: a randomised controlled trial. *Clinical Oncology (Royal College of Radiologists)*, 23(9), 646-651. DOI: <http://dx.doi.org/10.1016/j.clon.2011.04.009>
- Rootman, D. B., Rootman, J., Gregory, S., Feldman, K. A., & Ma, R. (2012). Stereotactic fractionated radiotherapy for cavernous venous malformations (hemangioma) of the orbit. *Ophthalmic Plastic & Reconstructive Surgery*, 28(2), 96-102. DOI: <http://dx.doi.org/10.1097/IOP.0b013e31824a48f3>
- Roper, J., Chanyavanich, V., Betzel, G., Switchenko, J., & Dhabaan, A. (2015). Single-Isocenter Multiple-Target Stereotactic Radiosurgery: Risk of Compromised Coverage. *International Journal of Radiation Oncology, Biology, Physics*, 93(3), 540-546. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.07.2262>
- Rosen, L. R., Fischer-Valuck, B. W., Katz, S. R., Durci, M., Wu, H. T., Syh, J., ... Patel, B. (2014). Helical image-guided stereotactic body radiotherapy (SBRT) for the treatment of early-stage lung cancer: a single-institution experience at the Willis-Knighton Cancer Center. *Tumori*, 100(1), 42-48. DOI: <http://dx.doi.org/10.1700/1430.15814>
- Rosenberg, M. W., Kato, C. M., Carson, K. M., Matsunaga, N. M., Arao, R. F., Doss, E. J., ... Tanyi, J. A. (2013). Circumferential or sectored beam arrangements for stereotactic body radiation therapy (SBRT) of primary lung tumors: effect on target and normal-structure dose-volume metrics. *Medical Dosimetry*, 38(4), 407-412. DOI: <http://dx.doi.org/10.1016/j.meddos.2013.05.002>
- Rosenfelder, N., & Khoo, V. (2011). Brain metastases. *Clinical Evidence*.
- Rossi, L., Breedveld, S., Aluwini, S., & Heijmen, B. (2015). Noncoplanar Beam Angle Class Solutions to Replace Time-Consuming Patient-Specific Beam Angle Optimization in Robotic Prostate Stereotactic Body Radiation Therapy. *International Journal of Radiation Oncology, Biology, Physics*, 92(4), 762-770. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.03.013>
- Rostami, R., Safarpour, D., Tavassoli, F. A., & Jabbari, B. (2013). Intramedullary metastasis in breast cancer-- a comprehensive literature review. *Journal of the Neurological Sciences*, 332(1-2), 16-20. DOI: <http://dx.doi.org/10.1016/j.jns.2013.05.032>
- Rowe, B. P., Boffa, D. J., Wilson, L. D., Kim, A. W., Detterbeck, F. C., & Decker, R. H. (2012). Stereotactic body radiotherapy for central lung tumors. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 7(9), 1394-1399. DOI: <http://dx.doi.org/10.1097/JTO.0b013e3182614bf3>
- Rowell, N. P., & Sevitt, T. (2013). Radical radiotherapy for stage I/II non-small cell lung cancer in patients not sufficiently fit for or declining surgery (medically inoperable). *Cochrane Database of Systematic Reviews*(4).
- Rowshanfarzad, P., Sabet, M., O'Connor, D. J., & Greer, P. B. (2011). Isocenter verification for linac-based stereotactic radiation therapy: review of principles and techniques. *Journal of Applied Clinical Medical Physics*, 12(4), 3645. DOI: <http://dx.doi.org/10.1120/jacmp.v12i4.3645>
- Rowshanfarzad, P., Sabet, M., O'Connor, D. J., & Greer, P. B. (2011). Isocenter verification for linac-based stereotactic radiation therapy: review of principles and techniques. *Journal of Applied Clinical Medical Physics*, 12(4), 3645. DOI: <http://dx.doi.org/10.1120/jacmp.v12i4.3645>
- Rudra, S., Malik, R., Ranck, M. C., Farrey, K., Golden, D. W., Hasselle, M. D., ... Salama, J. K. (2013). Stereotactic body radiation therapy for curative treatment of adrenal metastases. *Technology in Cancer Research & Treatment*, 12(3), 217-224. DOI: <http://dx.doi.org/10.7785/tcrt.2012.500320>

- Ruge, M. I., Kickingereder, P., Simon, T., Treuer, H., & Sturm, V. (2012). Stereotactic iodine-125 brachytherapy for treatment of inoperable focal brainstem gliomas of WHO grades I and II: feasibility and long-term outcome. *Journal of Neuro-Oncology*, 109(2), 273-283. DOI: <http://dx.doi.org/10.1007/s11060-012-0889-1>
- Ruge, M. I., Suchorska, B., Maarouf, M., Runge, M., Treuer, H., Voges, J., & Sturm, V. (2011). Stereotactic 125Iodine brachytherapy for the treatment of singular brain metastases: closing a gap? *Neurosurgery*, 68(5), 1209-1218; discussion 1218-1209. DOI: <http://dx.doi.org/10.1227/NEU.0b013e31820b526a>
- Ruiz Hernandez, D. M., Nogueiras Alonso, J., Zelaya Reinquet, F., Castillo Berrio, C., Castrillon, M., Serena Puig, A., ... Guitian Iglesias, R. PET/CT Use with abdominal compression arch for stereotactic radiosurgery planning with arrested lung and extracorporeal circulation. *European journal of nuclear medicine and molecular imaging*, 42(1 SUPPL. 1), S398.
- Rujirojindakul, P., Liabsuetrakul, T., & Rujirojindakul, P. (2012). Erythropoietin for minimising perioperative allogeneic blood transfusion in cardiac surgery. *Cochrane Database of Systematic Reviews*(7).
- Runge, M. J., Maarouf, M., Hunsche, S., Kocher, M., Ruge, M. I., El Majdoub, F., ... Sturm, V. (2012). LINAC-radiosurgery for nonsecreting pituitary adenomas. Long-term results. *Strahlentherapie und Onkologie*, 188(4), 319-325. DOI: <http://dx.doi.org/10.1007/s00066-011-0052-5>
- Rutledge, W. C., Abla, A. A., Nelson, J., Halbach, V. V., Kim, H., & Lawton, M. T. (2014). Treatment and outcomes of ARUBA-eligible patients with unruptured brain arteriovenous malformations at a single institution. *Neurosurgical Focus*, 37(3), E8. DOI: <http://dx.doi.org/10.3171/2014.7.FOCUS14242>
- Rutledge, W. C., Abla, A. A., Nelson, J., Halbach, V. V., Kim, H., & Lawton, M. T. (2014). Treatment and outcomes of ARUBA-eligible patients with unruptured brain arteriovenous malformations at a single institution. *Neurosurgical Focus*, 37(3), E8. DOI: <http://dx.doi.org/10.3171/2014.7.FOCUS14242>
- Rwigema, J. C., King, C., Wang, P. C., Kamrava, M., Kupelian, P., Steinberg, M. L., & Lee, P. (2015). Stereotactic body radiation therapy for abdominal and pelvic oligometastases: Dosimetric targets for safe and effective local control. *Practical Radiation Oncology*, 5(3), e183-191. DOI: <http://dx.doi.org/10.1016/j.prro.2014.09.006>
- Rwigema, J. C., King, C., Wang, P. C., Kamrava, M., Kupelian, P., Steinberg, M. L., & Lee, P. (2015). Stereotactic body radiation therapy for abdominal and pelvic oligometastases: Dosimetric targets for safe and effective local control. *Practical Radiation Oncology*, 5(3), e183-191. DOI: <http://dx.doi.org/10.1016/j.prro.2014.09.006>
- Rwigema, J. C., Wegner, R. E., Mintz, A. H., Paravati, A. J., Burton, S. A., Ozhasoglu, C., & Heron, D. E. (2011). Stereotactic radiosurgery to the resection cavity of brain metastases: a retrospective analysis and literature review. *Stereotactic & Functional Neurosurgery*, 89(6), 329-337. DOI: <http://dx.doi.org/10.1159/000330387>
- Ryu, S., Buatti, J. M., Morris, A., Kalkanis, S. N., Ryken, T. C., Olson, J. J., & Committee, A. C. J. G. (2014). The role of radiotherapy in the management of progressive glioblastoma : a systematic review and evidence-based clinical practice guideline. *Journal of Neuro-Oncology*, 118(3), 489-499. DOI: <http://dx.doi.org/10.1007/s11060-013-1337-6>
- Ryu, S., Pugh, S. L., Gerszten, P. C., Yin, F. F., Timmerman, R. D., Hitchcock, Y. J., ... Kachnic, L. A. (2014). RTOG 0631 phase 2/3 study of image guided stereotactic radiosurgery for localized (1-3) spine

metastases: phase 2 results. *Practical Radiation Oncology*, 4(2), 76-81. DOI: <http://dx.doi.org/10.1016/j.prro.2013.05.001>

Ryu, S., Pugh, S. L., Gerszten, P. C., Yin, F. F., Timmerman, R. D., Hitchcock, Y. J., ... Kachnic, L. A. (2014). RTOG 0631 phase 2/3 study of image guided stereotactic radiosurgery for localized (1-3) spine metastases: phase 2 results. *Practical Radiation Oncology*, 4(2), 76-81. DOI: <http://dx.doi.org/10.1016/j.prro.2013.05.001>

Sager, O., Beyzadeoglu, M., Dincoglan, F., Gamsiz, H., Demiral, S., Uysal, B., ... Sirin, S. (2014). Evaluation of linear accelerator-based stereotactic radiosurgery in the management of glomus jugulare tumors. *Tumori*, 100(2), 184-188. DOI: <http://dx.doi.org/10.1700/1491.16409>

Sager, O., Beyzadeoglu, M., Dincoglan, F., Uysal, B., Gamsiz, H., Demiral, S., ... Sirin, S. (2014). Evaluation of linear accelerator (LINAC)-based stereotactic radiosurgery (SRS) for cerebral cavernous malformations: a 15-year single-center experience. *Annals of Saudi Medicine*, 34(1), 54-58. DOI: <http://dx.doi.org/10.5144/0256-4947.2014.54>

Sahgal, A., Aoyama, H., Kocher, M., Neupane, B., Collette, S., Tago, M., ... Chang, E. L. (2015). Phase 3 trials of stereotactic radiosurgery with or without whole-brain radiation therapy for 1 to 4 brain metastases: individual patient data meta-analysis. *International Journal of Radiation Oncology, Biology, Physics*, 91(4), 710-717. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.10.024>

Sahgal, A., Roberge, D., Schellenberg, D., Purdie, T. G., Swaminath, A., Pantarotto, J., ... The Canadian Association of Radiation Oncology-Stereotactic Body Radiotherapy Task, F. (2012). The Canadian Association of Radiation Oncology scope of practice guidelines for lung, liver and spine stereotactic body radiotherapy. *Clinical Oncology (Royal College of Radiologists)*, 24(9), 629-639. DOI: <http://dx.doi.org/10.1016/j.clon.2012.04.006>

Sahgal, A., Weinberg, V., Ma, L., Chang, E., Chao, S., Muacevic, A., ... Larson, D. A. (2013). Probabilities of radiation myelopathy specific to stereotactic body radiation therapy to guide safe practice. *International Journal of Radiation Oncology, Biology, Physics*, 85(2), 341-347. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.05.007>

Sahlein, D. H., Mora, P., Becske, T., & Nelson, P. K. (2012). Nidal embolization of brain arteriovenous malformations: rates of cure, partial embolization, and clinical outcome. *Journal of Neurosurgery*, 117(1), 65-77. DOI: <http://dx.doi.org/10.3171/2012.3.JNS111405>

Saleem, M. A., Hashim, A. S., Rashid, A., & Ali, M. (2013). Role of gamma knife radiosurgery in multimodality management of craniopharyngioma. *Acta Neurochirurgica - Supplement*, 116, 55-60. DOI: [http://dx.doi.org/10.1007/978-3-7091-1376-9\\_9](http://dx.doi.org/10.1007/978-3-7091-1376-9_9)

Salkeld, A. L., Unicomb, K., Hayden, A. J., Van Tilburg, K., Yau, S., & Tiver, K. (2014). Dosimetric comparison of volumetric modulated arc therapy and linear accelerator-based radiosurgery for the treatment of one to four brain metastases. *Journal of Medical Imaging & Radiation Oncology*, 58(6), 722-728. DOI: <http://dx.doi.org/10.1111/1754-9485.12188>

Salvati, M., Frati, A., D'Elia, A., Pescatori, L., Piccirilli, M., Pietrantonio, A., ... Santoro, A. (2012). Single brain metastases from melanoma: remarks on a series of 84 patients. *Neurosurgical Review*, 35(2), 211-217; discussion 217-218. DOI: <http://dx.doi.org/10.1007/s10143-011-0348-z>

Salvetti, D. J., Nagaraja, T. G., Levy, C., Xu, Z., & Sheehan, J. (2013). Gamma Knife surgery for the treatment of patients with asymptomatic meningiomas. *Journal of Neurosurgery*, 119(2), 487-493. DOI: <http://dx.doi.org/10.3171/2013.4.JNS121746>

- Salvetti, D. J., Nagaraja, T. G., McNeill, I. T., Xu, Z., & Sheehan, J. (2013). Gamma Knife surgery for the treatment of 5 to 15 metastases to the brain: clinical article. *Journal of Neurosurgery*, 118(6), 1250-1257. DOI: <http://dx.doi.org/10.3171/2013.2.JNS121213>
- Samblas, J., Luis Lopez Guerra, J., Bustos, J., Angel Gutierrez-Diaz, J., Wolski, M., Peraza, C., ... Sallabanda, K. (2014). Stereotactic radiosurgery in patients with multiple intracranial meningiomas. *Journal of B.U.On.*, 19(1), 250-255.
- Samii, M., Alimohamadi, M., & Gerganov, V. (2016). Endoscope-assisted retrosigmoid infralabyrinthine approach to jugular foramen tumors. *Journal of Neurosurgery*, 124(4), 1061-1067. DOI: <http://dx.doi.org/10.3171/2015.3.JNS142904>
- Samson, P., Robinson, C. G., Bradley, J., Lee, A., Broderick, S., Kreisel, D., ... Crabtree, T. (2016). The National Surgical Quality Improvement Program risk calculator does not adequately stratify risk for patients with clinical stage I non-small cell lung cancer. *Journal of Thoracic & Cardiovascular Surgery*, 151(3), 697-705.e691. DOI: <http://dx.doi.org/10.1016/j.jtcvs.2015.08.058>
- Samson, P., Robinson, C. G., Bradley, J., Lee, A., Broderick, S., Kreisel, D., ... Crabtree, T. (2016). The National Surgical Quality Improvement Program risk calculator does not adequately stratify risk for patients with clinical stage I non-small cell lung cancer. *Journal of Thoracic & Cardiovascular Surgery*, 151(3), 697-705.e691. DOI: <http://dx.doi.org/10.1016/j.jtcvs.2015.08.058>
- Samuel, P., Stephanie, D., Stefanos, B., Lorraine, D., Christian, C., Sabine, B., & Vincent, R. (2014). A retrospective study of liver stereotactic ablative radiotherapy: 21 months of follow-up. *Annals of Oncology. Conference: 16th World Congress on Gastrointestinal Cancer, ESMO*, 25.
- Samuels, M. A., Kandula, S., Koru-Sengul, T., Bogart, J. A., Salama, J. K., Aridgides, P. D., ... Lilenbaum, R. C. (2013). Stereotactic body radiotherapy in patients with stage I non-small-cell lung cancer aged 75 years and older: retrospective results from a multicenter consortium. *Clinical Lung Cancer*, 14(4), 446-451. DOI: <http://dx.doi.org/10.1016/j.cllc.2013.03.004>
- Sandhu, A. P., Lau, S. K., Rahn, D., Nath, S. K., Kim, D., Song, W. Y., ... Mundt, A. J. (2014). Stereotactic body radiation therapy in octogenarians with stage I lung cancer. *Clinical Lung Cancer*, 15(2), 131-135. DOI: <http://dx.doi.org/10.1016/j.cllc.2013.08.007>
- Santacroce, A., Walier, M., Regis, J., Liscak, R., Motti, E., Lindquist, C., ... Horstmann, G. A. (2012). Long-term tumor control of benign intracranial meningiomas after radiosurgery in a series of 4565 patients. *Neurosurgery*, 70(1), 32-39; discussion 39. DOI: <http://dx.doi.org/10.1227/NEU.0b013e31822d408a>
- Sanuki, N., Takeda, A., Oku, Y., Mizuno, T., Aoki, Y., Eriguchi, T., ... Kunieda, E. (2014). Stereotactic body radiotherapy for small hepatocellular carcinoma: a retrospective outcome analysis in 185 patients. *Acta Oncologica*, 53(3), 399-404. DOI: <http://dx.doi.org/10.3109/0284186X.2013.820342>
- Sarici, A. M., & Pazarli, H. (2013). Gamma-knife-based stereotactic radiosurgery for medium- and large-sized posterior uveal melanoma. *Graefes Archive for Clinical & Experimental Ophthalmology*, 251(1), 285-294. DOI: <http://dx.doi.org/10.1007/s00417-012-2144-z>
- Sarmiento, J. M., Patel, S., Mukherjee, D., & Patil, C. G. (2013). Improving outcomes in patients with vestibular schwannomas: microsurgery versus radiosurgery. *Journal of Neurosurgical Sciences*, 57(1), 23-44.
- Sarmiento, M. J., Venteicher, A. S., & Patil, C. G. (2015). Early versus delayed postoperative radiotherapy for treatment of low-grade gliomas. *Cochrane Database of Systematic Reviews*(6).

- Sarwate, D., Sarkar, S., Krimsky, W. S., Burgan, C. M., Patel, K., Evans, R., & Harley, D. P. (2012). Optimization of mediastinal staging in potential candidates for stereotactic radiosurgery of the chest. *Journal of Thoracic & Cardiovascular Surgery*, 144(1), 81-86. DOI: <http://dx.doi.org/10.1016/j.jtcvs.2012.03.004>
- Satoh, Y., Onishi, H., Nambu, A., & Araki, T. (2014). Volume-based parameters measured by using FDG PET/CT in patients with stage I NSCLC treated with stereotactic body radiation therapy: prognostic value. *Radiology*, 270(1), 275-281. DOI: <http://dx.doi.org/10.1148/radiol.13130652>
- Schackert, G., & Juratli, T. A. (2014). Surgical treatment of brain metastases. [German]. *Onkologe*, 20(1), 31-38.
- Schackert, G., Lindner, C., Petschke, S., Leimert, M., & Kirsch, M. (2013). Retrospective study of 127 surgically treated patients with multiple brain metastases: indication, prognostic factors, and outcome. *Acta Neurochirurgica*, 155(3), 379-387. DOI: <http://dx.doi.org/10.1007/s00701-012-1606-8>
- Schanne, D. H., Nestle, U., Allgauer, M., Andratschke, N., Appold, S., Dieckmann, U., ... Guckenberger, M. (2015). Stereotactic body radiotherapy for centrally located stage I NSCLC: a multicenter analysis. *Strahlentherapie und Onkologie*, 191(2), 125-132. DOI: <http://dx.doi.org/10.1007/s00066-014-0739-5>
- Scheenstra, A. E., Rossi, M. M., Belderbos, J. S., Damen, E. M., Lebesque, J. V., & Sonke, J. J. (2014). Alpha/beta ratio for normal lung tissue as estimated from lung cancer patients treated with stereotactic body and conventionally fractionated radiation therapy. *International Journal of Radiation Oncology, Biology, Physics*, 88(1), 224-228. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.10.015>
- Schipani, S., Wen, W., Jin, J. Y., Kim, J. K., & Ryu, S. (2012). Spine radiosurgery: a dosimetric analysis in 124 patients who received 18 Gy. *International Journal of Radiation Oncology, Biology, Physics*, 84(5), e571-576. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.06.049>
- Schneider, T., Chapiro, J., Lin, M., Geschwind, J. F., Kleinberg, L., Rigamonti, D., ... Yousem, D. M. (2016). 3D quantitative assessment of response to fractionated stereotactic radiotherapy and single-session stereotactic radiosurgery of vestibular schwannoma. *European Radiology*, 26(3), 849-857. DOI: <http://dx.doi.org/10.1007/s00330-015-3895-9>
- Schneider, T., Chapiro, J., Lin, M., Geschwind, J. F., Kleinberg, L., Rigamonti, D., ... Yousem, D. M. (2016). 3D quantitative assessment of response to fractionated stereotactic radiotherapy and single-session stereotactic radiosurgery of vestibular schwannoma. *European Radiology*, 26(3), 849-857. DOI: <http://dx.doi.org/10.1007/s00330-015-3895-9>
- Schneider, U., Halg, R. A., Hartmann, M., Mack, A., Storelli, F., Joosten, A., ... Besserer, J. (2014). Accuracy of out-of-field dose calculation of tomotherapy and cyberknife treatment planning systems: a dosimetric study. *Zeitschrift fur Medizinische Physik*, 24(3), 211-215. DOI: <http://dx.doi.org/10.1016/j.zemedi.2013.10.008>
- Schoinohoriti, O. K., Chrysomali, E., Tzerbos, F., & Iatrou, I. (2012). Comparison of lateral thermal injury and healing of porcine skin incisions performed by CO<sub>2</sub>-laser, monopolar electrosurgery and radiosurgery: a preliminary study based on histological and immunohistochemical results. *International Journal of Dermatology*, 51(8), 979-986. DOI: <http://dx.doi.org/10.1111/j.1365-4632.2011.05384.x>

- Schuttrumpf, L. H., Niyazi, M., Nachbichler, S. B., Manapov, F., Jansen, N., Siefert, A., & Belka, C. (2014). Prognostic factors for survival and radiation necrosis after stereotactic radiosurgery alone or in combination with whole brain radiation therapy for 1-3 cerebral metastases. *Radiation Oncology*, 9, 105. DOI: <http://dx.doi.org/10.1186/1748-717X-9-105>
- Schwyzer, L., Yen, C. P., Evans, A., Zavoian, S., & Steiner, L. (2012). Long-term results of gamma knife surgery for partially embolized arteriovenous malformations. *Neurosurgery*, 71(6), 1139-1147; discussion 1147-1138. DOI: <http://dx.doi.org/10.1227/NEU.0b013e3182720280>
- Scorsetti, M., Alongi, F., Clerici, E., Comito, T., Fogliata, A., Iftode, C., ... Cozzi, L. (2014). Stereotactic body radiotherapy with flattening filter-free beams for prostate cancer: assessment of patient-reported quality of life. *Journal of Cancer Research & Clinical Oncology*, 140(10), 1795-1800. DOI: <http://dx.doi.org/10.1007/s00432-014-1732-1>
- Scorsetti, M., Alongi, F., Filippi, A. R., Pentimalli, S., Navarria, P., Clerici, E., ... Ricardi, U. (2012). Long-term local control achieved after hypofractionated stereotactic body radiotherapy for adrenal gland metastases: a retrospective analysis of 34 patients. *Acta Oncologica*, 51(5), 618-623. DOI: <http://dx.doi.org/10.3109/0284186X.2011.652738>
- Scorsetti, M., Arcangeli, S., Tozzi, A., Comito, T., Alongi, F., Navarria, P., ... Cozzi, L. (2013). Is stereotactic body radiation therapy an attractive option for unresectable liver metastases? A preliminary report from a phase 2 trial. *International Journal of Radiation Oncology, Biology, Physics*, 86(2), 336-342. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.12.021>
- Scorsetti, M., Clerici, E., Navarria, P., D'Agostino, G., Piergallini, L., De Rose, F., ... Cozzi, L. (2015). The role of stereotactic body radiation therapy (SBRT) in the treatment of oligometastatic disease in the elderly. *British Journal of Radiology*, 88(1053), 20150111. DOI: <http://dx.doi.org/10.1259/bjr.20150111>
- Scorsetti, M., Clerici, E., Navarria, P., D'Agostino, G., Piergallini, L., De Rose, F., ... Cozzi, L. (2015). The role of stereotactic body radiation therapy (SBRT) in the treatment of oligometastatic disease in the elderly. *British Journal of Radiology*, 88(1053), 20150111. DOI: <http://dx.doi.org/10.1259/bjr.20150111>
- Scorsetti, M., Comito, T., Cozzi, L., Clerici, E., Tozzi, A., Franzese, C., ... Torzilli, G. (2015). The challenge of inoperable hepatocellular carcinoma (HCC): results of a single-institutional experience on stereotactic body radiation therapy (SBRT). *Journal of Cancer Research & Clinical Oncology*, 141(7), 1301-1309. DOI: <http://dx.doi.org/10.1007/s00432-015-1929-y>
- Scorsetti, M., Comito, T., Tozzi, A., Navarria, P., Fogliata, A., Clerici, E., ... Cozzi, L. (2015). Final results of a phase II trial for stereotactic body radiation therapy for patients with inoperable liver metastases from colorectal cancer. *Journal of Cancer Research & Clinical Oncology*, 141(3), 543-553. DOI: <http://dx.doi.org/10.1007/s00432-014-1833-x>
- Seastone, D. J., Elson, P., Garcia, J. A., Chao, S. T., Suh, J. H., Angelov, L., & Rini, B. I. (2014). Clinical outcome of stereotactic radiosurgery for central nervous system metastases from renal cell carcinoma. *Clinical Genitourinary Cancer*, 12(2), 111-116. DOI: <http://dx.doi.org/10.1016/j.clgc.2013.10.001>
- Seco, J., Panahandeh, H. R., Westover, K., Adams, J., & Willers, H. (2012). Treatment of non-small cell lung cancer patients with proton beam-based stereotactic body radiotherapy: dosimetric comparison with photon plans highlights importance of range uncertainty. *International Journal of Radiation Oncology, Biology, Physics*, 83(1), 354-361. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.05.062>

- Sehmisch, L., Huttenlocher, S., Schild, S. E., & Rades, D. (2014). Estimating survival of patients receiving radiosurgery alone for cerebral metastasis from melanoma. *Journal of Dermatology*, 41(10), 918-921. DOI: <http://dx.doi.org/10.1111/1346-8138.12599>
- Selingerova, I., Dolezelova, H., Horova, I., Katina, S., & Zelinka, J. (2016). Survival of Patients with Primary Brain Tumors: Comparison of Two Statistical Approaches. *PLoS ONE [Electronic Resource]*, 11(2), e0148733. DOI: <http://dx.doi.org/10.1371/journal.pone.0148733>
- Sellin, J. N., Reichardt, W., Bishop, A. J., Suki, D., Rhines, L. D., Settle, S. H., ... Tatsui, C. E. (2015). Factors affecting survival in 37 consecutive patients undergoing de novo stereotactic radiosurgery for contiguous sites of vertebral body metastasis from renal cell carcinoma. *Journal of Neurosurgery Spine*, 22(1), 52-59. DOI: <http://dx.doi.org/10.3171/2014.9.SPINE1482>
- Semwal, M. K., Singh, S., Sarin, A., Bhatnagar, S., & Pathak, H. C. (2012). Comparative clinical dosimetry with X-knife and gamma knife. *Physica Medica*, 28(3), 269-272. DOI: <http://dx.doi.org/10.1016/j.ejmp.2011.07.003>
- Senan, S. (2012). Stereotactic body radiotherapy: do central lung tumors still represent a 'no-fly zone'? *Onkologie*, 35(7-8), 406-407. DOI: <http://dx.doi.org/10.1159/000341091>
- Senan, S., Verstegen, N. E., Palma, D., Rodrigues, G., Lagerwaard, F. J., Van Der Elst, A., ... Oosterhuis, J. W. (2012). Stages I-II non-small cell lung cancer treated using either lobectomy by video-assisted thoracoscopic surgery (VATS) or stereotactic ablative radiotherapy (SABR): Outcomes of a propensity score-matched analysis. *Journal of Clinical Oncology*, 30(15 SUPPL. 1), CONFERENCE START: 2012 Jun 2011 CONFERENCE END: 2012 Jun 2015.
- Sengoz, M., Kabalay, I. A., Tezcanli, E., Peker, S., & Pamir, N. (2013). Treatment of brainstem metastases with gamma-knife radiosurgery. *Journal of Neuro-Oncology*, 113(1), 33-38. DOI: <http://dx.doi.org/10.1007/s11060-013-1086-6>
- Senthil, S. (2014). Can we improve clinical outcomes using stereotactic radiotherapy for oligometastatic disease? *Asia Pacific journal of clinical oncology*, 10, 99-100.
- Senthil, S., Dahele, M., van de Ven, P. M., Slotman, B. J., & Senan, S. (2013). Late radiologic changes after stereotactic ablative radiotherapy for early stage lung cancer: a comparison of fixed-beam versus arc delivery techniques. *Radiotherapy & Oncology*, 109(1), 77-81. DOI: <http://dx.doi.org/10.1016/j.radonc.2013.08.034>
- Senthil, S., Haasbeek, C. J., Slotman, B. J., & Senan, S. (2013). Outcomes of stereotactic ablative radiotherapy for central lung tumours: a systematic review. *Radiotherapy & Oncology*, 106(3), 276-282. DOI: <http://dx.doi.org/10.1016/j.radonc.2013.01.004>
- Senthil, S., Lagerwaard, F. J., Haasbeek, C. J., Slotman, B. J., & Senan, S. (2012). Patterns of disease recurrence after stereotactic ablative radiotherapy for early stage non-small-cell lung cancer: a retrospective analysis. *Lancet Oncology*, 13(8), 802-809. DOI: [http://dx.doi.org/10.1016/S1470-2045\(12\)70242-5](http://dx.doi.org/10.1016/S1470-2045(12)70242-5)
- Seo, Y. S., Kim, M. S., Cho, C. K., Yoo, H. J., Jang, W. I., Kim, K. B., ... Lee, H. R. (2015). Stereotactic body radiotherapy for oligometastases confined to the para-aortic region: clinical outcomes and the significance of radiotherapy field and dose. *Cancer Investigation*, 33(5), 180-187. DOI: <http://dx.doi.org/10.3109/07357907.2015.1019678>
- Serizawa, T., Higuchi, Y., Nagano, O., Hirai, T., Ono, J., Saeki, N., & Miyakawa, A. (2012). Testing different brain metastasis grading systems in stereotactic radiosurgery: Radiation Therapy Oncology

Group's RPA, SIR, BSBM, GPA, and modified RPA. *Journal of Neurosurgery*, 117 Suppl, 31-37. DOI: <http://dx.doi.org/10.3171/2012.8.GKS12710>

- Serizawa, T., Higuchi, Y., Nagano, O., Matsuda, S., Ono, J., Saeki, N., ... Shibamoto, Y. (2014). A new grading system focusing on neurological outcomes for brain metastases treated with stereotactic radiosurgery: the modified Basic Score for Brain Metastases. *Journal of Neurosurgery*, 121 Suppl, 35-43. DOI: <http://dx.doi.org/10.3171/2014.7.GKS14980>
- Serna, A., Esclar, P. P., Puchades, V., Mata, F., Ramos, D., Gomez, M. A., ... Alcaraz, M. (2015). Single fraction volumetric modulated arc radiosurgery of brain metastases. *Clinical & Translational Oncology: Official Publication of the Federation of Spanish Oncology Societies & of the National Cancer Institute of Mexico*, 17(8), 596-603. DOI: <http://dx.doi.org/10.1007/s12094-015-1282-2>
- Serpa, M., Baier, K., Cremers, F., Guckenberger, M., & Meyer, J. (2014). Suitability of markerless EPID tracking for tumor position verification in gated radiotherapy. *Medical Physics*, 41(3), 031702. DOI: <http://dx.doi.org/10.1118/1.4863597>
- Sethi, R. A., Rush, S. C., Liu, S., Sethi, S. A., Parker, E., Donahue, B., ... Golfinos, J. G. (2015). Dose-Response Relationships for Meningioma Radiosurgery. *American Journal of Clinical Oncology*, 38(6), 600-604. DOI: <http://dx.doi.org/10.1097/COC.0000000000000008>
- Seung, S. K., Curti, B. D., Crittenden, M., Walker, E., Coffey, T., Siebert, J. C., ... Urba, W. J. (2012). Phase 1 study of stereotactic body radiotherapy and interleukin-2--tumor and immunological responses. *Science Translational Medicine*, 4(137), 137ra174. DOI: <http://dx.doi.org/10.1126/scitranslmed.3003649>
- Seung, S. K., Larson, D. A., Galvin, J. M., Mehta, M. P., Potters, L., Schultz, C. J., ... Rosenthal, S. A. (2013). American College of Radiology (ACR) and American Society for Radiation Oncology (ASTRO) Practice Guideline for the Performance of Stereotactic Radiosurgery (SRS). *American Journal of Clinical Oncology*, 36(3), 310-315. DOI: <http://dx.doi.org/10.1097/COC.0b013e31826e053d>
- Seung, S. K., Larson, D. A., Galvin, J. M., Mehta, M. P., Potters, L., Schultz, C. J., ... Rosenthal, S. A. (2013). American College of Radiology (ACR) and American Society for Radiation Oncology (ASTRO) Practice Guideline for the Performance of Stereotactic Radiosurgery (SRS). *American Journal of Clinical Oncology*, 36(3), 310-315. DOI: <http://dx.doi.org/10.1097/COC.0b013e31826e053d>
- Seymour, Z. A., Snead, P. K., Gupta, N., Lawton, M. T., Molinaro, A. M., Young, W., ... McDermott, M. W. (2016). Volume-staged radiosurgery for large arteriovenous malformations: an evolving paradigm. *Journal of Neurosurgery*, 124(1), 163-174. DOI: <http://dx.doi.org/10.3171/2014.12.JNS141308>
- Sezen, D., Gurkaynak, M., Gultekin, M., Cengiz, M., Yildiz, F., Zorlu, F., ... Ozyigit, G. (2016). Robotic Stereotactic Body Radiation Therapy in Patients With Recurrent or Metastatic Abdominopelvic Tumors: A Single Institute Experience. *Technology in Cancer Research & Treatment*, 15(1), 203-211. DOI: <http://dx.doi.org/10.1177/1533034615571353>
- Shah, A., Hahn, S. M., Stetson, R. L., Friedberg, J. S., Pechet, T. T., & Sher, D. J. (2013). Cost-effectiveness of stereotactic body radiation therapy versus surgical resection for stage I non-small cell lung cancer. *Cancer*, 119(17), 3123-3132. DOI: <http://dx.doi.org/10.1002/cncr.28131>
- Shah, C., Grills, I. S., Kestin, L. L., McGrath, S., Ye, H., Martin, S. K., & Yan, D. (2012). Intrafraction variation of mean tumor position during image-guided hypofractionated stereotactic body radiotherapy for lung cancer. *International Journal of Radiation Oncology, Biology, Physics*, 82(5), 1636-1641. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.02.011>

- Shang, D. P., Liu, C. X., & Yin, Y. (2014). A comparison of the different 3D CT scanning modes on the GTV delineation for the solitary pulmonary lesion. *Radiation Oncology*, 9, 211. DOI: <http://dx.doi.org/10.1186/1748-717X-9-211>
- Shapiro, L. Q., Beal, K., Goenka, A., Karimi, S., Iwamoto, F. M., Yamada, Y., ... Gutin, P. H. (2013). Patterns of failure after concurrent bevacizumab and hypofractionated stereotactic radiation therapy for recurrent high-grade glioma. *International Journal of Radiation Oncology, Biology, Physics*, 85(3), 636-642. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.05.031>
- Sharieff, W., Greenspoon, J. N., Dayes, I., Chow, T., Wright, J., & Lukka, H. (2016). The Technique, Resources and Costs of Stereotactic Body Radiotherapy of Prostate Cancer: A Comparison of Dose Regimens and Delivery Systems. *Technology in Cancer Research & Treatment*, 15(1), 171-178. DOI: <http://dx.doi.org/10.7785/tcrt.2012.500431>
- Sharma, S., Ott, J., Williams, J., & Dickow, D. (2011). Dose calculation accuracy of the Monte Carlo algorithm for CyberKnife compared with other commercially available dose calculation algorithms. *Medical Dosimetry*, 36(4), 347-350. DOI: <http://dx.doi.org/10.1016/j.meddos.2010.09.001>
- Sharpton, S. R., Oermann, E. K., Moore, D. T., Schreiber, E., Hoffman, R., Morris, D. E., & Ewend, M. G. (2014). The volumetric response of brain metastases after stereotactic radiosurgery and its post-treatment implications. *Neurosurgery*, 74(1), 9-15; discussion 16; quiz 16. DOI: <http://dx.doi.org/10.1227/NEU.000000000000000190>
- Shaverdian, N., Tenn, S., Veruttipong, D., Wang, J., Hegde, J., Lee, C., ... Lee, P. (2016). The significance of PTV dose coverage on cancer control outcomes in early stage non-small cell lung cancer patients treated with highly ablative stereotactic body radiation therapy. *British Journal of Radiology*, 89(1059), 20150963. DOI: <http://dx.doi.org/10.1259/bjr.20150963>
- Shaverdian, N., Tenn, S., Veruttipong, D., Wang, J., Hegde, J., Lee, C., ... Lee, P. (2016). The significance of PTV dose coverage on cancer control outcomes in early stage non-small cell lung cancer patients treated with highly ablative stereotactic body radiation therapy. *British Journal of Radiology*, 89(1059), 20150963. DOI: <http://dx.doi.org/10.1259/bjr.20150963>
- Shaverdian, N., Veruttipong, D., Wang, J., Schaeue, D., Kupelian, P., & Lee, P. (2016). Pretreatment Immune Parameters Predict for Overall Survival and Toxicity in Early-Stage Non-Small-Cell Lung Cancer Patients Treated With Stereotactic Body Radiation Therapy. *Clinical Lung Cancer*, 17(1), 39-46. DOI: <http://dx.doi.org/10.1016/j.clcc.2015.07.007>
- Shaverdian, N., Wang, P. C., Steinberg, M., & Lee, P. (2015). The patient's perspective on stereotactic body radiation therapy (SBRT) vs. surgery for treatment of early stage non-small cell lung cancer (NSCLC). *Lung Cancer*, 90(2), 230-233. DOI: <http://dx.doi.org/10.1016/j.lungcan.2015.07.009>
- Sheehan, J. P., Cohen-Inbar, O., Ruangkanchanasetr, R., Bulent Omay, S., Hess, J., Chiang, V., ... Dade Lunsford, L. (2015). Post-radiosurgical edema associated with parasagittal and parafalcine meningiomas: a multicenter study. *Journal of Neuro-Oncology*, 125(2), 317-324. DOI: <http://dx.doi.org/10.1007/s11060-015-1911-1>
- Sheehan, J. P., Kano, H., Xu, Z., Chiang, V., Mathieu, D., Chao, S., ... Lunsford, L. D. (2015). Gamma Knife radiosurgery for facial nerve schwannomas: a multicenter study. *Journal of Neurosurgery*, 123(2), 387-394. DOI: <http://dx.doi.org/10.3171/2014.11.JNS141160>
- Sheehan, J. P., Kavanagh, B. D., Asher, A., & Harbaugh, R. E. (2016). Inception of a national multidisciplinary registry for stereotactic radiosurgery. *Journal of Neurosurgery*, 124(1), 155-162. DOI: <http://dx.doi.org/10.3171/2015.1.JNS142466>

- Sheehan, J. P., Lee, C. C., Xu, Z., Przybylowski, C. J., Melmer, P. D., & Schlesinger, D. (2015). Edema following Gamma Knife radiosurgery for parasagittal and parafalcine meningiomas. *Journal of Neurosurgery*, 123(5), 1287-1293. DOI: <http://dx.doi.org/10.3171/2014.12.JNS142159>
- Sheehan, J. P., Patterson, G., Schlesinger, D., & Xu, Z. (2013). gamma knife surgery anterior capsulotomy for severe and refractory obsessive-compulsive disorder. *Journal of Neurosurgery*, 119(5), 1112-1118. DOI: <http://dx.doi.org/10.3171/2013.5.JNS13201>
- Sheehan, J. P., Starke, R. M., Kano, H., Barnett, G. H., Mathieu, D., Chiang, V., ... Lunsford, L. D. (2015). Gamma Knife radiosurgery for posterior fossa meningiomas: a multicenter study. *Journal of Neurosurgery*, 122(6), 1479-1489. DOI: [10.3171/2014.10.jns14139](http://dx.doi.org/10.3171/2014.10.jns14139)
- Sheehan, J. P., Starke, R. M., Kano, H., Kaufmann, A. M., Mathieu, D., Zeiler, F. A., ... Lunsford, L. D. (2014). Gamma Knife radiosurgery for sellar and parasellar meningiomas: a multicenter study. *Journal of Neurosurgery*, 120(6), 1268-1277. DOI: <http://dx.doi.org/10.3171/2014.2.JNS13139>
- Sheehan, J. P., Starke, R. M., Mathieu, D., Young, B., Sneed, P. K., Chiang, V. L., ... Lunsford, L. D. (2013). Gamma Knife radiosurgery for the management of nonfunctioning pituitary adenomas: a multicenter study. *Journal of Neurosurgery*, 119(2), 446-456. DOI: <http://dx.doi.org/10.3171/2013.3.JNS12766>
- Sheehan, J. P., Tanaka, S., Link, M. J., Pollock, B. E., Kondziolka, D., Mathieu, D., ... Lunsford, L. D. (2012). Gamma Knife surgery for the management of glomus tumors: a multicenter study. *Journal of Neurosurgery*, 117(2), 246-254. DOI: <http://dx.doi.org/10.3171/2012.4.JNS11214>
- Sheehan, J. P., Xu, Z., Salvetti, D. J., Schmitt, P. J., & Vance, M. L. (2013). Results of gamma knife surgery for Cushing's disease. *Journal of Neurosurgery*, 119(6), 1486-1492. DOI: <http://dx.doi.org/10.3171/2013.7.JNS13217>
- Shen, G., Xu, L., Xu, M., Geng, M., Tan, Y., & Li, F. (2012). 1H-MR spectroscopy guided gamma knife radiosurgery for treatment of glioma. *Turkish Neurosurgery*, 22(6), 690-694. DOI: <http://dx.doi.org/10.5137/1019-5149.JTN.5676-12.1>
- Shen, G., Xu, L., Xu, M., Geng, M., Tan, Y., & Li, F. (2012). 1H-MR spectroscopy guided gamma knife radiosurgery for treatment of glioma. *Turkish Neurosurgery*, 22(6), 690-694.
- Shen, X., Andrews, D. W., Sergott, R. C., Evans, J. J., Curran, W. J., Machtay, M., ... Werner-Wasik, M. (2012). Fractionated stereotactic radiation therapy improves cranial neuropathies in patients with skull base meningiomas: a retrospective cohort study. *Radiation Oncology*, 7, 225. DOI: <http://dx.doi.org/10.1186/1748-717X-7-225>
- Shen, Z. L., Xia, P., Klahr, P., & Djemil, T. (2015). Dosimetric impact of orthopedic metal artifact reduction (O-MAR) on Spine SBRT patients. *Journal of Applied Clinical Medical Physics*, 16(5), 5356.
- Shen, Z. L., Xia, P., Klahr, P., & Djemil, T. (2015). Dosimetric impact of orthopedic metal artifact reduction (O-MAR) on Spine SBRT patients. *Journal of Applied Clinical Medical Physics*, 16(5), 5356.
- Shepard, M. J., Fezeu, F., Lee, C. C., & Sheehan, J. P. (2014). Gamma knife radiosurgery for the treatment of gynecologic malignancies metastasizing to the brain: clinical article. *Journal of Neuro-Oncology*, 120(3), 515-522. DOI: <http://dx.doi.org/10.1007/s11060-014-1577-0>
- Sher, D. J., Parikh, R. B., Mays-Jackson, S., & Punglia, R. S. (2014). Cost-effectiveness analysis of SBRT versus IMRT for low-risk prostate cancer. *American Journal of Clinical Oncology*, 37(3), 215-221. DOI: <http://dx.doi.org/10.1097/COC.0b013e31827a7d2a>

- Sheth, S. A., Kwon, C. S., & Barker, F. G., 2nd. (2012). The art of management decision making: from intuition to evidence-based medicine. *Otolaryngologic Clinics of North America*, 45(2), 333-351, viii. DOI: <http://dx.doi.org/10.1016/j.otc.2012.01.001>
- Sheth, S. A., Potts, M. B., Sneed, P. K., Young, W. L., Cooke, D. L., Gupta, N., & Hetts, S. W. (2014). Angiographic features help predict outcome after stereotactic radiosurgery for the treatment of pediatric arteriovenous malformations. *Childs Nervous System*, 30(2), 241-247. DOI: <http://dx.doi.org/10.1007/s00381-013-2231-4>
- Sheu, T., Heymach, J. V., Swisher, S. G., Rao, G., Weinberg, J. S., Mehran, R., ... Gomez, D. R. (2014). Propensity score-matched analysis of comprehensive local therapy for oligometastatic non-small cell lung cancer that did not progress after front-line chemotherapy. *International Journal of Radiation Oncology, Biology, Physics*, 90(4), 850-857. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.07.012>
- Shi, Z., Esiashvili, N., Janss, A. J., Mazewski, C. M., MacDonald, T. J., Wrubel, D. M., ... Shu, H. K. (2012). Transient enlargement of craniopharyngioma after radiation therapy: pattern of magnetic resonance imaging response following radiation. *Journal of Neuro-Oncology*, 109(2), 349-355. DOI: <http://dx.doi.org/10.1007/s11060-012-0900-x>
- Shibamoto, Y., Hashizume, C., Baba, F., Ayakawa, S., Manabe, Y., Nagai, A., ... Ishikura, S. (2012). Stereotactic body radiotherapy using a radiobiology-based regimen for stage i nonsmall cell lung cancer: A multicenter study. *Cancer*, 118(8), 2078-2084.
- Shields, L. B., Bond, C., Odom, A., Sun, D. A., & Spalding, A. C. (2015). Heterogeneity correction for intensity-modulated frameless SRS in pituitary and cavernous sinus tumors: a retrospective study. *Radiation Oncology*, 10, 193. DOI: <http://dx.doi.org/10.1186/s13014-015-0500-y>
- Shin, S. M., Cooper, B. T., Chachoua, A., Butler, J., Donahue, B., Silverman, J. S., & Kondziolka, D. (2016). Survival but not brain metastasis response relates to lung cancer mutation status after radiosurgery. *Journal of Neuro-Oncology*, 126(3), 483-491. DOI: <http://dx.doi.org/10.1007/s11060-015-1986-8>
- Shin, S. S., Murdoch, G., Hamilton, R. L., Faraji, A. H., Kano, H., Zwagerman, N. T., ... Friedlander, R. M. (2015). Pathological response of cavernous malformations following radiosurgery. *Journal of Neurosurgery*, 123(4), 938-944. DOI: <http://dx.doi.org/10.3171/2014.10.JNS14499>
- Shintani, T., Masago, K., Takayama, K., Ueki, K., Kimino, G., Ueki, N., ... Kokubo, M. (2015). Stereotactic Body Radiotherapy for Synchronous Primary Lung Cancer: Clinical Outcome of 18 Cases. *Clinical Lung Cancer*, 16(5), e91-96. DOI: <http://dx.doi.org/10.1016/j.cllc.2014.12.011>
- Shirata, Y., Jingu, K., Koto, M., Kubozono, M., Takeda, K., Sugawara, T., ... Matsushita, H. (2012). Prognostic factors for local control of stage I non-small cell lung cancer in stereotactic radiotherapy: a retrospective analysis. *Radiation Oncology*, 7, 182. DOI: <http://dx.doi.org/10.1186/1748-717X-7-182>
- Shirvani, S. M., Jiang, J., Chang, J. Y., Welsh, J., Likhacheva, A., Buchholz, T. A., ... Smith, B. D. (2014). Lobectomy, sublobar resection, and stereotactic ablative radiotherapy for early-stage non-small cell lung cancers in the elderly. *JAMA Surgery*, 149(12), 1244-1253. DOI: <http://dx.doi.org/10.1001/jamasurg.2014.556>
- Shirvani, S. M., Jiang, J., Chang, J. Y., Welsh, J., Likhacheva, A., Buchholz, T. A., ... Smith, B. D. (2014). Lobectomy, sublobar resection, and stereotactic ablative radiotherapy for early-stage non-small

cell lung cancers in the elderly. *JAMA Surgery*, 149(12), 1244-1253. DOI: <http://dx.doi.org/10.1001/jamasurg.2014.556>

Shirvani, S. M., Jiang, J., Chang, J. Y., Welsh, J. W., Gomez, D. R., Swisher, S., ... Smith, B. D. (2012). Comparative effectiveness of 5 treatment strategies for early-stage non-small cell lung cancer in the elderly. *International Journal of Radiation Oncology, Biology, Physics*, 84(5), 1060-1070. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.07.2354>

Shirvani, S. M., Jiang, J., Chang, J. Y., Welsh, J. W., Gomez, D. R., Swisher, S., ... Smith, B. D. (2012). Comparative effectiveness of 5 treatment strategies for early-stage non-small cell lung cancer in the elderly. *International Journal of Radiation Oncology, Biology, Physics*, 84(5), 1060-1070. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.07.2354>

Shiue, K., Barnett, G. H., Suh, J. H., Vogelbaum, M. A., Reddy, C. A., Weil, R. J., ... Chao, S. T. (2014). Using higher isodose lines for gamma knife treatment of 1 to 3 brain metastases is safe and effective. *Neurosurgery*, 74(4), 360-364; discussion 364-365; quiz 365-366. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000289>

Shultz, D. B., Diehn, M., & Loo, B. W., Jr. (2015). To SABR or not to SABR? Indications and contraindications for stereotactic ablative radiotherapy in the treatment of early-stage, oligometastatic, or oligoprogressive non-small cell lung cancer. *Seminars in Radiation Oncology*, 25(2), 78-86. DOI: <http://dx.doi.org/10.1016/j.semradonc.2014.11.005>

Shultz, D. B., Jang, S. S., Hanlon, A. L., Diehn, M., Loo, B. W., Jr., & Maxim, P. G. (2014). The effect of arm position on the dosimetry of thoracic stereotactic ablative radiation therapy using volumetric modulated arc therapy. *Practical Radiation Oncology*, 4(3), 192-197. DOI: <http://dx.doi.org/10.1016/j.prro.2013.07.010>

Shultz, D. B., Jang, S. S., Hanlon, A. L., Diehn, M., Loo, B. W., Jr., & Maxim, P. G. (2014). The effect of arm position on the dosimetry of thoracic stereotactic ablative radiation therapy using volumetric modulated arc therapy. *Practical Radiation Oncology*, 4(3), 192-197. DOI: <http://dx.doi.org/10.1016/j.prro.2013.07.010>

Shultz, D. B., Modlin, L. A., Jayachandran, P., Von Eyben, R., Gibbs, I. C., Choi, C. Y., ... Soltys, S. G. (2015). Repeat Courses of Stereotactic Radiosurgery (SRS), Deferring Whole-Brain Irradiation, for New Brain Metastases After Initial SRS. *International Journal of Radiation Oncology, Biology, Physics*, 92(5), 993-999. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.04.036>

Shultz, D. B., Trakul, N., Abelson, J. A., Murphy, J. D., Maxim, P. G., Le, Q. T., ... Diehn, M. (2014). Imaging features associated with disease progression after stereotactic ablative radiotherapy for stage I non-small-cell lung cancer. *Clinical Lung Cancer*, 15(4), 294-301.e293. DOI: <http://dx.doi.org/10.1016/j.cllc.2013.12.011>

Shultz, D. B., Trakul, N., Maxim, P. G., Diehn, M., & Loo, B. W., Jr. (2014). Vagal and recurrent laryngeal neuropathy following stereotactic ablative radiation therapy in the chest. *Practical Radiation Oncology*, 4(4), 272-278. DOI: <http://dx.doi.org/10.1016/j.prro.2013.08.005>

Shultz, D. B., Trakul, N., Maxim, P. G., Diehn, M., & Loo, B. W., Jr. (2014). Vagal and recurrent laryngeal neuropathy following stereotactic ablative radiation therapy in the chest. *Practical Radiation Oncology*, 4(4), 272-278. DOI: <http://dx.doi.org/10.1016/j.prro.2013.08.005>

Shuto, T., Ohtake, M., & Matsunaga, S. (2012). Proposed mechanism for cyst formation and enlargement following Gamma Knife Surgery for arteriovenous malformations. *Journal of Neurosurgery*, 117 Suppl, 135-143. DOI: <http://dx.doi.org/10.3171/2012.6.GKS12318>

- Sia, J., Paul, E., Dally, M., & Ruben, J. (2015). Stereotactic radiosurgery for 318 brain metastases in a single Australian centre: the impact of histology and other factors. *Journal of Clinical Neuroscience*, 22(2), 303-307. DOI: <http://dx.doi.org/10.1016/j.jocn.2014.07.019>
- Sicignano, G., Losa, M., del Vecchio, A., Cattaneo, G. M., Picozzi, P., Bolognesi, A., ... Calandrino, R. (2012). Dosimetric factors associated with pituitary function after Gamma Knife Surgery (GKS) of pituitary adenomas. *Radiotherapy & Oncology*, 104(1), 119-124. DOI: <http://dx.doi.org/10.1016/j.radonc.2012.03.021>
- Sikuade, M. J., Salvi, S., Rundle, P. A., Errington, D. G., Kacperek, A., & Rennie, I. G. (2015). Outcomes of treatment with stereotactic radiosurgery or proton beam therapy for choroidal melanoma. *Eye*, 29(9), 1194-1198. DOI: <http://dx.doi.org/10.1038/eye.2015.109>
- Silk, A. W., Cao, Y., Gomez-Hassan, D., Redman, B. G., Hayman, J., Heth, J., & Lao, C. D. (2015). A randomized phase II study of ipilimumab induction in patients with melanoma brain metastases receiving stereotactic radiosurgery. *Journal of Clinical Oncology*, 33(15 SUPPL. 1), CONFERENCE START: 2015 May 2029 CONFERENCE END: 2015 Jun 2012.
- Sio, T. T., Jang, S., Lee, S. W., Curran, B., Pyakuryal, A. P., & Sternick, E. S. (2014). Comparing gamma knife and cyberknife in patients with brain metastases. *Journal of Applied Clinical Medical Physics*, 15(1), 4095. DOI: <http://dx.doi.org/10.1120/jacmp.v15i1.4095>
- Sio, T. T., Jang, S., Lee, S. W., Curran, B., Pyakuryal, A. P., & Sternick, E. S. (2014). Comparing gamma knife and cyberknife in patients with brain metastases. *Journal of Applied Clinical Medical Physics*, 15(1), 4095. DOI: <http://dx.doi.org/10.1120/jacmp.v15i1.4095>
- Sio, T. T., Jensen, A. R., Miller, R. C., Fong de los Santos, L. E., Hallemeier, C. L., Foster, N. R., ... Olivier, K. R. (2014). Influence of patient's physiologic factors and immobilization choice with stereotactic body radiotherapy for upper lung tumors. *Journal of Applied Clinical Medical Physics*, 15(5), 4931. DOI: <http://dx.doi.org/10.1120/jacmp.v15i5.4931>
- Sio, T. T., Jensen, A. R., Miller, R. C., Fong de los Santos, L. E., Hallemeier, C. L., Foster, N. R., ... Olivier, K. R. (2014). Influence of patient's physiologic factors and immobilization choice with stereotactic body radiotherapy for upper lung tumors. *Journal of Applied Clinical Medical Physics*, 15(5), 4931. DOI: <http://dx.doi.org/10.1120/jacmp.v15i5.4931>
- Siva, S., Callahan, J. W., Kron, T., Chesson, B., Barnett, S. A., Macmanus, M. P., ... Ball, D. L. (2015). Respiratory-gated (4D) FDG-PET detects tumour and normal lung response after stereotactic radiotherapy for pulmonary metastases. *Acta Oncologica*, 54(8), 1105-1112. DOI: <http://dx.doi.org/10.3109/0284186X.2015.1027409>
- Siva, S., Chesson, B., Callahan, J. W., Hardcastle, N., Crawford, L., Antippa, P., ... Ball, D. L. (2015). Dosimetric Consequences of 3D Versus 4D PET/CT for Target Delineation of Lung Stereotactic Radiotherapy. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 10(7), 1112-1115. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000555>
- Siva, S., Devereux, T., Kron, T., Gill, S., Macmanus, M., Bressel, M., ... Ball, D. (2014). Vacuum immobilisation reduces tumour excursion and minimises intrafraction error in a cohort study of stereotactic ablative body radiotherapy for pulmonary metastases. *Journal of Medical Imaging & Radiation Oncology*, 58(2), 244-252. DOI: <http://dx.doi.org/10.1111/1754-9485.12112>
- Siva, S., Jackson, P., Kron, T., Bressel, M., Lau, E., Hofman, M., ... Foroudi, F. (2016). Impact of stereotactic radiotherapy on kidney function in primary renal cell carcinoma: Establishing a dose-response

relationship. *Radiotherapy & Oncology*, 118(3), 540-546. DOI: <http://dx.doi.org/10.1016/j.radonc.2016.01.027>

Siva, S., Jackson, P., Kron, T., Bressel, M., Lau, E., Hofman, M., ... Foroudi, F. (2016). Impact of stereotactic radiotherapy on kidney function in primary renal cell carcinoma: Establishing a dose-response relationship. *Radiotherapy and oncology*, 118(3), 540-546.

Siva, S., Kirby, K., Caine, H., Pham, D., Kron, T., Te Marvelde, L., ... Eade, T. (2015). Comparison of Single-fraction and Multi-fraction Stereotactic Radiotherapy for Patients with 18F-fluorodeoxyglucose Positron Emission Tomography-staged Pulmonary Oligometastases. *Clinical Oncology (Royal College of Radiologists)*, 27(6), 353-361. DOI: <http://dx.doi.org/10.1016/j.clon.2015.01.004>

Siva, S., Kron, T., Bressel, M., Haas, M., Mai, T., Vinod, S., ... Ball, D. (2016). A randomised phase II trial of Stereotactic Ablative Fractionated radiotherapy versus Radiosurgery for Oligometastatic Neoplasia to the lung (TROG 13.01 SAFRON II). *BMC Cancer*, 16(1).

Siva, S., Pham, D., Gill, S., Corcoran, N. M., & Foroudi, F. (2012). A systematic review of stereotactic radiotherapy ablation for primary renal cell carcinoma. *BJU International*, 110(11 Pt B), E737-743. DOI: <http://dx.doi.org/10.1111/j.1464-410X.2012.11550.x>

Siva, S., Shaw, M., Chesson, B., Gill, S., & Ball, D. (2012). Analysis of the impact of chest wall constraints on eligibility for a randomized trial of stereotactic body radiotherapy of peripheral stage I non-small cell lung cancer. *Journal of Medical Imaging & Radiation Oncology*, 56(6), 654-660. DOI: <http://dx.doi.org/10.1111/j.1754-9485.2012.02437.x>

Siva, S., Shaw, M., Chesson, B., Gill, S., & Ball, D. (2012). Analysis of the impact of chest wall constraints on eligibility for a randomized trial of stereotactic body radiotherapy of peripheral stage I non-small cell lung cancer. *Journal of medical imaging and radiation oncology*, 56(6), 654-660.

Sivakanthan, S., Van Gompel, J. J., Alikhani, P., van Loveren, H., Chen, R., & Agazzi, S. (2014). Surgical management of trigeminal neuralgia: use and cost-effectiveness from an analysis of the Medicare Claims Database. *Neurosurgery*, 75(3), 220-226; discussion 225-226. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000430>

Skeie, B. S., Enger, P. O., Brogger, J., Ganz, J. C., Thorsen, F., Heggedal, J. I., & Pedersen, P. H. (2012). Gamma knife surgery versus reoperation for recurrent glioblastoma multiforme. *World Neurosurgery*, 78(6), 658-669. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.03.024>

Skeie, B. S., Enger, P. O., Brogger, J., Ganz, J. C., Thorsen, F., Heggedal, J. I., & Pedersen, P. H. (2012). gamma knife surgery versus reoperation for recurrent glioblastoma multiforme. *World Neurosurgery*, 78(6), 658-669. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.03.024>

Skeie, B. S., Enger, P. O., Ganz, J. C., Skeie, G. O., Parr, E., Hatteland, S., ... Pedersen, P. H. (2013). Gamma knife surgery of colorectal brain metastases: a high prescription dose of 25 Gy may improve growth control. *World Neurosurgery*, 79(3-4), 525-536. DOI: <http://dx.doi.org/10.1016/j.wneu.2011.09.019>

Skeie, B. S., Enger, P. O., Ganz, J. C., Skeie, G. O., Parr, E., Hatteland, S., ... Pedersen, P. H. (2013). Gamma knife surgery of colorectal brain metastases: a high prescription dose of 25 Gy may improve growth control. *World Neurosurgery*, 79(3-4), 525-536. DOI: <http://dx.doi.org/10.1016/j.wneu.2011.09.019>

Skjøth-Rasmussen, J., Obbekjaer, T., Birkeland, P., Hauerberg, J., & Juhler, M. (2012). Multimodality treatment approach in children with cerebral arteriovenous malformation--a survey in the Danish

- population. *Childs Nervous System*, 28(4), 587-592. DOI: <http://dx.doi.org/10.1007/s00381-011-1640-5>
- Smith, K., Talukder, A., & Kruse, E. J. (2015). Intracranial Hemangiopericytoma: A Rare but Aggressive Tumor. *American Surgeon*, 81(8), 314-315.
- Smith, T. R., Lall, R. R., Lall, R. R., Abecassis, I. J., Arnaout, O. M., Marymont, M. H., ... Chandler, J. P. (2014). Survival after surgery and stereotactic radiosurgery for patients with multiple intracranial metastases: results of a single-center retrospective study. *Journal of Neurosurgery*, 121(4), 839-845. DOI: <http://dx.doi.org/10.3171/2014.4.JNS13789>
- Snapp, H. A., & Schubert, M. C. (2012). Habilitation of auditory and vestibular dysfunction. *Otolaryngologic Clinics of North America*, 45(2), 487-511, x-xi. DOI: <http://dx.doi.org/10.1016/j.otc.2011.12.014>
- Sneed, P. K., Mendez, J., Vemer-van den Hoek, J. G., Seymour, Z. A., Ma, L., Molinaro, A. M., ... McDermott, M. W. (2015). Adverse radiation effect after stereotactic radiosurgery for brain metastases: incidence, time course, and risk factors. *Journal of Neurosurgery*, 123(2), 373-386. DOI: <http://dx.doi.org/10.3171/2014.10.JNS141610>
- Snyder, K. C., Wen, N., Huang, Y., Kim, J., Zhao, B., Siddiqui, S., ... Ryu, S. (2015). Use of jaw tracking in intensity modulated and volumetric modulated arc radiation therapy for spine stereotactic radiosurgery. *Practical Radiation Oncology*, 5(3), e155-162. DOI: <http://dx.doi.org/10.1016/j.prro.2014.09.002>
- Snyder, K. C., Wen, N., Huang, Y., Kim, J., Zhao, B., Siddiqui, S., ... Ryu, S. (2015). Use of jaw tracking in intensity modulated and volumetric modulated arc radiation therapy for spine stereotactic radiosurgery. *Practical Radiation Oncology*, 5(3), e155-162. DOI: <http://dx.doi.org/10.1016/j.prro.2014.09.002>
- Soderman, M., Dodoo, E., & Karlsson, B. (2013). Dural arteriovenous fistulas and the role of gamma knife stereotactic radiosurgery: the Stockholm experience. *Progress in Neurological Surgery*, 27, 205-217. DOI: <http://dx.doi.org/10.1159/000341798>
- Soffietti, R., Kocher, M., Abacioglu, U. M., Villa, S., Fauchon, F., Baumert, B. G., ... Bottomley, A. (2013). A European Organisation for Research and Treatment of Cancer phase III trial of adjuvant whole-brain radiotherapy versus observation in patients with one to three brain metastases from solid tumors after surgical resection or radiosurgery: quality-of-life results. *Journal of Clinical Oncology*, 31(1), 65-72. DOI: <http://dx.doi.org/10.1200/JCO.2011.41.0639>
- Soffietti, R., Kocher, M., Abacioglu, U. M., Villa, S., Fauchon, F., Baumert, B. G., ... Bottomley, A. (2013). A European Organisation for Research and Treatment of Cancer phase III trial of adjuvant whole-brain radiotherapy versus observation in patients with one to three brain metastases from solid tumors after surgical resection or radiosurgery: quality-of-life results. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology*, 31(1), 65-72.
- Sohn, S., Chung, C. K., Sohn, M. J., Chang, U. K., Kim, S. H., Kim, J., & Park, E. (2014). Stereotactic radiosurgery compared with external radiation therapy as a primary treatment in spine metastasis from renal cell carcinoma: A multicenter, matched-pair study. *Journal of Neuro-Oncology*, 119(1), 121-128. DOI: <http://dx.doi.org/10.1007/s11060-014-1455-9>
- Soize, S., Bouquigny, F., Kadziolka, K., Portefaix, C., & Pierot, L. (2014). Value of 4D MR angiography at 3T compared with DSA for the follow-up of treated brain arteriovenous malformation. *Ajnr: American Journal of Neuroradiology*, 35(10), 1903-1909. DOI: <http://dx.doi.org/10.3174/ajnr.A3982>

- Solanki, A. A., Weichselbaum, R. R., Appelbaum, D., Farrey, K., Yenice, K. M., Chmura, S. J., & Salama, J. K. (2012). The utility of FDG-PET for assessing outcomes in oligometastatic cancer patients treated with stereotactic body radiotherapy: a cohort study. *Radiation Oncology*, 7, 216. DOI: <http://dx.doi.org/10.1186/1748-717X-7-216>
- Solda, F., Lodge, M., Ashley, S., Whitington, A., Goldstraw, P., & Brada, M. (2013). Stereotactic radiotherapy (SABR) for the treatment of primary non-small cell lung cancer: systematic review and comparison with a surgical cohort. *Radiotherapy & Oncology*, 109(1), 1-7. DOI: <http://dx.doi.org/10.1016/j.radonc.2013.09.006>
- Solda, F., Wharram, B., De Ieso, P. B., Bonner, J., Ashley, S., & Brada, M. (2013). Long-term efficacy of fractionated radiotherapy for benign meningiomas. *Radiotherapy & Oncology*, 109(2), 330-334. DOI: <http://dx.doi.org/10.1016/j.radonc.2013.10.006>
- Sole, C. V., Lopez Guerra, J. L., Matute, R., Jaen, J., Puebla, F., Rivin, E., ... Marsiglia, H. (2013). Stereotactic ablative radiotherapy delivered by image-guided helical tomotherapy for extracranial oligometastases. *Clinical & Translational Oncology: Official Publication of the Federation of Spanish Oncology Societies & of the National Cancer Institute of Mexico*, 15(6), 484-491. DOI: <http://dx.doi.org/10.1007/s12094-012-0956-2>
- Soltys, S. G., Kirkpatrick, J. P., Laack, N. N., Kavanagh, B. D., Breneman, J. C., & Shih, H. A. (2015). Is Less, More? the Evolving Role of Radiation Therapy for Brain Metastases. *International Journal of Radiation Oncology Biology Physics*, 92(5), 963-966.
- Sonabend, A. M., Zacharia, B. E., Goldstein, H., Bruce, S. S., Hershman, D., Neugut, A. I., & Bruce, J. N. (2014). The role for adjuvant radiotherapy in the treatment of hemangiopericytoma: a Surveillance, Epidemiology, and End Results analysis. *Journal of Neurosurgery*, 120(2), 300-308. DOI: <http://dx.doi.org/10.3171/2013.10.JNS13113>
- Song, S. W., Kim, D. G., Chung, H. T., Paek, S. H., Han, J. H., Kim, Y. H., ... Jung, H. W. (2014). Stereotactic radiosurgery for cavernous sinus hemangiomas. *Journal of Neuro-Oncology*, 118(1), 163-168. DOI: <http://dx.doi.org/10.1007/s11060-014-1414-5>
- Song, X., Meng, Z., Jia, Q., Zhang, L., Xu, K., Tan, J., ... Zhang, J. (2015). Different Radioiodine Dose for Remnant Thyroid Ablation in Patients With Differentiated Thyroid Cancer: A Meta-analysis. *Clinical Nuclear Medicine*, 40(10), 774-779. DOI: <http://dx.doi.org/10.1097/RNU.0000000000000914>
- Song, Z., Lin, B., Shao, L., & Zhang, Y. (2014). Brain metastases from esophageal cancer: clinical review of 26 cases. *World Neurosurgery*, 81(1), 131-135. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.02.058>
- Song, Z., Lin, B., Shao, L., & Zhang, Y. (2014). Brain metastases from esophageal cancer: clinical review of 26 cases. *World Neurosurgery*, 81(1), 131-135. DOI: <http://dx.doi.org/10.1016/j.wneu.2013.02.058>
- Sonier, M., Gete, E., Herbert, C., McKenzie, M., Murphy, J., & Moiseenko, V. (2014). Intensity-modulated stereotactic radiosurgery for arteriovenous malformations: guidance for treatment planning. *Radiation Oncology*, 9, 73. DOI: <http://dx.doi.org/10.1186/1748-717X-9-73>
- Sonoda, Y., Saito, R., Kanamori, M., Kumabe, T., Uenohara, H., & Tominaga, T. (2014). The association of subventricular zone involvement at recurrence with survival after repeat surgery in patients with recurrent glioblastoma. *Neurologia Medico-Chirurgica*, 54(4), 302-309.
- Sonoda, Y., Saito, R., Kanamori, M., Kumabe, T., Uenohara, H., & Tominaga, T. (2014). The association of subventricular zone involvement at recurrence with survival after repeat surgery in patients with recurrent glioblastoma. *Neurologia Medico-Chirurgica*, 54(4), 302-309.

- Sood, S., Ju, A. W., Wang, H., Lei, S., Uhm, S., Zhang, G., ... Collins, S. P. (2013). Rectal endoscopy findings following stereotactic body radiation therapy for clinically localized prostate cancer. *Radiation Oncology*, 8, 197. DOI: <http://dx.doi.org/10.1186/1748-717X-8-197>
- Soon, Y. Y., Tham, I. W., Lim, K. H., Koh, W. Y., & Lu, J. J. (2014). Surgery or radiosurgery plus whole brain radiotherapy versus surgery or radiosurgery alone for brain metastases. *Cochrane Database of Systematic Reviews*, 3, CD009454. DOI: <http://dx.doi.org/10.1002/14651858.CD009454.pub2>
- Soon, Y. Y., Tham, I. W., Lim, K. H., Koh, W. Y., & Lu, J. J. (2014). Surgery or radiosurgery plus whole brain radiotherapy versus surgery or radiosurgery alone for brain metastases. *Cochrane Database of Systematic Reviews*(3), CD009454. DOI: <http://dx.doi.org/10.1002/14651858.CD009454.pub2>
- Soon, Y. Y., Tham, I. W., Lim, K. H., Koh, W. Y., & Lu, J. J. (2016). Surgery or radiosurgery plus whole brain radiotherapy versus surgery or radiosurgery alone for brain metastases. *Cochrane Database of Systematic Reviews*, 9.
- Sothmann, T., Blanck, O., Poels, K., Werner, R., & Gauer, T. (2016). Real time tracking in liver SBRT: comparison of CyberKnife and Vero by planning structure-based gamma-evaluation and dose-area-histograms. *Physics in Medicine & Biology*, 61(4), 1677-1691. DOI: <http://dx.doi.org/10.1088/0031-9155/61/4/1677>
- Sperduto, P. W., Shanley, R., Luo, X., Andrews, D., Werner-Wasik, M., Valicenti, R., ... Mehta, M. Secondary analysis of RTOG 9508, a phase 3 randomized trial of whole brain radiation therapy (WBRT) versus WBRT plus stereotactic radiosurgery (SRS) in patients with 1-3 brain metastases; poststratified by the graded prognostic assessment (GPA). *International Journal of Radiation Oncology Biology Physics*, 87(2 SUPPL. 1), S51-S52.
- Sperduto, P. W., Shanley, R., Luo, X., Andrews, D., Werner-Wasik, M., Valicenti, R., ... Mehta, M. (2014). Secondary analysis of RTOG 9508, a phase 3 randomized trial of whole-brain radiation therapy versus WBRT plus stereotactic radiosurgery in patients with 1-3 brain metastases; poststratified by the graded prognostic assessment (GPA). *International Journal of Radiation Oncology, Biology, Physics*, 90(3), 526-531. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.07.002>
- Sperduto, P. W., Shanley, R., Luo, X., Andrews, D., Werner-Wasik, M., Valicenti, R., ... Mehta, M. (2014). Secondary analysis of RTOG 9508, a phase 3 randomized trial of whole-brain radiation therapy versus WBRT plus stereotactic radiosurgery in patients with 1-3 brain metastases; poststratified by the graded prognostic assessment (GPA). *International Journal of Radiation Oncology, Biology, Physics*, 90(3), 526-531. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.07.002>
- Sperduto, P. W., Shanley, R., Luo, X., Andrews, D., Werner-Wasik, M., Valicenti, R., ... Mehta, M. (2014). Secondary analysis of RTOG 9508, a phase 3 randomized trial of whole-brain radiation therapy versus WBRT plus stereotactic radiosurgery in patients with 1-3 brain metastases; poststratified by the graded prognostic assessment (GPA). *International Journal of Radiation Oncology, Biology, Physics*, 90(3), 526-531. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.07.002>
- Sperduto, P. W., Wang, M., Ian Robins, H., Schell, M. C., Werner-Wasik, M., Komaki, R. U., ... Mehta, M. P. RTOG 0320:A phase III trial comparing whole brain radiation therapy (WBRT) and stereotactic radiosurgery (SRS) alone versus WBRT with temozolomide (TMZ) or erlotinib for non-small cell lung cancer (NSCLC) and 1-3 brain metastases. *Cancer research*, 72(8 SUPPL. 1), CONFERENCE START: 2012 Mar 2031 CONFERENCE END: 2012 Apr 2014.
- Sperduto, P. W., Wang, M., Robins, H. I., Schell, M. C., Werner-Wasik, M., Komaki, R., ... Mehta, M. P. (2013). A phase 3 trial of whole brain radiation therapy and stereotactic radiosurgery alone versus WBRT and SRS with temozolomide or erlotinib for non-small cell lung cancer and 1 to 3 brain

metastases: Radiation Therapy Oncology Group 0320. *International Journal of Radiation Oncology, Biology, Physics*, 85(5), 1312-1318. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.11.042>

Sperduto, P. W., Wang, M., Robins, H. I., Schell, M. C., Werner-Wasik, M., Komaki, R., ... Mehta, M. P. (2013). A phase 3 trial of whole brain radiation therapy and stereotactic radiosurgery alone versus WBRT and SRS with temozolomide or erlotinib for non-small cell lung cancer and 1 to 3 brain metastases: Radiation Therapy Oncology Group 0320. *International Journal of Radiation Oncology, Biology, Physics*, 85(5), 1312-1318. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.11.042>

Sperduto, P. W., Wang, M., Robins, H. I., Schell, M. C., Werner-Wasik, M., Komaki, R., ... Mehta, M. P. (2013). A phase 3 trial of whole brain radiation therapy and stereotactic radiosurgery alone versus WBRT and SRS with temozolomide or erlotinib for non-small cell lung cancer and 1 to 3 brain metastases: Radiation Therapy Oncology Group 0320. *International Journal of Radiation Oncology, Biology, Physics*, 85(5), 1312-1318.

Spratt, D. E., Folkert, M., Zumsteg, Z. S., Chan, T. A., Beal, K., Gutin, P. H., ... Yamada, Y. (2014). Temporal relationship of post-operative radiotherapy with temozolomide and oncologic outcome for glioblastoma. *Journal of Neuro-Oncology*, 116(2), 357-363. DOI: <http://dx.doi.org/10.1007/s11060-013-1302-4>

Squire, S. E., Chan, M. D., Furr, R. M., Lowell, D. A., Tatter, S. B., Ellis, T. L., ... McMullen, K. P. (2012). Gamma knife radiosurgery in the treatment of tumor-related facial pain. *Stereotactic & Functional Neurosurgery*, 90(3), 145-150. DOI: <http://dx.doi.org/10.1159/000335873>

Staehler, M., Bader, M., Schlenker, B., Casuscelli, J., Karl, A., Roosen, A., ... Muacevic, A. (2015). Single fraction radiosurgery for the treatment of renal tumors. *Journal of Urology*, 193(3), 771-775. DOI: <http://dx.doi.org/10.1016/j.juro.2014.08.044>

Staehler, M., Bader, M., Schlenker, B., Casuscelli, J., Karl, A., Roosen, A., ... Muacevic, A. (2015). Single fraction radiosurgery for the treatment of renal tumors. *Journal of Urology*, 193(3), 771-775. DOI: <http://dx.doi.org/10.1016/j.juro.2014.08.044>

Stahl, J. M., Chi, Y. Y., & Friedman, W. A. (2012). Repeat radiosurgery for intracranial arteriovenous malformations. *Neurosurgery*, 70(1), 150-154; discussion 154. DOI: <http://dx.doi.org/10.1227/NEU.0b013e31822c5740>

Starke, R., Kano, H., Ding, D., Nakaji, P., Barnett, G. H., Mathieu, D., ... Sheehan, J. P. (2014). Stereotactic radiosurgery of petroclival meningiomas: a multicenter study. *Journal of Neuro-Oncology*, 119(1), 169-176. DOI: <http://dx.doi.org/10.1007/s11060-014-1470-x>

Starke, R. M., Przybylowski, C. J., Sugoto, M., Fezeu, F., Awad, A. J., Ding, D., ... Sheehan, J. P. (2015). Gamma Knife radiosurgery of large skull base meningiomas. *Journal of Neurosurgery*, 122(2), 363-372. DOI: <http://dx.doi.org/10.3171/2014.10.JNS14198>

Starke, R. M., Williams, B. J., Hiles, C., Nguyen, J. H., Elsharkawy, M. Y., & Sheehan, J. P. (2012). Gamma knife surgery for skull base meningiomas. *Journal of Neurosurgery*, 116(3), 588-597. DOI: <http://dx.doi.org/10.3171/2011.11.JNS11530>

Starke, R. M., Williams, B. J., Jane, J. A., Jr., & Sheehan, J. P. (2012). Gamma Knife surgery for patients with nonfunctioning pituitary macroadenomas: predictors of tumor control, neurological deficits, and hypopituitarism. *Journal of Neurosurgery*, 117(1), 129-135. DOI: <http://dx.doi.org/10.3171/2012.4.JNS112250>

- Starke, R. M., Yen, C. P., Ding, D., & Sheehan, J. P. (2013). A practical grading scale for predicting outcome after radiosurgery for arteriovenous malformations: analysis of 1012 treated patients. *Journal of Neurosurgery*, 119(4), 981-987. DOI: <http://dx.doi.org/10.3171/2013.5.JNS1311>
- Stauder, M. C., Ni Laack, N., Ahmed, K. A., Link, M. J., Schomberg, P. J., & Pollock, B. E. (2012). Stereotactic radiosurgery for patients with recurrent intracranial ependymomas. *Journal of Neuro-Oncology*, 108(3), 507-512. DOI: <http://dx.doi.org/10.1007/s11060-012-0851-2>
- Steiger, H. J., Fischer, I., Rohn, B., Turowski, B., Etminan, N., & Hanggi, D. (2015). Microsurgical resection of Spetzler-Martin grades 1 and 2 unruptured brain arteriovenous malformations results in lower long-term morbidity and loss of quality-adjusted life-years (QALY) than conservative management--results of a single group series. *Acta Neurochirurgica*, 157(8), 1279-1287. DOI: <http://dx.doi.org/10.1007/s00701-015-2474-9>
- Steinmann, D., Maertens, B., Janssen, S., Werner, M., Fruhauf, J., Nakamura, M., ... Bremer, M. (2012). Hypofractionated stereotactic radiotherapy (hfSRT) after tumour resection of a single brain metastasis: report of a single-centre individualized treatment approach. *Journal of Cancer Research & Clinical Oncology*, 138(9), 1523-1529. DOI: <http://dx.doi.org/10.1007/s00432-012-1227-x>
- Stenc Bradvica, I., Janculjak, D., Butkovic-Soldo, S., & Hecimovic, I. (2012). Six years of following up a glomus jugulare tumor - a case report. *Medicinski Glasnik Ljekarske Komore Zenickodobojskog Kantona*, 9(1), 112-114.
- Stephans, K. (2012). Stereotactic body radiotherapy for stage I non-small cell lung cancer. *Cleveland Clinic Journal of Medicine*, 79 Electronic Suppl 1, eS26-31. DOI: <http://dx.doi.org/10.3949/ccjm.79.s2.06>
- Stephans, K. L., Djemil, T., Diaconu, C., Reddy, C. A., Xia, P., Woody, N. M., ... Videtic, G. M. (2014). Esophageal dose tolerance to hypofractionated stereotactic body radiation therapy: risk factors for late toxicity. *International Journal of Radiation Oncology, Biology, Physics*, 90(1), 197-202. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.05.011>
- Stintzing, S., Grothe, A., Hendrich, S., Hoffmann, R. T., Heinemann, V., Rentsch, M., ... Trumm, C. G. (2013). Percutaneous radiofrequency ablation (RFA) or robotic radiosurgery (RRS) for salvage treatment of colorectal liver metastases. *Acta Oncologica*, 52(5), 971-977. DOI: <http://dx.doi.org/10.3109/0284186X.2013.766362>
- Stockham, A. L., Tieovsky, A. L., Koyfman, S. A., Reddy, C. A., Suh, J. H., Vogelbaum, M. A., ... Chao, S. T. (2012). Conventional MRI does not reliably distinguish radiation necrosis from tumor recurrence after stereotactic radiosurgery. *Journal of Neuro-Oncology*, 109(1), 149-158. DOI: <http://dx.doi.org/10.1007/s11060-012-0881-9>
- Stokes, T. B., Niranjan, A., Kano, H., Choi, P. A., Kondziolka, D., Dade Lunsford, L., & Monaco, E. A., 3rd. (2015). White matter changes in breast cancer brain metastases patients who undergo radiosurgery alone compared to whole brain radiation therapy plus radiosurgery. *Journal of Neuro-Oncology*, 121(3), 583-590. DOI: <http://dx.doi.org/10.1007/s11060-014-1670-4>
- Stragliotto, C. L., Karlsson, K., Lax, I., Rutkowska, E., Bergh, J., Strander, H., ... Friesland, S. (2012). A retrospective study of SBRT of metastases in patients with primary sarcoma. *Medical Oncology*, 29(5), 3431-3439. DOI: <http://dx.doi.org/10.1007/s12032-012-0256-2>
- Strauss, I., Corn, B. W., Krishna, V., Shahar, T., Matceyevsky, D., Gez, E., ... Kanner, A. A. (2015). Patterns of Failure after Stereotactic Radiosurgery of the Resection Cavity Following Surgical Removal of Brain

Metastases. *World Neurosurgery*, 84(6), 1825-1831. DOI:  
<http://dx.doi.org/10.1016/j.wneu.2015.07.073>

Strauss, I., Corn, B. W., Krishna, V., Shahar, T., Matceyevsky, D., Gez, E., ... Kanner, A. A. (2015). Patterns of Failure after Stereotactic Radiosurgery of the Resection Cavity Following Surgical Removal of Brain Metastases. *World Neurosurgery*, 84(6), 1825-1831. DOI:  
<http://dx.doi.org/10.1016/j.wneu.2015.07.073>

Strauss, I., Jonas-Kimchi, T., Lidar, Z., Buchbut, D., Shtraus, N., Corn, B. W., & Kanner, A. A. (2013). Synergy-S stereotactic radiosurgery for spinal tumors. *Israel Medical Association Journal: Imaj*, 15(11), 678-681.

Strom, T., Wishka, C., & Caudell, J. J. (2016). Stereotactic Body Radiotherapy for Recurrent Unresectable Head and Neck Cancers. *Cancer Control*, 23(1), 6-11.

Stummer, W., Goldbrunner, R., & Wolfer, J. (2014). Thermotherapy with coated iron oxide nanoparticles +/- radiotherapy versus radiotherapy alone in recurrent glioblastoma: An open-label randomized controlled study. *Neuro oncology*, 20(16).

Su, T. S., Liang, P., Lu, H. Z., Liang, J., Gao, Y. C., Zhou, Y., ... Liang, J. N. (2016). Stereotactic body radiation therapy for small primary or recurrent hepatocellular carcinoma in 132 Chinese patients. *Journal of Surgical Oncology*, 113(2), 181-187. DOI: <http://dx.doi.org/10.1002/jso.24128>

Su, T. S., Liang, P., Lu, H. Z., Liang, J. N., Liu, J. M., Zhou, Y., ... Tang, M. Y. (2015). Stereotactic body radiotherapy using CyberKnife for locally advanced unresectable and metastatic pancreatic cancer. *World Journal of Gastroenterology*, 21(26), 8156-8162. DOI:  
<http://dx.doi.org/10.3748/wjg.v21.i26.8156>

Suarez, C., Rodrigo, J. P., Bodeker, C. C., Llorente, J. L., Silver, C. E., Jansen, J. C., ... Ferlito, A. (2013). Jugular and vagal paragangliomas: Systematic study of management with surgery and radiotherapy. *Head & Neck*, 35(8), 1195-1204. DOI: <http://dx.doi.org/10.1002/hed.22976>

Subedi, K. S., Takahashi, T., Yamano, T., Saitoh, J., Nishimura, K., Suzuki, Y., ... Nakano, T. (2013). Usefulness of double dose contrast-enhanced magnetic resonance imaging for clear delineation of gross tumor volume in stereotactic radiotherapy treatment planning of metastatic brain tumors: a dose comparison study. *Journal of Radiation Research*, 54(1), 135-139. DOI:  
<http://dx.doi.org/10.1093/jrr/rrs053>

Subramanian, S. V., Subramani, V., Thirumalai Swamy, S., Gandhi, A., Chilukuri, S., & Kathirvel, M. (2015). Is 5 mm MMLC suitable for VMAT-based lung SBRT? A dosimetric comparison with 2.5 mm HDMLC using RTOG-0813 treatment planning criteria for both conventional and high-dose flattening filter-free photon beams. *Journal of Applied Clinical Medical Physics*, 16(4), 5415.

Subramanian, S. V., Subramani, V., Thirumalai Swamy, S., Gandhi, A., Chilukuri, S., & Kathirvel, M. (2015). Is 5 mm MMLC suitable for VMAT-based lung SBRT? A dosimetric comparison with 2.5 mm HDMLC using RTOG-0813 treatment planning criteria for both conventional and high-dose flattening filter-free photon beams. *Journal of Applied Clinical Medical Physics*, 16(4), 5415.

Sudahar, H., Kurup, P. G., Murali, V., Mahadev, P., & Velmurugan, J. (2013). Analysis of high-dose rate brachytherapy dose distribution resemblance in CyberKnife hypofractionated treatment plans of localized prostate cancer. *Medical Dosimetry*, 38(4), 385-389. DOI:  
<http://dx.doi.org/10.1016/j.meddos.2013.04.006>

Suesskind, D., Scheiderbauer, J., Buchgeister, M., Partsch, M., Budach, W., Bartz-Schmidt, K. U., ... Paulsen, F. (2013). Retrospective evaluation of patients with uveal melanoma treated by stereotactic

- radiosurgery with and without tumor resection. *JAMA Ophthalmology*, 131(5), 630-637. DOI: <http://dx.doi.org/10.1001/jamaophthalmol.2013.697>
- Sughrue, M. E., Yang, I., Han, S. J., Aranda, D., Kane, A. J., Amoils, M., ... Parsa, A. T. (2013). Non-audiofacial morbidity after Gamma Knife surgery for vestibular schwannoma. *Journal of Neurosurgery*, 119 Suppl, E4.
- Sun, A. (2013). Neurotoxicity of cranial irradiation. *Journal of thoracic oncology*, 8(27).
- Sun, J., Zhang, J., Yu, X., Qi, S., Du, Y., Ni, W., ... Tian, Z. (2013). Stereotactic radiosurgery for trigeminal schwannoma: a clinical retrospective study in 52 cases. *Stereotactic & Functional Neurosurgery*, 91(4), 236-242. DOI: <http://dx.doi.org/10.1159/000345258>
- Sun, M. R., Brook, A., Powell, M. F., Kaliannan, K., Wagner, A. A., Kaplan, I. D., & Pedrosa, I. (2016). Effect of Stereotactic Body Radiotherapy on the Growth Kinetics and Enhancement Pattern of Primary Renal Tumors. *AJR. American Journal of Roentgenology*, 206(3), 544-553. DOI: <http://dx.doi.org/10.2214/AJR.14.14099>
- Sun, S., & Liu, A. (2012). Long-term follow-up studies of Gamma Knife surgery with a low margin dose for vestibular schwannoma. *Journal of Neurosurgery*, 117 Suppl, 57-62. DOI: <http://dx.doi.org/10.3171/2012.7.GKS12783>
- Sun, S., & Liu, A. (2014). Long-term follow-up studies of Gamma Knife surgery for patients with neurofibromatosis Type 2. *Journal of Neurosurgery*, 121 Suppl, 143-149. DOI: <http://dx.doi.org/10.3171/2014.8.GKS141503>
- Sun, S. Q., Cai, C., Murphy, R. K., DeWees, T., Dacey, R. G., Grubb, R. L., ... Kim, A. H. (2014). Management of atypical cranial meningiomas, part 2: predictors of progression and the role of adjuvant radiation after subtotal resection.[Erratum appears in Neurosurgery. 2014 Dec;75(6):733]. *Neurosurgery*, 75(4), 356-363; discussion 363. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000462>
- Suzuki, O., Mitsuyoshi, T., Miyazaki, M., Teshima, T., Nishiyama, K., Ubbels, J. F., ... Widder, J. (2014). Dose-volume-response analysis in stereotactic radiotherapy for early lung cancer. *Radiotherapy & Oncology*, 112(2), 262-266. DOI: <http://dx.doi.org/10.1016/j.radonc.2014.07.004>
- Swaminath, A., Massey, C., Brierley, J. D., Dinniwell, R., Wong, R., Kim, J. J., ... Dawson, L. A. (2015). Accumulated Delivered Dose Response of Stereotactic Body Radiation Therapy for Liver Metastases. *International Journal of Radiation Oncology, Biology, Physics*, 93(3), 639-648. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.07.2273>
- Swangsilpa, T., Yongvithisatid, P., Pairat, K., Dechsupa, P., Dhanachai, M., Dangprasert, S., ... Khaophong, J. (2012). Preliminary experience of CyberKnife treatment of primary non-small cell lung cancer. *Journal of the Medical Association of Thailand*, 95(10), 1335-1343.
- Sweeney, R. A., Seubert, B., Stark, S., Homann, V., Muller, G., Flentje, M., & Guckenberger, M. (2012). Accuracy and inter-observer variability of 3D versus 4D cone-beam CT based image-guidance in SBRT for lung tumors. *Radiation Oncology*, 7, 81. DOI: <http://dx.doi.org/10.1186/1748-717X-7-81>
- Taeshineetanakul, P., Krings, T., Geibprasert, S., Menezes, R., Agid, R., Terbrugge, K. G., & Schwartz, M. L. (2012). Angioarchitecture determines obliteration rate after radiosurgery in brain arteriovenous malformations. *Neurosurgery*, 71(6), 1071-1078; discussion 1079. DOI: <http://dx.doi.org/10.1227/NEU.0b013e31826f79ec>
- Tagaste, B., Riboldi, M., Spadea, M. F., Bellante, S., Baroni, G., Cambria, R., ... Orecchia, R. (2012). Comparison between infrared optical and stereoscopic X-ray technologies for patient setup in

image guided stereotactic radiotherapy. *International Journal of Radiation Oncology, Biology, Physics*, 82(5), 1706-1714. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.04.004>

Tajima, Y., Nakayama, H., Itonaga, T., Shiraishi, S., Okubo, M., Mikami, R., ... Tokuyue, K. (2015). Dosimetric evaluation of compensator intensity modulation-based stereotactic body radiotherapy for Stage I non-small-cell lung cancer. *British Journal of Radiology*, 88(1052), 20150122. DOI: <http://dx.doi.org/10.1259/bjr.20150122>

Tajima, Y., Nakayama, H., Itonaga, T., Shiraishi, S., Okubo, M., Mikami, R., ... Tokuyue, K. (2015). Dosimetric evaluation of compensator intensity modulation-based stereotactic body radiotherapy for Stage I non-small-cell lung cancer. *British Journal of Radiology*, 88(1052), 20150122. DOI: <http://dx.doi.org/10.1259/bjr.20150122>

Takahashi, W., Yamashita, H., Omori, M., Kitaguchi, M., Shibata-Kobayashi, S., Sakumi, A., & Nakagawa, K. (2013). The feasibility and efficacy of stereotactic body radiotherapy for centrally-located lung tumors. *Anticancer Research*, 33(11), 4959-4964.

Takahashi, W., Yamashita, H., Saotome, N., Iwai, Y., Sakumi, A., Haga, A., & Nakagawa, K. (2012). Evaluation of heterogeneity dose distributions for Stereotactic Radiotherapy (SRT): comparison of commercially available Monte Carlo dose calculation with other algorithms. *Radiation Oncology*, 7, 20. DOI: <http://dx.doi.org/10.1186/1748-717X-7-20>

Takakura, K., Hayashi, M., Chernov, M. F., Tamura, N., Izawa, M., Okada, Y., ... Iseki, H. (2013). Gamma knife treatment strategy for metastatic brain tumors. *Acta Neurochirurgica - Supplement*, 116, 63-69. DOI: [http://dx.doi.org/10.1007/978-3-7091-1376-9\\_11](http://dx.doi.org/10.1007/978-3-7091-1376-9_11)

Takano, S., Akutsu, H., Mizumoto, M., Yamamoto, T., Tsuboi, K., & Matsumura, A. (2015). Neuroendoscopy Followed by Radiotherapy in Cystic Craniopharyngiomas--a Long-Term Follow-Up. *World Neurosurgery*, 84(5), 1305-1315.e1301-1302. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.06.022>

Takano, S., Akutsu, H., Mizumoto, M., Yamamoto, T., Tsuboi, K., & Matsumura, A. (2015). Neuroendoscopy Followed by Radiotherapy in Cystic Craniopharyngiomas--a Long-Term Follow-Up. *World Neurosurgery*, 84(5), 1305-1315.e1301-1302. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.06.022>

Takeda, A., Enomoto, T., Sanuki, N., Handa, H., Aoki, Y., Oku, Y., & Kunieda, E. (2013). Reassessment of declines in pulmonary function >1 year after stereotactic body radiotherapy. *Chest*, 143(1), 130-137.

Takeda, A., Kunieda, E., Fujii, H., Yokosuka, N., Aoki, Y., Oooka, Y., ... Ozawa, Y. (2013). Evaluation for local failure by 18F-FDG PET/CT in comparison with CT findings after stereotactic body radiotherapy (SBRT) for localized non-small-cell lung cancer. *Lung Cancer*, 79(3), 248-253. DOI: <http://dx.doi.org/10.1016/j.lungcan.2012.11.008>

Takeda, A., Kunieda, E., Ohashi, T., Aoki, Y., Koike, N., & Takeda, T. (2011). Stereotactic body radiotherapy (SBRT) for oligometastatic lung tumors from colorectal cancer and other primary cancers in comparison with primary lung cancer. *Radiotherapy & Oncology*, 101(2), 255-259. DOI: <http://dx.doi.org/10.1016/j.radonc.2011.05.033>

Takeda, A., Kunieda, E., Ohashi, T., Aoki, Y., Oku, Y., Enomoto, T., ... Sugiura, M. (2012). Severe COPD is correlated with mild radiation pneumonitis following stereotactic body radiotherapy. *Chest*, 141(4), 858-866. DOI: <http://dx.doi.org/10.1378/chest.11-1193>

Takeda, A., Kunieda, E., Sanuki, N., Aoki, Y., Oku, Y., & Handa, H. (2012). Stereotactic body radiotherapy (SBRT) for solitary pulmonary nodules clinically diagnosed as lung cancer with no pathological

confirmation: comparison with non-small-cell lung cancer. *Lung Cancer*, 77(1), 77-82. DOI: <http://dx.doi.org/10.1016/j.lungcan.2012.01.006>

Takeda, A., Ohashi, T., Kunieda, E., Sanuki, N., Enomoto, T., Takeda, T., ... Shigematsu, N. (2012). Comparison of clinical, tumour-related and dosimetric factors in grade 0-1, grade 2 and grade 3 radiation pneumonitis after stereotactic body radiotherapy for lung tumours. *British Journal of Radiology*, 85(1013), 636-642. DOI: <http://dx.doi.org/10.1259/bjr/71635286>

Takeda, A., Oku, Y., Sanuki, N., Kunieda, E., Koike, N., Aoki, Y., ... Sugawara, A. (2012). Dose volume histogram analysis of focal liver reaction in follow-up multiphasic CT following stereotactic body radiotherapy for small hepatocellular carcinoma. *Radiotherapy & Oncology*, 104(3), 374-378. DOI: <http://dx.doi.org/10.1016/j.radonc.2011.12.008>

Takeda, A., Sanuki, N., Eriguchi, T., Enomoto, T., Yokosuka, T., Kaneko, T., ... Kunieda, E. (2013). Salvage stereotactic ablative irradiation for isolated postsurgical local recurrence of lung cancer. *Annals of Thoracic Surgery*, 96(5), 1776-1782. DOI: <http://dx.doi.org/10.1016/j.athoracsur.2013.06.014>

Takeda, A., Sanuki, N., Eriguchi, T., Kaneko, T., Morita, S., Handa, H., ... Kunieda, E. (2013). Stereotactic ablative body radiation therapy for octogenarians with non-small cell lung cancer. *International Journal of Radiation Oncology, Biology, Physics*, 86(2), 257-263. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2013.01.006>

Takeda, A., Sanuki, N., Eriguchi, T., Kobayashi, T., Iwabuchi, S., Matsunaga, K., ... Kunieda, E. (2014). Stereotactic ablative body radiotherapy for previously untreated solitary hepatocellular carcinoma. *Journal of Gastroenterology & Hepatology*, 29(2), 372-379. DOI: <http://dx.doi.org/10.1111/jgh.12350>

Takeda, A., Sanuki, N., Fujii, H., Yokosuka, N., Nishimura, S., Aoki, Y., ... Kunieda, E. (2014). Maximum standardized uptake value on FDG-PET is a strong predictor of overall and disease-free survival for non-small-cell lung cancer patients after stereotactic body radiotherapy. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 9(1), 65-73. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000031>

Takeda, A., Sanuki, N., Tsurugai, Y., Iwabuchi, S., Matsunaga, K., Ebinuma, H., ... Kunieda, E. (2016). Phase 2 study of stereotactic body radiotherapy and optional transarterial chemoembolization for solitary hepatocellular carcinoma not amenable to resection and radiofrequency ablation. *Cancer*, 122(13), 2041-2049.

Takeda, M., Okamoto, I., & Nakagawa, K. (2013). Clinical impact of continued crizotinib administration after isolated central nervous system progression in patients with lung cancer positive for ALK rearrangement. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 8(5), 654-657. DOI: <http://dx.doi.org/10.1097/JTO.0b013e31828c28e7>

Talacchi, A., Muggiolu, F., De Carlo, A., Nicolato, A., Locatelli, F., & Meglio, M. (2016). Recurrent atypical meningiomas: Combining surgery and radiosurgery in one effective multimodal treatment. *World Neurosurgery*, 87, 565-572. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.10.013>

Tam, M., Narayana, A., Raza, S., Kunnakkat, S., Golfinos, J. G., Parker, E. C., & Novik, Y. (2014). Role of HER2 status in the treatment for brain metastases arising from breast cancer with stereotactic radiosurgery. *Medical Oncology*, 31(2), 832. DOI: <http://dx.doi.org/10.1007/s12032-013-0832-0>

- Tamari, K., Suzuki, O., Hashimoto, N., Kagawa, N., Fujiwara, M., Sumida, I., ... Ogawa, K. (2015). Treatment outcomes using CyberKnife for brain metastases from lung cancer. *Journal of Radiation Research*, 56(1), 151-158. DOI: <http://dx.doi.org/10.1093/jrr/rru092>
- Tamura, M., Kubo, K., Okita, R., Ogura, M., Nakao, N., Uematsu, Y., ... Iseki, H. (2013). Management of non-benign meningiomas with Gamma Knife radiosurgery. *Acta Neurochirurgica - Supplement*, 116, 91-97. DOI: [http://dx.doi.org/10.1007/978-3-7091-1376-9\\_14](http://dx.doi.org/10.1007/978-3-7091-1376-9_14)
- Tamura, N., Hayashi, M., Chernov, M., Tamura, M., Horiba, A., Konishi, Y., ... Okada, Y. (2012). Outcome after Gamma Knife surgery for intracranial arteriovenous malformations in children. *Journal of Neurosurgery*, 117 Suppl, 150-157. DOI: <http://dx.doi.org/10.3171/2012.7.GKS12998>
- Tan, T. J., Siva, S., Foroudi, F., & Gill, S. (2014). Stereotactic body radiotherapy for primary prostate cancer: A systematic review. *Journal of Medical Imaging & Radiation Oncology*, 58(5), 601-611. DOI: <http://dx.doi.org/10.1111/1754-9485.12213>
- Tanaka, S., Pollock, B. E., Stafford, S. L., & Link, M. J. (2013). Stereotactic radiosurgery for trigeminal pain secondary to benign skull base tumors. *World Neurosurgery*, 80(3-4), 371-377. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.01.057>
- Tanaka, S., Pollock, B. E., Stafford, S. L., & Link, M. J. (2013). Stereotactic radiosurgery for trigeminal pain secondary to benign skull base tumors. *World Neurosurgery*, 80(3-4), 371-377. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.01.057>
- Tanaka, T., Kato, N., Aoki, K., Watanabe, M., Arai, T., Hasegawa, Y., & Abe, T. (2013). Long-term follow-up of growth hormone-producing pituitary carcinoma with multiple spinal metastases following multiple surgeries: case report. *Neurologia Medico-Chirurgica*, 53(10), 707-711.
- Tanaka, T., Kato, N., Aoki, K., Watanabe, M., Arai, T., Hasegawa, Y., & Abe, T. (2013). Long-term follow-up of growth hormone-producing pituitary carcinoma with multiple spinal metastases following multiple surgeries: case report. *Neurologia Medico-Chirurgica*, 53(10), 707-711.
- Tang, C., Fischbein, N. J., Murphy, J. D., Chu, K. P., Bavan, B., Dieterich, S., ... Le, Q. T. (2013). Stereotactic radiosurgery for retreatment of gross perineural invasion in recurrent cutaneous squamous cell carcinoma of the head and neck. *American Journal of Clinical Oncology*, 36(3), 293-298. DOI: <http://dx.doi.org/10.1097/COC.0b013e3182468019>
- Tang, C., Hess, K., Bishop, A. J., Pan, H. Y., Christensen, E. N., Yang, J. N., ... Ghia, A. (2015). Creation of a Prognostic Index for Spine Metastasis to Stratify Survival in Patients Treated With Spinal Stereotactic Radiosurgery: Secondary Analysis of Mature Prospective Trials. *International Journal of Radiation Oncology, Biology, Physics*, 93(1), 118-125. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.04.050>
- Tang, W. H., Alip, A., Saad, M., Phua, V. C., Chandran, H., Tan, Y. H., ... Tho, L. M. (2015). Prognostic factors in patients with non-small cell lung carcinoma and brain metastases: a Malaysian perspective. *Asian Pacific Journal of Cancer Prevention: Apjcp*, 16(5), 1901-1906.
- Tang, X., Wu, H., Wang, B., Zhang, N., Dong, Y., Ding, J., ... Pan, L. (2015). A new classification and clinical results of Gamma Knife radiosurgery for cavernous sinus hemangiomas: a report of 53 cases. *Acta Neurochirurgica*, 157(6), 961-969; discussion 969. DOI: <http://dx.doi.org/10.1007/s00701-015-2417-5>
- Tanweer, O., Wilson, T., Kalhorn, S., Golfinos, J., Huang, P., & Kondziolka, D. (2014). Cerebrovascular decision making: Professional and personal preferences. *Journal of Neurointerventional Surgery*, 6(28).

- Taremi, M., Hope, A., Lindsay, P., Dahele, M., Fung, S., Purdie, T. G., ... Bezjak, A. (2012). Predictors of radiotherapy induced bone injury (RIBI) after stereotactic lung radiotherapy. *Radiation Oncology*, 7, 159. DOI: <http://dx.doi.org/10.1186/1748-717X-7-159>
- Tatsui, C. E., Stafford, R. J., Li, J., Sellin, J. N., Amini, B., Rao, G., ... Rhines, L. D. (2015). Utilization of laser interstitial thermotherapy guided by real-time thermal MRI as an alternative to separation surgery in the management of spinal metastasis. *Journal of Neurosurgery Spine*, 23(4), 400-411. DOI: <http://dx.doi.org/10.3171/2015.2.SPINE141185>
- Tazi, K., Hathaway, A., Chiuzan, C., & Shirai, K. (2015). Survival of melanoma patients with brain metastases treated with ipilimumab and stereotactic radiosurgery. *Cancer Medicine*, 4(1), 1-6. DOI: <http://dx.doi.org/10.1002/cam4.315>
- Teixeira, F. C., De Almeida, C. E., & Saiful Huq, M. (2016). Failure mode and effects analysis based risk profile assessment for stereotactic radiosurgery programs at three cancer centers in Brazil. *Medical Physics*, 43(1), 171-178.
- Telera, S., Fabi, A., Pace, A., Vidiri, A., Anelli, V., Carapella, C. M., ... Pompili, A. (2013). Radionecrosis induced by stereotactic radiosurgery of brain metastases: results of surgery and outcome of disease. *Journal of Neuro-Oncology*, 113(2), 313-325. DOI: <http://dx.doi.org/10.1007/s11060-013-1120-8>
- Telischi, F. F., & Morcos, J. J. (2012). Vestibular schwannoma: evidence-based treatment. *Otolaryngologic Clinics of North America*, 45(2), xvii-xviii. DOI: <http://dx.doi.org/10.1016/j.otc.2012.01.002>
- Tempel, Z. J., Chivukula, S., Monaco, E. A., 3rd, Bowden, G., Kano, H., Nirajan, A., ... Lunsford, L. D. (2015). The results of a third Gamma Knife procedure for recurrent trigeminal neuralgia. *Journal of Neurosurgery*, 122(1), 169-179. DOI: <http://dx.doi.org/10.3171/2014.9.JNS132779>
- Terry, A. R., & Plotkin, S. R. (2012). Chemotherapy: present and future. *Otolaryngologic Clinics of North America*, 45(2), 471-486, x. DOI: <http://dx.doi.org/10.1016/j.otc.2011.12.013>
- Testolin, A., Favretto, M. S., Cora, S., & Cavedon, C. (2015). Stereotactic body radiation therapy for a new lung cancer arising after pneumonectomy: dosimetric evaluation and pulmonary toxicity. *British Journal of Radiology*, 88(1055), 20150228. DOI: <http://dx.doi.org/10.1259/bjr.20150228>
- Testolin, A., Favretto, M. S., Cora, S., & Cavedon, C. (2015). Stereotactic body radiation therapy for a new lung cancer arising after pneumonectomy: dosimetric evaluation and pulmonary toxicity. *British Journal of Radiology*, 88(1055), 20150228. DOI: <http://dx.doi.org/10.1259/bjr.20150228>
- Thakur, J. D., Banerjee, A. D., Khan, I. S., Sonig, A., Shorter, C. D., Gardner, G. L., ... Guthikonda, B. (2012). An update on unilateral sporadic small vestibular schwannoma. *Neurosurgical Focus*, 33(3), E1. DOI: <http://dx.doi.org/10.3171/2012.6.FOCUS12144>
- Theelen, A., Martens, J., Bosmans, G., Houben, R., Jager, J. J., Rutten, I., ... Baumert, B. G. (2012). Relocatable fixation systems in intracranial stereotactic radiotherapy. Accuracy of serial CT scans and patient acceptance in a randomized design. *Strahlentherapie und Onkologie : Organ der Deutschen Rontgengesellschaft .. [et al.]*, 188(1), 84-90.
- Thibault, I., Al-Omair, A., Masucci, G. L., Masson-Cote, L., Lochray, F., Korol, R., ... Sahgal, A. (2014). Spine stereotactic body radiotherapy for renal cell cancer spinal metastases: analysis of outcomes and risk of vertebral compression fracture. *Journal of Neurosurgery Spine*, 21(5), 711-718. DOI: <http://dx.doi.org/10.3171/2014.7.SPINE13895>
- Thibault, I., Campbell, M., Tseng, C. L., Atenafu, E. G., Letourneau, D., Yu, E., ... Sahgal, A. (2015). Salvage Stereotactic Body Radiotherapy (SBRT) Following In-Field Failure of Initial SBRT for Spinal

Metastases. *International Journal of Radiation Oncology, Biology, Physics*, 93(2), 353-360. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.03.029>

Thibault, I., Poon, I., Yeung, L., Erler, D., Kim, A., Keller, B., ... Cheung, P. (2014). Predictive factors for local control in primary and metastatic lung tumours after four to five fraction stereotactic ablative body radiotherapy: a single institution's comprehensive experience. *Clinical Oncology (Royal College of Radiologists)*, 26(11), 713-719. DOI: <http://dx.doi.org/10.1016/j.clon.2014.06.018>

Thines, L., Dehdashti, A. R., da Costa, L., Tymianski, M., ter Brugge, K. G., Willinsky, R. A., ... Wallace, M. C. (2012). Challenges in the management of ruptured and unruptured brainstem arteriovenous malformations: outcome after conservative, single-modality, or multimodality treatments. *Neurosurgery*, 70(1), 155-161; discussion 161. DOI: <http://dx.doi.org/10.1227/NEU.0b013e31822670ac>

Thomas, E. M., Popple, R. A., Wu, X., Clark, G. M., Markert, J. M., Guthrie, B. L., ... Fiveash, J. B. (2014). Comparison of plan quality and delivery time between volumetric arc therapy (RapidArc) and Gamma Knife radiosurgery for multiple cranial metastases. *Neurosurgery*, 75(4), 409-417; discussion 417-408. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000448>

Thomas, E. M., Popple, R. A., Wu, X., Clark, G. M., Markert, J. M., Guthrie, B. L., ... Fiveash, J. B. (2014). Comparison of plan quality and delivery time between volumetric arc therapy (RapidArc) and Gamma Knife radiosurgery for multiple cranial metastases. *Neurosurgery*, 75(4), 409-417; discussion 417-408. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000448>

Thompson, R., Giuliani, M., Yap, M. L., Atallah, S., Le, L. W., Sun, A., ... Hope, A. (2014). Stereotactic body radiotherapy in patients with previous pneumonectomy: safety and efficacy. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 9(6), 843-847. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000159>

Thorington, K., Zeiler, F. A., & McDonald, P. J. (2012). Novel MRI changes after gamma knife for hypothalamic hamartoma in a child. *Canadian Journal of Neurological Sciences*, 39(4), 541-543.

Tian, L. J., Zhuang, H. Q., & Yuan, Z. Y. (2013). A comparison between cyberknife and neurosurgery in solitary brain metastases from non-small cell lung cancer. *Clinical Neurology & Neurosurgery*, 115(10), 2009-2014. DOI: <http://dx.doi.org/10.1016/j.clineuro.2013.06.006>

Tian, R., Hao, S., Hou, Z., Bian, L., Zhang, Y., Wu, W., ... Liu, B. (2013). Clinical characteristics and prognostic analysis of recurrent hemangiopericytoma in the central nervous system: a review of 46 cases. *Journal of Neuro-Oncology*, 115(1), 53-59. DOI: <http://dx.doi.org/10.1007/s11060-013-1193-4>

Tian, Y., Wang, Z., Ge, H., Zhang, T., Cai, J., Kelsey, C., ... Yin, F. F. (2012). Dosimetric comparison of treatment plans based on free breathing, maximum, and average intensity projection CTs for lung cancer SBRT. *Medical Physics*, 39(5), 2754-2760. DOI: <http://dx.doi.org/10.1118/1.4705353>

Tokoro, T., Okuno, K., Hida, J. C., Ueda, K., Yoshifiji, T., Daito, K., & Sugiura, F. (2014). Prognostic factors for patients with advanced colorectal cancer and symptomatic brain metastases. *Clinical Colorectal Cancer*, 13(4), 226-231. DOI: <http://dx.doi.org/10.1016/j.clcc.2014.09.008>

Tonetti, D., Kano, H., Bowden, G., Flickinger, J. C., & Lunsford, L. D. (2014). Hemorrhage during pregnancy in the latency interval after stereotactic radiosurgery for arteriovenous malformations. *Journal of Neurosurgery*, 121 Suppl, 226-231. DOI: <http://dx.doi.org/10.3171/2014.7.GKS141297>

Tong, X., Wu, J., Pan, J., Lin, F., Cao, Y., Zhao, Y., ... Zhao, J. (2016). Microsurgical Resection for Persistent Arteriovenous Malformations Following Gamma Knife Radiosurgery: A Case-Control Study. *World Neurosurgery*, 88, 277-288. DOI: <http://dx.doi.org/10.1016/j.wneu.2016.01.027>

- Tong, X., Wu, J., Pan, J., Lin, F., Cao, Y., Zhao, Y., ... Zhao, J. (2016). Microsurgical Resection for Persistent Arteriovenous Malformations Following Gamma Knife Radiosurgery: A Case-Control Study. *World Neurosurgery*, 88, 277-288.
- Tooze, A., Hiles, C. L., & Sheehan, J. P. (2012). Neurocognitive changes in pituitary adenoma patients after gamma knife radiosurgery: a preliminary study. *World Neurosurgery*, 78(1-2), 122-128. DOI: <http://dx.doi.org/10.1016/j.wneu.2011.09.010>
- Tooze, A., Hiles, C. L., & Sheehan, J. P. (2012). Neurocognitive changes in pituitary adenoma patients after gamma knife radiosurgery: a preliminary study. *World Neurosurgery*, 78(1-2), 122-128. DOI: <http://dx.doi.org/10.1016/j.wneu.2011.09.010>
- Torne, R., Rodriguez-Hernandez, A., Arikan, F., Romero-Chala, F., Cicuendez, M., Vilalta, J., & Sahuquillo, J. (2015). Posterior fossa arteriovenous malformations: Significance of higher incidence of bleeding and hydrocephalus. *Clinical Neurology & Neurosurgery*, 134, 37-43. DOI: <http://dx.doi.org/10.1016/j.clineuro.2015.04.003>
- Torrens, M., Chung, C., Chung, H. T., Hanssens, P., Jaffray, D., Kemeny, A., ... Yu, C. P. (2014). Standardization of terminology in stereotactic radiosurgery: Report from the Standardization Committee of the International Leksell Gamma Knife Society: special topic. *Journal of Neurosurgery*, 121 Suppl, 2-15.
- Torres-Reveron, J., Tomasiewicz, H. C., Shetty, A., Amankulor, N. M., & Chiang, V. L. (2013). Stereotactic laser induced thermotherapy (LITT): a novel treatment for brain lesions regrowing after radiosurgery. *Journal of Neuro-Oncology*, 113(3), 495-503. DOI: <http://dx.doi.org/10.1007/s11060-013-1142-2>
- Torshabi, A. E. (2014). Investigation of the robustness of adaptive neuro-fuzzy inference system for tracking moving tumors in external radiotherapy. *Australasian Physical & Engineering Sciences in Medicine*, 37(4), 771-778. DOI: <http://dx.doi.org/10.1007/s13246-014-0313-6>
- Torshabi, A. E. (2014). Investigation of the robustness of adaptive neuro-fuzzy inference system for tracking moving tumors in external radiotherapy. *Australasian Physical & Engineering Sciences in Medicine*, 37(4), 771-778. DOI: <http://dx.doi.org/10.1007/s13246-014-0313-6>
- Trakul, N., Chang, C. N., Harris, J., Chapman, C., Rao, A., Shen, J., ... Diehn, M. (2012). Tumor volume-adapted dosing in stereotactic ablative radiotherapy of lung tumors. *International Journal of Radiation Oncology, Biology, Physics*, 84(1), 231-237. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.10.071>
- Trakul, N., Harris, J. P., Le, Q. T., Hara, W. Y., Maxim, P. G., Loo, B. W., Jr., & Diehn, M. (2012). Stereotactic ablative radiotherapy for reirradiation of locally recurrent lung tumors. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 7(9), 1462-1465. DOI: <http://dx.doi.org/10.1097/JTO.0b013e31825f22ce>
- Trakul, N., Koong, A. C., & Chang, D. T. (2014). Stereotactic body radiotherapy in the treatment of pancreatic cancer. *Seminars in Radiation Oncology*, 24(2), 140-147. DOI: <http://dx.doi.org/10.1016/j.semradonc.2013.11.008>
- Tree, A. C., Ostler, P., Hoskin, P., Dankulchai, P., Narayangadu, P., Hughes, R. J., ... van As, N. J. (2014). Prostate stereotactic body radiotherapy-first UK experience. *Clinical Oncology (Royal College of Radiologists)*, 26(12), 757-761. DOI: <http://dx.doi.org/10.1016/j.clon.2014.08.007>
- Treuer, H., Hoevels, M., Luyken, K., Visser-Vandewalle, V., Wirths, J., Kocher, M., & Ruge, M. (2015). Intracranial stereotactic radiosurgery with an adapted linear accelerator vs. robotic radiosurgery:

- Comparison of dosimetric treatment plan quality. *Strahlentherapie und Onkologie*, 191(6), 470-476. DOI: <http://dx.doi.org/10.1007/s00066-014-0786-y>
- Treuer, H., Hoevels, M., Luyken, K., Visser-Vandewalle, V., Wirths, J., Kocher, M., & Ruge, M. (2015). Intracranial stereotactic radiosurgery with an adapted linear accelerator vs. robotic radiosurgery: Comparison of dosimetric treatment plan quality. *Strahlentherapie und Onkologie*, 191(6), 470-476. DOI: <http://dx.doi.org/10.1007/s00066-014-0786-y>
- Trifiletti, D. M., Lee, C. C., Schlesinger, D., Larner, J. M., Xu, Z., & Sheehan, J. P. (2015). Leukoencephalopathy After Stereotactic Radiosurgery for Brain Metastases. *International Journal of Radiation Oncology, Biology, Physics*, 93(4), 870-878. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.07.2280>
- Trifiletti, D. M., Lee, C. C., Shah, N., Patel, N. V., Chen, S. C., & Sheehan, J. P. (2016). How Does Brainstem Involvement Affect Prognosis in Patients with Limited Brain Metastases? Results of a Matched-Cohort Analysis. *World Neurosurgery*, 88, 563-568. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.10.089>
- Trifiletti, D. M., Lee, C. C., Winardi, W., Patel, N. V., Yen, C. P., Larner, J. M., & Sheehan, J. P. (2015). Brainstem metastases treated with stereotactic radiosurgery: safety, efficacy, and dose response. *Journal of Neuro-Oncology*, 125(2), 385-392. DOI: <http://dx.doi.org/10.1007/s11060-015-1927-6>
- Trifiletti, D. M., Patel, N., Lee, C. C., Romano, A. M., & Sheehan, J. P. (2015). Stereotactic radiosurgery in the treatment of brain metastases from gastrointestinal primaries. *Journal of Neuro-Oncology*, 124(3), 439-446. DOI: <http://dx.doi.org/10.1007/s11060-015-1857-3>
- Trifiletti, D. M., Romano, K. D., Xu, Z., Reardon, K. A., & Sheehan, J. (2015). Leptomeningeal disease following stereotactic radiosurgery for brain metastases from breast cancer. *Journal of Neuro-Oncology*, 124(3), 421-427. DOI: <http://dx.doi.org/10.1007/s11060-015-1854-6>
- Troeller, A., Garry, S., Pachmann, S., Kantz, S., Gerum, S., Manapov, F., ... Sohn, M. (2015). Stereotactic radiotherapy of intrapulmonary lesions: comparison of different dose calculation algorithms for Oncentra MasterPlan. *Radiation Oncology*, 10, 51. DOI: <http://dx.doi.org/10.1186/s13014-015-0354-3>
- Trovo, M., Minatel, E., Durofil, E., Polesel, J., Avanzo, M., Baresic, T., ... Trovo, M. G. (2014). Stereotactic body radiation therapy for re-irradiation of persistent or recurrent non-small cell lung cancer. *International Journal of Radiation Oncology, Biology, Physics*, 88(5), 1114-1119. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.01.012>
- Trumm, C. G., Haussler, S. M., Muacevic, A., Stahl, R., Stintzing, S., Paprottka, P. M., ... Hoffmann, R. T. (2014). CT fluoroscopy-guided percutaneous fiducial marker placement for CyberKnife stereotactic radiosurgery: technical results and complications in 222 consecutive procedures. *Journal of Vascular & Interventional Radiology*, 25(5), 760-768. DOI: <http://dx.doi.org/10.1016/j.jvir.2014.01.004>
- Tsao, M., Xu, W., & Sahgal, A. (2012). A meta-analysis evaluating stereotactic radiosurgery, whole-brain radiotherapy, or both for patients presenting with a limited number of brain metastases. *Cancer*, 118(9), 2486-2493. DOI: <http://dx.doi.org/10.1002/cncr.26515>
- Tsao, M. N., Lloyd, N., Wong, K. S. R., Chow, E., Rakovitch, E., Laperriere, N., ... Sahgal, A. (2016). Whole brain radiotherapy for the treatment of newly diagnosed multiple brain metastases. *Cochrane Database of Systematic Reviews*(9).

- Tsao, M. N., Lloyd, N., Wong, R. K., Chow, E., Rakovitch, E., Laperriere, N., ... Sahgal, A. (2012). Whole brain radiotherapy for the treatment of newly diagnosed multiple brain metastases. *Cochrane Database of Systematic Reviews*, 4, CD003869. DOI: <http://dx.doi.org/10.1002/14651858.CD003869.pub3>
- Tsao, M. N., Lloyd, N., Wong, R. K., Chow, E., Rakovitch, E., Laperriere, N., ... Sahgal, A. (2012). Whole brain radiotherapy for the treatment of newly diagnosed multiple brain metastases. *Cochrane Database of Systematic Reviews*(4), CD003869. DOI: <http://dx.doi.org/10.1002/14651858.CD003869.pub3>
- Tsuruta, Y., Nakata, M., Nakamura, M., Matsuo, Y., Higashimura, K., Monzen, H., ... Hiraoka, M. (2014). Dosimetric comparison of Acuros XB, AAA, and XVMC in stereotactic body radiotherapy for lung cancer. *Medical Physics*, 41(8), 081715. DOI: <http://dx.doi.org/10.1118/1.4890592>
- Tu, A., Ma, R., Maguire, J., & Akagami, R. (2014). MPNST after Radiosurgery: A Report and Review of the Literature. *Canadian Journal of Neurological Sciences*, 41(1), 74-81.
- Tuchman, A., Yu, C., Chang, E. L., Kim, P. E., Rusch, M. C., & Apuzzo, M. L. (2014). Radiosurgery for metastatic disease at the craniocervical junction. *World Neurosurgery*, 82(6), 1331-1336. DOI: <http://dx.doi.org/10.1016/j.wneu.2014.08.061>
- Tuchman, A., Yu, C., Chang, E. L., Kim, P. E., Rusch, M. C., & Apuzzo, M. L. (2014). Radiosurgery for metastatic disease at the craniocervical junction. *World Neurosurgery*, 82(6), 1331-1336. DOI: <http://dx.doi.org/10.1016/j.wneu.2014.08.061>
- Tuleasca, C., Carron, R., Resseguier, N., Donnet, A., Roussel, P., Gaudart, J., ... Regis, J. (2012). Patterns of pain-free response in 497 cases of classic trigeminal neuralgia treated with Gamma Knife surgery and followed up for least 1 year. *Journal of Neurosurgery*, 117 Suppl, 181-188. DOI: <http://dx.doi.org/10.3171/2012.8.GKS121015>
- Tuleasca, C., Carron, R., Resseguier, N., Donnet, A., Roussel, P., Gaudart, J., ... Regis, J. (2014). Multiple sclerosis-related trigeminal neuralgia: a prospective series of 43 patients treated with gamma knife surgery with more than one year of follow-up. *Stereotactic & Functional Neurosurgery*, 92(4), 203-210. DOI: <http://dx.doi.org/10.1159/000362173>
- Tuleasca, C., Carron, R., Resseguier, N., Donnet, A., Roussel, P., Gaudart, J., ... Regis, J. (2014). Repeat Gamma Knife surgery for recurrent trigeminal neuralgia: long-term outcomes and systematic review. *Journal of Neurosurgery*, 121 Suppl, 210-221. DOI: <http://dx.doi.org/10.3171/2014.8.GKS141487>
- Tuleasca, C., Carron, R., Resseguier, N., Donnet, A., Roussel, P., Gaudart, J., ... Regis, J. (2014). Trigeminal neuralgia related to megadolichobasilar artery compression: a prospective series of twenty-nine patients treated with gamma knife surgery, with more than one year of follow-up. *Stereotactic & Functional Neurosurgery*, 92(3), 170-177. DOI: <http://dx.doi.org/10.1159/000362172>
- Tuleasca, C., Carron, R., Resseguier, N., Donnet, A., Roussel, P., Gaudart, J., ... Regis, J. (2015). Decreased Probability of Initial Pain Cessation in Classic Trigeminal Neuralgia Treated With Gamma Knife Surgery in Case of Previous Microvascular Decompression: A Prospective Series of 45 Patients With >1 Year of Follow-up. *Neurosurgery*, 77(1), 87-94; discussion 94-85. DOI: <http://dx.doi.org/10.1227/NEU.00000000000000739>
- Tveiten, O. V., Carlson, M. L., Goplen, F., Vassbotn, F., Link, M. J., & Lund-Johansen, M. (2015). Long-term Auditory Symptoms in Patients With Sporadic Vestibular Schwannoma: An International Cross-Sectional Study. *Neurosurgery*, 77(2), 218-227; discussion 227. DOI: <http://dx.doi.org/10.1227/NEU.00000000000000760>

- Ubels, R. J., Mokhles, S., Andrinopoulou, E. R., Braat, C., van der Voort van Zyp, N. C., Aluwini, S., ... Nuyttens, J. J. (2015). Quality of life during 5 years after stereotactic radiotherapy in stage I non-small cell lung cancer. *Radiation Oncology*, 10, 98. DOI: <http://dx.doi.org/10.1186/s13014-015-0405-9>
- Ueki, N., Matsuo, Y., Shibuya, K., Nakamura, M., Narabayashi, M., Sakanaka, K., ... Hiraoka, M. (2013). Differences in the dose-volume metrics with heterogeneity correction status and its influence on local control in stereotactic body radiation therapy for lung cancer. *Journal of Radiation Research*, 54(2), 337-343. DOI: <http://dx.doi.org/10.1093/jrr/rrs084>
- Ueki, N., Matsuo, Y., Togashi, Y., Kubo, T., Shibuya, K., Iizuka, Y., ... Hiraoka, M. (2015). Impact of pretreatment interstitial lung disease on radiation pneumonitis and survival after stereotactic body radiation therapy for lung cancer. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 10(1), 116-125. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000359>
- Ujifuku, K., Matsuo, T., Toyoda, K., Baba, S., Okunaga, T., Hayashi, Y., ... Hayashi, N. (2012). Repeated delayed onset cerebellar radiation injuries after linear accelerator-based stereotactic radiosurgery for vestibular schwannoma: case report. *Neurologia Medico-Chirurgica*, 52(12), 933-936.
- Ujiie, H., Higa, T., Hayashi, M., Tamano, Y., Muragaki, Y., & Hori, T. (2002). Surgical management of Spetzler-Martin grade V AVM. *Journal of Clinical Neuroscience*, 9 Suppl 1, 22-25.
- Unger, K. R., Lominska, C. E., Chanyasulkit, J., Randolph-Jackson, P., White, R. L., Aulisi, E., ... Gagnon, G. J. (2012). Risk factors for posttreatment edema in patients treated with stereotactic radiosurgery for meningiomas. *Neurosurgery*, 70(3), 639-645. DOI: <http://dx.doi.org/10.1227/NEU.0b013e3182351ae7>
- Ursino, S., Montrone, S., Cantarella, M., Menghini, V., Matteucci, F., Mazzotti, V., ... Caramella, D. (2016). Stereotactic body radiotherapy of bone metastases in oligometastatic disease: prognostic factors of oncologic outcomes. *Tumori*, 102(1), 59-64. DOI: <http://dx.doi.org/10.5301/tj.5000441>
- Usami, K., Kawai, K., Koga, T., Shin, M., Kurita, H., Suzuki, I., & Saito, N. (2012). Delayed complication after Gamma Knife surgery for mesial temporal lobe epilepsy. *Journal of Neurosurgery*, 116(6), 1221-1225. DOI: <http://dx.doi.org/10.3171/2012.2.JNS111296>
- Vadakke Puthiyottil, S. S., Mathew, B. S., Jayaprakash, P. G., Sivanandan, C. D., & Ratheesan, K. Whole brain radiotherapy with concurrent temozolomide for brain metastasis in non-small cell lung cancer: A single institution, open labeled randomized clinical study from South India. *Journal of thoracic oncology*, 9(4 SUPPL. 1), S46-S47.
- Valakh, V., Miyamoto, C., Micaily, B., Chan, P., Neicu, T., & Li, S. (2013). Repeat stereotactic body radiation therapy for patients with pulmonary malignancies who had previously received SBRT to the same or an adjacent tumor site. *Journal of Cancer Research & Therapeutics*, 9(4), 680-685. DOI: <http://dx.doi.org/10.4103/0973-1482.126481>
- Valentine, K., Cabrera, T., & Roberge, D. (2014). Implanting metal fiducials to guide stereotactic liver radiation: McGill experience and review of current devices, techniques and complications. *Technology in Cancer Research & Treatment*, 13(3), 253-258. DOI: <http://dx.doi.org/10.7785/tcrt.2012.500378>
- Van Abel, K. M., Carlson, M. L., Driscoll, C. L., Neff, B. A., & Link, M. J. (2014). Vestibular schwannoma surgery in the elderly: a matched cohort study. *Journal of Neurosurgery*, 120(1), 207-217. DOI: <http://dx.doi.org/10.3171/2013.6.JNS122433>

- van Baardwijk, A., Tome, W. A., van Elmpt, W., Bentzen, S. M., Reymen, B., Wanders, R., ... De Ruysscher, D. (2012). Is high-dose stereotactic body radiotherapy (SBRT) for stage I non-small cell lung cancer (NSCLC) overkill? A systematic review. *Radiotherapy & Oncology*, 105(2), 145-149. DOI: <http://dx.doi.org/10.1016/j.radonc.2012.09.008>
- van Baardwijk, A., Tome, W. A., van Elmpt, W., Bentzen, S. M., Reymen, B., Wanders, R., ... De Ruysscher, D. (2012). Is high-dose stereotactic body radiotherapy (SBRT) for stage I non-small cell lung cancer (NSCLC) overkill? A systematic review. *Radiotherapy & Oncology*, 105(2), 145-149. DOI: <http://dx.doi.org/10.1016/j.radonc.2012.09.008>
- van de Langenberg, R., Dohmen, A. J., de Bondt, B. J., Nelemans, P. J., Baumert, B. G., & Stokroos, R. J. (2012). Volume changes after stereotactic LINAC radiotherapy in vestibular schwannoma: control rate and growth patterns. *International Journal of Radiation Oncology, Biology, Physics*, 84(2), 343-349. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.12.023>
- Van De Voorde, L., Vanneste, B., Houben, R., Damen, P., van den Bogaard, J., Lammering, G., ... Lambin, P. (2015). Image-guided stereotactic ablative radiotherapy for the liver: a safe and effective treatment. *European Journal of Surgical Oncology*, 41(2), 249-256. DOI: <http://dx.doi.org/10.1016/j.ejso.2014.10.053>
- van den Berg, L. L., Klinkenberg, T. J., Groen, H. J., & Widder, J. (2015). Patterns of recurrence and survival after surgery or stereotactic radiotherapy for early stage NSCLC. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 10(5), 826-831. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000483>
- van den Bosch, T., Vaarwater, J., Verdijk, R., Muller, K., Kilic, E., Paridaens, D., ... Naus, N. (2015). Risk factors associated with secondary enucleation after fractionated stereotactic radiotherapy in uveal melanoma. *Acta Ophthalmologica*, 93(6), 555-560. DOI: <http://dx.doi.org/10.1111/aos.12731>
- van der Bom, I. M., Gounis, M. J., Ding, L., Kuhn, A. L., Goff, D., Puri, A. S., & Wakhloo, A. K. (2014). Target delineation for radiosurgery of a small brain arteriovenous malformation using high-resolution contrast-enhanced cone beam CT. *Journal of Neurointerventional Surgery*, 6(5), e34. DOI: <http://dx.doi.org/10.1136/neurintsurg-2013-010763.rep>
- van Eck, A. T., & Horstmann, G. A. (2013). Increased preservation of functional hearing after gamma knife surgery for vestibular schwannoma. *Journal of Neurosurgery*, 119 Suppl, 204-206.
- Van Gompel, J. J., Carlson, M. L., Pollock, B. E., Moore, E. J., Foote, R. L., & Link, M. J. (2013). Stereotactic radiosurgical salvage treatment for locally recurrent esthesioneuroblastoma. *Neurosurgery*, 72(3), 332-339; discussion 339-340. DOI: <http://dx.doi.org/10.1227/NEU.0b013e31827fcdc2>
- van Hulsteijn, L. T., Corssmit, E. P., van der Hiel, B., Smit, J. W., & Stokkel, M. P. (2012). Is there a role for radioguided surgery with iodine-labeled metaiodobenzylguanidine in resection of neuroendocrine tumors? *Clinical Nuclear Medicine*, 37(11), 1083-1088. DOI: <http://dx.doi.org/10.1097/RNU.0b013e318266cb3d>
- van Rooijen, D. C., van Wieringen, N., Stippel, G., Crezee, J., Koning, C. C., & Bel, A. (2012). Dose-guided radiotherapy: potential benefit of online dose recalculation for stereotactic lung irradiation in patients with non-small-cell lung cancer. *International Journal of Radiation Oncology, Biology, Physics*, 83(4), e557-562. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.12.055>
- Vansteenkiste, J., Crino, L., Dooms, C., Douillard, J. Y., Faivre-Finn, C., Lim, E., ... Panel, M. (2014). 2nd ESMO Consensus Conference on Lung Cancer: early-stage non-small-cell lung cancer consensus on

- diagnosis, treatment and follow-up. *Annals of Oncology*, 25(8), 1462-1474. DOI: <http://dx.doi.org/10.1093/annonc/mdu089>
- Vansteenkiste, J., Crino, L., Dooms, C., Douillard, J. Y., Faivre-Finn, C., Lim, E., ... Panel, M. (2014). 2nd ESMO Consensus Conference on Lung Cancer: early-stage non-small-cell lung cancer consensus on diagnosis, treatment and follow-up. *Annals of Oncology*, 25(8), 1462-1474. DOI: <http://dx.doi.org/10.1093/annonc/mdu089>
- Varela-Lema, L., Lopez-Garcia, M., Maceira-Rozas, M., & Munoz-Garzon, V. (2015). Linear accelerator stereotactic radiosurgery for trigeminal neuralgia. *Pain Physician*, 18(1), 15-27.
- Vargo, J. A., Ferris, R. L., Ohr, J., Clump, D. A., Davis, K. S., Duvvuri, U., ... Heron, D. E. (2015). A prospective phase 2 trial of reirradiation with stereotactic body radiation therapy plus cetuximab in patients with previously irradiated recurrent squamous cell carcinoma of the head and neck. *International Journal of Radiation Oncology, Biology, Physics*, 91(3), 480-488. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.11.023>
- Vargo, J. A., Heron, D. E., Ferris, R. L., Rwigema, J. C., Kalash, R., Wegner, R. E., ... Burton, S. (2014). Examining tumor control and toxicity after stereotactic body radiotherapy in locally recurrent previously irradiated head and neck cancers: implications of treatment duration and tumor volume. *Head & Neck*, 36(9), 1349-1355. DOI: <http://dx.doi.org/10.1002/hed.23462>
- Vargo, J. A., Heron, D. E., Ferris, R. L., Rwigema, J. C., Wegner, R. E., Kalash, R., ... Burton, S. (2012). Prospective evaluation of patient-reported quality-of-life outcomes following SBRT +/- cetuximab for locally-recurrent, previously-irradiated head and neck cancer. *Radiotherapy & Oncology*, 104(1), 91-95. DOI: <http://dx.doi.org/10.1016/j.radonc.2012.04.020>
- Vargo, J. A., Kubicek, G. J., Ferris, R. L., Duvvuri, U., Johnson, J. T., Ohr, J., ... Heron, D. E. (2014). Adjuvant stereotactic body radiotherapy+/-cetuximab following salvage surgery in previously irradiated head and neck cancer. *Laryngoscope*, 124(7), 1579-1584. DOI: <http://dx.doi.org/10.1002/lary.24441>
- Vargo, J. A., Wegner, R. E., Heron, D. E., Ferris, R. L., Rwigema, J. C., Quinn, A., ... Burton, S. (2012). Stereotactic body radiation therapy for locally recurrent, previously irradiated nonsquamous cell cancers of the head and neck. *Head & Neck*, 34(8), 1153-1161. DOI: <http://dx.doi.org/10.1002/hed.21889>
- Varlotto, J., Fakiris, A., Flickinger, J., Medford-Davis, L., Liss, A., Shelkey, J., ... DeCamp, M. (2013). Matched-pair and propensity score comparisons of outcomes of patients with clinical stage I non-small cell lung cancer treated with resection or stereotactic radiosurgery. *Cancer*, 119(15), 2683-2691. DOI: <http://dx.doi.org/10.1002/cncr.28100>
- Varughese, J. K., Wentzel-Larsen, T., Pedersen, P. H., Mahesparan, R., & Lund-Johansen, M. (2012). Gamma knife treatment of growing vestibular schwannoma in Norway: a prospective study. *International Journal of Radiation Oncology, Biology, Physics*, 84(2), e161-166. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.03.047>
- Veeravagu, A., Hansasuta, A., Jiang, B., Karim, A. S., Gibbs, I. C., & Chang, S. D. (2013). Volumetric analysis of intracranial arteriovenous malformations contoured for CyberKnife radiosurgery with 3-dimensional rotational angiography vs computed tomography/magnetic resonance imaging. *Neurosurgery*, 73(2), 262-270. DOI: <http://dx.doi.org/10.1227/01.neu.0000430285.00928.30>
- Veeravagu, A., Lieberson, R. E., Mener, A., Chen, Y. R., Soltys, S. G., Gibbs, I. C., ... Chang, S. D. (2012). CyberKnife stereotactic radiosurgery for the treatment of intramedullary spinal cord metastases.

*Journal of Clinical Neuroscience*, 19(9), 1273-1277. DOI:  
<http://dx.doi.org/10.1016/j.jocn.2012.02.002>

Velec, M., Moseley, J. L., Craig, T., Dawson, L. A., & Brock, K. K. (2012). Accumulated dose in liver stereotactic body radiotherapy: positioning, breathing, and deformation effects. *International Journal of Radiation Oncology, Biology, Physics*, 83(4), 1132-1140. DOI:  
<http://dx.doi.org/10.1016/j.ijrobp.2011.09.045>

Velec, M., Moseley, J. L., Craig, T., Dawson, L. A., & Brock, K. K. (2012). Accumulated dose in liver stereotactic body radiotherapy: positioning, breathing, and deformation effects. *International Journal of Radiation Oncology, Biology, Physics*, 83(4), 1132-1140. DOI:  
<http://dx.doi.org/10.1016/j.ijrobp.2011.09.045>

Velec, M., Moseley, J. L., Dawson, L. A., & Brock, K. K. (2014). Dose escalated liver stereotactic body radiation therapy at the mean respiratory position. *International Journal of Radiation Oncology, Biology, Physics*, 89(5), 1121-1128. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.04.051>

Velec, M., Moseley, J. L., Dawson, L. A., & Brock, K. K. (2014). Dose escalated liver stereotactic body radiation therapy at the mean respiratory position. *International Journal of Radiation Oncology, Biology, Physics*, 89(5), 1121-1128. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.04.051>

Vellimana, A. K., Daniels, D. J., Shah, M. N., Zipfel, G. J., & Lanzino, G. (2014). Dural arteriovenous fistulas associated with benign meningeal tumors. *Acta Neurochirurgica*, 156(3), 535-544. DOI:  
<http://dx.doi.org/10.1007/s00701-013-1946-z>

Venturini, M., Colantoni, C., Modorati, G., Di Nicola, M., Colucci, A., Agostini, G., ... Del Maschio, A. (2015). Preliminary results of contrast-enhanced sonography in the evaluation of the response of uveal melanoma to gamma-knife radiosurgery. *Journal of Clinical Ultrasound*, 43(7), 421-430. DOI:  
<http://dx.doi.org/10.1002/jcu.22262>

Verma, J., Jonasch, E., Allen, P. K., Weinberg, J. S., Tannir, N., Chang, E. L., & Mahajan, A. (2013). The impact of tyrosine kinase inhibitors on the multimodality treatment of brain metastases from renal cell carcinoma. *American Journal of Clinical Oncology*, 36(6), 620-624. DOI:  
<http://dx.doi.org/10.1097/COC.0b013e31825d59db>

Verma, J., Jonasch, E., Allen, P. K., Weinberg, J. S., Tannir, N., Chang, E. L., & Mahajan, A. (2013). The impact of tyrosine kinase inhibitors on the multimodality treatment of brain metastases from renal cell carcinoma. *American Journal of Clinical Oncology*, 36(6), 620-624. DOI:  
<http://dx.doi.org/10.1097/COC.0b013e31825d59db>

Vern-Gross, T. Z., Lawrence, J. A., Case, L. D., McMullen, K. P., Bourland, J. D., Metheny-Barlow, L. J., ... Chan, M. D. (2012). Breast cancer subtype affects patterns of failure of brain metastases after treatment with stereotactic radiosurgery. *Journal of Neuro-Oncology*, 110(3), 381-388. DOI:  
<http://dx.doi.org/10.1007/s11060-012-0976-3>

Vern-Gross, T. Z., Lawrence, J. A., Case, L. D., McMullen, K. P., Bourland, J. D., Metheny-Barlow, L. J., ... Chan, M. D. (2012). Breast cancer subtype affects patterns of failure of brain metastases after treatment with stereotactic radiosurgery. *Journal of Neuro-Oncology*, 110(3), 381-388. DOI:  
<http://dx.doi.org/10.1007/s11060-012-0976-3>

Verstegen, N. E., Lagerwaard, F. J., Haasbeek, C. J., Slotman, B. J., & Senan, S. (2011). Outcomes of stereotactic ablative radiotherapy following a clinical diagnosis of stage I NSCLC: comparison with a contemporaneous cohort with pathologically proven disease. *Radiotherapy & Oncology*, 101(2), 250-254. DOI: <http://dx.doi.org/10.1016/j.radonc.2011.09.017>

- Verstegen, N. E., Lagerwaard, F. J., Hashemi, S. M., Dahele, M., Slotman, B. J., & Senan, S. (2015). Patterns of Disease Recurrence after SABR for Early Stage Non-Small-Cell Lung Cancer: Optimizing Follow-Up Schedules for Salvage Therapy. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 10(8), 1195-1200. DOI: <http://dx.doi.org/10.1097/JTO.0000000000000576>
- Veselsky, T., Novotny Jr, J., Pastykova, V., & Pipek, J. (2016). Assessment of microdiamond PTW 60019 detector and its use in small radiosurgery fields of Leksell gamma knife. *Radiotherapy and Oncology. Conference: International Conference on Translational Research in Radiation Oncology/Physics for Health in Europe, ICTR PHE*, 118.
- Vest, M. T., Herrin, J., Soulos, P. R., Decker, R. H., Tanoue, L., Michaud, G., ... Gross, C. P. (2013). Use of new treatment modalities for non-small cell lung cancer care in the Medicare population. *Chest*, 143(2), 429-435.
- Vest, M. T., Herrin, J., Soulos, P. R., Decker, R. H., Tanoue, L., Michaud, G., ... Gross, C. P. (2013). Use of new treatment modalities for non-small cell lung cancer care in the Medicare population. *Chest*, 143(2), 429-435.
- Videtic, G. M. (2014). The role of stereotactic radiotherapy in the treatment of oligometastases. *Current Oncology Reports*, 16(7), 391. DOI: <http://dx.doi.org/10.1007/s11912-014-0391-3>
- Videtic, G. M., Chang, J. Y., Chetty, I. J., Ginsburg, M. E., Kestin, L. L., Kong, F. M., ... Expert Panel on Radiation, O. (2014). ACR appropriateness Criteria early-stage non-small-cell lung cancer. *American Journal of Clinical Oncology*, 37(2), 201-207. DOI: <http://dx.doi.org/10.1097/COC.0000000000000013>
- Videtic, G. M., Hu, C., Singh, A. K., Chang, J. Y., Parker, W., Olivier, K. R., ... Choy, H. (2015). A Randomized Phase 2 Study Comparing 2 Stereotactic Body Radiation Therapy Schedules for Medically Inoperable Patients With Stage I Peripheral Non-Small Cell Lung Cancer: NRG Oncology RTOG 0915 (NCCTG N0927). *International Journal of Radiation Oncology, Biology, Physics*, 93(4), 757-764.
- Videtic, G. M., Hu, C., Singh, A. K., Chang, J. Y., Parker, W., Olivier, K. R., ... Choy, H. (2015). A Randomized Phase 2 Study Comparing 2 Stereotactic Body Radiation Therapy Schedules for Medically Inoperable Patients With Stage I Peripheral Non-Small Cell Lung Cancer: NRG Oncology RTOG 0915 (NCCTG N0927).[Erratum appears in Int J Radiat Oncol Biol Phys. 2016 Mar 1;94(3):638 Note: Timmerman, Robert D [added]; PMID: 26867895]. *International Journal of Radiation Oncology, Biology, Physics*, 93(4), 757-764. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.07.2260>
- Videtic, G. M., Hu, C., Singh, A. K., Chang, J. Y., Parker, W., Olivier, K. R., ... Choy, H. (2015). A Randomized Phase 2 Study Comparing 2 Stereotactic Body Radiation Therapy Schedules for Medically Inoperable Patients With Stage I Peripheral Non-Small Cell Lung Cancer: NRG Oncology RTOG 0915 (NCCTG N0927).[Erratum appears in Int J Radiat Oncol Biol Phys. 2016 Mar 1;94(3):638 Note: Timmerman, Robert D [added]; PMID: 26867895]. *International Journal of Radiation Oncology, Biology, Physics*, 93(4), 757-764. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.07.2260>
- Videtic, G. M., Reddy, C. A., & Sorenson, L. (2013). A prospective study of quality of life including fatigue and pulmonary function after stereotactic body radiotherapy for medically inoperable early-stage lung cancer. *Supportive Care in Cancer*, 21(1), 211-218. DOI: <http://dx.doi.org/10.1007/s00520-012-1513-9>
- Videtic, G. M., Stephans, K. L., Woody, N. M., Reddy, C. A., Zhuang, T., Magnelli, A., & Djemil, T. (2014). 30 Gy or 34 Gy? Comparing 2 single-fraction SBRT dose schedules for stage I medically inoperable

- non-small cell lung cancer. *International Journal of Radiation Oncology, Biology, Physics*, 90(1), 203-208. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.05.017>
- Vinogradskiy, Y., Diot, Q., Kavanagh, B., Schefter, T., Gaspar, L., & Miften, M. (2013). Spatial and dose-response analysis of fibrotic lung changes after stereotactic body radiation therapy. *Medical Physics*, 40(8), 081712. DOI: <http://dx.doi.org/10.1118/1.4813916>
- Vivas, E. X., Wegner, R., Conley, G., Torok, J., Heron, D. E., Kabolizadeh, P., ... Hirsch, B. E. (2014). Treatment outcomes in patients treated with CyberKnife radiosurgery for vestibular schwannoma. *Otology & Neurotology*, 35(1), 162-170. DOI: <http://dx.doi.org/10.1097/MAO.0b013e3182a435f5>
- Vogel, J., Ojerholm, E., Hollander, A., Briola, C., Mooij, R., Bieda, M., ... Alonso-Basanta, M. (2015). Intracranial control after Cyberknife radiosurgery to the resection bed for large brain metastases. *Radiation Oncology*, 10, 221. DOI: <http://dx.doi.org/10.1186/s13014-015-0523-4>
- Vojtech, Z., Kramská, L., Malikova, H., Stara, M., & Liscak, R. (2015). Neuropsychological results after gamma knife radiosurgery for mesial temporal lobe epilepsy. *Neuroendocrinology Letters*, 36(8), 771-778.
- Vuong, D. A., Rades, D., Le, A. N., & Busse, R. (2012). The cost-effectiveness of stereotactic radiosurgery versus surgical resection in the treatment of brain metastasis in Vietnam from the perspective of patients and families. *World Neurosurgery*, 77(2), 321-328. DOI: <http://dx.doi.org/10.1016/j.wneu.2011.05.050>
- Vuong, D. A., Rades, D., Le, A. N., & Busse, R. (2012). The cost-effectiveness of stereotactic radiosurgery versus surgical resection in the treatment of brain metastasis in Vietnam from the perspective of patients and families. *World Neurosurgery*, 77(2), 321-328. DOI: <http://dx.doi.org/10.1016/j.wneu.2011.05.050>
- Vuong, D. A., Rades, D., van Eck, A. T., Horstmann, G. A., & Busse, R. (2013). Comparing the cost-effectiveness of two brain metastasis treatment modalities from a payer's perspective: Stereotactic radiosurgery versus surgical resection. *Clinical Neurology & Neurosurgery*, 115(3), 276-284. DOI: <http://dx.doi.org/10.1016/j.clineuro.2012.05.005>
- Wackernagel, W., Holl, E., Tarmann, L., Avian, A., Schneider, M. R., Kapp, K., & Langmann, G. (2013). Visual acuity after Gamma-Knife radiosurgery of choroidal melanomas. *British Journal of Ophthalmology*, 97(2), 153-158. DOI: <http://dx.doi.org/10.1136/bjophthalmol-2012-302399>
- Wackernagel, W., Holl, E., Tarmann, L., Mayer, C., Avian, A., Schneider, M., ... Langmann, G. (2014). Local tumour control and eye preservation after gamma-knife radiosurgery of choroidal melanomas. *British Journal of Ophthalmology*, 98(2), 218-223. DOI: <http://dx.doi.org/10.1136/bjophthalmol-2013-304031>
- Wagner, B., Stuber, P., Wissel, T., Bruder, R., Schweikard, A., & Ernst, F. (2014). Accuracy analysis for triangulation and tracking based on time-multiplexed structured light. *Medical Physics*, 41(8), 082701. DOI: <http://dx.doi.org/10.1118/1.4890093>
- Wagner, J., Welzel, T., Habermehl, D., Debus, J., & Combs, S. E. (2014). Radiotherapy in patients with vestibular schwannoma and neurofibromatosis type 2: clinical results and review of the literature. *Tumori*, 100(2), 189-194. DOI: <http://dx.doi.org/10.1700/1491.16411>
- Wahl, D. R., Stenmark, M. H., Tao, Y., Pollock, E. L., Caoili, E. M., Lawrence, T. S., ... Feng, M. (2016). Outcomes after stereotactic body radiotherapy or radiofrequency ablation for hepatocellular carcinoma. *Journal of Clinical Oncology*, 34(5), 452-459. DOI: <http://dx.doi.org/10.1200/JCO.2015.61.4925>

- Wahl, D. R., Stenmark, M. H., Tao, Y., Pollock, E. L., Caoili, E. M., Lawrence, T. S., ... Feng, M. (2016). Outcomes After Stereotactic Body Radiotherapy or Radiofrequency Ablation for Hepatocellular Carcinoma. *Journal of Clinical Oncology*, 34(5), 452-459. DOI: <http://dx.doi.org/10.1200/JCO.2015.61.4925>
- Wakai, N., Sumida, I., Otani, Y., Suzuki, O., Seo, Y., Isohashi, F., ... Ogawa, K. (2015). Optimization of leaf margins for lung stereotactic body radiotherapy using a flattening filter-free beam. *Medical Physics*, 42(5), 2125-2131.
- Waldeland, E., Ramberg, C., Arnesen, M. R., Helland, A., Brustugun, O. T., & Malinen, E. (2012). Dosimetric impact of a frame-based strategy in stereotactic radiotherapy of lung tumors. *Acta Oncologica*, 51(5), 603-609. DOI: <http://dx.doi.org/10.3109/0284186X.2012.658115>
- Walker, L., Pirmohamed, M., & Marson, A. G. (2013). Immunomodulatory interventions for focal epilepsy syndromes. *Cochrane Database of Systematic Reviews*(6).
- Walter, A. C., Gunderson, C. C., Vesely, S. K., Algan, O., Sughrue, M., Slaughter, K. N., & Moore, K. N. (2015). Central nervous system metastasis in gynecologic cancer: symptom management, prognosis and palliative management strategies. *Gynecologic Oncology*, 136(3), 472-477. DOI: <http://dx.doi.org/10.1016/j.ygyno.2014.12.020>
- Wang, C. C., Floyd, S. R., Chang, C. H., Warnke, P. C., Chio, C. C., Kasper, E. M., ... Chen, C. C. (2012). Cyberknife hypofractionated stereotactic radiosurgery (HSRS) of resection cavity after excision of large cerebral metastasis: efficacy and safety of an 800 cGy x 3 daily fractions regimen. *Journal of Neuro-Oncology*, 106(3), 601-610. DOI: <http://dx.doi.org/10.1007/s11060-011-0697-z>
- Wang, D. D., Lau, D., Rolston, J. D., Englot, D. J., Snead, P. K., & McDermott, M. W. (2014). Pain experience using conventional versus angled anterior posts during stereotactic head frame placement for radiosurgery. *Journal of Clinical Neuroscience*, 21(9), 1538-1542. DOI: <http://dx.doi.org/10.1016/j.jocn.2014.02.009>
- Wang, D. D., Ouyang, D., Englot, D. J., Rolston, J. D., Molinaro, A. M., Ward, M., & Chang, E. F. (2013). Trends in surgical treatment for trigeminal neuralgia in the United States of America from 1988 to 2008. *Journal of Clinical Neuroscience*, 20(11), 1538-1545. DOI: <http://dx.doi.org/10.1016/j.jocn.2012.12.026>
- Wang, D. J., Xie, Q., Gong, Y., Wang, Y., Cheng, H. X., Mao, Y., ... Zhou, L. F. (2013). Secretory meningiomas: clinical, radiological and pathological findings in 70 consecutive cases at one institution. *International Journal of Clinical & Experimental Pathology*, 6(3), 358-374.
- Wang, H., Farjam, R., Feng, M., Hussain, H., Ten Haken, R. K., Lawrence, T. S., & Cao, Y. (2014). Arterial perfusion imaging-defined subvolume of intrahepatic cancer. *International Journal of Radiation Oncology, Biology, Physics*, 89(1), 167-174. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.01.040>
- Wang, H., Farjam, R., Feng, M., Hussain, H., Ten Haken, R. K., Lawrence, T. S., & Cao, Y. (2014). Arterial perfusion imaging-defined subvolume of intrahepatic cancer. *International Journal of Radiation Oncology, Biology, Physics*, 89(1), 167-174. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.01.040>
- Wang, H., Feng, M., Jackson, A., Ten Haken, R. K., Lawrence, T. S., & Cao, Y. (2016). Local and Global Function Model of the Liver. *International Journal of Radiation Oncology, Biology, Physics*, 94(1), 181-188. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.09.044>
- Wang, H., Feng, M., Jackson, A., Ten Haken, R. K., Lawrence, T. S., & Cao, Y. (2016). Local and Global Function Model of the Liver. *International Journal of Radiation Oncology, Biology, Physics*, 94(1), 181-188. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.09.044>

- Wang, J. Y., Yang, W., Ye, X., Rigamonti, D., Coon, A. L., Tamargo, R. J., & Huang, J. (2013). Impact on seizure control of surgical resection or radiosurgery for cerebral arteriovenous malformations. *Neurosurgery*, 73(4), 648-655; discussion 655-646. DOI: <http://dx.doi.org/10.1227/NEU.000000000000000071>
- Wang, K., Heron, D. E., Clump, D. A., Flickinger, J. C., Kubicek, G. J., Rwigema, J. C., ... Branstetter, B. F. (2013). Target delineation in stereotactic body radiation therapy for recurrent head and neck cancer: a retrospective analysis of the impact of margins and automated PET-CT segmentation. *Radiotherapy & Oncology*, 106(1), 90-95. DOI: <http://dx.doi.org/10.1016/j.radonc.2012.11.008>
- Wang, K., Heron, D. E., Flickinger, J. C., Rwigema, J. C., Ferris, R. L., Kubicek, G. J., ... Branstetter, B. F. (2012). A retrospective, deformable registration analysis of the impact of PET-CT planning on patterns of failure in stereotactic body radiation therapy for recurrent head and neck cancer. *Head & neck oncology*, 4, 12. DOI: <http://dx.doi.org/10.1186/1758-3284-4-12>
- Wang, L., Chen, X., Lin, M. H., Xue, J., Lin, T., Fan, J., ... Ma, C. M. (2013). Evaluation of the cone beam CT for internal target volume localization in lung stereotactic radiotherapy in comparison with 4D MIP images. *Medical Physics*, 40(11), 111709. DOI: <http://dx.doi.org/10.1118/1.4823785>
- Wang, L., Shan, G. Y., Liu, X. A., Zhang, S., Li, L. Z., Yang, W. K., & Wu, X. D. (2015). Gamma knife combined with high-intensity focused ultrasound for treatment of locally advanced pancreatic carcinoma. [Chinese]. *World Chinese Journal of Digestology*, 23(3), 470-475.
- Wang, P. M., Hsu, W. C., Chung, N. N., Chang, F. L., Jang, C. J., Fogliata, A., ... Cozzi, L. (2014). Feasibility of stereotactic body radiation therapy with volumetric modulated arc therapy and high intensity photon beams for hepatocellular carcinoma patients. *Radiation Oncology*, 9, 18. DOI: <http://dx.doi.org/10.1186/1748-717X-9-18>
- Wang, S., Yang, W., Deng, J., Zhang, J., Ma, F., & Wang, J. (2013). Reduction in the recurrence of meningiomas by combining somatostatin receptor scintigraphy of (99m)Tc-HYNIC-octreotide SPECT/CT and radio guidance with a hand-held gamma-probe during surgery. *Nuclear Medicine Communications*, 34(3), 249-253. DOI: <http://dx.doi.org/10.1097/MNM.0b013e32835bd9c9>
- Wang, S. W., Ren, J., Yan, Y. L., Xue, C. F., Tan, L., & Ma, X. W. (2016). Effect of image-guided hypofractionated stereotactic radiotherapy on peripheral non-small-cell lung cancer. *Oncotargets and therapy*, 9, 4993-5003.
- Wang, T. J., Saad, S., Qureshi, Y. H., Jani, A., Isaacson, S. R., Sisti, M. B., ... Lassman, A. B. (2015). Outcomes of gamma knife radiosurgery, bi-modality & tri-modality treatment regimens for patients with one or multiple brain metastases: the Columbia University Medical Center experience. *Journal of Neuro-Oncology*, 122(2), 399-408. DOI: <http://dx.doi.org/10.1007/s11060-015-1728-y>
- Wang, W. H., Lee, C. C., Yang, H. C., Liu, K. D., Wu, H. M., Shiau, C. Y., ... Chen, M. T. (2016). Gamma Knife Radiosurgery for Atypical and Anaplastic Meningiomas. *World Neurosurgery*, 87, 557-564. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.10.021>
- Wang, X., Liu, X., Mei, G., Dai, J., Pan, L., & Wang, E. (2012). Phase II study to assess the efficacy of hypofractionated stereotactic radiotherapy in patients with large cavernous sinus hemangiomas. *International Journal of Radiation Oncology, Biology, Physics*, 83(2), e223-230. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.12.051>
- Wang, X., Mei, G., Liu, X., Dai, J., Pan, L., & Wang, E. (2012). The role of stereotactic radiosurgery in cavernous sinus hemangiomas: a systematic review and meta-analysis. *Journal of Neuro-Oncology*, 107(2), 239-245. DOI: <http://dx.doi.org/10.1007/s11060-011-0753-8>

- Wang, X. S., Rhines, L. D., Shiu, A. S., Yang, J. N., Selek, U., Gning, I., ... Chang, E. L. (2012). Stereotactic body radiation therapy for management of spinal metastases in patients without spinal cord compression: a phase 1-2 trial. *Lancet Oncology*, 13(4), 395-402. DOI: [http://dx.doi.org/10.1016/S1470-2045\(11\)70384-9](http://dx.doi.org/10.1016/S1470-2045(11)70384-9)
- Wang, X. S., Rhines, L. D., Shiu, A. S., Yang, J. N., Selek, U., Gning, I., ... Chang, E. L. (2012). Stereotactic body radiation therapy for management of spinal metastases in patients without spinal cord compression: a phase 1-2 trial. *Lancet Oncology*, 13(4), 395-402. DOI: [http://dx.doi.org/10.1016/S1470-2045\(11\)70384-9](http://dx.doi.org/10.1016/S1470-2045(11)70384-9)
- Wang, Y., Lan, F., Kang, X., Shao, Y., Li, H., Li, P., ... Xia, T. (2015). Outcome Study of Cobalt Based Stereotactic Body Radiation Therapy for Patients with Inoperable Stage III Non-small Cell Lung Cancer. *Technology in Cancer Research & Treatment*, 14(5), 539-545. DOI: <http://dx.doi.org/10.7785/tcrt.2012.500425>
- Wang, Y., Pan, L., Sheng, X., Mao, Y., Yao, Y., Wang, E., ... Dai, J. (2012). Reversal of cerebral radiation necrosis with bevacizumab treatment in 17 Chinese patients. *European Journal of Medical Research*, 17, 25. DOI: <http://dx.doi.org/10.1186/2047-783X-17-25>
- Wang, Y., Wang, E., Pan, L., Dai, J., Zhang, N., Wang, X., ... Sheng, X. (2014). A new strategy of CyberKnife treatment system based radiosurgery followed by early use of adjuvant bevacizumab treatment for brain metastasis with extensive cerebral edema. *Journal of Neuro-Oncology*, 119(2), 369-376. DOI: <http://dx.doi.org/10.1007/s11060-014-1488-0>
- Wang, Y. C., Huang, Y. C., Chen, H. C., Wei, K. C., Chang, C. N., Lee, S. T., ... Hsu, P. W. (2014). Linear accelerator stereotactic radiosurgery in the management of intracranial arteriovenous malformations: long-term outcome. *Cerebrovascular Diseases*, 37(5), 342-349. DOI: <http://dx.doi.org/10.1159/000360756>
- Wang, Y. J., Han, T. T., Xue, J. X., Chang, D. S., Li, H. Q., Li, P., ... Xia, T. Y. (2014). Stereotactic gamma-ray body radiation therapy for asynchronous bilateral renal cell carcinoma. *Radiologia Medica*, 119(11), 878-883. DOI: <http://dx.doi.org/10.1007/s11547-014-0402-3>
- Wang, Z., Kong, Q. T., Wu, X. H., Li, B., Shen, Z. T., Li, J., & Zhu, X. X. (2014). CyberKnife Treatment for Kaposiform Hemangioendothelioma of the Ilium in an adult: case report and review of the literature. *Oncology Research and Treatment*, 37(7-8), 412-416. DOI: <http://dx.doi.org/10.1159/000363427>
- Wang, Z., Zhu, X. X., Wu, X. H., Li, B., Shen, T. Z., Kong, Q. T., ... Hou, B. (2014). Gefitinib combined with stereotactic radiosurgery in previously treated patients with advanced non-small cell lung cancer. *American Journal of Clinical Oncology*, 37(2), 148-153. DOI: <http://dx.doi.org/10.1097/COC.0b013e31826e071b>
- Wanna, G. B., Sweeney, A. D., Carlson, M. L., Latuska, R. F., Rivas, A., Bennett, M. L., ... Haynes, D. S. (2014). Subtotal resection for management of large jugular paragangliomas with functional lower cranial nerves. *Otolaryngology - Head & Neck Surgery*, 151(6), 991-995. DOI: <http://dx.doi.org/10.1177/0194599814552060>
- Watanabe, M., Onishi, H., Kuriyama, K., Komiyama, T., Marino, K., Araya, M., ... Araki, T. (2013). Intrafractional setup errors in patients undergoing non-invasive fixation using an immobilization system during hypofractionated stereotactic radiotherapy for lung tumors. *Journal of Radiation Research*, 54(4), 762-768. DOI: <http://dx.doi.org/10.1093/jrr/rrt001>

- Watanabe, S., Yamamoto, M., Sato, Y., Kawabe, T., Higuchi, Y., Kasuya, H., ... Barfod, B. E. (2014). Stereotactic radiosurgery for brain metastases: a case-matched study comparing treatment results for patients 80 years of age or older versus patients 65-79 years of age. *Journal of Neurosurgery*, 121(5), 1148-1157. DOI: <http://dx.doi.org/10.3171/2014.6.JNS132790>
- Watson, D. A., Tanguturi, S. K., Spiegel, D. Y., Niemierko, A., Biller, B. M., Nachtigall, L. B., ... Shih, H. A. (2014). Outcomes of proton therapy for patients with functional pituitary adenomas. *International Journal of Radiation Oncology, Biology, Physics*, 90(3), 532-539. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.06.068>
- Weil, R. J., Mavinkurve, G. G., Chao, S. T., Vogelbaum, M. A., Suh, J. H., Kolar, M., & Toms, S. A. (2015). Intraoperative radiotherapy to treat newly diagnosed solitary brain metastasis: initial experience and long-term outcomes. *Journal of Neurosurgery*, 122(4), 825-832. DOI: <http://dx.doi.org/10.3171/2014.11.JNS1449>
- Weil, R. J., Mavinkurve, G. G., Chao, S. T., Vogelbaum, M. A., Suh, J. H., Kolar, M., & Toms, S. A. (2015). Intraoperative radiotherapy to treat newly diagnosed solitary brain metastasis: Initial experience and long-term outcomes. *Journal of Neurosurgery*, 122(4), 825-832.
- Wein, L., Dally, M., & Bach, L. A. (2012). Stereotactic radiosurgery for treatment of Cushing disease: an Australian experience. *Internal Medicine Journal*, 42(10), 1153-1156. DOI: <http://dx.doi.org/10.1111/j.1445-5994.2012.02903.x>
- Weintraub, D., Yen, C. P., Xu, Z., Savage, J., Williams, B., & Sheehan, J. (2012). Gamma knife surgery of pediatric gliomas. *Journal of Neurosurgery. Pediatrics*, 10(6), 471-477. DOI: <http://dx.doi.org/10.3171/2012.9.PEDS12257>
- Weise, L. M., Eibach, S., Setzer, M., Seifert, V., Herrmann, E., & Hattingen, E. (2014). Accuracy of 3D fluoroscopy in cranial stereotactic surgery: a comparative study in phantoms and patients. *Acta Neurochirurgica*, 156(3), 581-588. DOI: <http://dx.doi.org/10.1007/s00701-013-1897-4>
- Weller, M., Marshall, K., Lovato, J. F., Bourland, J. D., deGuzman, A. F., Munley, M. T., ... Chan, M. D. (2014). Single-institution retrospective series of gamma knife radiosurgery in the treatment of multiple sclerosis-related trigeminal neuralgia: factors that predict efficacy. *Stereotactic & Functional Neurosurgery*, 92(1), 53-58. DOI: <http://dx.doi.org/10.1159/000354815>
- Welling, T. H., Feng, M., Wan, S., Hwang, S. Y., Volk, M. L., Lawrence, T. S., ... Sonnenday, C. J. (2014). Neoadjuvant stereotactic body radiation therapy, capecitabine, and liver transplantation for unresectable hilar cholangiocarcinoma. *Liver Transplantation*, 20(1), 81-88. DOI: <http://dx.doi.org/10.1002/lt.23757>
- Welling, T. H., Feng, M., Wan, S., Hwang, S. Y., Volk, M. L., Lawrence, T. S., ... Sonnenday, C. J. (2014). Neoadjuvant stereotactic body radiation therapy, capecitabine, and liver transplantation for unresectable hilar cholangiocarcinoma. *Liver Transplantation*, 20(1), 81-88. DOI: <http://dx.doi.org/10.1002/lt.23757>
- Welsh, J., Amini, A., Ciura, K., Nguyen, N., Palmer, M., Soh, H., ... Chang, J. Y. (2013). Evaluating proton stereotactic body radiotherapy to reduce chest wall dose in the treatment of lung cancer. *Medical Dosimetry*, 38(4), 442-447. DOI: <http://dx.doi.org/10.1016/j.meddos.2013.08.001>
- Welsh, J., Amini, A., Ciura, K., Nguyen, N., Palmer, M., Soh, H., ... Chang, J. Y. (2013). Evaluating proton stereotactic body radiotherapy to reduce chest wall dose in the treatment of lung cancer. *Medical Dosimetry*, 38(4), 442-447. DOI: <http://dx.doi.org/10.1016/j.meddos.2013.08.001>

- Welsh, J., Amini, A., Ciura, K., Nguyen, N., Palmer, M., Soh, H., ... Chang, J. Y. (2013). Evaluating proton stereotactic body radiotherapy to reduce chest wall dose in the treatment of lung cancer. *Medical dosimetry : official journal of the American Association of Medical Dosimetrists*, 38(4), 442-447.
- Wesseling, F. W., de Kunder, S. L., Schijns, O. E., Baumert, B. G., & Postma, A. A. (2012). Tubular tumor growth along entire biopsy track of brain metastasis. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 7(6), 1058. DOI: <http://dx.doi.org/10.1097/JTO.0b013e31824fea2c>
- Westerlund, U., Linderoth, B., & Mathiesen, T. (2012). Trigeminal complications arising after surgery of cranial base meningiomas. *Neurosurgical Review*, 35(2), 203-209; discussion 209-210. DOI: <http://dx.doi.org/10.1007/s10143-011-0355-0>
- Westover, K. D., Seco, J., Adams, J. A., Lanuti, M., Choi, N. C., Engelsman, M., & Willers, H. (2012). Proton SBRT for medically inoperable stage I NSCLC. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 7(6), 1021-1025. DOI: <http://dx.doi.org/10.1097/JTO.0b013e31824de0bf>
- Westover, K. D., Seco, J., Adams, J. A., Lanuti, M., Choi, N. C., Engelsman, M., & Willers, H. (2012). Proton SBRT for medically inoperable stage I NSCLC. *Journal of Thoracic Oncology: Official Publication of the International Association for the Study of Lung Cancer*, 7(6), 1021-1025. DOI: <http://dx.doi.org/10.1097/JTO.0b013e31824de0bf>
- Wiggenraad, R., Bos, P., Verbeek-de Kanter, A., Lycklama, A. N. G., van Santvoort, J., Taphoorn, M., & Struikmans, H. (2014). Pseudo-progression after stereotactic radiotherapy of brain metastases: lesion analysis using MRI cine-loops. *Journal of Neuro-Oncology*, 119(2), 437-443. DOI: <http://dx.doi.org/10.1007/s11060-014-1519-x>
- Wiggenraad, R., Verbeek-de Kanter, A., Mast, M., Molenaar, R., Kal, H. B., Lycklama a Nijeholt, G., ... Struikmans, H. (2012). Local progression and pseudo progression after single fraction or fractionated stereotactic radiotherapy for large brain metastases. A single centre study. *Strahlentherapie und Onkologie*, 188(8), 696-701. DOI: <http://dx.doi.org/10.1007/s00066-012-0122-3>
- Wild, A. T., Herman, J. M., Dholakia, A. S., Moningi, S., Lu, Y., Rosati, L. M., ... Ellsworth, S. G. (2016). Lymphocyte-Sparing Effect of Stereotactic Body Radiation Therapy in Patients With Unresectable Pancreatic Cancer. *International Journal of Radiation Oncology, Biology, Physics*, 94(3), 571-579. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.11.026>
- Wild, A. T., Herman, J. M., Dholakia, A. S., Moningi, S., Lu, Y., Rosati, L. M., ... Ellsworth, S. G. (2016). Lymphocyte-Sparing Effect of Stereotactic Body Radiation Therapy in Patients With Unresectable Pancreatic Cancer. *International Journal of Radiation Oncology, Biology, Physics*, 94(3), 571-579. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.11.026>
- Wilfong, A. A., & Curry, D. J. (2013). Hypothalamic hamartomas: optimal approach to clinical evaluation and diagnosis. *Epilepsia*, 54 Suppl 9, 109-114. DOI: <http://dx.doi.org/10.1111/epi.12454>
- Wilkinson, H. (2016). Long Follow-Up of Radiosurgery for Brainstem Cavernoma. *World Neurosurgery*, 85, 366.e365-368. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.09.006>
- Williams, B. J., Xu, Z., Salvetti, D. J., McNeill, I. T., Larner, J., & Sheehan, J. P. (2013). Gamma Knife surgery for large vestibular schwannomas: a single-center retrospective case-matched comparison assessing the effect of lesion size. *Journal of Neurosurgery*, 119(2), 463-471. DOI: <http://dx.doi.org/10.3171/2013.4.JNS122195>

- Wilson, D. A., Awad, A. W., Brachman, D., Coons, S. W., McBride, H., Youssef, E., ... Sanai, N. (2012). Long-term radiosurgical control of subtotally resected adult pineocytomas. *Journal of Neurosurgery*, 117(2), 212-217. DOI: <http://dx.doi.org/10.3171/2012.5.JNS1251>
- Wilson, P. J., De-Loyde, K. J., Williams, J. R., & Smee, R. I. (2013). Acromegaly: a single centre's experience of stereotactic radiosurgery and radiotherapy for growth hormone secreting pituitary tumours with the linear accelerator. *Journal of Clinical Neuroscience*, 20(11), 1506-1513. DOI: <http://dx.doi.org/10.1016/j.jocn.2012.11.026>
- Wilson, P. J., Williams, J. R., & Smee, R. I. (2015). Single-centre experience of stereotactic radiosurgery and fractionated stereotactic radiotherapy for prolactinomas with the linear accelerator. *Journal of Medical Imaging & Radiation Oncology*, 59(3), 371-378. DOI: <http://dx.doi.org/10.1111/1754-9485.12257>
- Winey, B., Daartz, J., Dankers, F., & Bussiere, M. (2012). Immobilization precision of a modified GTC frame. *Journal of Applied Clinical Medical Physics*, 13(3), 3690. DOI: <http://dx.doi.org/10.1120/jacmp.v13i3.3690>
- Winey, B., Daartz, J., Dankers, F., & Bussiere, M. (2012). Immobilization precision of a modified GTC frame. *Journal of Applied Clinical Medical Physics*, 13(3), 3690. DOI: <http://dx.doi.org/10.1120/jacmp.v13i3.3690>
- Winter, J. D., Wong, R., Swaminath, A., & Chow, T. (2015). Accuracy of Robotic Radiosurgical Liver Treatment Throughout the Respiratory Cycle. *International Journal of Radiation Oncology, Biology, Physics*, 93(4), 916-924. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.08.031>
- Witjas, T., Carron, R., Krack, P., Eusebio, A., Vaugoyeau, M., Hariz, M., ... Regis, J. (2015). A prospective single-blind study of Gamma Knife thalamotomy for tremor. *Neurology*, 85(18), 1562-1568. DOI: <http://dx.doi.org/10.1212/WNL.0000000000002087>
- Woerner, A., Roeske, J. C., Harkenrider, M. M., Fan, J., Aydogan, B., Koshy, M., ... Surucu, M. (2015). A multi-institutional study to assess adherence to lung stereotactic body radiotherapy planning goals. *Medical Physics*, 42(8), 4629-4635. DOI: <http://dx.doi.org/10.1118/1.4926551>
- Woldu, S. L., Thoreson, G. R., Okhunov, Z., Ghandour, R., Rothberg, M. B., RoyChoudhury, A., ... McKiernan, J. M. (2015). Comparison of Renal Parenchymal Volume Preservation Between Partial Nephrectomy, Cryoablation, and Radiofrequency Ablation Using 3D Volume Measurements. *Journal of Endourology*, 29(8), 948-955. DOI: <http://dx.doi.org/10.1089/end.2014.0866>
- Woldu, S. L., Thoreson, G. R., Okhunov, Z., Ghandour, R., Rothberg, M. B., RoyChoudhury, A., ... McKiernan, J. M. (2015). Comparison of Renal Parenchymal Volume Preservation Between Partial Nephrectomy, Cryoablation, and Radiofrequency Ablation Using 3D Volume Measurements. *Journal of Endourology*, 29(8), 948-955. DOI: <http://dx.doi.org/10.1089/end.2014.0866>
- Wolff, R., Seifert, V., Mack, A., Steinbach, J., Rodel, C., & Heyd, R. (2012). Gamma knife radiosurgery of recurrent atypical neurocytoma. Case report and review of the literature. *Strahlentherapie und Onkologie*, 188(8), 707-711. DOI: <http://dx.doi.org/10.1007/s00066-012-0116-1>
- Wong, G. K., Kam, M. K., Chiu, S. K., Lam, J. M., Leung, C. H., Ng, D. W., ... Poon, W. S. (2012). Validation of the modified radiosurgery-based arteriovenous malformation score in a linear accelerator radiosurgery experience in Hong Kong. *Journal of Clinical Neuroscience*, 19(9), 1252-1254. DOI: <http://dx.doi.org/10.1016/j.jocn.2012.01.010>

- Wong, W., Ho, Y., Leung, K., Cheung, C., Geng, H., Kong, W., ... Yu, S. A model-based iterative reconstruction technique for computer tomography on automated contour of small and low contrast lesions. *International Journal of Radiation Oncology Biology Physics*, 84(3 SUPPL. 1), S818.
- Woody, N. M., Stephans, K. L., Marwaha, G., Djemil, T., & Videtic, G. M. (2015). Stereotactic Body Radiation Therapy for Non-Small Cell Lung Cancer Tumors Greater Than 5 cm: Safety and Efficacy. *International Journal of Radiation Oncology, Biology, Physics*, 92(2), 325-331. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2015.01.045>
- Woody, N. M., Videtic, G. M., Stephans, K. L., Djemil, T., Kim, Y., & Xia, P. (2012). Predicting chest wall pain from lung stereotactic body radiotherapy for different fractionation schemes. *International Journal of Radiation Oncology, Biology, Physics*, 83(1), 427-434. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.06.1971>
- Woolf, D. K., Williams, M., Goh, C. L., Henderson, D. R., Menashy, R. V., Simpson, N., ... Collis, C. H. (2013). Fractionated stereotactic radiotherapy for acoustic neuromas: long-term outcomes. *Clinical Oncology (Royal College of Radiologists)*, 25(12), 734-738. DOI: <http://dx.doi.org/10.1016/j.clon.2013.08.002>
- Wowra, B., Muacevic, A., Furweger, C., Schichor, C., & Tonn, J. C. (2012). Therapeutic profile of single-fraction radiosurgery of vestibular schwannoma: unrelated malignancy predicts tumor control. *Neuro-Oncology*, 14(7), 902-909. DOI: <http://dx.doi.org/10.1093/neuonc/nos085>
- Wowra, B., Muacevic, A., Jess-Hempen, A., Hempel, J. M., Muller-Schunk, S., & Tonn, J. C. (2013). Outpatient gamma knife surgery for vestibular schwannoma: definition of the therapeutic profile based on a 10-year experience. *Journal of Neurosurgery*, 119 Suppl, 114-118.
- Wright, G., Hatfield, P., Loughrey, C., Reiner, B., & Bownes, P. (2013). A method for scoring treatment time efficiency of Gamma Knife radiosurgical treatment plans for brain metastases. *Medical Physics*, 40(2), 021723. DOI: <http://dx.doi.org/10.1118/1.4789491>
- Wright, G., Hatfield, P., Loughrey, C., Reiner, B., & Bownes, P. (2014). Quantifying and improving the efficiency of Gamma Knife treatment plans for brain metastases: results of a 1-year audit. *Journal of Neurosurgery*, 121 Suppl, 44-50. DOI: <http://dx.doi.org/10.3171/2014.7.GKS141415>
- Wright, M. D. (2015). Microbeam radiosurgery: An industrial perspective. *Physica Medica*, 31(6), 601-606. DOI: <http://dx.doi.org/10.1016/j.ejmp.2015.04.003>
- Wu, A. J., Williams, E., Modh, A., Foster, A., Yorke, E., Rimner, A., & Jackson, A. (2014). Dosimetric predictors of esophageal toxicity after stereotactic body radiotherapy for central lung tumors. *Radiotherapy & Oncology*, 112(2), 267-271. DOI: <http://dx.doi.org/10.1016/j.radonc.2014.07.001>
- Wu, A. J., Williams, E., Modh, A., Foster, A., Yorke, E., Rimner, A., & Jackson, A. (2014). Dosimetric predictors of esophageal toxicity after stereotactic body radiotherapy for central lung tumors. *Radiotherapy & Oncology*, 112(2), 267-271. DOI: <http://dx.doi.org/10.1016/j.radonc.2014.07.001>
- Wu, C. C., Guo, W. Y., Chung, W. Y., & Wu, H. M. (2016). Angioarchitecture and Posttreatment Magnetic Resonance Imaging Characteristics of Brain Arteriovenous Malformations and Long-Term Seizure Control After Radiosurgery. *World Neurosurgery*, 87, 277-282. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.10.070>
- Wu, D., Zhu, H., Tang, H., Li, C., & Xu, F. (2011). Clinical analysis of stereotactic body radiation therapy using extracranial gamma knife for patients with mainly bulky inoperable early stage non-small cell lung carcinoma. *Radiation Oncology*, 6, 84. DOI: <http://dx.doi.org/10.1186/1748-717X-6-84>

- Wu, J., Betzing, C., He, T. T., Fuss, M., & D'Souza, W. D. (2013). Dosimetric comparison of patient setup strategies in stereotactic body radiation therapy for lung cancer. *Medical Physics*, 40(5), 051709. DOI: <http://dx.doi.org/10.1118/1.4801926>
- Wu, V. W., Tam, K. W., & Tong, S. M. (2013). Evaluation of the influence of tumor location and size on the difference of dose calculation between Ray Tracing algorithm and Fast Monte Carlo algorithm in stereotactic body radiotherapy of non-small cell lung cancer using CyberKnife. *Journal of Applied Clinical Medical Physics*, 14(5), 68-78. DOI: <http://dx.doi.org/10.1120/jacmp.v14i5.4280>
- Wu, V. W., Tam, K. W., & Tong, S. M. (2013). Evaluation of the influence of tumor location and size on the difference of dose calculation between Ray Tracing algorithm and Fast Monte Carlo algorithm in stereotactic body radiotherapy of non-small cell lung cancer using CyberKnife. *Journal of Applied Clinical Medical Physics*, 14(5), 68-78. DOI: <http://dx.doi.org/10.1120/jacmp.v14i5.4280>
- Wygledowska-Promienska, D., Jurys, M., Wilczynski, T., & Drzyzga, L. (2014). The gamma knife in ophthalmology. Part One--Uveal melanoma. *Klinika Oczna*, 116(2), 130-134.
- Wygledowska-Promienska, D., Jurys, M., Wilczynski, T., & Drzyzga, L. (2014). The gamma knife in ophthalmology. Part Two--Other ocular diseases. *Klinika Oczna*, 116(2), 135-137.
- Xhaferllari, I., Chen, J. Z., MacFarlane, M., Yu, E., & Gaede, S. (2015). Dosimetric planning study of respiratory-gated volumetric modulated arc therapy for early-stage lung cancer with stereotactic body radiation therapy. *Practical Radiation Oncology*, 5(3), 156-161. DOI: <http://dx.doi.org/10.1016/j.prro.2014.08.009>
- Xhaferllari, I., Chen, J. Z., MacFarlane, M., Yu, E., & Gaede, S. (2015). Dosimetric planning study of respiratory-gated volumetric modulated arc therapy for early-stage lung cancer with stereotactic body radiation therapy. *Practical Radiation Oncology*, 5(3), 156-161. DOI: <http://dx.doi.org/10.1016/j.prro.2014.08.009>
- Xhumari, A., Rroji, A., Enesi, E., Bushati, T., Sallabanda Diaz, K., & Petrela, M. (2015). Glioblastoma after AVM radiosurgery. Case report and review of the literature. *Acta Neurochirurgica*, 157(5), 889-895. DOI: <http://dx.doi.org/10.1007/s00701-015-2377-9>
- Xi, M., Zhang, L., Zhao, L., Li, Q. Q., Guo, S. P., Feng, Z. Z., ... Liu, M. Z. (2013). Effectiveness of stereotactic body radiotherapy for hepatocellular carcinoma with portal vein and/or inferior vena cava tumor thrombosis. *PLoS ONE [Electronic Resource]*, 8(5), e63864. DOI: <http://dx.doi.org/10.1371/journal.pone.0063864>
- Xiong, N. X., Tan, D., Fu, P., & Zhao, H. Y. (2015). Gamma Knife Radiosurgery for Glossopharyngeal Neuralgia by Targeting the Medial Cisternal Segment of the Glossopharyngeal Nerve: Report of 3 Cases. *Stereotactic & Functional Neurosurgery*, 93(4), 292-296. DOI: <http://dx.doi.org/10.1159/000375176>
- Xiong, W., Xu, Q., Xu, Y., Sun, C., Li, N., Zhou, L., ... Gong, Y. (2014). Stereotactic body radiation therapy for post-pulmonary lobectomy isolated lung metastasis of thoracic tumor: survival and side effects. *BMC Cancer*, 14, 719. DOI: <http://dx.doi.org/10.1186/1471-2407-14-719>
- Xu, A. Y., Bhatnagar, J., Bednarz, G., Niranjan, A., Flickinger, J., Lunsford, L. D., & Huq, M. S. (2014). Dose differences between the three dose calculation algorithms in Leksell GammaPlan. *Journal of Applied Clinical Medical Physics*, 15(5), 4844. DOI: <http://dx.doi.org/10.1120/jacmp.v15i5.4844>
- Xu, A. Y., Bhatnagar, J., Bednarz, G., Niranjan, A., Flickinger, J., Lunsford, L. D., & Huq, M. S. (2014). Dose differences between the three dose calculation algorithms in Leksell GammaPlan. *Journal of Applied Clinical Medical Physics*, 15(5), 4844. DOI: <http://dx.doi.org/10.1120/jacmp.v15i5.4844>

- Xu, A. Y., Bhatnagar, J., Bednarz, G., Niranjan, A., Kondziolka, D., Flickinger, J., ... Huq, M. S. (2015). Gamma Knife radiosurgery with CT image-based dose calculation. *Journal of Applied Clinical Medical Physics*, 16(6), 5530.
- Xu, A. Y., Bhatnagar, J., Bednarz, G., Niranjan, A., Kondziolka, D., Flickinger, J., ... Huq, M. S. (2015). Gamma Knife radiosurgery with CT image-based dose calculation. *Journal of Applied Clinical Medical Physics*, 16(6), 5530.
- Xu, F., Zhong, J., Ray, A., Manjila, S., & Bambakidis, N. C. (2014). Stereotactic radiosurgery with and without embolization for intracranial arteriovenous malformations: a systematic review and meta-analysis. *Neurosurgical Focus*, 37(3), E16. DOI: <http://dx.doi.org/10.3171/2014.6.FOCUS14178>
- Xu, L. (2015). Stereotactic Ablative Radiotherapy versus Lobectomy for Operable Stage I Non-small -cell Lung Cancer: A Pooled Analysis of Two Randomized Trials - Interpretation of Thoracic Surgeons. [Chinese]. *Zhongguo fei ai za zhi [Chinese journal of lung cancer]*, 18(6), 321-322.
- Xu, Q., Chen, Y., Grimm, J., Fan, J., An, L., Xue, J., ... Lacouture, T. (2012). Dosimetric investigation of accelerated partial breast irradiation (APBI) using CyberKnife. *Medical Physics*, 39(11), 6621-6628. DOI: <http://dx.doi.org/10.1118/1.4757616>
- Xu, Q., Wang, Y., Liu, H., Meng, S., Zhou, S., Xu, J., ... Zhou, C. (2013). Treatment outcome for patients with primary NSCLC and synchronous solitary metastasis. *Clinical & Translational Oncology: Official Publication of the Federation of Spanish Oncology Societies & of the National Cancer Institute of Mexico*, 15(10), 802-809. DOI: <http://dx.doi.org/10.1007/s12094-013-1008-2>
- Xu, Q., Wu, P., Feng, Y., Ye, K., Tong, Y., & Zhou, Y. (2014). Gamma knife surgery for brain metastasis from hepatocellular carcinoma. *PLoS ONE [Electronic Resource]*, 9(2), e88317. DOI: <http://dx.doi.org/10.1371/journal.pone.0088317>
- Xu, Z., Ellis, S., Lee, C. C., Starke, R. M., Schlesinger, D., Lee Vance, M., ... Sheehan, J. (2014). Silent corticotroph adenomas after stereotactic radiosurgery: a case-control study. *International Journal of Radiation Oncology, Biology, Physics*, 90(4), 903-910. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.07.013>
- Xu, Z., Elsharkawy, M., Schlesinger, D., & Sheehan, J. (2013). Gamma knife radiosurgery for resectable brain metastasis. *World Neurosurgery*, 80(3-4), 351-358. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.03.021>
- Xu, Z., Elsharkawy, M., Schlesinger, D., & Sheehan, J. (2013). Gamma knife radiosurgery for resectable brain metastasis. *World Neurosurgery*, 80(3-4), 351-358. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.03.021>
- Xu, Z., Lee Vance, M., Schlesinger, D., & Sheehan, J. P. (2013). Hypopituitarism after stereotactic radiosurgery for pituitary adenomas. *Neurosurgery*, 72(4), 630-637; 636-637. DOI: <http://dx.doi.org/10.1227/NEU.0b013e3182846e44>
- Xu, Z., Marko, N. F., Angelov, L., Barnett, G. H., Chao, S. T., Vogelbaum, M. A., ... Weil, R. J. (2012). Impact of preexisting tumor necrosis on the efficacy of stereotactic radiosurgery in the treatment of brain metastases in women with breast cancer. *Cancer*, 118(5), 1323-1333. DOI: <http://dx.doi.org/10.1002/cncr.26314>
- Xu, Z., Schlesinger, D., Moldovan, K., Przybylowski, C., Sun, X., Lee, C. C., ... Sheehan, J. (2014). Impact of target location on the response of trigeminal neuralgia to stereotactic radiosurgery. *Journal of Neurosurgery*, 120(3), 716-724. DOI: <http://dx.doi.org/10.3171/2013.10.JNS131596>

- Xu, Z., Schlesinger, D., Toulmin, S., Rich, T., & Sheehan, J. (2012). Impact of triple-negative phenotype on prognosis of patients with breast cancer brain metastases. *International Journal of Radiation Oncology, Biology, Physics*, 84(3), 612-618. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.12.054>
- Xue, J., Kubicek, G. J., Grimm, J., LaCouture, T., Chen, Y., Goldman, H. W., & Yorke, E. (2014). Biological implications of whole-brain radiotherapy versus stereotactic radiosurgery of multiple brain metastases. *Journal of Neurosurgery*, 121 Suppl, 60-68. DOI: <http://dx.doi.org/10.3171/2014.7.GKS141229>
- Yaeh, A., Nanda, T., Jani, A., Rozenblat, T., Qureshi, Y., Saad, S., ... Wang, T. J. (2015). Control of brain metastases from radioresistant tumors treated by stereotactic radiosurgery. *Journal of Neuro-Oncology*, 124(3), 507-514. DOI: <http://dx.doi.org/10.1007/s11060-015-1871-5>
- Yamada, Y., Gounder, M., & Laufer, I. (2013). Multidisciplinary management of recurrent chordomas. *Current Treatment Options in Oncology*, 14(3), 442-453. DOI: <http://dx.doi.org/10.1007/s11864-013-0247-3>
- Yamada, Y., Laufer, I., Cox, B. W., Lovelock, D. M., Maki, R. G., Zatcky, J. M., ... Bilsky, M. H. (2013). Preliminary results of high-dose single-fraction radiotherapy for the management of chordomas of the spine and sacrum. *Neurosurgery*, 73(4), 673-680; discussion 680. DOI: <http://dx.doi.org/10.1227/NEU.0000000000000083>
- Yamaguchi, S., Ohguri, T., Ide, S., Aoki, T., Imada, H., Yahara, K., ... Korogi, Y. (2013). Stereotactic body radiotherapy for lung tumors in patients with subclinical interstitial lung disease: the potential risk of extensive radiation pneumonitis. *Lung Cancer*, 82(2), 260-265. DOI: <http://dx.doi.org/10.1016/j.lungcan.2013.08.024>
- Yamamoto, M., Akabane, A., Matsumaru, Y., Higuchi, Y., Kasuya, H., & Urakawa, Y. (2012). Long-term follow-up results of intentional 2-stage Gamma Knife surgery with an interval of at least 3 years for arteriovenous malformations larger than 10 cm<sup>3</sup>. *Journal of Neurosurgery*, 117 Suppl, 126-134. DOI: <http://dx.doi.org/10.3171/2012.6.GKS12757>
- Yamamoto, M., Kawabe, T., & Barfod, B. E. (2012). How many metastases can be treated with radiosurgery? *Progress in Neurological Surgery*, 25, 261-272. DOI: <http://dx.doi.org/10.1159/000331199>
- Yamamoto, M., Kawabe, T., Higuchi, Y., Sato, Y., Barfod, B. E., Kasuya, H., & Urakawa, Y. (2012). Validity of three recently proposed prognostic grading indexes for breast cancer patients with radiosurgically treated brain metastases. *International Journal of Radiation Oncology, Biology, Physics*, 84(5), 1110-1115. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.02.040>
- Yamamoto, M., Kawabe, T., Higuchi, Y., Sato, Y., Nariai, T., Barfod, B. E., ... Urakawa, Y. (2013). Delayed complications in patients surviving at least 3 years after stereotactic radiosurgery for brain metastases. *International Journal of Radiation Oncology, Biology, Physics*, 85(1), 53-60. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2012.04.018>
- Yamamoto, M., Kawabe, T., Higuchi, Y., Sato, Y., Nariai, T., Watanabe, S., ... Kasuya, H. (2014). Validity of prognostic grading indices for brain metastasis patients undergoing repeat radiosurgery. *World Neurosurgery*, 82(6), 1242-1249. DOI: <http://dx.doi.org/10.1016/j.wneu.2014.08.008>
- Yamamoto, M., Kawabe, T., Higuchi, Y., Sato, Y., Nariai, T., Watanabe, S., ... Kasuya, H. (2014). Validity of prognostic grading indices for brain metastasis patients undergoing repeat radiosurgery. *World Neurosurgery*, 82(6), 1242-1249. DOI: <http://dx.doi.org/10.1016/j.wneu.2014.08.008>
- Yamamoto, M., Kawabe, T., Sato, Y., Higuchi, Y., Nariai, T., Barfod, B. E., ... Urakawa, Y. (2013). A case-matched study of stereotactic radiosurgery for patients with multiple brain metastases: comparing

treatment results for 1-4 vs > 5 tumors: clinical article. *Journal of Neurosurgery*, 118(6), 1258-1268.  
DOI: <http://dx.doi.org/10.3171/2013.3.JNS121900>

Yamamoto, M., Kawabe, T., Sato, Y., Higuchi, Y., Nariai, T., Watanabe, S., & Kasuya, H. (2014). Stereotactic radiosurgery for patients with multiple brain metastases: a case-matched study comparing treatment results for patients with 2-9 versus 10 or more tumors. *Journal of Neurosurgery*, 121 Suppl, 16-25. DOI: <http://dx.doi.org/10.3171/2014.8.GKS141421>

Yamamoto, M., Sato, Y., Serizawa, T., Kawabe, T., Higuchi, Y., Nagano, O., ... Urakawa, Y. (2012). Subclassification of recursive partitioning analysis Class II patients with brain metastases treated radiosurgically. *International Journal of Radiation Oncology, Biology, Physics*, 83(5), 1399-1405. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2011.10.018>

Yamamoto, M., Serizawa, T., Sato, Y., Kawabe, T., Higuchi, Y., Nagano, O., ... Urakawa, Y. (2013). Validity of two recently-proposed prognostic grading indices for lung, gastro-intestinal, breast and renal cell cancer patients with radiosurgically-treated brain metastases. *Journal of Neuro-Oncology*, 111(3), 327-335. DOI: <http://dx.doi.org/10.1007/s11060-012-1019-9>

Yamamoto, M., Serizawa, T., Shuto, T., Akabane, A., Higuchi, Y., Kawagishi, J., ... Tsuchiya, K. (2014). Stereotactic radiosurgery for patients with multiple brain metastases (JLGK0901): a multi-institutional prospective observational study. *Lancet Oncology*, 15(4), 387-395. DOI: [http://dx.doi.org/10.1016/S1470-2045\(14\)70061-0](http://dx.doi.org/10.1016/S1470-2045(14)70061-0)

Yamamoto, M., Serizawa, T., Shuto, T., Akabane, A., Higuchi, Y., Kawagishi, J., ... Tsuchiya, K. (2014). Stereotactic radiosurgery for patients with multiple brain metastases (JLGK0901): A multi-institutional prospective observational study. *Lancet Oncology*, 15(4), 387-395.

Yamamoto, T., Jingu, K., Shirata, Y., Koto, M., Matsushita, H., Sugawara, T., ... Takai, Y. (2014). Outcomes after stereotactic body radiotherapy for lung tumors, with emphasis on comparison of primary lung cancer and metastatic lung tumors. *BMC Cancer*, 14, 464. DOI: <http://dx.doi.org/10.1186/1471-2407-14-464>

Yamamoto, T., Kadoya, N., Shirata, Y., Kaneta, T., Koto, M., Umezawa, R., ... Jingu, K. (2015). Formula corrected maximal standardized uptake value in FDG-PET for partial volume effect and motion artifact is not a prognostic factor in stage I non-small cell lung cancer treated with stereotactic body radiotherapy. *Annals of Nuclear Medicine*, 29(8), 666-673. DOI: <http://dx.doi.org/10.1007/s12149-015-0991-5>

Yamamoto, T., Kadoya, N., Shirata, Y., Koto, M., Sato, K., Matsushita, H., ... Jingu, K. (2015). Impact of tumor attachment to the pleura measured by a pretreatment CT image on outcome of stage I NSCLC treated with stereotactic body radiotherapy. *Radiation Oncology*, 10, 35. DOI: <http://dx.doi.org/10.1186/s13014-015-0343-6>

Yamashita, H., Onishi, H., Matsumoto, Y., Murakami, N., Matsuo, Y., Nomiya, T., ... Japanese Radiological Society multi-institutional, S. s. g. (2014). Local effect of stereotactic body radiotherapy for primary and metastatic liver tumors in 130 Japanese patients. *Radiation Oncology*, 9, 112. DOI: <http://dx.doi.org/10.1186/1748-717X-9-112>

Yamashita, H., Onishi, H., Murakami, N., Matsumoto, Y., Matsuo, Y., Nomiya, T., ... Japanese Radiological Society multi-institutional, S. s. g. (2015). Survival outcomes after stereotactic body radiotherapy for 79 Japanese patients with hepatocellular carcinoma. *Journal of Radiation Research*, 56(3), 561-567. DOI: <http://dx.doi.org/10.1093/jrr/rru130>

- Yamazaki, H., Ogita, M., Himei, K., Nakamura, S., Kotsuma, T., Yoshida, K., & Yoshioka, Y. (2015). Carotid blowout syndrome in pharyngeal cancer patients treated by hypofractionated stereotactic re-irradiation using CyberKnife: A multi-institutional matched-cohort analysis. *Radiotherapy & Oncology*, 115(1), 67-71. DOI: <http://dx.doi.org/10.1016/j.radonc.2015.02.021>
- Yamazaki, H., Ogita, M., Himei, K., Nakamura, S., Suzuki, G., Kotsuma, T., ... Yoshioka, Y. (2015). Predictive value of skin invasion in recurrent head and neck cancer patients treated by hypofractionated stereotactic re-irradiation using a cyberknife. *Radiation Oncology*, 10, 210. DOI: <http://dx.doi.org/10.1186/s13014-015-0517-2>
- Yamazaki, H., Ogita, M., Himei, K., Nakamura, S., Yoshida, K., Kotsuma, T., ... Yoshioka, Y. (2014). Hypofractionated stereotactic radiotherapy using CyberKnife as a boost treatment for head and neck cancer, a multi-institutional survey: impact of planning target volume. *Anticancer Research*, 34(10), 5755-5759.
- Yan, G., Li, J., Huang, Y., Mittauer, K., Lu, B., & Liu, C. (2014). Ghost marker detection and elimination in marker-based optical tracking systems for real-time tracking in stereotactic body radiotherapy. *Medical Physics*, 41(10), 101713. DOI: <http://dx.doi.org/10.1118/1.4896126>
- Yan, J. L., Chang, C. N., Chuang, C. C., Hsu, P. W., Lin, J. D., Wei, K. C., ... Chen, Y. L. (2013). Long-term follow-up of patients with surgical intractable acromegaly after linear accelerator radiosurgery. *Journal of the Formosan Medical Association*, 112(7), 416-420. DOI: <http://dx.doi.org/10.1016/j.jfma.2012.01.020>
- Yang, F., Cao, N., Young, L., Howard, J., Logan, W., Arbuckle, T., ... Ford, E. (2015). Validating FMEA output against incident learning data: A study in stereotactic body radiation therapy. *Medical Physics*, 42(6), 2777-2785. DOI: <http://dx.doi.org/10.1118/1.4919440>
- Yang, H., Kano, H., Kondziolka, D., Nirajan, A., Flickinger, J. C., Horowitz, M. B., & Lunsford, L. D. (2013). Stereotactic radiosurgery with or without embolization for intracranial dural arteriovenous fistulas. *Progress in Neurological Surgery*, 27, 195-204. DOI: <http://dx.doi.org/10.1159/000341796>
- Yang, H. C., Kano, H., Awan, N. R., Lunsford, L. D., Nirajan, A., Flickinger, J. C., ... Kondziolka, D. (2013). Gamma Knife radiosurgery for larger-volume vestibular schwannomas: clinical article. *Journal of Neurosurgery*, 119 Suppl, 801-807.
- Yang, I., Sughrue, M. E., Han, S. J., Aranda, D., Pitts, L. H., Cheung, S. W., & Parsa, A. T. (2013). A comprehensive analysis of hearing preservation after radiosurgery for vestibular schwannoma: clinical article. *Journal of Neurosurgery*, 119 Suppl, 851-859.
- Yang, L., Shi, X. X., Piao, G. B., & Zhang, T. F. (2012). Comparison of curative effects between 4 kinds of methods to treat gingival hyperplasia caused by ill PFM. [Chinese]. *Journal of Jilin University Medicine Edition*, 38(2), 341-345.
- Yang, S., Liu, J., Wang, T., Li, X., & You, C. (2013). Cerebellar glioblastoma multiforme: a retrospective study of 28 patients at a single institution. *International Journal of Neuroscience*, 123(10), 691-697. DOI: <http://dx.doi.org/10.3109/00207454.2013.791292>
- Yang, S. Y., Kim, D. G., Chung, H. T., & Paek, S. H. (2012). Radiosurgery for unruptured cerebral arteriovenous malformations: long-term seizure outcome. *Neurology*, 78(17), 1292-1298. DOI: <http://dx.doi.org/10.1212/WNL.0b013e31825182c5>
- Yang, S. Y., Paek, S. H., Kim, D. G., & Chung, H. T. (2012). Quality of life after radiosurgery for cerebral arteriovenous malformation patients who present with seizure. *European Journal of Neurology*, 19(7), 984-991. DOI: <http://dx.doi.org/10.1111/j.1468-1331.2012.03664.x>

- Yang, W., Fraass, B. A., Reznik, R., Nissen, N., Lo, S., Jamil, L. H., ... Tuli, R. (2014). Adequacy of inhale/exhale breathhold CT based ITV margins and image-guided registration for free-breathing pancreas and liver SBRT. *Radiation Oncology*, 9, 11. DOI: <http://dx.doi.org/10.1186/1748-717X-9-11>
- Yang, W., Fraass, B. A., Reznik, R., Nissen, N., Lo, S., Jamil, L. H., ... Tuli, R. (2014). Adequacy of inhale/exhale breathhold CT based ITV margins and image-guided registration for free-breathing pancreas and liver SBRT. *Radiation Oncology*, 9, 11. DOI: <http://dx.doi.org/10.1186/1748-717X-9-11>
- Yang, W., Hung, A. L., Caplan, J. M., Braileanu, M., Wang, J. Y., Colby, G. P., ... Huang, J. (2016). Delayed Hemorrhage After Treatment of Brain Arteriovenous Malformations (AVMs). *World Neurosurgery*, 87, 98-109. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.11.057>
- Yang, W., Wang, J. Y., Caplan, J. M., Braileanu, M., Shang, H., Upadhyay, U., ... Huang, J. (2015). Predictors of functional outcome following treatment of posterior fossa arteriovenous malformations. *Journal of Clinical Neuroscience*, 22(2), 357-362. DOI: <http://dx.doi.org/10.1016/j.jocn.2014.08.007>
- Yao, H. H., Hong, M., Corcoran, N. M., Siva, S., & Foroudi, F. (2014). Advances in local and ablative treatment of oligometastasis in prostate cancer. *Asia-Pacific Journal of Clinical Oncology*, 10(4), 308-321. DOI: <http://dx.doi.org/10.1111/ajco.12256>
- Yao, P., Deng, Y. Y., Hong, T., Wang, Z. B., Ma, J. M., Zhu, Y. Q., ... Pan, S. N. (2016). Radiofrequency thermocoagulation for V2/V3 idiopathic trigeminal neuralgia: Effect of treatment temperatures on long-term clinical outcomes. *Medicine*, 95(26).
- Yarahmadi, M., Allahverdi, M., Nedaie, H. A., Asnaashari, K., Vaezzadeh, S. A., & Sauer, O. A. (2013). Improvement of the penumbra for small radiosurgical fields using flattening filter free low megavoltage beams. *Zeitschrift fur Medizinische Physik*, 23(4), 291-299. DOI: <http://dx.doi.org/10.1016/j.zemedi.2013.03.011>
- Yazici, G., Cengiz, M., Ozyigit, G., Eren, G., Yildiz, F., Akyol, F., ... Zorlu, F. (2014). Hypofractionated stereotactic reirradiation for recurrent glioblastoma. *Journal of Neuro-Oncology*, 120(1), 117-123. DOI: <http://dx.doi.org/10.1007/s11060-014-1524-0>
- Yen, C. P., Ding, D., Cheng, C. H., Starke, R. M., Shaffrey, M., & Sheehan, J. (2014). Gamma Knife surgery for incidental cerebral arteriovenous malformations. *Journal of Neurosurgery*, 121(5), 1015-1021. DOI: <http://dx.doi.org/10.3171/2014.7.JNS131397>
- Yeo, S. S., & Jang, S. H. (2012). Delayed neural degeneration following gamma knife radiosurgery in a patient with an arteriovenous malformation: a diffusion tensor imaging study. *Neurorehabilitation*, 31(2), 131-135. DOI: <http://dx.doi.org/10.3233/NRE-2012-0780>
- Yeung, J. T., Karim, S. A., & Chang, S. D. (2013). Multi-session radiosurgery of benign intracranial tumors. *Neurosurgery Clinics of North America*, 24(4), 543-551. DOI: <http://dx.doi.org/10.1016/j.nec.2013.06.003>
- Yianni, J., Dinca, E. B., Rowe, J., Radatz, M., & Kemeny, A. A. (2012). Stereotactic radiosurgery for trigeminal schwannomas. *Acta Neurochirurgica*, 154(2), 277-283. DOI: <http://dx.doi.org/10.1007/s00701-011-1146-7>
- Yianni, J., Rowe, J., Khandanpour, N., Nagy, G., Hoggard, N., Radatz, M., & Kemeny, A. (2012). Stereotactic radiosurgery for pineal tumours. *British Journal of Neurosurgery*, 26(3), 361-366. DOI: <http://dx.doi.org/10.3109/02688697.2011.635818>

- Yip, H. Y., Mui, W. L., Lee, J. W., Fung, W. W., Chan, J. M., Chiu, G., & Law, M. Y. (2013). Evaluation of radiosurgery techniques--cone-based linac radiosurgery vs tomotherapy-based radiosurgery. *Medical Dosimetry*, 38(2), 184-189. DOI: <http://dx.doi.org/10.1016/j.meddos.2013.01.001>
- Yomo, S., Carron, R., Thomassin, J. M., Roche, P. H., & Regis, J. (2012). Longitudinal analysis of hearing before and after radiosurgery for vestibular schwannoma. *Journal of Neurosurgery*, 117(5), 877-885. DOI: <http://dx.doi.org/10.3171/2012.7.JNS10672>
- Yomo, S., & Hayashi, M. (2013). The efficacy and limitations of stereotactic radiosurgery as a salvage treatment after failed whole brain radiotherapy for brain metastases. *Journal of Neuro-Oncology*, 113(3), 459-465. DOI: <http://dx.doi.org/10.1007/s11060-013-1138-y>
- Yomo, S., & Hayashi, M. (2014). A minimally invasive treatment option for large metastatic brain tumors: long-term results of two-session Gamma Knife stereotactic radiosurgery. *Radiation Oncology*, 9, 132. DOI: <http://dx.doi.org/10.1186/1748-717X-9-132>
- Yomo, S., & Hayashi, M. (2014). Upfront stereotactic radiosurgery in patients with brain metastases from small cell lung cancer: retrospective analysis of 41 patients. *Radiation Oncology*, 9, 152. DOI: <http://dx.doi.org/10.1186/1748-717X-9-152>
- Yomo, S., & Hayashi, M. (2015). Is stereotactic radiosurgery a rational treatment option for brain metastases from small cell lung cancer? A retrospective analysis of 70 consecutive patients. *BMC Cancer*, 15, 95. DOI: <http://dx.doi.org/10.1186/s12885-015-1103-6>
- Yomo, S., Hayashi, M., & Cho, N. (2013). Impacts of HER2-overexpression and molecular targeting therapy on the efficacy of stereotactic radiosurgery for brain metastases from breast cancer. *Journal of Neuro-Oncology*, 112(2), 199-207. DOI: <http://dx.doi.org/10.1007/s11060-013-1046-1>
- Yonezawa, S., Miwa, K., Shinoda, J., Nomura, Y., Asano, Y., Nakayama, N., ... Iwama, T. (2014). Bevacizumab treatment leads to observable morphological and metabolic changes in brain radiation necrosis. *Journal of Neuro-Oncology*, 119(1), 101-109. DOI: <http://dx.doi.org/10.1007/s11060-014-1453-y>
- Yoshitake, T., Nakamura, K., Shioyama, Y., Sasaki, T., Ohga, S., Nonoshita, T., ... Honda, H. (2012). Stereotactic body radiation therapy for stage I non-small cell lung cancer patients with chronic respiratory insufficiency requiring domiciliary oxygen therapy. *Anticancer Research*, 32(9), 4041-4044.
- Yoshitake, T., Nakamura, K., Shioyama, Y., Sasaki, T., Ohga, S., Shinoto, M., ... Honda, H. (2015). Stereotactic body radiation therapy for primary lung cancers clinically diagnosed without pathological confirmation: a single-institution experience. *International Journal of Clinical Oncology*, 20(1), 53-58. DOI: <http://dx.doi.org/10.1007/s10147-014-0698-y>
- Young, A. M., Teo, M., Martin, S. C., Phang, I., Bhattacharya, J. J., & St George, E. J. (2015). The Diagnosis and Management of Brain Arteriovenous Malformations in a Single Regional Center. *World Neurosurgery*, 84(6), 1621-1628. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.06.017>
- Young, A. M., Teo, M., Martin, S. C., Phang, I., Bhattacharya, J. J., & St George, E. J. (2015). The Diagnosis and Management of Brain Arteriovenous Malformations in a Single Regional Center. *World Neurosurgery*, 84(6), 1621-1628. DOI: <http://dx.doi.org/10.1016/j.wneu.2015.06.017>
- Young, B., Shivazad, A., Kryscio, R. J., St Clair, W., & Bush, H. M. (2013). Long-term outcome of high-dose gamma knife surgery in treatment of trigeminal neuralgia. *Journal of Neurosurgery*, 119(5), 1166-1175. DOI: <http://dx.doi.org/10.3171/2013.1.JNS12875>

- Yu, C. P., Cheung, J. Y., Leung, S., & Ho, R. (2013). Sequential volume mapping for confirmation of negative growth in vestibular schwannomas treated by gamma knife radiosurgery. *Journal of Neurosurgery*, 119 Suppl, 82-89.
- Yu, J. B., Cramer, L. D., Herrin, J., Soulos, P. R., Potosky, A. L., & Gross, C. P. (2014). Stereotactic body radiation therapy versus intensity-modulated radiation therapy for prostate cancer: Comparison of toxicity. *Journal of Clinical Oncology*, 32(12), 1195-1201. DOI: <http://dx.doi.org/10.1200/JCO.2013.53.8652>
- Yu, J. B., Cramer, L. D., Herrin, J., Soulos, P. R., Potosky, A. L., & Gross, C. P. (2014). Stereotactic body radiation therapy versus intensity-modulated radiation therapy for prostate cancer: comparison of toxicity. *Journal of Clinical Oncology*, 32(12), 1195-1201. DOI: <http://dx.doi.org/10.1200/JCO.2013.53.8652>
- Yu, L., Zhang, X., Zhang, Z., Han, S., & Ma, X. (2012). Clinical observation of stereotactic radiosurgery combined with whole brain radiotherapy and fotemustine for brain metastases. [Chinese]. *Chinese Journal of Clinical Oncology*, 39(10), 718-721.
- Yu, V., Kishan, A. U., Cao, M., Low, D., Lee, P., & Ruan, D. (2014). Dose impact in radiographic lung injury following lung SBRT: Statistical analysis and geometric interpretation. *Medical Physics*, 41(3), 031701. DOI: <http://dx.doi.org/10.1118/1.4863483>
- Yu, W., Tang, L., Lin, F., Li, D., Wang, J., Yang, Y., & Shen, Z. (2014). Stereotactic radiosurgery, a potential alternative treatment for pulmonary metastases from osteosarcoma. *International Journal of Oncology*, 44(4), 1091-1098. DOI: <http://dx.doi.org/10.3892/ijo.2014.2295>
- Yu, X., Liu, R., Wang, Y., Wang, H., Zhao, H., & Wu, Z. (2012). Infrasellar craniopharyngioma. *Clinical Neurology & Neurosurgery*, 114(2), 112-119. DOI: <http://dx.doi.org/10.1016/j.clineuro.2011.09.010>
- Yun, J. H., Kwon, D. H., Lee, E. J., Lee do, H., Ahn, J. S., & Kwun, B. D. (2012). New nidus formation adjacent to the target site of an arteriovenous malformation treated by Gamma Knife surgery. *Journal of Neurosurgery*, 117 Suppl, 120-125. DOI: <http://dx.doi.org/10.3171/2012.8.GKS12994>
- Yun, J. H., Kwon do, H., Lee, E. J., Lee do, H., Ahn, J. S., & Kwun, B. D. (2012). New nidus formation adjacent to the target site of an arteriovenous malformation treated by Gamma Knife surgery. *Journal of Neurosurgery*, 117 Suppl, 120-125. DOI: <http://dx.doi.org/10.3171/2012.8.GKS12994>
- Zacest, A. C., Caon, J., Roos, D. E., Potter, A. E., & Sullivan, T. (2014). LINAC radiosurgery for cerebral arteriovenous malformations: a single centre prospective analysis and review of the literature. *Journal of Clinical Neuroscience*, 21(2), 241-245. DOI: <http://dx.doi.org/10.1016/j.jocn.2013.03.040>
- Zaidi, H. A., Abla, A. A., Nakaji, P., & Spetzler, R. F. (2014). Prospective evaluation of preoperative stereotactic radiosurgery followed by delayed resection of a high grade arteriovenous malformation. *Journal of Clinical Neuroscience*, 21(6), 1077-1080. DOI: <http://dx.doi.org/10.1016/j.jocn.2013.12.005>
- Zaidi, H. A., Kalani, M. Y., Spetzler, R. F., McDougall, C. G., & Albuquerque, F. C. (2015). Multimodal treatment strategies for complex pediatric cerebral arteriovenous fistulas: contemporary case series at Barrow Neurological Institute. *Journal of Neurosurgery. Pediatrics.*, 15(6), 615-624. DOI: <http://dx.doi.org/10.3171/2014.11.PEDS14468>
- Zairi, F., Ouamou, Y., Le Rhun, E., Aboukais, R., Blond, S., Vermandel, M., ... Reyns, N. (2014). Relevance of gamma knife radiosurgery alone for the treatment of non-small cell lung cancer brain metastases. *Clinical Neurology & Neurosurgery*, 125, 87-93. DOI: <http://dx.doi.org/10.1016/j.clineuro.2014.07.030>

- Zakrzewska, J. M., & Linskey, M. E. (2009). Trigeminal neuralgia. *Clinical Evidence*.
- Zaorsky, N. G., Studenski, M. T., Dicker, A. P., Gomella, L., & Den, R. B. (2013). Stereotactic body radiation therapy for prostate cancer: is the technology ready to be the standard of care? *Cancer Treatment Reviews*, 39(3), 212-218. DOI: <http://dx.doi.org/10.1016/j.ctrv.2012.10.003>
- Zeiler, F. A., Bigder, M., Kaufmann, A., McDonald, P. J., Fewer, D., Butler, J., ... West, M. (2013). Gamma knife in the treatment of pituitary adenomas: results of a single center. *Canadian Journal of Neurological Sciences*, 40(4), 546-552.
- Zeiler, F. A., Bigder, M., Kaufmann, A., McDonald, P. J., Fewer, D., Butler, J., ... West, M. (2013). Gamma knife radiosurgery for large vestibular schwannomas: a Canadian experience. *Canadian Journal of Neurological Sciences*, 40(3), 342-347.
- Zeiler, F. A., Janik, M. K., McDonald, P. J., Kaufmann, A. M., Fewer, D., Butler, J., ... West, M. (2016). Gamma Knife Radiosurgery for Pediatric Arteriovenous Malformations: A Canadian Experience. *Canadian Journal of Neurological Sciences*, 43(1), 82-86. DOI: <http://dx.doi.org/10.1017/cjn.2015.267>
- Zeiler, F. A., Kaufmann, A. M., McDonald, P. J., Fewer, D., Butler, J., Schroeder, G., & West, M. (2013). Gamma knife radiosurgery for high grade glial neoplasms: a Canadian experience. *Canadian Journal of Neurological Sciences*, 40(6), 783-789.
- Zeiler, F. A., McDonald, P. J., Kaufmann, A. M., Fewer, D., Butler, J., Schroeder, G., & West, M. (2012). Gamma Knife radiosurgery of cavernous sinus meningiomas: an institutional review. *Canadian Journal of Neurological Sciences*, 39(6), 757-762.
- Zeng, J., Baik, C., Bhatia, S., Mayr, N., & Rengan, R. (2014). Combination of stereotactic ablative body radiation with targeted therapies. *Lancet Oncology*, 15(10), e426-434. DOI: [http://dx.doi.org/10.1016/S1470-2045\(14\)70026-9](http://dx.doi.org/10.1016/S1470-2045(14)70026-9)
- Zenonos, G., Kondziolka, D., Flickinger, J. C., Gardner, P., & Lunsford, L. D. (2012). Gamma Knife surgery in the treatment paradigm for foramen magnum meningiomas. *Journal of Neurosurgery*, 117(5), 864-873. DOI: <http://dx.doi.org/10.3171/2012.8.JNS111554>
- Zerini, D., Jereczek-Fossa, B. A., Fodor, C., Bazzani, F., Maucieri, A., Ronchi, S., ... Orecchia, R. (2015). Salvage image-guided intensity modulated or stereotactic body reirradiation of local recurrence of prostate cancer. *British Journal of Radiology*, 88(1052), 20150197. DOI: <http://dx.doi.org/10.1259/bjr.20150197>
- Zerini, D., Jereczek-Fossa, B. A., Fodor, C., Bazzani, F., Maucieri, A., Ronchi, S., ... Orecchia, R. (2015). Salvage image-guided intensity modulated or stereotactic body reirradiation of local recurrence of prostate cancer. *British Journal of Radiology*, 88(1052), 20150197. DOI: <http://dx.doi.org/10.1259/bjr.20150197>
- Zhang, B., Zhu, F., Ma, X., Tian, Y., Cao, D., Luo, S., ... Wei, Y. (2014). Matched-pair comparisons of stereotactic body radiotherapy (SBRT) versus surgery for the treatment of early stage non-small cell lung cancer: A systematic review and meta-analysis. *Radiotherapy & Oncology*, 112(2), 250-255. DOI: <http://dx.doi.org/10.1016/j.radonc.2014.08.031>
- Zhang, C., Hu, L., Wu, X., Hu, G., Ding, X., & Lu, Y. (2014). A retrospective study on the aetiology, management, and outcome of brain abscess in an 11-year, single-centre study from China. *BMC Infectious Diseases*, 14, 311. DOI: <http://dx.doi.org/10.1186/1471-2334-14-311>
- Zhang, F., Hu, J., Kelsey, C. R., Yoo, D., Yin, F. F., & Cai, J. (2012). Reproducibility of tumor motion probability distribution function in stereotactic body radiation therapy of lung cancer.

*International Journal of Radiation Oncology, Biology, Physics*, 84(3), 861-866. DOI:  
<http://dx.doi.org/10.1016/j.ijrobp.2012.01.037>

- Zhang, H., Lei, D., You, C., Mao, B. Y., Wu, B., & Fang, Y. (2013). The long-term outcome predictors of pure microvascular decompression for primary trigeminal neuralgia. *World Neurosurgery*, 79(5-6), 756-762. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.01.040>
- Zhang, H., Lei, D., You, C., Mao, B. Y., Wu, B., & Fang, Y. (2013). The long-term outcome predictors of pure microvascular decompression for primary trigeminal neuralgia. *World Neurosurgery*, 79(5-6), 756-762. DOI: <http://dx.doi.org/10.1016/j.wneu.2012.01.040>
- Zhang, L. W., Liu, Y. G., Wu, C. Y., Xu, S. J., & Zhu, S. G. (2011). Radiofrequency thermocoagulation rhizotomy for recurrent trigeminal neuralgia after microvascular decompression. *Chinese Medical Journal*, 124(22), 3726-3730.
- Zhang, M., Ho, A. L., D'Astous, M., Pendharkar, A. V., Choi, C. Y. H., Thompson, P. A., ... Chang, S. D. (2016). CyberKnife Stereotactic Radiosurgery for Atypical and Malignant Meningiomas. *World Neurosurgery*, 91, 574-581.
- Zhang, X. L. P. Z. S. G. F. Y. S. W. (2014). Effect of radiation dose on the outcomes of gamma knife treatment for trigeminal neuralgia: a multi-factor analysis. *Neurology India*, 62(4), 400-405.
- Zhang, Y., Xiao, J. P., Zhang, H. Z., Yin, W. B., Hu, Y. M., Song, Y. X., ... Li, Y. X. (2011). Stereotactic body radiation therapy favors long-term overall survival in patients with lung metastases: five-year experience of a single-institution. *Chinese Medical Journal*, 124(24), 4132-4137.
- Zhang, Z. L., Yang, X. D., Wen, A. M., & Wan, J. P. (2012). Evaluation of TACE combined with gamma-knife radiotherapy for primary hepatocellular carcinoma. [Chinese]. *Journal of Interventional Radiology (China)*, 21(7), 596-599.
- Zhao, B., Yang, Y., Li, X., Li, T., Heron, D. E., & Saiful Huq, M. (2015). Is high-dose rate RapidArc-based radiosurgery dosimetrically advantageous for the treatment of intracranial tumors? *Medical Dosimetry*, 40(1), 3-8. DOI: <http://dx.doi.org/10.1016/j.meddos.2014.01.002>
- Zheng, X., Schipper, M., Kidwell, K., Lin, J., Reddy, R., Ren, Y., ... Spring Kong, F. M. (2014). Survival outcome after stereotactic body radiation therapy and surgery for stage I non-small cell lung cancer: A meta-analysis. *International Journal of Radiation Oncology, Biology, Physics*, 90(3), 603-611. DOI: <http://dx.doi.org/10.1016/j.ijrobp.2014.05.055>
- Zhu, G., Li, X., He, X., Zhang, X., Li, W., Lai, L., ... Duan, C. (2016). Endovascular treatment of cerebellar arteriovenous malformations: management of associated aneurysms first or later. *Neurological Sciences*, 37(1), 67-72. DOI: <http://dx.doi.org/10.1007/s10072-015-2359-y>
- Zhuang, T., Djemil, T., Qi, P., Magnelli, A., Stephans, K., Videtic, G., & Xia, P. (2013). Dose calculation differences between Monte Carlo and pencil beam depend on the tumor locations and volumes for lung stereotactic body radiation therapy. *Journal of Applied Clinical Medical Physics*, 14(2), 4011. DOI: <http://dx.doi.org/10.1120/jacmp.v14i2.4011>
- Zhuang, T., Djemil, T., Qi, P., Magnelli, A., Stephans, K., Videtic, G., & Xia, P. (2013). Dose calculation differences between Monte Carlo and pencil beam depend on the tumor locations and volumes for lung stereotactic body radiation therapy. *Journal of Applied Clinical Medical Physics*, 14(2), 4011. DOI: <http://dx.doi.org/10.1120/jacmp.v14i2.4011>

- Zilli, T., Bruynzeel, A., Minn, H., Sanchez-Saugar, E., Oliveira, A., Bral, S., ... Miralbell, R. (2015). Short vs protracted urethra-sparing prostate SBRT: Feasibility and early toxicity from a randomized phase II trial. *Radiotherapy and oncology*, 115(24).
- Zilli, T., Symon, Z., Bral, S., Bruynzeel, A., Minn, H., Jorcano, S., ... Miralbell, R. (2016). Urethra-sparing SBRT for prostate cancer: Dosimetric optimization with VMAT vs. IMRT and the learning curve effect. *Radiotherapy and Oncology. Conference: International Conference on Translational Research in Radiation Oncology/Physics for Health in Europe, ICTR PHE*, 118.
- Zimmerman, A. L., Murphy, E. S., Suh, J. H., Vogelbaum, M. A., Barnett, G. H., Angelov, L., ... Chao, S. T. (2016). Treatment of Large Brain Metastases With Stereotactic Radiosurgery. *Technology in Cancer Research & Treatment*, 15(1), 186-195. DOI: <http://dx.doi.org/10.1177/1533034614568097>
- Zindler, J. D., Slotman, B. J., & Lagerwaard, F. J. (2014). Patterns of distant brain recurrences after radiosurgery alone for newly diagnosed brain metastases: implications for salvage therapy. *Radiotherapy & Oncology*, 112(2), 212-216. DOI: <http://dx.doi.org/10.1016/j.radonc.2014.07.007>
- Zou, W., Yin, L., Shen, J., Corradetti, M. N., Kirk, M., Munbodh, R., ... Teo, B. K. (2014). Dynamic simulation of motion effects in IMAT lung SBRT. *Radiation Oncology*, 9, 225. DOI: <http://dx.doi.org/10.1186/s13014-014-0225-3>
- Zukauskaite, R., Schmidt, H., Asmussen, J. T., Hansen, O., & Bastholt, L. (2013). Asymptomatic brain metastases in patients with cutaneous metastatic malignant melanoma. *Melanoma Research*, 23(1), 21-26. DOI: <http://dx.doi.org/10.1097/CMR.0b013e32835ae915>
- Zygourakis, C. C., Oh, T., Sun, M. Z., Barani, I., Kahn, J. G., & Parsa, A. T. (2014). Surgery is cost-effective treatment for young patients with vestibular schwannomas: decision tree modeling of surgery, radiation, and observation. *Neurosurgical Focus*, 37(5), E8. DOI: <http://dx.doi.org/10.3171/2014.8.FOCUS14435>