

Measure CCP: Contraceptive Care -- Postpartum Women Ages 15-20
Percentage Who Were Provided a Most Effective or Moderately Effective FDA-approved Method of Contraception
Within Sixty Days of Delivery
By Year and Managed Care Plan

	2016			2017			2018			2019			2020		
	TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 15-20	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
Medicaid Managed Care Plan															
Amerigroup Washington Inc	142	53	37.3%	132	68	51.5%	119	57	47.9%	160	67	41.9%	145	63	43.4%
Community Health Plan of WA	456	204	44.7%	384	184	47.9%	291	117	40.2%	279	117	41.9%	221	103	46.6%
Coordinated Care of WA	310	141	45.5%	316	149	47.2%	247	111	44.9%	229	111	48.5%	190	92	48.4%
Molina Healthcare of WA Inc	1,102	463	42.0%	995	432	43.4%	961	426	44.3%	893	447	50.1%	830	367	44.2%
United Health Care Community Plan	199	89	44.7%	180	78	43.3%	128	57	44.5%	93	36	38.7%	84	37	44.0%
Other	203	85	41.9%	127	50	39.4%	114	37	32.5%	117	53	45.3%	106	48	45.3%
Medicaid Managed Care	2,412	1,035	42.9%	2,134	961	45.0%	1,860	805	43.3%	1,771	831	46.9%	1,576	710	45.1%
Medicaid Fee for Service	144	55	38.2%	101	42	41.6%	96	27	28.1%	88	36	40.9%	72	28	38.9%
Total	2,556	1,090	42.6%	2,235	1,003	44.9%	1,956	832	42.5%	1,859	867	46.6%	1,648	738	44.8%

Excludes women with eligibility for programs using state funds only; women who are eligible for both Medicaid and Medicare; women who have full third party liability; women with deliveries that did not end in a live birth; and women who delivered in the last two months of the year. Women may have been enrolled in more than one plan during the year. **Plan** listed is the Medicaid managed care plan that the woman was enrolled in from delivery through 60 days postpartum. **Other** includes both Uncategorized and PCCM, defined as follows: **Uncategorized** indicates that a woman had more enrollment months in managed care than in fee-for-service status from month of delivery through 60 days postpartum but was not enrolled in a single managed care plan throughout that time; **PCCM** is Primary Care Case Management through tribal agencies. **Most or moderately effective FDA-approved contraception methods:** female sterilization, contraceptive implants, intrauterine devices or systems, injectables, oral pills, patch, ring, or diaphragm. **Eligible women** are women in the specified age range as of December 31 of the measurement year with a live birth who were continuously enrolled in Medicaid or CHIP with medical or family planning benefits from the date of delivery to 60 days postpartum. **Rates** calculated from small numbers may be unstable and may fluctuate widely. Caution should be used when interpreting rates based on small numbers.

** = suppressed due to small numbers.

**Measure CCP: Contraceptive Care -- Postpartum Women Ages 15-20
Percentage Who Were Provided a Most Effective or Moderately Effective FDA-approved Method of Contraception
Within Sixty Days of Delivery
By Year and Race/Ethnicity**

	2016			2017			2018			2019			2020		
	TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 15-20	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
Hispanic	865	394	45.5%	777	386	49.7%	720	312	43.3%	742	363	48.9%	716	345	48.2%
Not Hispanic or Ethnicity Unknown															
White	1,141	510	44.7%	970	442	45.6%	775	348	44.9%	699	345	49.4%	592	260	43.9%
Asian	26	**	**	23	**	**	11	**	**	13	**	**	9	**	**
Black	153	51	33.3%	137	52	38.0%	114	48	42.1%	90	28	31.1%	72	26	36.1%
American Indian/Alaska Native	100	31	31.0%	105	40	38.1%	102	37	36.3%	88	33	37.5%	67	29	43.3%
Hawaiian/Pacific Islander	92	35	38.0%	52	13	25.0%	57	19	33.3%	64	12	18.8%	51	15	29.4%
More Than One Race	88	30	34.1%	86	23	26.7%	100	41	41.0%	109	52	47.7%	95	44	46.3%
Other/Unknown	91	**	**	85	**	**	77	**	**	54	**	**	46	**	**
Total	2,556	1,090	42.6%	2,235	1,003	44.9%	1,956	832	42.5%	1,859	867	46.6%	1,648	738	44.8%

Excludes women with eligibility for programs using state funds only; women who are eligible for both Medicaid and Medicare; women who have full third party liability; women with deliveries that did not end in a live birth; and women who delivered in the last two months of the year. **Race/ethnicity** categories are mutually exclusive. Hispanic women may be of any race. **Most or moderately effective FDA-approved contraception methods:** female sterilization, contraceptive implants, intrauterine devices or systems, injectables, oral pills, patch, ring, or diaphragm. **Eligible women** are women in the specified age range as of December 31 of the measurement year with a live birth who were continuously enrolled in Medicaid or CHIP with medical or family planning benefits from the date of delivery to 60 days postpartum. **Rates** calculated from small numbers may be unstable and may fluctuate widely. Caution should be used when interpreting rates based on small numbers. ** = suppressed due to small numbers.

Measure CCP: Contraceptive Care -- Postpartum Women Ages 21-44
Percentage Who Were Provided a Most Effective or Moderately Effective FDA-approved Method of Contraception
Within Sixty Days of Delivery
By Year and Managed Care Plan

	2016			2017			2018			2019			2020		
	TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 21-44	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
Medicaid Managed Care Plan															
Amerigroup Washington Inc	1,865	704	37.7%	1,856	724	39.0%	1,815	707	39.0%	2,017	743	36.8%	2,078	827	39.8%
Community Health Plan of WA	3,598	1,524	42.4%	3,266	1,370	41.9%	2,993	1,187	39.7%	2,672	1,101	41.2%	1,971	808	41.0%
Coordinated Care of WA	2,468	1,144	46.4%	2,349	1,092	46.5%	2,202	1,014	46.0%	1,839	862	46.9%	1,684	746	44.3%
Molina Healthcare of WA Inc	10,314	4,187	40.6%	10,216	4,161	40.7%	10,192	4,181	41.0%	9,960	4,064	40.8%	10,129	3,993	39.4%
United Health Care Community Plan	2,587	1,016	39.3%	2,470	954	38.6%	2,390	920	38.5%	1,714	659	38.4%	1,898	702	37.0%
Other	1,744	619	35.5%	1,301	479	36.8%	1,092	392	35.9%	1,067	394	36.9%	736	262	35.6%
Medicaid Managed Care	22,576	9,194	40.7%	21,458	8,780	40.9%	20,684	8,401	40.6%	19,269	7,823	40.6%	18,496	7,338	39.7%
Medicaid Fee for Service	861	302	35.1%	654	226	34.6%	664	240	36.1%	578	222	38.4%	478	155	32.4%
Total	23,437	9,496	40.5%	22,112	9,006	40.7%	21,348	8,641	40.5%	19,847	8,045	40.5%	18,974	7,493	39.5%

Excludes women with eligibility for programs using state funds only; women who are eligible for both Medicaid and Medicare; women who have full third party liability; women with deliveries that did not end in a live birth; and women who delivered in the last two months of the year. Women may have been enrolled in more than one plan during the year. **Plan** listed is the Medicaid managed care plan that the woman was enrolled in from delivery through 60 days postpartum. **Other** includes both Uncategorized and PCCM, defined as follows: **Uncategorized** indicates that a woman had more enrollment months in managed care than in fee-for-service status from month of delivery through 60 days postpartum but was not enrolled in a single managed care plan throughout that time; **PCCM** is Primary Care Case Management through tribal agencies. **Most or moderately effective FDA-approved contraception methods:** female sterilization, contraceptive implants, intrauterine devices or systems, injectables, oral pills, patch, ring, or diaphragm. **Eligible women** are women in the specified age range as of December 31 of the measurement year with a live birth who were continuously enrolled in Medicaid or CHIP with medical or family planning benefits from the date of delivery to 60 days postpartum. **Rates** calculated from small numbers may be unstable and may fluctuate widely. Caution should be used when interpreting rates based on small numbers.

Measure CCP: Contraceptive Care -- Postpartum Women Ages 21-44
Percentage Who Were Provided a Most Effective or Moderately Effective FDA-approved Method of Contraception
Within Sixty Days of Delivery
By Year and Race/Ethnicity

	2016			2017			2018			2019			2020		
	TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	Used More/Most Effective Contraception Age 21-44	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
Hispanic	4,577	2,203	48.1%	4,403	2,196	49.9%	4,509	2,221	49.3%	4,494	2,203	49.0%	4,362	2,064	47.3%
Not Hispanic or Ethnicity Unknown															
White	12,603	5,069	40.2%	11,522	4,605	40.0%	10,807	4,320	40.0%	9,789	3,951	40.4%	9,246	3,601	38.9%
Asian	931	306	32.9%	890	293	32.9%	786	240	30.5%	727	216	29.7%	671	210	31.3%
Black	1,895	675	35.6%	1,849	673	36.4%	1,785	662	37.1%	1,612	529	32.8%	1,616	530	32.8%
American Indian/Alaska Native	698	262	37.5%	678	266	39.2%	742	276	37.2%	644	248	38.5%	633	236	37.3%
Hawaiian/Pacific Islander	879	315	35.8%	861	306	35.5%	844	271	32.1%	834	254	30.5%	850	296	34.8%
More Than One Race	489	182	37.2%	573	239	41.7%	723	270	37.3%	729	270	37.0%	730	280	38.4%
Other/Unknown	1,365	484	35.5%	1,336	428	32.0%	1,152	381	33.1%	1,018	374	36.7%	866	276	31.9%
Total	23,437	9,496	40.5%	22,112	9,006	40.7%	21,348	8,641	40.5%	19,847	8,045	40.5%	18,974	7,493	39.5%

Excludes women with eligibility for programs using state funds only; women who are eligible for both Medicaid and Medicare; women who have full third party liability; women with deliveries that did not end in a live birth; and women who delivered in the last two months of the year. **Race/ethnicity** categories are mutually exclusive. Hispanic women may be of any race. **Most or moderately effective FDA-approved contraception methods:** female sterilization, contraceptive implants, intrauterine devices or systems, injectables, oral pills, patch, ring, or diaphragm. **Eligible women** are women in the specified age range as of December 31 of the measurement year with a live birth who were continuously enrolled in Medicaid or CHIP with medical or family planning benefits from the date of delivery to 60 days postpartum. **Rates** calculated from small numbers may be unstable and may fluctuate widely. Caution should be used when interpreting rates based on small numbers.

**Measure CCP: Contraceptive Care -- Postpartum Women Ages 15-20
Percentage Who Were Provided a Long-acting Reversible Method of Contraception (LARC)
Within Sixty Days of Delivery
By Year and Managed Care Plan**

	2016			2017			2018			2019			2020		
	TOTAL ELIGIBLE WOMEN	LARC Age 15-20 N	% of Total	TOTAL ELIGIBLE WOMEN	LARC Age 15-20 N	% of Total	TOTAL ELIGIBLE WOMEN	LARC Age 15-20 N	% of Total	TOTAL ELIGIBLE WOMEN	LARC Age 15-20 N	% of Total	TOTAL ELIGIBLE WOMEN	LARC Age 15-20 N	% of Total
Medicaid Managed Care Plan															
Amerigroup Washington Inc	142	22	15.5%	132	24	18.2%	119	26	21.8%	160	37	23.1%	145	39	26.9%
Community Health Plan of WA	456	97	21.3%	384	106	27.6%	291	52	17.9%	279	67	24.0%	221	53	24.0%
Coordinated Care of WA	310	72	23.2%	316	73	23.1%	247	64	25.9%	229	49	21.4%	190	53	27.9%
Molina Healthcare of WA Inc	1,102	221	20.1%	995	195	19.6%	961	200	20.8%	893	200	22.4%	830	150	18.1%
United Health Care Community Plan	199	34	17.1%	180	28	15.6%	128	21	16.4%	93	17	18.3%	84	20	23.8%
Other	203	35	17.2%	127	30	23.6%	114	15	13.2%	117	30	25.6%	106	21	19.8%
Medicaid Managed Care	2,412	481	19.9%	2,134	456	21.4%	1,860	378	20.3%	1,771	400	22.6%	1,576	336	21.3%
Medicaid Fee for Service	144	17	11.8%	101	23	22.8%	96	12	12.5%	88	16	18.2%	72	15	20.8%
Total	2,556	498	19.5%	2,235	479	21.4%	1,956	390	19.9%	1,859	416	22.4%	1,648	351	21.3%

Excludes women with eligibility for programs using state funds only; women who are eligible for both Medicaid and Medicare; women who have full third party liability; women with deliveries that did not end in a live birth; and women who delivered in the last two months of the year. Women may have been enrolled in more than one plan during the year. **Plan** listed is the Medicaid managed care plan that the woman was enrolled in from delivery through 60 days postpartum. **Other** includes both Uncategorized and PCCM, defined as follows: **Uncategorized** indicates that a woman had more enrollment months in managed care than in fee-for-service status from month of delivery through 60 days postpartum but was not enrolled in a single managed care plan throughout that time; PCCM is Primary Care Case Management through tribal agencies. **LARC**=long-acting reversible method of contraception (implant or IUD). **Eligible women** are women in the specified age range as of December 31 of the measurement year with a live birth who were continuously enrolled in Medicaid or CHIP with medical or family planning benefits from the date of delivery to 60 days postpartum. ** = suppressed due to small numbers.

**Measure CCP: Contraceptive Care -- Postpartum Women Ages 15-20
Percentage Who Were Provided a Long-acting Reversible Method of Contraception (LARC)
Within Sixty Days of Delivery
By Year and Race/Ethnicity**

	2016			2017			2018			2019			2020		
	TOTAL ELIGIBLE WOMEN	LARC Age 15-20		TOTAL ELIGIBLE WOMEN	LARC Age 15-20		TOTAL ELIGIBLE WOMEN	LARC Age 15-20		TOTAL ELIGIBLE WOMEN	LARC Age 15-20		TOTAL ELIGIBLE WOMEN	LARC Age 15-20	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
Hispanic	865	201	23.2%	777	214	27.5%	720	176	24.4%	742	202	27.2%	716	183	25.6%
Not Hispanic or Ethnicity Unknown															
White	1,141	213	18.7%	970	183	18.9%	775	140	18.1%	699	142	20.3%	592	106	17.9%
Asian	26	**	**	23	**	**	11	**	**	13	**	**	9	**	**
Black	153	26	17.0%	137	22	16.1%	114	20	17.5%	90	**	**	72	12	16.7%
American Indian/Alaska Native	100	14	14.0%	105	22	21.0%	102	19	18.6%	88	13	14.8%	67	15	22.4%
Hawaiian/Pacific Islander	92	11	12.0%	52	**	**	57	**	**	64	**	**	51	**	**
More Than One Race	88	14	15.9%	86	12	14.0%	100	16	16.0%	109	27	24.8%	95	18	18.9%
Other/Unknown	91	**	**	85	19	22.4%	77	11	14.3%	54	15	27.8%	46	**	**
Total	2,556	498	19.5%	2,235	479	21.4%	1,956	390	19.9%	1,859	416	22.4%	1,648	351	21.3%

Excludes women with eligibility for programs using state funds only; women who are eligible for both Medicaid and Medicare; women who have full third party liability; women with deliveries that did not end in a live birth; and women who delivered in the last two months of the year. **Race/ethnicity** categories are mutually exclusive. Hispanic women may be of any race. **LARC**=long-acting reversible method of contraception (implant or IUD). **Eligible women** are women in the specified age range as of December 31 of the measurement year with a live birth who were continuously enrolled in Medicaid or CHIP with medical or family planning benefits from the date of delivery to 60 days postpartum. ****** = suppressed due to small numbers.

Measure CCP: Contraceptive Care -- Postpartum Women Ages 21-44
Percentage Who Were Provided a Long-acting Reversible Method of Contraception (LARC)
Within Sixty Days of Delivery
By Year and Managed Care Plan

	2016			2017			2018			2019			2020		
	TOTAL ELIGIBLE WOMEN	LARC Age 21-44 N	% of Total	TOTAL ELIGIBLE WOMEN	LARC Age 21-44 N	% of Total	TOTAL ELIGIBLE WOMEN	LARC Age 21-44 N	% of Total	TOTAL ELIGIBLE WOMEN	LARC Age 21-44 N	% of Total	TOTAL ELIGIBLE WOMEN	LARC Age 21-44 N	% of Total
Medicaid Managed Care Plan															
Amerigroup Washington Inc	1,865	250	13.4%	1,856	268	14.4%	1,815	258	14.2%	2,017	289	14.3%	2,078	322	15.5%
Community Health Plan of WA	3,598	544	15.1%	3,266	557	17.1%	2,993	457	15.3%	2,672	480	18.0%	1,971	342	17.4%
Coordinated Care of WA	2,468	472	19.1%	2,349	469	20.0%	2,202	427	19.4%	1,839	354	19.2%	1,684	327	19.4%
Molina Healthcare of WA Inc	10,314	1,418	13.7%	10,216	1,485	14.5%	10,192	1,484	14.6%	9,960	1,573	15.8%	10,129	1,443	14.2%
United Health Care Community Plan	2,587	340	13.1%	2,470	365	14.8%	2,390	309	12.9%	1,714	231	13.5%	1,898	262	13.8%
Other	1,744	235	13.5%	1,301	193	14.8%	1,092	161	14.7%	1,067	161	15.1%	736	99	13.5%
Medicaid Managed Care	22,576	3,259	14.4%	21,458	3,337	15.6%	20,684	3,096	15.0%	19,269	3,088	16.0%	18,496	2,795	15.1%
Medicaid Fee for Service	861	109	12.7%	654	63	9.6%	664	59	8.9%	578	89	15.4%	478	72	15.1%
Total	23,437	3,368	14.4%	22,112	3,400	15.4%	21,348	3,155	14.8%	19,847	3,177	16.0%	18,974	2,867	15.1%

Excludes women with eligibility for programs using state funds only; women who are eligible for both Medicaid and Medicare; women who have full third party liability; women with deliveries that did not end in a live birth; and women who delivered in the last two months of the year. Women may have been enrolled in more than one plan during the year. **Plan** listed is the Medicaid managed care plan that the woman was enrolled in from delivery through 60 days postpartum. **Other** includes both Uncategorized and PCCM, defined as follows: **Uncategorized** indicates that a woman had more enrollment months in managed care than in fee-for-service status from month of delivery through 60 days postpartum but was not enrolled in a single managed care plan throughout that time; PCCM is Primary Care Case Management through tribal agencies. **LARC**=long-acting reversible method of contraception (implant or IUD). **Eligible women** are women in the specified age range as of December 31 of the measurement year with a live birth who were continuously enrolled in Medicaid or CHIP with medical or family planning benefits from the date of delivery to 60 days postpartum. **Rates** calculated from small numbers may be unstable and may fluctuate widely. Caution should be used when interpreting rates based on small numbers.

**Measure CCP: Contraceptive Care -- Postpartum Women Ages 21-44
Percentage Who Were Provided a Long-acting Reversible Method of Contraception (LARC)
Within Sixty Days of Delivery
By Year and Race/Ethnicity**

	2016			2017			2018			2019			2020		
	TOTAL ELIGIBLE WOMEN	LARC Age 21-44		TOTAL ELIGIBLE WOMEN	LARC Age 21-44		TOTAL ELIGIBLE WOMEN	LARC Age 21-44		TOTAL ELIGIBLE WOMEN	LARC Age 21-44		TOTAL ELIGIBLE WOMEN	LARC Age 21-44	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
Hispanic	4,577	904	19.8%	4,403	969	22.0%	4,509	917	20.3%	4,494	985	21.9%	4,362	873	20.0%
Not Hispanic or Ethnicity Unknown															
White	12,603	1,651	13.1%	11,522	1,553	13.5%	10,807	1,456	13.5%	9,789	1,397	14.3%	9,246	1,227	13.3%
Asian	931	122	13.1%	890	114	12.8%	786	103	13.1%	727	87	12.0%	671	99	14.8%
Black	1,895	248	13.1%	1,849	280	15.1%	1,785	266	14.9%	1,612	238	14.8%	1,616	246	15.2%
American Indian/Alaska Native	698	99	14.2%	678	90	13.3%	742	75	10.1%	644	98	15.2%	633	86	13.6%
Hawaiian/Pacific Islander	879	108	12.3%	861	116	13.5%	844	89	10.5%	834	106	12.7%	850	106	12.5%
More Than One Race	489	60	12.3%	573	88	15.4%	723	98	13.6%	729	99	13.6%	730	99	13.6%
Other/Unknown	1,365	176	12.9%	1,336	190	14.2%	1,152	151	13.1%	1,018	167	16.4%	866	131	15.1%
Total	23,437	3,368	14.4%	22,112	3,400	15.4%	21,348	3,155	14.8%	19,847	3,177	16.0%	18,974	2,867	15.1%

Excludes women with eligibility for programs using state funds only; women who are eligible for both Medicaid and Medicare; women who have full third party liability; women with deliveries that did not end in a live birth; and women who delivered in the last two months of the year. **Race/ethnicity** categories are mutually exclusive. Hispanic women may be of any race. **LARC**=long-acting reversible method of contraception (implant or IUD). **Eligible women** are women in the specified age range as of December 31 of the measurement year with a live birth who were continuously enrolled in Medicaid or CHIP with medical or family planning benefits from the date of delivery to 60 days postpartum. **Rates** calculated from small numbers may be unstable and may fluctuate widely. Caution should be used when interpreting rates based on small numbers.