Characteristics of Better Health Together Women Who Gave Birth

| | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Women Who Gave Birth | 6,838 | 6,955 | 7,060 | 6,939 | 6,987 | 7,101 | 6,849 | 6,662 | 6,723 | 6,600 |
| Race / Ethnicity | | | | | | | | | | |
| White | 5,428 | 5,527 | 5,583 | 5,482 | 5,485 | 5,487 | 5,317 | 5,065 | 5,063 | 5,032 |
| Hispanic | 648 | 691 | 697 | 658 | 696 | 736 | 712 | 709 | 750 | 719 |
| African American | 90 | 110 | 98 | 103 | 121 | 133 | 112 | 118 | 129 | 137 |
| Native American | 170 | 138 | 172 | 164 | 152 | 133 | 135 | 152 | 142 | 122 |
| Asian | 166 | 157 | 139 | 160 | 154 | 155 | 135 | 153 | 144 | 125 |
| Hawaiian/Pacific Islander | 78 | 81 | 66 | 82 | 84 | 125 | 96 | 99 | 112 | 97 |
| More than 1 race | 234 | 217 | 266 | 244 | 250 | 270 | 272 | 290 | 279 | 293 |
| Other/Unknown | 24 | 34 | 39 | 46 | 45 | 62 | 70 | 76 | 104 | 75 |
| Average Age (Yrs.) | 27.2 | 27.4 | 27.6 | 27.7 | 28.0 | 28.1 | 28.4 | 28.5 | 28.6 | 28.8 |
| Age Less Than 18 Yrs. Old | 140 | 121 | 106 | 116 | 94 | 89 | 75 | 69 | 54 | 62 |
| Marital Status (Married) | 4,328 | 4,403 | 4,452 | 4,352 | 4,433 | 4,490 | 4,339 | 4,212 | 4,146 | 4,184 |
| High School Education | 5,948 | 6,095 | 6,241 | 6,132 | 6,165 | 6,294 | 6,097 | 5,972 | 5,978 | 5,896 |
| Smoking History (Yes) | 1,060 | 1,090 | 1,033 | 918 | 822 | 751 | 702 | 669 | 648 | 571 |
| Prenatal Care Began | | | | | | | | | | |
| First Trimester | 5,048 | 5,112 | 5,235 | 4,976 | 4,912 | 4,904 | 4,799 | 4,616 | 4,758 | 4,645 |
| Second Trimester | 878 | 959 | 950 | 1,040 | 1,101 | 1,181 | 1,027 | 1,042 | 893 | 900 |
| Third Trimester | 160 | 161 | 181 | 197 | 328 | 269 | 263 | 244 | 193 | 195 |
| None | 62 | 46 | 68 | 80 | 61 | 75 | 59 | 42 | 52 | 50 |
| Unknown | 690 | 677 | 626 | 646 | 585 | 672 | 701 | 718 | 827 | 810 |
| Low Birthweight | 324 | 346 | 332 | 369 | 373 | 369 | 374 | 377 | 367 | 350 |
| Singleton Liveborn | 6,700 | 6,796 | 6,867 | 6,794 | 6,832 | 6,926 | 6,691 | 6,517 | 6,581 | 6,455 |

Starting in 2014, records do not include out-of-state deliveries to Washington residents. Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight. "-" indicates no value or value suppressed due to small numbers.

Prepared For Health Care Authority (HCA) by DSHS Research and Data Analysis

Characteristics of Better Health Together Women Who Gave Birth

| | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Women Who Gave Birth | 6,838 | 6,955 | 7,060 | 6,939 | 6,987 | 7,101 | 6,849 | 6,662 | 6,723 | 6,600 |
| Race / Ethnicity | | | | | | | | | | |
| White | 79.4% | 79.5% | 79.1% | 79.0% | 78.5% | 77.3% | 77.6% | 76.0% | 75.3% | 76.2% |
| Hispanic | 9.5% | 9.9% | 9.9% | 9.5% | 10.0% | 10.4% | 10.4% | 10.6% | 11.2% | 10.9% |
| African American | 1.3% | 1.6% | 1.4% | 1.5% | 1.7% | 1.9% | 1.6% | 1.8% | 1.9% | 2.1% |
| Native American | 2.5% | 2.0% | 2.4% | 2.4% | 2.2% | 1.9% | 2.0% | 2.3% | 2.1% | 1.8% |
| Asian | 2.4% | 2.3% | 2.0% | 2.3% | 2.2% | 2.2% | 2.0% | 2.3% | 2.1% | 1.9% |
| Hawaiian/Pacific Islander | 1.1% | 1.2% | 0.9% | 1.2% | 1.2% | 1.8% | 1.4% | 1.5% | 1.7% | 1.5% |
| More than 1 race | 3.4% | 3.1% | 3.8% | 3.5% | 3.6% | 3.8% | 4.0% | 4.4% | 4.1% | 4.4% |
| Other/Unknown | 0.4% | 0.5% | 0.6% | 0.7% | 0.6% | 0.9% | 1.0% | 1.1% | 1.5% | 1.1% |
| Age Less Than 18 Yrs. Old | 2.0% | 1.7% | 1.5% | 1.7% | 1.3% | 1.3% | 1.1% | 1.0% | 0.8% | 0.9% |
| Marital Status (Married) | 63.3% | 63.3% | 63.1% | 62.7% | 63.4% | 63.2% | 63.4% | 63.2% | 61.7% | 63.4% |
| High School Education | 87.0% | 87.6% | 88.4% | 88.4% | 88.2% | 88.6% | 89.0% | 89.6% | 88.9% | 89.3% |
| Smoking History (Yes) | 15.5% | 15.7% | 14.6% | 13.2% | 11.8% | 10.6% | 10.2% | 10.0% | 9.6% | 8.7% |
| Prenatal Care Began | | | | | | | | | | |
| First Trimester | 82.1% | 81.4% | 81.4% | 79.1% | 76.7% | 76.3% | 78.1% | 77.7% | 80.7% | 80.2% |
| Second Trimester | 14.3% | 15.3% | 14.8% | 16.5% | 17.2% | 18.4% | 16.7% | 17.5% | 15.1% | 15.5% |
| Third Trimester | 2.6% | 2.6% | 2.8% | 3.1% | 5.1% | 4.2% | 4.3% | 4.1% | 3.3% | 3.4% |
| None | 1.0% | 0.7% | 1.1% | 1.3% | 1.0% | 1.2% | 1.0% | 0.7% | 0.9% | 0.9% |
| Unknown | 10.1% | 9.7% | 8.9% | 9.3% | 8.4% | 9.5% | 10.2% | 10.8% | 12.3% | 12.3% |
| Low Birthweight | | | | | | | | | | |
| Singleton Liveborn | 4.8% | 5.1% | 4.8% | 5.4% | 5.5% | 5.3% | 5.6% | 5.8% | 5.6% | 5.4% |

Characteristics of Better Health Together Non-Medicaid Women Who Gave Birth

| | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Women Who Gave Birth | 2,757 | 2,852 | 2,931 | 2,749 | 2,811 | 2,804 | 2,724 | 2,634 | 2,733 | 2,909 |
| All women | 6,838 | 6,955 | 7,060 | 6,939 | 6,987 | 7,101 | 6,849 | 6,662 | 6,723 | 6,600 |
| Race / Ethnicity | | | | | | | | | | |
| White | 2,437 | 2,515 | 2,612 | 2,410 | 2,474 | 2,441 | 2,346 | 2,272 | 2,327 | 2,486 |
| Hispanic | 126 | 146 | 128 | 133 | 137 | 140 | 151 | 144 | 177 | 187 |
| African American | 18 | 27 | 18 | 14 | 24 | 23 | 25 | 21 | 25 | 28 |
| Native American | 22 | 20 | 26 | 33 | 30 | 17 | 20 | 15 | 12 | 16 |
| Asian | 82 | 68 | 58 | 76 | 67 | 74 | 67 | 67 | 70 | 69 |
| Hawaiian/Pacific Islander | - | - | - | - | - | - | - | - | - | - |
| More than 1 race | 52 | 56 | 69 | 57 | 52 | 73 | 72 | 73 | 82 | 87 |
| Other/Unknown | - | - | - | - | - | - | - | - | - | - |
| Average Age (Yrs.) | 29.7 | 29.8 | 29.7 | 29.8 | 29.9 | 30.2 | 30.4 | 30.5 | 30.4 | 30.5 |
| Age Less Than 18 Yrs. Old | - | - | - | - | - | - | - | - | - | - |
| Marital Status (Married) | 2,524 | 2,611 | 2,621 | 2,462 | 2,508 | 2,527 | 2,476 | 2,395 | 2,451 | 2,616 |
| High School Education | 2,706 | 2,794 | 2,874 | 2,681 | 2,736 | 2,749 | 2,675 | 2,580 | 2,676 | 2,848 |
| Smoking History (Yes) | 93 | 127 | 104 | 95 | 76 | 64 | 44 | 42 | 48 | 47 |
| Prenatal Care Began | | | | | | | | | | |
| First Trimester | 2,280 | 2,342 | 2,462 | 2,257 | 2,256 | 2,207 | 2,186 | 2,086 | 2,225 | 2,344 |
| Second Trimester | 238 | 267 | 240 | 268 | 318 | 349 | 295 | 313 | 258 | 298 |
| Third Trimester | 24 | 41 | 37 | 44 | 85 | 69 | 62 | 53 | 38 | 50 |
| None | 15 | - | 19 | 18 | 16 | 11 | - | - | - | - |
| Unknown | 200 | - | 173 | 162 | 136 | 168 | - | - | - | - |
| Low Birthweight | 110 | 119 | 106 | 113 | 118 | 119 | 114 | 115 | 117 | 115 |
| Singleton Liveborn | 2,695 | 2,785 | 2,852 | 2,675 | 2,752 | 2,726 | 2,660 | 2,561 | 2,676 | 2,842 |

Starting in 2014, records do not include out-of-state deliveries to Washington residents. Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight. "-" indicates no value or value suppressed due to small numbers.

Prepared For Health Care Authority (HCA) by DSHS Research and Data Analysis

Characteristics of Better Health Together Non-Medicaid Women Who Gave Birth

| | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Women Who Gave Birth | 2,757 | 2,852 | 2,931 | 2,749 | 2,811 | 2,804 | 2,724 | 2,634 | 2,733 | 2,909 |
| % of All women | 40.3% | 41.0% | 41.5% | 39.6% | 40.2% | 39.5% | 39.8% | 39.5% | 40.7% | 44.1% |
| Race / Ethnicity | | | | | | | | | | |
| White | 88.4% | 88.2% | 89.1% | 87.7% | 88.0% | 87.1% | 86.1% | 86.3% | 85.1% | 85.5% |
| Hispanic | 4.6% | 5.1% | 4.4% | 4.8% | 4.9% | 5.0% | 5.5% | 5.5% | 6.5% | 6.4% |
| African American | 0.7% | 0.9% | 0.6% | 0.5% | 0.9% | 0.8% | 0.9% | 0.8% | 0.9% | 1.0% |
| Native American | 0.8% | 0.7% | 0.9% | 1.2% | 1.1% | 0.6% | 0.7% | 0.6% | 0.4% | 0.6% |
| Asian | 3.0% | 2.4% | 2.0% | 2.8% | 2.4% | 2.6% | 2.5% | 2.5% | 2.6% | 2.4% |
| Hawaiian/Pacific Islander | -% | -% | -% | -% | -% | -% | -% | -% | -% | -% |
| More than 1 race | 1.9% | 2.0% | 2.4% | 2.1% | 1.8% | 2.6% | 2.6% | 2.8% | 3.0% | 3.0% |
| Other/Unknown | -% | -% | -% | -% | -% | -% | -% | -% | -% | -% |
| Age Less Than 18 Yrs. Old | -% | -% | -% | -% | -% | -% | -% | -% | -% | -% |
| Marital Status (Married) | 91.5% | 91.5% | 89.4% | 89.6% | 89.2% | 90.1% | 90.9% | 90.9% | 89.7% | 89.9% |
| High School Education | 98.2% | 98.0% | 98.1% | 97.5% | 97.3% | 98.0% | 98.2% | 97.9% | 97.9% | 97.9% |
| Smoking History (Yes) | 3.4% | 4.5% | 3.5% | 3.5% | 2.7% | 2.3% | 1.6% | 1.6% | 1.8% | 1.6% |
| Prenatal Care Began | | | | | | | | | | |
| First Trimester | 89.2% | 88.1% | 89.3% | 87.2% | 84.3% | 83.7% | 85.7% | 84.8% | 88.0% | 86.8% |
| Second Trimester | 9.3% | 10.0% | 8.7% | 10.4% | 11.9% | 13.2% | 11.6% | 12.7% | 10.2% | 11.0% |
| Third Trimester | 0.9% | -% | 1.3% | 1.7% | 3.2% | 2.6% | -% | -% | -% | -% |
| None | 0.6% | -% | 0.7% | 0.7% | 0.6% | 0.4% | -% | -% | -% | -% |
| Unknown | 7.3% | -% | 5.9% | 5.9% | 4.8% | 6.0% | -% | -% | -% | -% |
| Low Birthweight | | | | | | | | | | |
| Singleton Liveborn | 4.1% | 4.3% | 3.7% | 4.2% | 4.3% | 4.4% | 4.3% | 4.5% | 4.4% | 4.0% |

Starting in 2014, records do not include out-of-state deliveries to Washington residents. The percent of Prenatal Care Began excludes records with unknown/missing values and "Unknown" presents the proportion of total records with unknown/missing prenatal care initiation information. Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight. "-" indicates no value or value suppressed due to small numbers.

Prepared For Health Care Authority (HCA) by DSHS Research and Data Analysis

Characteristics of Better Health Together Medicaid Women Who Gave Birth

| | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Women Who Gave Birth | 4,081 | 4,103 | 4,129 | 4,190 | 4,176 | 4,297 | 4,125 | 4,028 | 3,990 | 3,691 |
| All women | 6,838 | 6,955 | 7,060 | 6,939 | 6,987 | 7,101 | 6,849 | 6,662 | 6,723 | 6,600 |
| Race / Ethnicity | | | | | | | | | | |
| White | 2,991 | 3,012 | 2,971 | 3,072 | 3,011 | 3,046 | 2,971 | 2,793 | 2,736 | 2,546 |
| Hispanic | 522 | 545 | 569 | 525 | 559 | 596 | 561 | 565 | 573 | 532 |
| African American | 72 | 83 | 80 | 89 | 97 | 110 | 87 | 97 | 104 | 109 |
| Native American | 148 | 118 | 146 | 131 | 122 | 116 | 115 | 137 | 130 | 106 |
| Asian | 84 | 89 | 81 | 84 | 87 | 81 | 68 | 86 | 74 | 56 |
| Hawaiian/Pacific Islander | - | - | - | - | - | - | - | - | - | - |
| More than 1 race | 182 | 161 | 197 | 187 | 198 | 197 | 200 | 217 | 197 | 206 |
| Other/Unknown | - | - | - | - | - | - | - | - | - | - |
| Average Age (Yrs.) | 25.4 | 25.8 | 26.1 | 26.3 | 26.7 | 26.8 | 27.0 | 27.2 | 27.3 | 27.4 |
| Age Less Than 18 Yrs. Old | - | - | - | - | - | - | - | - | - | - |
| Marital Status (Married) | 1,804 | 1,792 | 1,831 | 1,890 | 1,925 | 1,963 | 1,863 | 1,817 | 1,695 | 1,568 |
| High School Education | 3,242 | 3,301 | 3,367 | 3,451 | 3,429 | 3,545 | 3,422 | 3,392 | 3,302 | 3,048 |
| Smoking History (Yes) | 967 | 963 | 929 | 823 | 746 | 687 | 658 | 627 | 600 | 524 |
| Prenatal Care Began | | | | | | | | | | |
| First Trimester | 2,768 | 2,770 | 2,773 | 2,719 | 2,656 | 2,697 | 2,613 | 2,530 | 2,533 | 2,301 |
| Second Trimester | 640 | 692 | 710 | 772 | 783 | 832 | 732 | 729 | 635 | 602 |
| Third Trimester | 136 | 120 | 144 | 153 | 243 | 200 | 201 | 191 | 155 | 145 |
| None | 47 | 37 | 49 | 62 | 45 | 64 | 50 | 33 | 46 | 43 |
| Unknown | 490 | 484 | 453 | 484 | 449 | 504 | 529 | 545 | 621 | 600 |
| Maternity Support Services | 825 | 926 | 829 | 844 | 809 | 747 | 821 | 799 | 841 | 719 |
| Average No. MSS Visits | 6.0 | 6.4 | 6.4 | 6.9 | 7.7 | 7.2 | 7.9 | 7.9 | 8.2 | 8.3 |
| Infant Case Management | 127 | 135 | 171 | 166 | 166 | 196 | 217 | 240 | 306 | 227 |
| Average No. ICM Visits | 4.4 | 3.5 | 4.0 | 4.5 | 4.2 | 3.0 | 3.8 | 3.0 | 3.5 | 3.5 |
| Low Birthweight | 214 | 227 | 226 | 256 | 255 | 250 | 260 | 262 | 250 | 235 |
| Singleton Liveborn | 4,005 | 4,011 | 4,015 | 4,119 | 4,080 | 4,200 | 4,031 | 3,956 | 3,905 | 3,613 |

Starting in 2014, records do not include out-of-state deliveries to Washington residents. Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight. "-" indicates no value or value suppressed due to small numbers.

Characteristics of Better Health Together Medicaid Women Who Gave Birth

| | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Women Who Gave Birth | 4,081 | 4,103 | 4,129 | 4,190 | 4,176 | 4,297 | 4,125 | 4,028 | 3,990 | 3,691 |
| % of All women | 59.7% | 59.0% | 58.5% | 60.4% | 59.8% | 60.5% | 60.2% | 60.5% | 59.3% | 55.9% |
| Race / Ethnicity | | | | | | | | | | |
| White | 73.3% | 73.4% | 72.0% | 73.3% | 72.1% | 70.9% | 72.0% | 69.3% | 68.6% | 69.0% |
| Hispanic | 12.8% | 13.3% | 13.8% | 12.5% | 13.4% | 13.9% | 13.6% | 14.0% | 14.4% | 14.4% |
| African American | 1.8% | 2.0% | 1.9% | 2.1% | 2.3% | 2.6% | 2.1% | 2.4% | 2.6% | 3.0% |
| Native American | 3.6% | 2.9% | 3.5% | 3.1% | 2.9% | 2.7% | 2.8% | 3.4% | 3.3% | 2.9% |
| Asian | 2.1% | 2.2% | 2.0% | 2.0% | 2.1% | 1.9% | 1.6% | 2.1% | 1.9% | 1.5% |
| Hawaiian/Pacific Islander | -% | -% | -% | -% | -% | -% | -% | -% | -% | -% |
| More than 1 race | 4.5% | 3.9% | 4.8% | 4.5% | 4.7% | 4.6% | 4.8% | 5.4% | 4.9% | 5.6% |
| Other/Unknown | -% | -% | -% | -% | -% | -% | -% | -% | -% | -% |
| Age Less Than 18 Yrs. Old | -% | -% | -% | -% | -% | -% | -% | -% | -% | -% |
| Marital Status (Married) | 44.2% | 43.7% | 44.3% | 45.1% | 46.1% | 45.7% | 45.2% | 45.1% | 42.5% | 42.5% |
| High School Education | 79.4% | 80.5% | 81.5% | 82.4% | 82.1% | 82.5% | 83.0% | 84.2% | 82.8% | 82.6% |
| Smoking History (Yes) | 23.7% | 23.5% | 22.5% | 19.6% | 17.9% | 16.0% | 16.0% | 15.6% | 15.0% | 14.2% |
| Prenatal Care Began | | | | | | | | | | |
| First Trimester | 77.1% | 76.5% | 75.4% | 73.4% | 71.3% | 71.1% | 72.7% | 72.6% | 75.2% | 74.4% |
| Second Trimester | 17.8% | 19.1% | 19.3% | 20.8% | 21.0% | 21.9% | 20.4% | 20.9% | 18.8% | 19.5% |
| Third Trimester | 3.8% | 3.3% | 3.9% | 4.1% | 6.5% | 5.3% | 5.6% | 5.5% | 4.6% | 4.7% |
| None | 1.3% | 1.0% | 1.3% | 1.7% | 1.2% | 1.7% | 1.4% | 0.9% | 1.4% | 1.4% |
| Unknown | 12.0% | 11.8% | 11.0% | 11.6% | 10.8% | 11.7% | 12.8% | 13.5% | 15.6% | 16.3% |
| Maternity Support Services | 20.2% | 22.6% | 20.1% | 20.1% | 19.4% | 17.4% | 19.9% | 19.8% | 21.1% | 19.5% |
| Infant Case Management | 3.1% | 3.3% | 4.1% | 4.0% | 4.0% | 4.6% | 5.3% | 6.0% | 7.7% | 6.2% |
| Low Birthweight | | | | | | | | | | |
| Singleton Liveborn | 5.3% | 5.7% | 5.6% | 6.2% | 6.3% | 6.0% | 6.5% | 6.6% | 6.4% | 6.5% |

Characteristics of Better Health Together Regular Medicaid/TANF Women Who Gave Birth

| | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Women Who Gave Birth | 1,380 | 1,316 | 1,209 | 1,610 | 2,136 | 2,456 | 2,211 | 2,105 | 1,876 | 1,764 |
| All Medicaid women | 4,081 | 4,103 | 4,129 | 4,190 | 4,176 | 4,297 | 4,125 | 4,028 | 3,990 | 3,691 |
| Race / Ethnicity | | | | | | | | | | |
| White | 1,055 | 992 | 914 | 1,206 | 1,617 | 1,804 | 1,680 | 1,554 | 1,357 | 1,277 |
| Hispanic | 112 | 117 | 98 | 140 | 209 | 256 | 209 | 206 | 207 | 206 |
| African American | 34 | 44 | 38 | 48 | 53 | 72 | 49 | 60 | 60 | 51 |
| Native American | 63 | 48 | 47 | 61 | 77 | 89 | 78 | 92 | 73 | 64 |
| Asian | 17 | 18 | 15 | 28 | 30 | 51 | 34 | 40 | 31 | 22 |
| Hawaiian/Pacific Islander | - | 15 | 12 | 32 | 34 | 30 | 14 | 20 | 17 | - |
| More than 1 race | 84 | 79 | 72 | 80 | 103 | 131 | 123 | 109 | 96 | 110 |
| Other/Unknown | - | - | 13 | 15 | 13 | 23 | 24 | 24 | 35 | - |
| Average Age (Yrs.) | 24.3 | 24.7 | 25.3 | 26.8 | 26.9 | 27.1 | 27.4 | 27.8 | 27.8 | 27.9 |
| Age Less Than 18 Yrs. Old | 30 | 34 | 22 | - | - | - | - | - | - | - |
| Marital Status (Married) | 406 | 354 | 367 | 597 | 809 | 1,006 | 921 | 870 | 738 | 662 |
| High School Education | 1,075 | 1,047 | 976 | 1,351 | 1,819 | 2,121 | 1,905 | 1,814 | 1,579 | 1,467 |
| Smoking History (Yes) | 528 | 497 | 426 | 417 | 493 | 488 | 457 | 437 | 375 | 368 |
| Prenatal Care Began | | | | | | | | | | |
| First Trimester | 870 | 888 | 754 | 1,016 | 1,293 | 1,530 | 1,386 | 1,301 | 1,173 | 1,072 |
| Second Trimester | 234 | 189 | 212 | 296 | 393 | 489 | 387 | 387 | 304 | 292 |
| Third Trimester | 60 | 44 | 59 | 62 | 150 | 110 | 108 | 112 | 85 | 66 |
| None | 18 | 15 | 17 | 26 | 26 | 41 | 42 | 27 | 25 | 29 |
| Unknown | 198 | 180 | 167 | 210 | 274 | 286 | 288 | 278 | 289 | 305 |
| Maternity Support Services | 276 | 287 | 237 | 288 | 367 | 356 | 339 | 337 | 291 | 291 |
| Average No. MSS Visits | 4.7 | 5.0 | 5.9 | 6.7 | 7.2 | 7.2 | 7.2 | 7.3 | 8.0 | 7.6 |
| Infant Case Management | 17 | 34 | 42 | 44 | 60 | 99 | 95 | 105 | 124 | 101 |
| Average No. ICM Visits | 2.6 | 4.4 | 4.5 | 3.7 | 4.5 | 3.3 | 2.8 | 2.7 | 3.2 | 3.4 |
| Low Birthweight | 88 | 87 | 73 | 111 | 135 | 143 | 159 | 148 | 129 | 129 |
| Singleton Liveborn | 1,354 | 1,287 | 1,177 | 1,575 | 2,087 | 2,409 | 2,153 | 2,066 | 1,829 | 1,725 |

Starting in 2014, records do not include out-of-state deliveries to Washington residents. Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight. "-" indicates no value or value suppressed due to small numbers.

Characteristics of Better Health Together Regular Medicaid/TANF Women Who Gave Birth

| | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------------------|-------|-------|-------|-------|------------|-------|-------|-------|-------|-------|
| Women Who Gave Birth | 1,380 | 1,316 | 1,209 | 1,610 | 2,136 | 2,456 | 2,211 | 2,105 | 1,876 | 1,764 |
| % of All Medicaid women | 33.8% | 32.1% | 29.3% | 38.4% | , 51.1% | 57.2% | 53.6% | 52.3% | 47.0% | 47.8% |
| Race / Ethnicity | | | | | | | | | | |
| White | 76.4% | 75.4% | 75.6% | 74.9% | 75.7% | 73.5% | 76.0% | 73.8% | 72.3% | 72.4% |
| Hispanic | 8.1% | 8.9% | 8.1% | 8.7% | 9.8% | 10.4% | 9.5% | 9.8% | 11.0% | 11.7% |
| African American | 2.5% | 3.3% | 3.1% | 3.0% | 2.5% | 2.9% | 2.2% | 2.9% | 3.2% | 2.9% |
| Native American | 4.6% | 3.6% | 3.9% | 3.8% | 3.6% | 3.6% | 3.5% | 4.4% | 3.9% | 3.6% |
| Asian | 1.2% | 1.4% | 1.2% | 1.7% | 1.4% | 2.1% | 1.5% | 1.9% | 1.7% | 1.2% |
| Hawaiian/Pacific Islander | -% | 1.1% | 1.0% | 2.0% | 1.6% | 1.2% | 0.6% | 1.0% | 0.9% | -% |
| More than 1 race | 6.1% | 6.0% | 6.0% | 5.0% | 4.8% | 5.3% | 5.6% | 5.2% | 5.1% | 6.2% |
| Other/Unknown | -% | -% | 1.1% | 0.9% | 0.6% | 0.9% | 1.1% | 1.1% | 1.9% | -% |
| Age Less Than 18 Yrs. Old | 2.2% | 2.6% | 1.8% | -% | -% | -% | -% | -% | -% | -% |
| Marital Status (Married) | 29.4% | 26.9% | 30.4% | 37.1% | 37.9% | 41.0% | 41.7% | 41.3% | 39.3% | 37.5% |
| High School Education | 77.9% | 79.6% | 80.7% | 83.9% | 85.2% | 86.4% | 86.2% | 86.2% | 84.2% | 83.2% |
| Smoking History (Yes) | 38.3% | 37.8% | 35.2% | 25.9% | 23.1% | 19.9% | 20.7% | 20.8% | 20.0% | 20.9% |
| Prenatal Care Began | | | | | | | | | | |
| First Trimester | 73.6% | 78.2% | 72.4% | 72.6% | 69.4% | 70.5% | 72.1% | 71.2% | 73.9% | 73.5% |
| Second Trimester | 19.8% | 16.6% | 20.3% | 21.1% | 21.1% | 22.5% | 20.1% | 21.2% | 19.2% | 20.0% |
| Third Trimester | 5.1% | 3.9% | 5.7% | 4.4% | 8.1% | 5.1% | 5.6% | 6.1% | 5.4% | 4.5% |
| None | 1.5% | 1.3% | 1.6% | 1.9% | 1.4% | 1.9% | 2.2% | 1.5% | 1.6% | 2.0% |
| Unknown | 14.3% | 13.7% | 13.8% | 13.0% | 12.8% | 11.6% | 13.0% | 13.2% | 15.4% | 17.3% |
| Maternity Support Services | 20.0% | 21.8% | 19.6% | 17.9% | 17.2% | 14.5% | 15.3% | 16.0% | 15.5% | 16.5% |
| Infant Case Management | 1.2% | 2.6% | 3.5% | 2.7% | 2.8% | 4.0% | 4.3% | 5.0% | 6.6% | 5.7% |
| Low Birthweight | | | | | | | | | | |
| Singleton Liveborn | 6.5% | 6.8% | 6.2% | 7.0% | 6.5% | 5.9% | 7.4% | 7.2% | 7.1% | 7.5% |

Characteristics of Better Health Together Pregnancy Medical Women Who Gave Birth

| | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|---|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|--------------------------------|--------------------------------|---------------------------------|--------------------------------|
| Women Who Gave Birth All Medicaid women | 2,477 4,081 | 2,587 4,103 | 2,713 4,129 | 2,252 4,190 | 1,763 4,176 | 1,546 4,297 | 1,664 4,125 | 1,700 4,028 | 1,882 3,990 | 1,727 3,691 |
| Race / Ethnicity White Hispanic African American | 1,776 383 33 | 1,876 391 34 | 1,921 438 36 | 1,649 328 29 | 1,225 304 29 | 1,022 311 28 | 1,125 319 33 | 1,111 316 28 | 1,223 335 37 | 1,145 298 50 |
| Native American Asian Hawaiian/Pacific Islander More than 1 race Other/Unknown | 78 62 55 82 | 66 70 60 75 15 | 89 64 45 109 11 | 57 55 42 83 - | 36 56 44 60 | 18 30 80 50 | 26 32 69 54 | 35 43 66 82 19 | 48 40 85 83 31 | 34 33 73 73 21 |
| Average Age (Yrs.) Age Less Than 18 Yrs. Old | 26.4 22 | 26.7 19 | 26.7 22 | 26.6 - | 27.5 - | 27.4 | 27.3 - | 27.2 - | 27.3 - | 27.6 - |
| Marital Status (Married) | 1,360 | 1,398 | 1,426 | 1,233 | 1,072 | 920 | 907 | 912 | 924 | 884 |
| High School Education | 2,075 | 2,166 | 2,301 | 1,931 | 1,487 | 1,291 | 1,394 | 1,465 | 1,590 | 1,494 |
| Smoking History (Yes) | 383 | 411 | 438 | 318 | 181 | 120 | 147 | 139 | 180 | 113 |
| Prenatal Care Began First Trimester Second Trimester Third Trimester None Unknown | 1,756 378 61 27 255 | 1,770 460 68 19 270 | 1,896 450 76 31 260 | 1,504 412 75 30 231 | 1,206 318 78 16 145 | 1,004 279 68 15 180 | 1,086 298 72 - | 1,108 292 68 - | 1,240 277 63 15 287 | 1,127 277 64 - |
| Maternity Support Services Average No. MSS Visits Infant Case Management Average No. ICM Visits Low Birthweight | 500 6.8 99 4.8 110 | 567 6.9 88 3.0 119 | 523 6.7 112 3.8 144 | 469 7.1 103 4.9 115 | 361 8.2 90 4.1 96 | 323 7.2 78 2.6 83 | 421 8.6 106 4.6 84 | 396 8.6 115 3.4 94 | 486 8.5 163 3.7 99 | 379 8.6 110 3.6 88 |
| Singleton Liveborn | 2,430 | 2,528 | 2,636 | 2,223 | 1,721 | 1,505 | 1,630 | 1,672 | 1,851 | 1,695 |

Starting in 2014, records do not include out-of-state deliveries to Washington residents. Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight. "-" indicates no value or value suppressed due to small numbers.

Characteristics of Better Health Together Pregnancy Medical Women Who Gave Birth

| | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|---------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Women Who Gave Birth | 2,477 | 2,587 | 2,713 | 2,252 | 1,763 | 1,546 | 1,664 | 1,700 | 1,882 | 1,727 |
| % of All Medicaid women | 60.7% | 63.1% | 65.7% | 53.7% | 42.2% | 36.0% | 40.3% | 42.2% | 47.2% | 46.8% |
| Race / Ethnicity | | | | | | | | | | |
| White | 71.7% | 72.5% | 70.8% | 73.2% | 69.5% | 66.1% | 67.6% | 65.4% | 65.0% | 66.3% |
| Hispanic | 15.5% | 15.1% | 16.1% | 14.6% | 17.2% | 20.1% | 19.2% | 18.6% | 17.8% | 17.3% |
| African American | 1.3% | 1.3% | 1.3% | 1.3% | 1.6% | 1.8% | 2.0% | 1.6% | 2.0% | 2.9% |
| Native American | 3.1% | 2.6% | 3.3% | 2.5% | 2.0% | 1.2% | 1.6% | 2.1% | 2.6% | 2.0% |
| Asian | 2.5% | 2.7% | 2.4% | 2.4% | 3.2% | 1.9% | 1.9% | 2.5% | 2.1% | 1.9% |
| Hawaiian/Pacific Islander | 2.2% | 2.3% | 1.7% | 1.9% | 2.5% | 5.2% | 4.1% | 3.9% | 4.5% | 4.2% |
| More than 1 race | 3.3% | 2.9% | 4.0% | 3.7% | 3.4% | 3.2% | 3.2% | 4.8% | 4.4% | 4.2% |
| Other/Unknown | -% | 0.6% | 0.4% | -% | -% | -% | -% | 1.1% | 1.6% | 1.2% |
| Age Less Than 18 Yrs. Old | 0.9% | 0.7% | 0.8% | -% | -% | -% | -% | -% | -% | -% |
| Marital Status (Married) | 54.9% | 54.0% | 52.6% | 54.8% | 60.8% | 59.5% | 54.5% | 53.6% | 49.1% | 51.2% |
| High School Education | 83.8% | 83.7% | 84.8% | 85.7% | 84.3% | 83.5% | 83.8% | 86.2% | 84.5% | 86.5% |
| Smoking History (Yes) | 15.5% | 15.9% | 16.1% | 14.1% | 10.3% | 7.8% | 8.8% | 8.2% | 9.6% | 6.5% |
| Prenatal Care Began | | | | | | | | | | |
| First Trimester | 79.0% | 76.4% | 77.3% | 74.4% | 74.5% | 73.5% | 74.3% | 75.3% | 77.7% | 76.6% |
| Second Trimester | 17.0% | 19.9% | 18.3% | 20.4% | 19.7% | 20.4% | 20.4% | 19.9% | 17.4% | 18.8% |
| Third Trimester | 2.7% | 2.9% | 3.1% | 3.7% | 4.8% | 5.0% | -% | -% | 3.9% | -% |
| None | 1.2% | 0.8% | 1.3% | 1.5% | 1.0% | 1.1% | -% | -% | 0.9% | -% |
| Unknown | 10.3% | 10.4% | 9.6% | 10.3% | 8.2% | 11.6% | -% | -% | 15.2% | -% |
| Maternity Support Services | 20.2% | 21.9% | 19.3% | 20.8% | 20.5% | 20.9% | 25.3% | 23.3% | 25.8% | 21.9% |
| Infant Case Management | 4.0% | 3.4% | 4.1% | 4.6% | 5.1% | 5.0% | 6.4% | 6.8% | 8.7% | 6.4% |
| Low Birthweight Singleton Liveborn | 4.5% | 4.7% | 5.5% | 5.2% | 5.6% | 5.5% | 5.2% | 5.6% | 5.3% | 5.2% |