

Characteristics of Elevate Health Women Who Gave Birth

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Women Who Gave Birth	10,501	11,096	11,136	10,937	11,559	11,386	11,604	11,150	11,323	10,935
Race / Ethnicity										
White	6,617	7,099	7,122	6,875	7,187	6,981	6,964	6,521	6,395	6,161
Hispanic	1,454	1,442	1,470	1,443	1,623	1,596	1,665	1,733	1,750	1,767
African American	690	719	754	737	733	811	806	811	829	781
Native American	146	166	143	139	125	137	157	117	139	120
Asian	612	656	674	642	701	722	724	680	722	699
Hawaiian/Pacific Islander	258	267	288	276	320	315	306	361	389	361
More than 1 race	639	667	620	726	792	752	877	794	948	862
Other/Unknown	85	80	65	99	78	72	105	133	151	184
Average Age (Yrs.)	27.4	27.5	27.7	27.9	28.1	28.4	28.4	28.7	28.8	28.9
Age Less Than 18 Yrs. Old	221	171	146	127	119	121	96	92	76	75
Marital Status (Married)	6,709	7,378	7,299	7,157	7,633	7,333	7,563	7,278	7,455	7,233
High School Education	8,740	9,397	9,623	9,465	10,186	10,035	10,275	9,858	10,051	9,753
Smoking History (Yes)	1,326	1,282	1,279	1,249	1,276	1,230	1,027	932	847	705
Prenatal Care Began										
First Trimester	7,217	7,699	7,772	7,337	7,288	7,558	7,440	7,024	6,696	6,876
Second Trimester	2,374	2,300	2,353	2,245	2,573	2,060	2,148	2,108	2,260	2,396
Third Trimester	551	645	590	676	689	693	750	801	793	823
None	72	80	63	86	125	168	291	264	144	135
Unknown	287	372	358	593	884	907	975	953	1,430	705
Low Birthweight	452	513	524	560	609	566	583	583	614	570
Singleton Liveborn	10,258	10,809	10,872	10,682	11,321	11,090	11,368	10,909	11,055	10,684

Starting in 2014, records do not include out-of-state deliveries to Washington residents. Starting in 2013, the method used to calculate Prenatal Care Began has been revised to better align with NCHS recommendations. Starting in 2019, the percent of Prenatal Care Began excludes records with unknown/missing values and "Unknown" presents the proportion of total records with unknown/missing prenatal care initiation information. Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight. "-" indicates no value or value suppressed due to small numbers.

Characteristics of Elevate Health Women Who Gave Birth

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Women Who Gave Birth	10,501	11,096	11,136	10,937	11,559	11,386	11,604	11,150	11,323	10,935
Race / Ethnicity										
White	63.0%	64.0%	64.0%	62.9%	62.2%	61.3%	60.0%	58.5%	56.5%	56.3%
Hispanic	13.8%	13.0%	13.2%	13.2%	14.0%	14.0%	14.3%	15.5%	15.5%	16.2%
African American	6.6%	6.5%	6.8%	6.7%	6.3%	7.1%	6.9%	7.3%	7.3%	7.1%
Native American	1.4%	1.5%	1.3%	1.3%	1.1%	1.2%	1.4%	1.0%	1.2%	1.1%
Asian	5.8%	5.9%	6.1%	5.9%	6.1%	6.3%	6.2%	6.1%	6.4%	6.4%
Hawaiian/Pacific Islander	2.5%	2.4%	2.6%	2.5%	2.8%	2.8%	2.6%	3.2%	3.4%	3.3%
More than 1 race	6.1%	6.0%	5.6%	6.6%	6.9%	6.6%	7.6%	7.1%	8.4%	7.9%
Other/Unknown	0.8%	0.7%	0.6%	0.9%	0.7%	0.6%	0.9%	1.2%	1.3%	1.7%
Age Less Than 18 Yrs. Old	2.1%	1.5%	1.3%	1.2%	1.0%	1.1%	0.8%	0.8%	0.7%	0.7%
Marital Status (Married)	63.9%	66.5%	65.5%	65.4%	66.0%	64.4%	65.2%	65.3%	65.8%	66.1%
High School Education	83.2%	84.7%	86.4%	86.5%	88.1%	88.1%	88.5%	88.4%	88.8%	89.2%
Smoking History (Yes)	12.6%	11.6%	11.5%	11.4%	11.0%	10.8%	8.9%	8.4%	7.5%	6.4%
Prenatal Care Began										
First Trimester	70.7%	71.8%	72.1%	70.9%	68.3%	72.1%	70.0%	68.9%	67.7%	67.2%
Second Trimester	23.2%	21.4%	21.8%	21.7%	24.1%	19.7%	20.2%	20.7%	22.8%	23.4%
Third Trimester	5.4%	6.0%	5.5%	6.5%	6.5%	6.6%	7.1%	7.9%	8.0%	8.0%
None	0.7%	0.7%	0.6%	0.8%	1.2%	1.6%	2.7%	2.6%	1.5%	1.3%
Unknown	2.7%	3.4%	3.2%	5.4%	7.6%	8.0%	8.4%	8.5%	12.6%	6.4%
Low Birthweight										
Singleton Liveborn	4.4%	4.7%	4.8%	5.2%	5.4%	5.1%	5.1%	5.3%	5.6%	5.3%

Starting in 2014, records do not include out-of-state deliveries to Washington residents. Starting in 2013, the method used to calculate Prenatal Care Began has been revised to better align with NCHS recommendations. Starting in 2019, the percent of Prenatal Care Began excludes records with unknown/missing values and "Unknown" presents the proportion of total records with unknown/missing prenatal care initiation information. Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight. "-" indicates no value or value suppressed due to small numbers.

Characteristics of Elevate Health Non-Medicaid Women Who Gave Birth

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Women Who Gave Birth	5,419	6,042	5,981	5,829	6,198	5,899	6,118	5,818	6,018	6,094
All women	10,501	11,096	11,136	10,937	11,559	11,386	11,604	11,150	11,323	10,935
Race / Ethnicity										
White	4,034	4,435	4,380	4,192	4,415	4,200	4,292	4,046	3,958	3,979
Hispanic	406	488	500	489	624	526	591	595	669	748
African American	239	276	297	301	295	318	311	321	332	320
Native American	49	48	40	42	32	35	47	37	47	38
Asian	353	396	401	391	425	410	409	403	451	473
Hawaiian/Pacific Islander	72	93	83	79	73	71	70	77	83	96
More than 1 race	229	272	252	302	314	308	353	290	404	376
Other/Unknown	37	34	28	33	20	31	45	49	74	64
Average Age (Yrs.)	29.2	28.8	29.1	29.3	29.2	29.5	29.6	29.9	29.9	30.0
Age Less Than 18 Yrs. Old	-	17	14	-	-	-	-	-	-	-
Marital Status (Married)	4,879	5,472	5,371	5,220	5,548	5,184	5,400	5,156	5,328	5,364
High School Education	5,253	5,812	5,780	5,644	6,045	5,731	5,945	5,633	5,827	5,904
Smoking History (Yes)	309	326	319	256	270	221	189	147	134	131
Prenatal Care Began										
First Trimester	4,335	4,614	4,655	4,449	4,379	4,227	4,070	3,800	3,539	4,046
Second Trimester	767	915	908	841	1,017	779	860	809	868	1,093
Third Trimester	155	248	179	227	201	224	276	300	307	352
None	19	25	18	21	32	48	108	100	38	43
Unknown	143	240	221	291	569	621	804	809	1,266	560
Low Birthweight	183	239	227	233	254	245	239	230	272	265
Singleton Liveborn	5,271	5,874	5,835	5,681	6,072	5,739	5,997	5,706	5,875	5,941

Starting in 2014, records do not include out-of-state deliveries to Washington residents. Starting in 2013, the method used to calculate Prenatal Care Began has been revised to better align with NCHS recommendations. Starting in 2019, the percent of Prenatal Care Began excludes records with unknown/missing values and "Unknown" presents the proportion of total records with unknown/missing prenatal care initiation information. Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight. "-" indicates no value or value suppressed due to small numbers.

Characteristics of Elevate Health Non-Medicaid Women Who Gave Birth

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Women Who Gave Birth	5,419	6,042	5,981	5,829	6,198	5,899	6,118	5,818	6,018	6,094
% of All women	51.6%	54.5%	53.7%	53.3%	53.6%	51.8%	52.7%	52.2%	53.1%	55.7%
Race / Ethnicity										
White	74.4%	73.4%	73.2%	71.9%	71.2%	71.2%	70.2%	69.5%	65.8%	65.3%
Hispanic	7.5%	8.1%	8.4%	8.4%	10.1%	8.9%	9.7%	10.2%	11.1%	12.3%
African American	4.4%	4.6%	5.0%	5.2%	4.8%	5.4%	5.1%	5.5%	5.5%	5.3%
Native American	0.9%	0.8%	0.7%	0.7%	0.5%	0.6%	0.8%	0.6%	0.8%	0.6%
Asian	6.5%	6.6%	6.7%	6.7%	6.9%	7.0%	6.7%	6.9%	7.5%	7.8%
Hawaiian/Pacific Islander	1.3%	1.5%	1.4%	1.4%	1.2%	1.2%	1.1%	1.3%	1.4%	1.6%
More than 1 race	4.2%	4.5%	4.2%	5.2%	5.1%	5.2%	5.8%	5.0%	6.7%	6.2%
Other/Unknown	0.7%	0.6%	0.5%	0.6%	0.3%	0.5%	0.7%	0.8%	1.2%	1.1%
Age Less Than 18 Yrs. Old	-%	0.3%	0.2%	-%	-%	-%	-%	-%	-%	-%
Marital Status (Married)	90.0%	90.6%	89.8%	89.6%	89.5%	87.9%	88.3%	88.6%	88.5%	88.0%
High School Education	96.9%	96.2%	96.6%	96.8%	97.5%	97.2%	97.2%	96.8%	96.8%	96.9%
Smoking History (Yes)	5.7%	5.4%	5.3%	4.4%	4.4%	3.7%	3.1%	2.5%	2.2%	2.1%
Prenatal Care Began										
First Trimester	82.2%	79.5%	80.8%	80.3%	77.8%	80.1%	76.6%	75.9%	74.5%	73.1%
Second Trimester	14.5%	15.8%	15.8%	15.2%	18.1%	14.8%	16.2%	16.2%	18.3%	19.8%
Third Trimester	2.9%	4.3%	3.1%	4.1%	3.6%	4.2%	5.2%	6.0%	6.5%	6.4%
None	0.4%	0.4%	0.3%	0.4%	0.6%	0.9%	2.0%	2.0%	0.8%	0.8%
Unknown	2.6%	4.0%	3.7%	5.0%	9.2%	10.5%	13.1%	13.9%	21.0%	9.2%
Low Birthweight										
Singleton Liveborn	3.5%	4.1%	3.9%	4.1%	4.2%	4.3%	4.0%	4.0%	4.6%	4.5%

Starting in 2014, records do not include out-of-state deliveries to Washington residents. Starting in 2013, the method used to calculate Prenatal Care Began has been revised to better align with NCHS recommendations. Starting in 2019, the percent of Prenatal Care Began excludes records with unknown/missing values and "Unknown" presents the proportion of total records with unknown/missing prenatal care initiation information. Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight. "-" indicates no value or value suppressed due to small numbers.

Characteristics of Elevate Health Medicaid Women Who Gave Birth

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Women Who Gave Birth	5,082	5,054	5,155	5,108	5,361	5,487	5,486	5,332	5,305	4,841
All women	10,501	11,096	11,136	10,937	11,559	11,386	11,604	11,150	11,323	10,935
Race / Ethnicity										
White	2,583	2,664	2,742	2,683	2,772	2,781	2,672	2,475	2,437	2,182
Hispanic	1,048	954	970	954	999	1,070	1,074	1,138	1,081	1,019
African American	451	443	457	436	438	493	495	490	497	461
Native American	97	118	103	97	93	102	110	80	92	82
Asian	259	260	273	251	276	312	315	277	271	226
Hawaiian/Pacific Islander	186	174	205	197	247	244	236	284	306	265
More than 1 race	410	395	368	424	478	444	524	504	544	486
Other/Unknown	48	46	37	66	58	41	60	84	77	120
Average Age (Yrs.)	25.5	25.9	26.1	26.4	26.7	27.1	27.2	27.4	27.6	27.5
Age Less Than 18 Yrs. Old	-	154	132	-	-	-	-	-	-	-
Marital Status (Married)	1,830	1,906	1,928	1,937	2,085	2,149	2,163	2,122	2,127	1,869
High School Education	3,487	3,585	3,843	3,821	4,141	4,304	4,330	4,225	4,224	3,849
Smoking History (Yes)	1,017	956	960	993	1,006	1,009	838	785	713	574
Prenatal Care Began										
First Trimester	2,882	3,085	3,117	2,888	2,909	3,331	3,370	3,224	3,157	2,830
Second Trimester	1,607	1,385	1,445	1,404	1,556	1,281	1,288	1,299	1,392	1,303
Third Trimester	396	397	411	449	488	469	474	501	486	471
None	53	55	45	65	93	120	183	164	106	92
Unknown	144	132	137	302	315	286	171	144	164	145
Maternity Support Services	3,181	3,077	3,100	3,492	3,581	3,293	3,056	2,852	2,626	2,385
Average No. MSS Visits	6.0	5.7	4.8	4.4	4.2	4.8	5.1	5.4	5.7	5.3
Infant Case Management	599	591	542	434	491	601	476	449	464	393
Average No. ICM Visits	3.0	2.5	2.7	2.8	3.3	3.2	3.7	4.0	3.5	3.3
Low Birthweight	269	274	297	327	355	321	344	353	342	305
Singleton Liveborn	4,987	4,935	5,037	5,001	5,249	5,351	5,371	5,203	5,180	4,743

Starting in 2014, records do not include out-of-state deliveries to Washington residents. Starting in 2013, the method used to calculate Prenatal Care Began has been revised to better align with NCHS recommendations. Starting in 2019, the percent of Prenatal Care Began excludes records with unknown/missing values and "Unknown" presents the proportion of total records with unknown/missing prenatal care initiation information. Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight. "-" indicates no value or value suppressed due to small numbers.

Characteristics of Elevate Health Medicaid Women Who Gave Birth

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Women Who Gave Birth	5,082	5,054	5,155	5,108	5,361	5,487	5,486	5,332	5,305	4,841
% of All women	48.4%	45.5%	46.3%	46.7%	46.4%	48.2%	47.3%	47.8%	46.9%	44.3%
Race / Ethnicity										
White	50.8%	52.7%	53.2%	52.5%	51.7%	50.7%	48.7%	46.4%	45.9%	45.1%
Hispanic	20.6%	18.9%	18.8%	18.7%	18.6%	19.5%	19.6%	21.3%	20.4%	21.0%
African American	8.9%	8.8%	8.9%	8.5%	8.2%	9.0%	9.0%	9.2%	9.4%	9.5%
Native American	1.9%	2.3%	2.0%	1.9%	1.7%	1.9%	2.0%	1.5%	1.7%	1.7%
Asian	5.1%	5.1%	5.3%	4.9%	5.1%	5.7%	5.7%	5.2%	5.1%	4.7%
Hawaiian/Pacific Islander	3.7%	3.4%	4.0%	3.9%	4.6%	4.4%	4.3%	5.3%	5.8%	5.5%
More than 1 race	8.1%	7.8%	7.1%	8.3%	8.9%	8.1%	9.6%	9.5%	10.3%	10.0%
Other/Unknown	0.9%	0.9%	0.7%	1.3%	1.1%	0.7%	1.1%	1.6%	1.5%	2.5%
Age Less Than 18 Yrs. Old	-%	3.0%	2.6%	-%	-%	-%	-%	-%	-%	-%
Marital Status (Married)	36.0%	37.7%	37.4%	37.9%	38.9%	39.2%	39.4%	39.8%	40.1%	38.6%
High School Education	68.6%	70.9%	74.5%	74.8%	77.2%	78.4%	78.9%	79.2%	79.6%	79.5%
Smoking History (Yes)	20.0%	18.9%	18.6%	19.4%	18.8%	18.4%	15.3%	14.7%	13.4%	11.9%
Prenatal Care Began										
First Trimester	58.4%	62.7%	62.1%	60.1%	57.6%	64.0%	63.4%	62.1%	61.4%	60.3%
Second Trimester	32.5%	28.1%	28.8%	29.2%	30.8%	24.6%	24.2%	25.0%	27.1%	27.7%
Third Trimester	8.0%	8.1%	8.2%	9.3%	9.7%	9.0%	8.9%	9.7%	9.5%	10.0%
None	1.1%	1.1%	0.9%	1.4%	1.8%	2.3%	3.4%	3.2%	2.1%	2.0%
Unknown	2.8%	2.6%	2.7%	5.9%	5.9%	5.2%	3.1%	2.7%	3.1%	3.0%
Maternity Support Services	62.6%	60.9%	60.1%	68.4%	66.8%	60.0%	55.7%	53.5%	49.5%	49.3%
Infant Case Management	11.8%	11.7%	10.5%	8.5%	9.2%	11.0%	8.7%	8.4%	8.7%	8.1%
Low Birthweight										
Singleton Liveborn	5.4%	5.6%	5.9%	6.5%	6.8%	6.0%	6.4%	6.8%	6.6%	6.4%

Starting in 2014, records do not include out-of-state deliveries to Washington residents. Starting in 2013, the method used to calculate Prenatal Care Began has been revised to better align with NCHS recommendations. Starting in 2019, the percent of Prenatal Care Began excludes records with unknown/missing values and "Unknown" presents the proportion of total records with unknown/missing prenatal care initiation information. Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight. "-" indicates no value or value suppressed due to small numbers.

Characteristics of Elevate Health Regular Medicaid/TANF Women Who Gave Birth

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Women Who Gave Birth	1,780	1,701	1,659	1,471	1,944	2,785	3,024	2,773	2,562	2,207
All Medicaid women	5,082	5,054	5,155	5,108	5,361	5,487	5,486	5,332	5,305	4,841
Race / Ethnicity										
White	923	937	887	785	1,055	1,536	1,547	1,395	1,296	1,078
Hispanic	227	188	204	196	226	363	436	402	365	372
African American	259	219	225	191	191	285	298	293	281	216
Native American	29	41	32	25	32	52	66	40	35	35
Asian	57	59	55	44	92	124	129	123	91	76
Hawaiian/Pacific Islander	80	80	90	69	117	142	157	164	159	127
More than 1 race	183	166	153	144	215	259	352	305	302	238
Other/Unknown	22	11	13	17	16	24	39	51	33	65
Average Age (Yrs.)	24.4	24.6	24.9	25.3	26.9	27.2	27.3	27.8	27.9	28.0
Age Less Than 18 Yrs. Old	66	48	34	27	-	-	-	-	-	-
Marital Status (Married)	377	395	360	359	642	876	1,006	965	873	686
High School Education	1,141	1,121	1,176	1,053	1,546	2,269	2,479	2,242	2,068	1,755
Smoking History (Yes)	567	507	471	415	480	672	607	554	473	388
Prenatal Care Began										
First Trimester	953	1,027	966	810	1,045	1,683	1,813	1,726	1,511	1,285
Second Trimester	584	441	475	423	543	617	712	639	642	584
Third Trimester	168	177	159	131	205	262	284	238	244	206
None	21	21	16	23	47	72	122	101	76	62
Unknown	54	35	43	84	104	151	93	69	89	70
Maternity Support Services	1,212	1,110	1,098	1,091	1,305	1,658	1,723	1,465	1,248	1,090
Average No. MSS Visits	5.9	5.7	4.9	4.3	3.7	4.2	4.5	4.7	4.8	4.5
Infant Case Management	226	201	191	127	175	283	222	203	204	173
Average No. ICM Visits	2.9	2.5	2.3	3.0	3.1	2.7	3.3	3.3	3.0	3.1
Low Birthweight	114	104	124	123	141	191	189	192	170	163
Singleton Liveborn	1,739	1,664	1,612	1,441	1,909	2,723	2,953	2,712	2,491	2,156

Starting in 2014, records do not include out-of-state deliveries to Washington residents. Starting in 2013, the method used to calculate Prenatal Care Began has been revised to better align with NCHS recommendations. Starting in 2019, the percent of Prenatal Care Began excludes records with unknown/missing values and "Unknown" presents the proportion of total records with unknown/missing prenatal care initiation information. Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight. "-" indicates no value or value suppressed due to small numbers.

Characteristics of Elevate Health Regular Medicaid/TANF Women Who Gave Birth

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Women Who Gave Birth	1,780	1,701	1,659	1,471	1,944	2,785	3,024	2,773	2,562	2,207
% of All Medicaid women	35.0%	33.7%	32.2%	28.8%	36.3%	50.8%	55.1%	52.0%	48.3%	45.6%
Race / Ethnicity										
White	51.9%	55.1%	53.5%	53.4%	54.3%	55.2%	51.2%	50.3%	50.6%	48.8%
Hispanic	12.8%	11.1%	12.3%	13.3%	11.6%	13.0%	14.4%	14.5%	14.2%	16.9%
African American	14.6%	12.9%	13.6%	13.0%	9.8%	10.2%	9.9%	10.6%	11.0%	9.8%
Native American	1.6%	2.4%	1.9%	1.7%	1.6%	1.9%	2.2%	1.4%	1.4%	1.6%
Asian	3.2%	3.5%	3.3%	3.0%	4.7%	4.5%	4.3%	4.4%	3.6%	3.4%
Hawaiian/Pacific Islander	4.5%	4.7%	5.4%	4.7%	6.0%	5.1%	5.2%	5.9%	6.2%	5.8%
More than 1 race	10.3%	9.8%	9.2%	9.8%	11.1%	9.3%	11.6%	11.0%	11.8%	10.8%
Other/Unknown	1.2%	0.6%	0.8%	1.2%	0.8%	0.9%	1.3%	1.8%	1.3%	2.9%
Age Less Than 18 Yrs. Old	3.7%	2.8%	2.0%	1.8%	-%	-%	-%	-%	-%	-%
Marital Status (Married)	21.2%	23.2%	21.7%	24.4%	33.0%	31.5%	33.3%	34.8%	34.1%	31.1%
High School Education	64.1%	65.9%	70.9%	71.6%	79.5%	81.5%	82.0%	80.9%	80.7%	79.5%
Smoking History (Yes)	31.9%	29.8%	28.4%	28.2%	24.7%	24.1%	20.1%	20.0%	18.5%	17.6%
Prenatal Care Began										
First Trimester	55.2%	61.6%	59.8%	58.4%	56.8%	63.9%	61.9%	63.8%	61.1%	60.1%
Second Trimester	33.8%	26.5%	29.4%	30.5%	29.5%	23.4%	24.3%	23.6%	26.0%	27.3%
Third Trimester	9.7%	10.6%	9.8%	9.4%	11.1%	9.9%	9.7%	8.8%	9.9%	9.6%
None	1.2%	1.3%	1.0%	1.7%	2.6%	2.7%	4.2%	3.7%	3.1%	2.9%
Unknown	3.0%	2.1%	2.6%	5.7%	5.3%	5.4%	3.1%	2.5%	3.5%	3.2%
Maternity Support Services	68.1%	65.3%	66.2%	74.2%	67.1%	59.5%	57.0%	52.8%	48.7%	49.4%
Infant Case Management	12.7%	11.8%	11.5%	8.6%	9.0%	10.2%	7.3%	7.3%	8.0%	7.8%
Low Birthweight										
Singleton Liveborn	6.6%	6.3%	7.7%	8.5%	7.4%	7.0%	6.4%	7.1%	6.8%	7.6%

Starting in 2014, records do not include out-of-state deliveries to Washington residents. Starting in 2013, the method used to calculate Prenatal Care Began has been revised to better align with NCHS recommendations. Starting in 2019, the percent of Prenatal Care Began excludes records with unknown/missing values and "Unknown" presents the proportion of total records with unknown/missing prenatal care initiation information. Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight. "-" indicates no value or value suppressed due to small numbers.

Characteristics of Elevate Health Pregnancy Medical Women Who Gave Birth

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Women Who Gave Birth	3,013	3,103	3,253	3,380	3,035	2,308	2,091	2,154	2,354	2,301
All Medicaid women	5,082	5,054	5,155	5,108	5,361	5,487	5,486	5,332	5,305	4,841
Race / Ethnicity										
White	1,525	1,609	1,728	1,769	1,539	1,063	969	893	971	949
Hispanic	764	729	731	718	694	624	570	646	632	578
African American	149	188	201	218	202	160	143	162	175	211
Native American	59	66	65	63	55	38	28	27	45	37
Asian	192	191	213	202	174	179	177	145	167	141
Hawaiian/Pacific Islander	100	89	109	123	122	89	60	105	133	126
More than 1 race	199	200	184	244	215	139	124	149	191	209
Other/Unknown	25	31	22	43	34	16	20	27	40	50
Average Age (Yrs.)	26.5	26.8	27.0	27.1	27.2	27.9	27.7	27.5	27.7	27.7
Age Less Than 18 Yrs. Old	49	43	37	34	12	-	-	-	-	-
Marital Status (Married)	1,404	1,457	1,518	1,525	1,382	1,205	1,063	1,024	1,117	1,069
High School Education	2,235	2,357	2,551	2,652	2,423	1,856	1,657	1,742	1,923	1,885
Smoking History (Yes)	385	379	436	519	434	252	170	178	176	152
Prenatal Care Began										
First Trimester	1,776	1,909	2,011	1,952	1,672	1,463	1,371	1,265	1,430	1,374
Second Trimester	937	882	899	900	897	534	463	554	639	616
Third Trimester	198	200	230	286	240	167	157	225	204	226
None	28	31	25	36	37	30	45	44	22	23
Unknown	74	81	88	206	189	114	55	66	59	62
Maternity Support Services	1,781	1,806	1,845	2,216	2,012	1,380	1,141	1,203	1,181	1,142
Average No. MSS Visits	6.0	5.7	4.8	4.4	4.4	5.4	5.8	6.3	6.8	6.1
Infant Case Management	338	360	326	275	278	268	231	210	227	188
Average No. ICM Visits	2.9	2.5	2.9	2.7	3.3	3.9	4.1	4.8	4.0	3.5
Low Birthweight	134	141	148	183	183	99	122	134	142	121
Singleton Liveborn	2,962	3,030	3,188	3,309	2,972	2,244	2,057	2,095	2,306	2,256

Starting in 2014, records do not include out-of-state deliveries to Washington residents. Starting in 2013, the method used to calculate Prenatal Care Began has been revised to better align with NCHS recommendations. Starting in 2019, the percent of Prenatal Care Began excludes records with unknown/missing values and "Unknown" presents the proportion of total records with unknown/missing prenatal care initiation information. Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight. "-" indicates no value or value suppressed due to small numbers.

Characteristics of Elevate Health Pregnancy Medical Women Who Gave Birth

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Women Who Gave Birth	3,013	3,103	3,253	3,380	3,035	2,308	2,091	2,154	2,354	2,301
% of All Medicaid women	59.3%	61.4%	63.1%	66.2%	56.6%	42.1%	38.1%	40.4%	44.4%	47.5%
Race / Ethnicity										
White	50.6%	51.9%	53.1%	52.3%	50.7%	46.1%	46.3%	41.5%	41.2%	41.2%
Hispanic	25.4%	23.5%	22.5%	21.2%	22.9%	27.0%	27.3%	30.0%	26.8%	25.1%
African American	4.9%	6.1%	6.2%	6.4%	6.7%	6.9%	6.8%	7.5%	7.4%	9.2%
Native American	2.0%	2.1%	2.0%	1.9%	1.8%	1.6%	1.3%	1.3%	1.9%	1.6%
Asian	6.4%	6.2%	6.5%	6.0%	5.7%	7.8%	8.5%	6.7%	7.1%	6.1%
Hawaiian/Pacific Islander	3.3%	2.9%	3.4%	3.6%	4.0%	3.9%	2.9%	4.9%	5.6%	5.5%
More than 1 race	6.6%	6.4%	5.7%	7.2%	7.1%	6.0%	5.9%	6.9%	8.1%	9.1%
Other/Unknown	0.8%	1.0%	0.7%	1.3%	1.1%	0.7%	1.0%	1.3%	1.7%	2.2%
Age Less Than 18 Yrs. Old	1.6%	1.4%	1.1%	1.0%	0.4%	-%	-%	-%	-%	-%
Marital Status (Married)	46.6%	47.0%	46.7%	45.1%	45.5%	52.2%	50.8%	47.5%	47.5%	46.5%
High School Education	74.2%	76.0%	78.4%	78.5%	79.8%	80.4%	79.2%	80.9%	81.7%	81.9%
Smoking History (Yes)	12.8%	12.2%	13.4%	15.4%	14.3%	10.9%	8.1%	8.3%	7.5%	6.6%
Prenatal Care Began										
First Trimester	60.4%	63.2%	63.5%	61.5%	58.7%	66.7%	67.3%	60.6%	62.3%	61.4%
Second Trimester	31.9%	29.2%	28.4%	28.4%	31.5%	24.3%	22.7%	26.5%	27.8%	27.5%
Third Trimester	6.7%	6.6%	7.3%	9.0%	8.4%	7.6%	7.7%	10.8%	8.9%	10.1%
None	1.0%	1.0%	0.8%	1.1%	1.3%	1.4%	2.2%	2.1%	1.0%	1.0%
Unknown	2.5%	2.6%	2.7%	6.1%	6.2%	4.9%	2.6%	3.1%	2.5%	2.7%
Maternity Support Services	59.1%	58.2%	56.7%	65.6%	66.3%	59.8%	54.6%	55.8%	50.2%	49.6%
Infant Case Management	11.2%	11.6%	10.0%	8.1%	9.2%	11.6%	11.0%	9.7%	9.6%	8.2%
Low Birthweight										
Singleton Liveborn	4.5%	4.7%	4.6%	5.5%	6.2%	4.4%	5.9%	6.4%	6.2%	5.4%

Starting in 2014, records do not include out-of-state deliveries to Washington residents. Starting in 2013, the method used to calculate Prenatal Care Began has been revised to better align with NCHS recommendations. Starting in 2019, the percent of Prenatal Care Began excludes records with unknown/missing values and "Unknown" presents the proportion of total records with unknown/missing prenatal care initiation information. Low Birthweight and Singleton Liveborn numbers and percents are for single live births with valid birthweight. "-" indicates no value or value suppressed due to small numbers.