



# Apple Health Policy

April Phillips, PharmD  
Apple Health PDL/DUR Manager  
Health Care Services  
March 21, 2018

# Antifungal, Topical Solutions (Jublia, Kerydin)

- Diagnosis of onychomycosis of the toenail due to **ONE** of the following:
  - *Trichophyton rubrum*
  - *Trichophyton mentagrophytes*
- Diagnosis confirmed by **ONE** of the following:
  - Potassium hydroxide (KOH) test
  - Fungal culture
  - Nail biopsy

# Antifungal, Topical Solutions (Jublia, Kerydin)

- Documentation of medical necessity for **ONE** of the following:
  - Client has a history of cellulitis of the lower extremity secondary to onychomycosis and has required systemic antibiotic therapy
  - Client is diabetic and has additional risk factors for cellulitis
  - Client has a history of peripheral vascular disease
  - Client is immunocompromised (i.e. receiving chemotherapy, taking long term oral corticosteroids, taking anti-rejection medications)
  - Client is experiencing pain/discomfort associated with the infected nail

# Antifungal, Topical Solutions (Jublia, Kerydin)

- History of failure of **TWO** or contraindication to **ALL** of the following:
  - Minimum 12-week treatment with oral terbinafine (generic Lamisil)
  - Minimum 12-week treatment with oral itraconazole (generic Sporanox)
  - Minimum 48-week treatment with topical ciclopirox (generic PENLAC)

# Antifungal, Topical Solutions (Jublia, Kerydin)

- Motion: “I move the Apple Health Medicaid Program implement the policy for the topical solution antifungal drug class listed on slides 2-4”

Motion: Lee

2<sup>nd</sup>: Park

# Sinus Node Inhibitor (Corlanor)

- **ALL** of the following:
  - To prevent worsening heart failure in a diagnosis of stable, symptomatic chronic heart failure (New York Heart Association (NYHA) class II to IV heart failure)
  - Left ventricular ejection fraction less than or equal to ( $\leq$ ) 35%
  - Currently in sinus rhythm
  - Resting heart rate greater than or equal to ( $\geq$ ) 70 beats per minute
- **ONE** of the following:
  - Currently taking maximum tolerated doses of beta blockers (e.g. carvedilol, metoprolol succinate, bisoprolol)
  - Contraindication or intolerance to beta blockers



# Sinus Node Inhibitor (Corlanor)

- **NONE** of the following:
  - Acute decompensated heart failure
  - Blood pressure less than 90/50 mmHg
  - Sick sinus syndrome, sinoatrial block or 3rd degree AV block, unless a functioning demand pacemaker is present
  - Resting heart rate less than (<) 70 bpm prior to treatment
  - Severe hepatic impairment
  - Pacemaker dependence (heart rate maintained exclusively by the pacemaker)
  - In combination with strong cytochrome CYP3A4 inhibitors (e.g. azole antifungals, macrolide antibiotics, HIV protease inhibitors)
- Prescribed by or in consultation with a cardiologist or cardiac specialist



# Sinus Node Inhibitor (Corlanor)

- Motion: “I move the Apple Health Medicaid Program implement the policy for the sinus node inhibitor drug class listed on slides 6-7”

Motion: Figueroa

2<sup>nd</sup>: Chew