DBHR listening session for behavioral health service providers

Tuesday, October 25, 1:30 to 2:30 p.m.

Behavioral health providers have the power to stop an overdose. <u>Learn</u> <u>more.</u>



Teams listening session norms

- Mute yourself if you are not speaking.
- Raise your hand if you want to speak.
- This time is for you. Ask questions, give comments, ask for help if you need it.
- ▶ If we cannot answer your question on this call, we will follow up after the webinar.



Disclaimer

- This meeting is being recorded and livestreamed.
- The meeting will be shared on the COVID-19 information page under DBHR monthly call for behavioral health service providers.
- This recording is open to public disclosure.
- Please do not disclose any private or confidential information.



Agenda

Subject	Who
Welcome	 Keri Waterland
Substance Use Disorder and Mental Health Promotion State Plan	 Sarah Mariani and Alicia Hughes
• Questions	• All



New addition of American Society of Addiction Medicine to be released

- A new edition of the American Society of Addiction Medicine (ASAM) is being released, with some substantial changes. States determine when and how to transition over to the new ASAM.
- Dehavioral Health Agencies (BHAs) licensed and certified to provide substance use disorder treatment, SUDPs across all settings as well as other system partners.
- The ASAM criteria is the most widely used and comprehensive set of guidelines for placement, continued stay and transfer/discharge of individuals with SUD and co-occurring conditions.
- HCA is developing a transition plan to the updated ASAM. More information in the coming months.




November DBHR BH Provider Meeting



Goal of Prevention and Promotion

Duild the health and wellness of individuals, families, and communities by delaying the onset of youth use, reducing youth substance use, preventing substance use disorder, and promoting mental health and wellbeing.



• We do this through our commitment to:

- State, Tribal, and local partners
- Communities with greater risk and higher need
- Research and evidence-based practices
- Outcomes



Goal of Prevention and Promotion





What is the SPE Policy Consortium?

- Full Name
 - State Prevention Enhancement (SPE) Policy Consortium
- Who can participate?
 - Any statewide organization working on preventing substance use disorder and/or promoting mental health.
- What do they do?
 - ► Inform partners, funders, leaders
 - ► Support workgroups and partners
 - Coordinate reduce duplication and ensure system efficiency.



Mission, Vision, and Key Values

Mission: The SPE Policy Consortium, through partnerships and collaboration, will strengthen and support an integrated, statewide system of community-driven SUD prevention, behavioral and mental health promotion, and related themes.

Vision: A state where all individuals, families, youth, and communities can be as healthy as possible in a safe and nurturing environment.

Key values:

- Work collaboratively to produce a collective impact.
- Address health disparities and promote health equity.
- Make data-informed decisions.
- Honor current state and tribal resources, and ensure cultural competence, including honoring the Centennial Accord between the Federally Recognized Indian Tribes in Washington State and the State of Washington.
- Build community wellness.
- Support community-level initiatives.
- Consider the entire lifespan of the individual.
- Consider impacts of Health Care Reform and Indian Health Care Improvement Act.



Key Principles

- We work to prevent youth access to alcohol and other drugs.
- We work to educate the broader community.
- We promote the inclusion and education of research in policymaking.
- We implement programs that further the development of positive youth development.
- We support public policies that improve public behavioral health and safety:
 - Reduced/limited availability of products, especially for youth.
 - Limit density of purchase locations of products.
 - Reduced/limited product types, especially those that are appealing to youth.
 - Reduced/limited promotion, advertising, and clear labeling.
 - Regulating price of products.
 - Ensuring equity practices within legal markets.



Assessment: Priority Areas

- Underage drinking
- Cannabis/marijuana use/misuse
- Opioids, both prescribed and illicit, other prescription drugs, and stimulants use/misuse
- Commercial tobacco use/misuse
- Young adult/adult alcohol use/misuse
- Vaping use/misuse
- Depression and anxiety
- Suicide ideation
- Problem gambling




Pandemic Effect

- The COVID-19 pandemic led to many changes in the lives of Washington youth
- HYS 2021 was likely influenced by the pandemic (e.g., decreased opportunity for socializing with peers)
- Trend data from before the pandemic and during/after the height of the pandemic should be interpreted with caution
- This is shown as a "break" in trend graphs
- HYS 2023 should help us determine which, if any, of the impacts will remain

HYS Current (30-Day) Marijuana Use

2010-2021



Washington State Healthy Youth Survey; There is no connecting line between 2018 and 2021 to indicate caution should be used when comparing estimates between 2021 and prior years because of methodological changes for 2021. Due to these changes, significance testing between 2021 and prior years was not performed.




Key Findings

- Overall, based on prevalence, misuse of alcohol is the most concerning substance issue among high school youth when compared to other substances.
 - Alcohol use among youth and young adults has been on a decreasing trend.
- Cannabis/Marijuana ranks as the 2nd most concerning substance misuse for youth.
 - Cannabis/Marijuana use over the years continues to remain stable for high school youth. Among, youth aged 21-25, cannabis use has significantly increased.
- Commercial tobacco use by high school youth ranks 3rd as a substance of concern.
 - All forms of tobacco use (excluding E-cigarettes / Vape pen use) have continued to decline for high school youth and young adults.
- Mental health concerns are also prioritized as there is an increase in prevalence overtime in depression and suicide ideation, suicide planning, and suicide attempts among high school youth.



Alcohol Use Among Youth Continues to Decline

HYS Current (30-Day) Alcohol Use



Washington State Healthy Youth Survey; There is no connecting line between 2018 and 2021 to indicate caution should be used when comparing estimates between 2021 and prior years because of methodological changes for 2021. Due to these changes, significance testing between 2021 and prior years was not performed.




Suicide Deaths Continue to Rise in Washington Youth

Suicide Death Rates by Age Group

Washington, 2010-2020


Rate per 100,000 population



Washington State Department of Health, Center for Health Statistics, Death Certificate Data

HYS Seriously Considered Suicide in Past 12 Months

2010-2021




Washington State Healthy Youth Survey; There is no connecting line between 2018 and 2021 to indicate caution should be used when comparing estimates between 2021 and prior years because of methodological changes for 2021. Due to these changes, significance testing between 2021 and prior years was not performed.



A Large Proportion of Youth Report Feeling Sad or Hopeless in the Past 12 Months

HYS Sad or Hopeless Feelings Almost Every Day in Two-Week Period in Past Year



Washington State Health Youth Survey; There is no connecting line between 2018 and 2021 to indicate caution should be used when comparing estimates between 2021 and prior years because of methodological changes for 2021. Due to these changes, significance testing between 2021 and prior years was not performed.



Health Equity

- Significant mental disparities among female sex assigned at birth
- LGB students show disparities across all major indicators
- Students who self identify as disabled have significantly higher risk factors for problem behaviors
- Students who are unhoused are more than twice as likely to have attempted suicide
- Resource assessment shows that programs designed for LGB and disabled students are rare

Health disparities data

Health Disparities Data by Gender at Birth, Sexual Orientation, Disability Status, and Housing Insecurity, Washington State 10th Grade Students

Subpopulation, 2021

Red highlighted data indicates a statistically significant difference at the p<0.05 level

Behavioral health problem		nder at irth ¹ Sexual orientation (LGB) ²		Disability status³		Housing insecurity ⁴		
	Female	Male	LGB	Hetero- sexual	Disability	No disability	Insecure housing	Secure housing
Smoked cigarettes in past 30 days	2.3%	1.6%	4.9%	1.1%	3.8%	0.8%	10.2%	1.7%
Drank alcohol in past 30 days	9.7%	7.0%	13.5%	7.2%	15.8%	6.3%	15.1%	8.1%
Used marijuana or hashish in past 30 days	7.9%	6.4%	13.9%	5.8%	11.5%	5.4%	16.6%	6.7%
Binge drinking in past 2 weeks	6.0%	4.9%	9.3%	4.8%	8.4%	4.7%	11.5%	5.1%
Pain killer use in past 30 days	1.2%	0.8%	2.3%	0.7%	3.0%	0.4%	4.0%	0.8%
Sad/hopeless in past 12 months	50.2%	25.4%	65.9%	29.0%	61.2%	28.5%	52.8%	36.5%
Suicide ideation	26.2%	12.6%	46.3%	11.5%	38.2%	13.0%	36.5%	18.5%
Suicide plan	20.8%	10.3%	34.8%	9.2%	30.5%	10.0%	26.0%	14.7%
Suicide attempt	11.6%	4.5%	20.9%	4.3%	18.2%	4.2%	16.3%	7.2%
Bullied in the past 30 days	16.3%	10.1%	23.1%	10.2%	25.7%	8.6%	21.7%	12.7%
Anxiety ⁵	55.0%	23.1%	67.5%	29.7%	61.8%	36.0%	47.2%	38.9%




2023 and 2025 Targets for Behavioral Health Problems

Alcohol use (10th grade)	HYS 2016	HYS 2018	HYS 2021	Target 2023	Target 2025
Drank alcohol in last 30 days	20.3%	18.5%	8.4%	15.0%	14.0%
Tobacco use (10th grade)	HYS 2016	HYS 2018	HYS 2021	Target 2023	Target 2025
Tobacco use in past 30 days (all tobacco, excluding e-cigarettes) ¹	10.2%	7.9%	3.5%	7.5%	7.1%
Smoked cigarettes in last 30 days	6.3%	5.0%	1.9%	4.8%	4.5%
Depression (10th grade)	HYS 2016	HYS 2018	HYS 2021	Target 2023	Target 2025
Sad/hopeless in past 12 months	34.5%	40.0%	38.1%	36.0%	34.1%



Planning





Strategic Objectives

- Strategic Objective One: Strengthen state collaboration to prevent initiation of substance use and promote mental health.
- Strategic Objective Two: Utilizing needs assessment data in Washington State, create and disseminate communication plans, campaigns, trainings, and resources to better serve populations in need.
- Strategic Objective Three: Implement environmental strategies to: reduce access and availability of substances; change community and social norms of substance use; and reduce stigma in accessing behavioral health services.
- Strategic Objective Four: Commit and dedicate efforts to implementing SUD prevention and mental health promotion programs to strengthen protective factors and reduce risk factors.
- Strategic Objective Five: Strengthen the long-term sustainability of the behavioral health promotion and SUD prevention workforce.




Implementation Through Workgroups

- Continuing support for resources directed to prevention and promotion efforts statewide.
- Consortium and Workgroup action plans are implemented, tracked, and reported out on.



Workgroup Planning

• The SPE work is part of a larger effort.





Washington Healthy Youth (WHY) Coalition (Underage Drinking and Youth Cannabis Prevention)

• Goals:

- ▶ Reduce percentage of 10th graders reporting they drank alcohol in the past 30 days from 20% in 2016 to 15% in 2023
- ▶ Reduce percentage of 10th graders reporting they used marijuana in the past 30 days from 17% in 2016 to 12% in 2023

Data Measures:

- ▶ Underage Drinking 30-day use; problem use. HYS
- Cannabis/Marijuana Use 30-day use. HYS

Strategies:

- Provide Educational Tools for parents, schools, others.
- Use data to inform strategies
- Expand membership
- Education and information sharing



Washington Breathes (WA Breathes) (Commercial Tobacco/Vapor Product Prevention and Treatment)

• Goals:

- Improve health equity and community health
- Restore funding & comprehensive state program
- Eliminate underage commercial tobacco and vapor product use
- ► Improve cessation treatment
- ► Eliminate inequities
- ► Increase community-based data
- ► End commercial tobacco sales

Data Measures:

- Commercial Tobacco Use 30 day use. HYS
- ► Vapor Products Use 30 day use. HYS

Strategies:

- Promote new coalition and strategic plan
- Reduce disparities in use among key populations
- Leverage resources to support prevention and treatment



Opioid Prevention Workgroup

(Prevent Opioid and Substance Misuse, and Associated Harms)

Goals:

- Prevent misuse of opioids and other substances in communities, particularly among youth and young adults.
- ► Promote use of opioid prescribing best practices among health care providers.
- ► Increase the use of the Prescription Drug Monitoring Program
- ► Educate the public about the risks of opioid use, including overdose.
- Promote safe home storage and appropriate disposal
- Decrease the supply of illegal opioids

Data Measures:

- Any opioid/prescription drug misuse30-day use. HYS
- ▶ Painkiller use past 30 days. HYS.

Strategies:

- ► Implement CPWI/SAPISP
- ► Fund CBO's in implementing EBPs
- Fund Tribes in providing culturally attuned programs
- Safe prescribing and utilization of PMP
- ► Public Education Campaigns



Mental Health Promotion and Suicide Prevention

• Goals:

- Statewide workgroup involving state and local organizations to focus on mental health promotion, suicide prevention strategies to implement SPE strategies.
- Build capacity across MHP system
- Seek new funding opportunities
- Share resources for MHP and Suicide Px

Data Measures:

- Anxiety within last 2 weeks. HYS
- Depression sad/hopeless in last 12 months. HYS
- Suicide Ideation; plan; attempt. HYS.



Young Adults Workgroup Cappable and Alcohol Micuse Provention

(Cannabis and Alcohol Misuse Prevention)

• Goals:

- Increase statewide collaboration and partnerships with diverse partners.
- Public education Enhance young adults' critical knowledge about alcohol and cannabis and raise awareness of misuse
- Workforce development
- Promote the use of evidence-based screening/intervention best practices, resources and tools.

Data Measures:

- Young Adult/Adult Alcohol Misuse

 use during pregnancy. PRAMS,
 YAHS.
- ➤ Young adult alcohol use use in past month. YAHS.
- Young adult recreational cannabis use – past year by age group.
 YAHS.



Problem Gambling Prevention

• Goals:

- Recent formation and organization
- ➤ 2022 Legislative Session delegated more resources to PG
- Significant support from tribal partners
- Will create full strategic plan by end of 2024

Data Measures:

Problem Gambling – last 12 months. HYS



Evaluation of SPE's Efforts

- Robust reporting systems from SPE Policy Consortium partner agencies/organizations.
- Tracking and analyzing data and outcomes from youth and young adult surveys in comparison to set targets.
- Tracking outcomes and progress on Consortium and Workgroup action plans.



Questions?

Where to Learn more:

www.TheAthenaForum.org/spe



SPE Contact Information

- SPE Co-Chair: Sarah Mariani sarah.mariani@hca.wa.gov
- SPE Co-Chair: Allen Christensen <u>allen.christensen@doh.wa.gov</u>

5-Year Plan Lead: Erika Jenkins — erika.jenkins@hca.wa.gov

- SPE Staff
 - ► Alicia Hughes <u>alicia.hughes@hca.wa.gov</u>
 - ► Isaac Wulff <u>isaac.wulff@hca.wa.gov</u>





Open forum: All questions are welcome



Thanks for your time!

